

**2020. Any learnings?
Welcome 2021**

FARO
BARCELONA

10

10

DATC





01/ INDOOR

32 — 37
Portables
Portátiles

38 — 83
Table&Floor
Mesa y suelo

84 — 127
Suspended
Suspensión

128 — 139
Ceiling
Techo

140 — 215
Surface
Superficie

216 — 223
Spotlights
Focos

224 — 241
Recessed
Empotrables

242 — 245
Track
Carril

Edition
A2021M

Art Director / Graphics
Faro Art

Printing
Jiménez Godoy

All Rights Reserved
Reproduction without written permission from the publisher is strictly prohibited.

Photographers
Guillem F-H
Andrés Fraga
Ricard Badia
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martin Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters
Dinámica 1 / 08755 /
Castellbisbal

Showroom
Princesa 52 / 08003 / Barcelona
+34 902 165 166 /
faro@lorefar.com / faro.es

02/ OUTDOOR

248 ____ 257
Saigon by Nahtrang
Saigon

258 ____ 263
Portables
Portátiles

264 ____ 317
Floor
Suelo

318 ____ 327
Spike&Projector
Estaca y Proyector

328 ____ 331
Suspended
Suspensión

332 ____ 333
Ceiling
Techo

334 ____ 369
Surface
Superficie

370 ____ 383
Recessed
Empotrables

03/ TECH

388 ____ 423
Track
Carril

424 ____ 463
Recessed
Empotrables

464 ____ 481
Surface
Superficie

488 ____ 491
Drivers
Equipos electrónicos



04/ FAN

502 ____ 525
Extra large
Extra grande

526 ____ 591
Large
Grande

587 ____ 611
Medium
Mediano

612 ____ 635
Small
Pequeño

636 ____ 637
Optional accessories
Accesorios opcionales

638 ____ 645
Bulbs
Bombillas



Our purpose goes beyond creating beautiful products, functional and quality. We design objects thinking about the happiness and well-being of the people who are going to be in contact with them. We believe in honest, close and accessible design. Design for everyone.

Nuestro propósito va más allá de crear productos bellos, funcionales y de calidad. Diseñamos objetos pensando en la felicidad y el bienestar de las personas que van a estar en contacto con ellos. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

designed for happiness.





Virtual reality / Realidad virtual

We apply virtual reality to improve our customers' experience.

Aplicamos la realidad virtual para mejorar la experiencia de nuestros clientes.



3D printing / Impresión 3D

Pioneers in the application of 3D printing to improve design processes.

Pioneros en la aplicación de la impresión 3D para mejorar los procesos de diseño.



Smart light / Control de la luz

We work with specialised technological partners to offer a complete selection of luminaires that can be controlled with 1-10V, DALI or Bluetooth systems, as well as with our own smart lamp.

Colaboramos con partners tecnológicos especializados para ofrecer una completa selección de luminarias que pueden ser controladas con los sistemas 1-10V, DALI o Bluetooth, así como con nuestra propia lámpara inteligente.



Smart Fan / Ventiladores inteligentes

As leaders in fan sector, we have a wide selection of intelligent fans that can be controlled comfortably and easily from any device, improving the user experience and adapting to the needs of each user at all times.

Como líderes en el sector de la ventilación, disponemos de una amplia selección de ventiladores inteligentes que permiten ser controlados de una forma cómoda y sencilla desde cualquier dispositivo, mejorando la experiencia de uso y adaptándonos a las necesidades de cada usuario en cada momento.

01/

PEOPLE PERSONAS



Promoting diversity.
Promovemos la diversidad.

Gender, age, origin, religion.
De género, edad, procedencia, religión.



Community support.
Apoyamos a la comunidad.

We support NGOs and social programmes with Caritas and our Hook luminaire.
Apoyamos a ONGs y programas sociales con Cáritas y nuestra luminaria Hook.



Honest and accessible design.
Diseño honesto y accesible.

We impact on the quality of life, well-being and comfort of people.
Impactamos en la calidad de vida, el bienestar y el confort de las personas.

02/

ENVIRONMENT ENTORNO



Sustainable business.
Comercio sostenible.

Collection and recycling of packaging with Nozama Green.
Recogida y reciclaje de embalaje con Nozama Green.



Go to green.
Hacia lo sostenible.

Green energy in our facilities.
Usamos energía verde en nuestras instalaciones.



Less environmental impact.
Menor impacto medioambiental.

New logistics centre in China to reduce transport impact.
Nuevo centro logístico en China para reducir el impacto en transporte.

03/

PRODUCT PRODUCTO



Ecodesign.
Ecodiseño.

Less material and more sustainable. Less polluting manufacturing processes.
Menos materiales y más sostenibles. Procesos de fabricación menos contaminantes.



Packaging optimization.
Optimización del embalaje.

Redesign with sustainable and/or recycled materials.
Rediseño con materiales sostenibles y/o reciclados.



Training in Circular Design.
Formación en Diseño circular.

Products designed to be more easily repaired or recycled.
Productos diseñados para ser más fácilmente reparados o reciclados.



We have started on the road to sustainability: a long journey with no return. These are some of our commitments to contribute to the creation of a more sustainable, happier, better world.

Hemos iniciado el camino hacia la sostenibilidad: un viaje largo y sin retorno. Estos son algunos de nuestros compromisos para contribuir a la creación de un mundo más sostenible, más feliz, un mundo mejor.



Pia Cappdevila

Hospitality /01



Taruella Trench Studio

Restaurant /02



Studioapart

Retail /03



Febrerostudio

Office /04

Studiotamat



Residential /05

Light transforms spaces as well as the mood of the people who live in them. We accompany you through all stages of the project.

La luz es capaz de transformar los espacios así como el estado de ánimo de las personas que habitan en ellos.

Te acompañamos en todas las etapas del proyecto.



IF Product Design Award **Winner**

LOTUS



German Design Award **Winner**

HOOK



IF Product Design Award **Winner**

INVITING



reddot award 2019
winner

Red Dot Design Award **Winner**

INVITING



German Design Award **Special**

INVITING



German Design Award **Special**

MUTE



reddot award 2018
winner

Red Dot Design Award **Winner**

HOOK



Green Product Award **Winner**

HOOK



Delta Awards **Selection**

HOOK



Bienal Iberoamericana de Diseño **Selection**

HOOK



Salone Satellite **Selection**

WHIZZ



German Design Award **Winner**

MINE



German Design Award **Special**

BU-OH!



Restaurant&Bar Product Design Award **Winner**

MINE



Design & Innovation Awards **Winner**

HAN






Christopher F. Wagner



Goula/Figuera



Xjer Studio



Nutcreatives



Marina Milà



Àlex & Manel Llusçà



Andreu Carulla



Alegre Design



Conillas




Jordi Llopis



Bohman&Folenius



Faro Lab



Oiko Design Office



Lucid



Isaac Piñeiro



Nahtrang



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Estudi Ribaudí



Adolfo Abejón



Aldanondoyfdez



Yembarastudio

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.

Diseñadores, artistas, creadores. Ellos hacen de nuestro mundo un lugar mejor gracias a su ingenio, talento y creatividad.

INDOOR

Portable/Portátil



FUJI

HOSHI

JELLYFISH

TAKE AWAY

32

35

34

36

Table/Mesa



Floor/Suelo

										
ARTIS	BERNI	BLACK	CONGA	DRUM	GUADALUPE	GUEST	HOTEL	JELLYFISH	LAO	LE VITA
70	76	80	62	59	38	48	78	49	56	51
										
LINDA	LINK	LOOP	LUPE	MAMBO	MITIC	MOMA	MONTREAL	PAPUA	REM	SABA
72	55	52	73	61	82	79	64	80	68	83
										
SAMBA	SAVOY	STAND-UP	STOOD	SWEET	THANA	TREE	VESPER	VOLTA	WHIZZ	
63	66	58	54	75	82	74	71	77	57	

Bathroom/Baño

									
BRUME	CLOE	FORO	KAO	LOGOS	TOLA	VUK	ZON		
139	138	138	139	139	138	139	139		
									
BIANCA	BRUME	DANUBIO	DOKA	EDGE	GALA	INDO	LAGO	LAOS	LASS
208	209	213	210	215	209	215	210	210	211
									
	NILO	PERLA	RELAX	TERMA	VOLGA	BRUME			
	214	208	210	211	212	103			

Recessed/Empotrable

										
AIM 234	ARGÓN 231	BOW 238	CLEAR 234	CROC 238	DOMINO 224	EBBA 232	FALCON 236	FOX 233	FRESH 235	GAS 231
										
GINGKO 236	HYDE 228	KOI 230	LUAN 239	MOIST 234	MÓVIL 236	NAIS 230	NAVI 240	NEÓN 231	NEU 240	NORD 240
										
PLAS 241	RADÓN 230	SIGNAL 240	SON 239	STAN 232	TED 239	TOD 239	TROOP 226	WABI 232	WET 236	






















































Track/Carril

						
LAO 244	LINK 244	ORLEANS 245	PLOT 245	RAM 245	RING 244	STAN 242























Ceiling/Techo


































										
AMI 138	BIC 137	DOLME 130	HARU 135	IRIS 137	JANET 135	LINK 132	MEGA 137	NATSU 135	ORLEANS 133	POTE 135
										
REL 135	SEVEN 136	SIDE 131	STAN 136	SVEN 134	TECTO 134	TENDER 128				

Surface/Superficie

										
BOARD 200	CELIA 198	CHERAS 204	CONIK 203	COTTON 192	COVE 206	DALLAS 203	DIULA 207	EACO 204	ELSA 205	ERES 191
										
HAN 147	HOMS 194	HUDSON 197	KAMEN 206	KERA 194	LE VITA 143	LINDA 196	LIRIA 207	LISE 202	LIST 198	LOA 197
										
LOOP 155	LUNA 206	MAGRITTE 207	MARINA 197	MARLIN 199	MOY 142	NASH 203	NUDOS 198	OLAF 205	ORA 202	OSLO 205
										
OVO 191	PETRA 199	PURE 149	RAS 199	RETRO 196	REMAKE 198	RODA 176	SABA 176	SAC 196	SERA 194	SLIM 146
										
SNAP 199	SNOW 205	STAN 202	STOOD 154	TEN 195	TERA 206	THANA 174	TOU 201	WHIZZ 145		

Bed Surface/Lector de cama

										
ARTIS 162	AUREA 177	BEL 180	BERNI 173	BLOME 168	BOC 177	BOKEN 180	CONGA 160	CORB 189	ESSENTIAL 176	ETERNA 163
										
FLIN 178	FOLD 169	FRAME 164	GUADALUPE 148	GUEST 149	HANDY 175	HANNA 174	HOTEL 171	JOY 142	JULIET 180	KALE 181

 N					 N	 N				
KLEE 140	LEAD 181	LE PETIT 184	LESER 180	LUPE 166	MAGOS 150	MAMBO 159	MITIC 176	MOMA 174	MONTREAL 156	MOOD 153
	 N									
NIKO 152	NIT 185	NOON 188	PIXIE 178	PRESS 183	REM 165	ROB 177	RON 167	ROOM 170	SABANA 168	SAHARA 176
 N						 N				 N
SAMBA 161	SAMI 180	SAVOY 157	SMILE 190	SUAU 187	SWEET 173	TILA 182	TIRA 174	VESPER 172	VOLTA 170	WELL 189

Spotlight/Foco

						
COCO 216	LAO 220	LINK 220	ORLEANS 223	RING 222	STAN 218	STONE 221

Clip/Pinza

		
LENA 180	PEPPER 179	STUDIO 179

TECH

										
COLIN 449	CYLINDER 415	DEEP 425	FONOVIA 479	FUGA 401	NESO 389	OPTIC 443	SIGMA 409	SYNCH 439	TEKO 465	VIA 473


OUTDOOR

Portable/Portátil



ARGUS 262 BROT 286 CADAQUÉS 282 CAT 285 CAGE 260 KASP 261 KERALA 262 TASK 260 TOC 258 VERSUS 284 VOILA 263

Post/Sobremuro



AGRA 304 BLOCK 289 BLUB'S 300 BU-OHI 303 DAS 305 DATNA 294 GIZA 296 MILA 301 MISTU 300 MOON 301 MUFFIN 300
MUGA 296 NALA 301 NAYA 304 NOBORU 306 RUSH 264 SCREEN 272 SETE 301 SHELBY 293 SURAT 301 TWIST 292 WILMA 299

Suspended/Suspensión



BLUB'S 330 ESTORIL 331 HONEY 331 MISTU 330 MOON 330 MUFFIN 330 NÁUTICA 331 SAIGON 256 SCUBA 328 WILMA 330

Pole/Farola




































BERET 316 BLUB'S 315 BU-OHI 312 DATNA 312 GROF 316 MISTU 314 NÁUTICA 317 PLAZA 316 RUSH 264 SCREEN 272 TRAM 312

Bollard/Baliza

										
AGRA 304	ALP 305	BAST 280	BERET 297	BLOCK 289	BLUB'S 300	BROT 286	BU-OHI 303	CAST 288	CHANDRA 309	DAS 305
										
DATNA 294	GINA 309	GIZA 296	GROP 297	GROW 302	KLAMP 309	LOGAR 298	LOTUS 290	MAUREN 306	MISTU 300	MOON 301
										
MUFFIN 300	MUGA 296	NANDA 298	NAYA 304	ONZE 296	PLIM 295	RUSH 264	SAIGON 249	SAURA 311	SCREEN 272	SHADOW 308
										
SHELBY 293	SOLEIL 311	SPY 307	STICKER 291	TRAM 291	TWIST 292	VERNO 299	WILMA 299			




















































Recessed/Empotrable

										
CROSBY 376	CURTIS 377	DANG 370	DART 373	EDEL 381	ESCA 372	FALLS 383	FILTER 374	FROL 372	GALO 370	GEISER 379
										
GRON 372	GRUND 376	HORUS 375	KANE 377	LED 380	LIO 381	LISO 372	MINI CARTER 374	MINI RACING 374	NASE 370	NAT 375
										
SALT 381	SEDNA 375	SOUN 374	SPARK 373	STORE 374	STRIPE 372	SURIA 380	TARO 381	TECNO 381	TRAS 378	UVE 370

Ceiling/Techo

						
DAKRON 332	GOZ 332	MAUREN 306	OLOT 332	TAMI 332	TASA 332	YEN 332

Surface/Superficie

										
ADAY 359	ALP 354	ÂNCORA 354	ARGOT 346	AXEL 354	BLIND 361	BLOCK 338	BLUB'S 344	BONN 352	BORDA 349	BRACKET 354
										
BRONX 364	BROW 366	BRUC 361	BU-OHI 355	CABO 349	CANON 365	CELA 353	CERES 346	CLAUSS 354	COBO 362	DADO 346
										
DATNA 346	DERBY 353	DORO 358	DRAGMA 357	DRAK 366	ELE 366	ESTAY 353	ESTORIL 347	FEDON 353	FRED 352	FUTURE 354
										
GINA 365	GIZA 342	GRADA 369	GRANT 368	GUIZA 364	HALF 339	HIKARI 350	HONEY 345	KALA 364	KAULA 360	KEENAN 367
										
KERALA 342	KLAMP 363	KUBICK 350	LACE 361	LACRE 361	LAKO 358	LING 361	LOG 361	LOTH 367	LOTUS 356	LUR 350
										
MASK 336	MISTU 344	MOL 351	MOON 344	MUFFIN 344	MUST 369	NAHIR 348	NAIROBI 365	NALA 351	NATRON 352	NÁUTICA 347
										
NEGUS 352	NORAY 349	OLAN 362	ORWELL 342	OVAL 359	PALS 334	PATH 368	PILL 366	PIVOT 351	PLIM 343	POL 351



POMO
351



PROA
362



QUART
357

N



SCUBA
341



SHELBY
340



STEPS
363



STICKER
355



SUMA
364



SUN
350



SUNSET
362



TACANA
360



TACOS
360



TAIMA
365



TAKUA
359



TAMASHI
351



TANE
359



TEJO
352



THON
362



TIMON
348



TINIA
365



TOC
345



TOLUCA
360



TOM
350



TRAM
340



TWIST
338



VIEW
357



WALLY
347



WEST
360



WILMA
345



WOOD
365

Projector/Proyector



ALFA
321



FLOW
320



FOC
323



KARL
323



KEW
323



LIT
322



MINI PROJECT
321



OKI
322



OKO
322



PLOM
322



PROJECT
321



SHOW
322



SLOT
318



TONI
321



TORAN
323



VIC
323

Spike/Estaca



ANDY
327



BALDER
326



FLOW
320



FOC
326



GARTEN-4
327



GARTEN-4
327



PICCOLA
325



PLOM
326



SAIGON
254



SETH
324



SLOT
318



SOBEK
326




TONI
321




TONO
327

FAN


Extra Large/Extra Grande



Large/Grande



Medium/Mediano



Small/Pequeño



The objects that surround us must help us live a more fully and happily life. That is just what we pursue with each of our creations. We design objects thinking about the happiness and comfort of the people who will be in contact with them.

Los objetos que nos rodean deben ayudarnos a conseguir vivir la vida de una forma más plena y feliz. Eso es justo lo que perseguimos con cada una de nuestras creaciones. Diseñamos objetos pensando en la felicidad y el confort de las personas que van a estar en contacto con ellos.



INDOOR

NEW FUJI

— Isaac Piñeiro



● **74465** matt black/negro mate


LED SMD 1,5W 2700K 90lm 3.7VDC ✓

Body Aluminium/Aluminio


Diff Opal polycarbonate/Policarbonato opal

IP44 DC 3.7V Battery ✓

USB wire Type C 1.8mt cable 10h Worktime 10h Charge Hook ✓



25lm



45lm



90lm




USB
Charger



Portables
Portátiles

JELLYFISH

— Nahtrng 





- 24523 matt black/negro mate
- 24524 matt white/blanco mate

LED SMD 3W 2700K 220lm CRI>80 Driver ✓

Body Steel/Acero
Diff PMMA

⚡ DC5V-1A 🔋 Battery ✓ 🔌 Micro USB

🕒 9h Worktime
⌚ 8h Charge



Touch Switch




Micro USB



P.49
TABLE&FLOOR



HOSHI

— Xjer Studio 



 **28386** gold+black/oro+negro


LED SMD 4W 3000K 480lm CRI>80 Driver 

Body Steel/Acero

Diff Opal polycarbonate/Policarbonato opal

  DC5V-1A  Battery 

 Micro USB  9h Worktime
4-6h Charge



INDOOR PORTABLES / PORTÁTILES



Dimmable
Intensity




Micro
USB

P.40
TABLE



TAKE AWAY

— Nahtrang 



 video



● 01015 matt white/blanco mate

● 01016 matt black/negro mate

LED 1,5W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Silicone/Silicona


Base Wood/Madera




DC5V-1A



Battery ✓

 Micro USB
2mt cable

 5h Worktime
5h Charge



30lm



55lm



100lm



Wall accessory/Accesorio aplique

● 01017 wood/madera

Body Wood/Madera




Press
Lamp



Micro
USB





GUADALUPE

— Faro Lab 






 video

-  20033-80 black+beige/negro+beige
-  20033-81 black+green/negro+green

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Steel/Acero



-  20034-80 black+beige/negro+beige
-  20034-81 black+green/negro+green

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Steel/Acero



P.148
WALL





Table & Floor
Mesa y Suelo

HOSHI

— Xjer Studio



● 28387 gold+black/oro+negro


● 28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal polycarbonate/Policarbonato opal

DIM 100- 50/ 240V 60Hz 2.6 MT



P.35
PORTABLE



● 62156 shiny copper/cobre brillo

● 62157 satin gold/oro satinado

● 62168 **NEW** matt white/blanco mate



● 62169 **NEW** matt black/negro mate

E27 MAX 15W LED [17429 or 17464]

Body Steel/Acero

1.5 MT

P.195
WALL



TEN

— Faro Lab





AKANE

— Pepe Llaudet



● 28370 black+beige/negro+beige


E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Shade Papyrus/Papiro



1.7 MT



● 28371 black+beige/negro+beige

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero


Shade Papyrus/Papiro



1.7 MT



NIKO

— Nahtrng 



● **01007** white+wood/blanco+madera





Diff Opal glass/Cristal Opal

● **01025** white+wood/blanco+madera



Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver ✓


Body Aluminium+wood/Aluminio+madera

  100- 50/ 240V 60Hz   USB charger


5VDDc/2A Wireless charger



1W 80lm



4W 250lm



7W 500lm



Wireless
Charger



USB
Charger




Touch
Switch

P.152
WALL



MINE

— Nahrang 

○ 28378 matt white/blanco mate

● 28379 dark grey/gris oscuro

Diff Opal glass/Cristal Opal


○ 28211 matt white/blanco mate

● 28212 dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED  [17463/Smart 17498]

Body Aluminium+wood/Aluminio+madera



P.105
SUSPENDED



LULA

— Marina Milà




○ 28383 matt white/blanco mate

● 28385 black+white/negro+blanco

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




○ 28380 matt white/blanco mate

● 28382 black+white/negro+blanco

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



ETERNA

— Lucid



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

INDOOR TABLE & FLOOR / MESA Y SUELO




BLISS

28401 wood+white/madera+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Beech wood/Madera haya
Shade Textile/Téxtil




NIDIA

68423 nickel+white/níquel+blanco

E27 MAX 15W LED [17463]


Body Steel/Acero
Shade Textile/Téxtil



- 24008-13 chrome+white/cromo+blanco
- 24008-14 chrome+beige/cromo+beige
- 24008-15 chrome+black/cromo+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.163
WALL





ANOUK


- 53414 matt white/blanco mate
- 53415 matt black/negro mate

LED SMD 8W 4000K 530lm CRI>80 Driver ✓

Body ABS

220-240V 50/60Hz

 1.5 MT
 USB charger



OTTO

- 52064 matt black/negro mate
- 52065 matt white/blanco mate


LED SMD 6W 4000K 500lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz

 1.8 MT

Electronic Adapteur 11V 500mA ✓



LENA


- 52057 matt white/blanco mate
- 52058 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Glass/Cristal

100-240V 50/60Hz
 70°
 1.8 MT

Electronic Adapteur 11V 350mA ✓




GRU

- 51916 matt white/blanco mate
- 51917 matt black/negro mate

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero

1.7 MT




BAOBAB

- 51908 matt white/blanco mate
- 51909 matt black/negro mate
- 51910 grey/gris

E14 MAX 8W LED ✗ [17461]

Body Steel/Acero

1.7 MT





ITO

● 52071 matt black/negro mate

LED SMD 5W 3000K 390lm CRI>80 Driver ✓

Body ABS+Aluminium/ABS+Aluminio
Diff Opal PMMA/PMMA Opal



BANKER

● 68334 old gold+green/oro viejo+verde

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero
Diff Glass/Cristal






SNAP

● 57400 off white+grey/blanco roto+gris


● 57401 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero



P.199
WALL



GUEST

— Andreu Carulla




video

● 01046 matt black/negro mate

E27 MAX 15W LED [17429]

Body Steel/Acero




Switch



Cork included

P.149
WALL



JELLYFISH




— Nahtrang 


24521 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

 220-240V 50/60Hz   4.3 MT




24522 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓


Body Steel/Acero

Diff Opal PMMA/PMMA Opal

 220-240V 50/60Hz   1.8 MT



P.34
PORTABLE





video



● 29692D shiny gold/oro brillo

● 29697 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal glass/Cristal Opal



1W 95lm



4W 380lm



6W 570lm



0W 6W



Touch dimmer

LE VITA

— Nahtrang 



● 29693D shiny gold/oro brillo

● 29698 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓


Body Steel/Acero

Diff Opal glass/Cristal Opal



INDOOR TABLE & FLOOR / MESA Y SUELO



0W 6W




Touch dimmer

P.87
SUSPENDED

P.143
WALL



LOOP

— Estudi Ribaudí 

29569 black+wood/negro+madera






Shade Cherry Tree Wood/Madera Cerezo


29399 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 7W 3000K 500lm CRI>80 Driver 

Body Steel/Acero

  100- 50/ 240V 60Hz   2 MT  350°



1W 100lm




3W 300lm



6W 600lm



Cherry tree
Wood shade



Ash tree
Wood shade

● 29568 black+wood/negro+madera


Shade Cherry Tree Wood/Madera Cerezo

● 29398 **NEW** black+wood/negro+madera


Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Steel/Acero



clip ✓ max. 55mm



INDOOR TABLE & FLOOR / MESA Y SUELO




Clip Included




Touch Switch

P.107
SUSPENDED



P.155
WALL





STOOD

— Lucid 





 **29846** black+wood/negro+madera
 E27 MAX 15W LED  [17464]
Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo



 **29847** black+wood/negro+madera
 E27 MAX 15W LED  [17464]
Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo




Cherry tree
Wood shade



P.106
SUSPENDED



P.154
WALL




LINK

— Estudi Ribaudí 

- 29883 matt white/blanco mate
- 29884 matt black/negro mate
- 29899 bronze/bronce

GU10 MAX 8W LED  [97685327]


Body Steel/Acero



- 29881 matt white/blanco mate
- 29882 matt black/negro mate
- 29898 bronze/bronce

GU10 MAX 8W LED  [97685327]


Body Steel/Acero



P.132
CEILING




P.220
SPOT



P.244
TRACK




LAO

— Nahtrng 

- 29049 matt black/negro mate
- 29050 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓


Body Aluminium+ABS/Aluminio+ABS
Diff PMMA



- 29047 matt black/negro mate
- 29048 matt white/blanco mate


LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff PMMA



P.220
SPOT

P.244
TRACK



WHIZZ

— Christoph F. Wagner




● 20164-95 black+gold/negro+oro

● 20164-96 gold+black/oro+negro

E27 MAX 15W LED [17426/17496]

Body Steel/Acero





INDOOR TABLE & FLOOR / MESA Y SUELO



Adjustable
Shade

P.89
SUSPENDED

P.145
WALL





STAND-UP — Estudi Ribaudí 

- 57210 matt silver+white/plata mate+blanco
- 57211 black+white/negro+blanco
- 57212 matt silver+black/plata mate+negro
- 57213 black+black/negro+negro
- 57214 matt silver+grey/plata mate+gris
- 57215 black+grey/negro+gris

E27 MAX 15W LED  [17463/Smart 17498]

Body Aluminium/Aluminio
Shade Textilene/Textileno



57210


57211

57212

57213

57214

57215



Switch



Adjustable shade

DRUM

— Nahtrang 

● 24023-33 black+beige/negro+beige


● 24023-34 black+grey/negro+gris

E27 MAX 15W LED  [17464]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Polycarbonato Opal



INDOOR TABLE & FLOOR / MESA Y SUELO



● 24020-31 black+beige/negro+beige


● 24020-32 black+grey/negro+gris

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Polycarbonato Opal






● 64317-47 black+rattan/negro+rattan

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Shade Rattan




● 64311-48 black+rattan/negro+rattan

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Shade Rattan



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



video



MAMBO

— Faro Lab 

INDOOR TABLE & FLOOR / MESA Y SUELO

● 64313-49 black+rattan/negro+rattan

E27 MAX 15W LED [17464]

Body Steel/Acero

Shade Rattan



1.8 MT





Switch

P.110
SUSPENDED




P.159
WALL






NEW CONGA

— Faro Lab 

- 64316-01 white+white/blanco+blanco
- 64316-02 white+beige/blanco+beige
- 64317-03 black+black/negro+negro

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 64312-07 white+white/blanco+blanco
- 64312-08 white+beige/blanco+beige
- 64313-09 black+black/negro+negro

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil




- 64310-04 white+white/blanco+blanco
- 64310-05 white+beige/blanco+beige
- 64311-06 black+black/negro+negro

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



P.113 SUSPENDED **P.160** WALL



NEW SAMBA


— Faro Lab 



- 64316-35 white+beige/blanco+beige
- 64316-36 white+yellow/blanco+amarillo
- 64316-37 white+green/blanco+verde
- 64317-35 black+beige/negro+beige
- 64317-36 black+yellow/negro+amarillo
- 64317-37 black+green/negro+verde

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 64312-41 white+beige/blanco+beige
- 64312-42 white+yellow/blanco+amarillo
- 64312-43 white+green/blanco+verde
- 64313-41 black+beige/negro+beige
- 64313-42 black+yellow/negro+amarillo
- 64313-43 black+green/negro+verde

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil




- 64310-38 white+beige/blanco+beige
- 64310-39 white+yellow/blanco+amarillo
- 64310-40 white+green/blanco+verde
- 64311-38 black+beige/negro+beige
- 64311-39 black+yellow/negro+amarillo
- 64311-40 black+green/negro+verde

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



P.112 SUSPENDED
P.161 WALL



MONTREAL


— Nahtrang 



- 24034-04 white+white/blanco+blanco
- 24034-05 white+beige/blanco+beige
- 24035-04 chrome+white/cromo+blanco
- 24035-05 chrome+beige/cromo+beige
- 24035-06 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




- 24036-07 white+white/blanco+blanco
- 24036-08 white+beige/blanco+beige
- 24037-07 chrome+white/cromo+blanco
- 24037-08 chrome+beige/cromo+beige
- 24037-09 chrome+black/cromo+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



2.1 MT



P.156
WALL



SAVOY

— Isaac Piñeiro



● 20304-82 white+white/blanco+blanco

● 20305-83 black+black/negro+negro


● 20305-84 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Steel/Acero





video



INDOOR TABLE & FLOOR / MESA Y SUELO


- 20306-85 white+white/blanco+blanco
- 20307-86 black+black/negro+negro
- 20307-87 black+green/negro+verde

E27 MAX 15W LED [17464]

Body Steel/Acero

Shade Textile/Téxtil

Diff Steel/Acero



P.109
SUSPENDED



P.157
WALL



REM

— Àlex & Manel Llusçà 




- 29684-04 matt nickel+white/níquel mate+blanco
- 29684-05 matt nickel+beige/níquel mate+beige
- 29684-06 matt nickel+black/níquel mate+negro
- 29685-04 bronze+white/bronce+blanco
- 29685-05 bronze+beige/bronce+beige
- 29685-06 bronze+black/bronce+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero Shade Textile/Téxtil



1.6 MT



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




- 29686-07 matt nickel+white/níquel mate+blanco
- 29686-08 matt nickel+beige/níquel mate+beige
- 29686-09 matt nickel+black/níquel mate+negro
- 29687-07 bronze+white/bronce+blanco
- 29687-08 bronze+beige/bronce+beige
- 29687-09 bronze+black/bronce+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero **Shade** Textile/Téxtil



1.9 MT



P.165
WALL





ARTIS



— Àlex & Manel Llusca 

● 68489 old bronze/bronce envejecido

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




Adjustable Shade

● 68488 old bronze/bronce envejecido

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



P.162
WALL






VESPER

— Nahrang

- 29978 white+beige/blanco+beige
- 29979 brown+beige/marrón+beige

2 E27 MAX 15W LED [17463]


Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil



- 29984 white+beige/blanco+beige
- 29985 brown+beige/marrón+beige

2 E27 MAX 15W LED [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil



P.122
 SUSPENDED



P.172
 WALL





LINDA

— Estudi Ribaudí




● 29312 black+beige/negro+beige

E27 MAX 15W LED [17464]

Body Steel/Acero

Shade Textile/Téxtil




○ 29307 white+beige/blanco+beige

● 29311 black+beige/negro+beige


E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Textile/Téxtil



P.120
SUSPENDED



P.196
WALL



LUPE

— Jordi Busquets 


● 29998 chrome+beige/cromo+beige

● 20034-88 black+beige/negro+beige

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




● 29997 chrome+beige/cromo+beige

E27 MAX 15W LED  [17463]

Body Steel/Acero

Shade Textile/Téxtil



P.166
WALL





TREE


— Estudi Ribaudí 



- 29866 matt black/negro mate
- 29867 matt white/blanco mate

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil




- 29868 matt black/negro mate
- 29869 matt white/blanco mate

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil



P.120
SUSPENDED








SWEET

— Estudi Ribaudí 




-  29938 nickel+white/níquel+blanco
-  29958 matt white/blanco mate
-  29959 matt black/negro mate




E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil



1.7 MT




-  29937 nickel+white/níquel+blanco
-  29954 matt white/blanco mate
-  29955 matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil



1.9 MT




P.173
WALL





BERNI

— Nahtrang 




● 29332 matt white/blanco mate

● 29333 matt black/negro mate

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero




● 29335 matt white/blanco mate

● 29336 matt black/negro mate

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil



P.173
WALL



VOLTA

— Estudi Ribaudí




● 20025 nickel+white/níquel+blanco

● 20026 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade Textile/Téxtil




INDOOR TABLE & FLOOR / MESA Y SUELO

● 20029 nickel+white/níquel+blanco


● 20030 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.170
WALL





HOTEL

— Àlex & Manel Lluscà 



● 29942 chrome+white/cromo+blanco

● 29947 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero

Shade Textile/Tèxtil

Top Diff Textile/Tèxtil



1.9 MT



● 29943 chrome+white/cromo+blanco

● 29948 chrome+black/cromo+negro


E27 MAX 15W LED  [17464]

Body Steel/Acero


Shade Textile/Tèxtil




1.9 MT



P.121
SUSPENDED



P.171
WALL





INDOOR TABLE & FLOOR / MESA Y SUELO



MOMA

68502 chrome+white/cromo+blanco


68503 chrome+black/cromo+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



MOMA

68500 chrome+white/cromo+blanco


68501 chrome+black/cromo+negro

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



P.174
WALL






BLACK

● 29764 matt black/negro mate

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero
Shade Textile/Téxtil




PAPUA

○ 68462 matt white/blanco mate

● 68463 matt black/negro mate

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero
Shade Textile/Téxtil






THANA

● 68531 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




THANA


● 68530 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil



P.123
SUSPENDED



P.174
WALL





MITIC

● 68418 nickel+beige/níquel+beige

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




MITIC


● 68417 nickel+beige/níquel+beige

E14 MAX 8W LED [17461]

Body Steel/Acero
Shade Textile/Téxtil



P.176
WALL






SABA

● 68546 nickel+black/níquel+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Shade (double) Textile/Téxtil




SABA

● 68545 nickel+black/níquel+negro

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Shade (double) Textile/Téxtil




SABA

● 68547 nickel+black/níquel+negro


E27 MAX 15W LED ☒ [17464]

Body Steel/Acero

Shade (double) Textile/Téxtil




P.123
SUSPENDED



P.176
WALL





KOMBO — Nutcreatives 



- 68591-1L grey+black/gris+negro
- 68592-1L beige+black/beige+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero



- 68593-1L grey+black/gris+negro
- 68594-1L beige+black/beige+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero



- 68595-1L grey+black/gris+negro
- 68596-1L beige+black/beige+negro
- 68597-1L terracotta+black/terracota+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero



video



Suspended
Suspensión

● 29691 shiny gold/oro brillo



● 29696 matt black/negro mate

LED 13W 2700K 570lm CRI>80 Driver ✓


Body Steel/Acero

Diff Opal Glass/Cristal Opal

100- 50/ 100V
240V 60HZ 1,5 MT



LE VITA

— Nahtrang 






 video


- 29694 shiny gold/oro brillo
- 29699 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Glass/Cristal Opal

 100- 50/
240V 60HZ   1.5 MT





*Max. ceiling height 3mts./Altura max. techo 3mts.



INDOOR SUSPENDED / SUSPENSIÓN


P.51
TABLE&FLOOR

P.143
WALL



SLIM


— Àlex & Manel Lluscà



- 24500 matt white/blanco mate
 - 24501 black+matt gold/negro+oro mate
- LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

□ 220- 50/
 240V 60HZ Ⓢ 2MT




Pendant & Wall

- 24504 matt white/blanco mate
 - 24505 black+gold/negro+oro
- LED 2 x 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal


□ 220- 50/
 240V 60HZ



Articulated



P.146
 WALL





WHIZZ

— Christoph F. Wagner




● 20160 black+satin gold/negro+oro

● 20161 satin gold+black/oro+negro

E27 MAX 15W LED [● 17426 ● 17496]

Body Steel/Acero




● 20166-95 black+satin gold/negro+oro


● 20166-96 satin gold+black/oro+negro

E27 MAX 15W LED [● 17426 ● 17496]

Body Steel/Acero




P.57
TABLE&FLOOR



P.144
WALL



DOLME

— Xjer Studio 




● 64098 matt black/negro mate

● 64099 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Polycarbonate/Polycarbonato Opal

 220- 50/
240V 60HZ  1.6 MT
P.130
CEILING

COCOTTE

— Jordi Llopis



● 64182 shiny white/blanco brillo


● 64183 shiny matt black/negro brillo

LED SMD 38W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60HZ



● 64250 shiny white/blanco brillo


● 64251 shiny matt black/negro brillo

LED SMD 30W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60HZ




INDOOR SUSPENDED / SUSPENSIÓN

ø430 Suspended Kit

● 64184 matt white/blanco mate


● 64185 matt black/negro mate



ø550 Suspended Kit

● 64186 matt white/blanco mate

● 64187 matt black/negro mate



NAOS

— Àlex & Manel Llusçà 



● 64500 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Opal Glass/Cristal Opal



1.8 MT



2 rings incl.



● 64501 matt white/blanco mate


E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Opal Glass/Cristal Opal



1.8 MT



2 rings incl.





PLUMA — Nahrang 


○ 64170 matt white/blanco mate

● 64172 black+gold/negro+oro

LED SMD 6W 3000K 450lm CRI>80 Driver 

Body Aluminium/Aluminio

 100- 50/ 
240V 60HZ 1.5 MT



SIDE — Àlex & Manel Lluscà 

○ 62136 matt white/blanco mate

○ 62137 white+nickel/blanco+níquel

● 62138 black+gold/negro+oro

● 62139 black+copper/negro+cobre


G9 MAX 6W LED  [17443]

Body Steel/Acero



Diff Opal Glass/Cristal Opal

 
1.5 MT


ø90/3,5"



P.131
CEILING



RETRO


— Àlex & Manel Llusçà 



- 20046 matt copper/cobre mate
- 20050 black+copper/negro+cobre

E14 MAX 8W LED ☒ [17461]


Body Steel/Acero



- 20047 matt copper/cobre mate
- 20048 black+copper/negro+cobre
- 20051 black+gold/negro+oro

12 E14 MAX 8W LED ☒ [17461]

Body Steel/Acero



P.196
WALL



20048



20051



CRÁTER


● 68461 black+gold/negro+oro

3 E27 MAX 15W LED [17463/Smart 17498]

Body Aluminium/Aluminio



1.5 MT



MAGMA

● 28398 white+silver/blanco+plata

● 28399 white+gold/blanco+oro

● 29468 black+shiny gold/negro+oro


3 E27 MAX 15W LED [17464]

Body Fiber Glass/Fibra de Vidrio



FIBER GLASS
FIBRA VIDRIO

2 MT



Project Elena Castells Poch



ART

● 64137 old gold/oro envejecido

● 65134 matt black/negro mate

E27 MAX 15W LED ☒ [17425]

Body Steel/Acero



1.5 MT 64137



2 MT 65134



MARLIN


● 64133 gold+ black/oro+negro

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero



1.5 MT



P.199
WALL



LIZ

● 65080 old gold/oro envejecido


E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



1.3 MT



HALITA

● 65071 old gold/oro envejecido


E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



1.5 MT



CLARA

● 64128 matt black/negro mate


E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



2 MT



PLAT

● 68145 matt black/negro mate


○ 68146 matt white/blanco mate

E27 MAX 15W LED ☒ [17271/17464]

Body Steel/Acero



1.5 MT





ROSE

● 65082 matt black/negro mate

E27 MAX 15W LED ☒ [17429]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente




ROSE

● 65081 matt black/negro mate

4 E27 MAX 15W LED ☒ [17429]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente






LOU

- 62800 shiny black/negro brillo
- 62801 shiny green/verde brillo

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero




LANG

- 62804 shiny black/negro brillo
- 62805 shiny green/verde brillo

E27 MAX 15W LED ☒ [17426]

Body Steel/Acero




MOU

- 62806 shiny black/negro brillo

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero




CLAIRE

- 62802 shiny black/negro brillo
- 62803 shiny green/verde brillo

E27 MAX 15W LED ☒ [17426]

Body Steel/Acero





COSMOS

● 64224 bronze/bronce

LED 5W 3000K 360lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal




PAM

● 64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA




PAM

○ 64159 matt white/blanco mate

● 64160 black+gold/negro+oro

LED SMD 11W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





DANKA

● 64222 nickel+black/níquel+negro

● 64223 gold+black/oro+negro

LED COB 6W 3000K 530lm CRI>80 Driver ✓

Body Aluminium/Aluminio



P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.242
TRACK



P.202
WALL



STAN

○ 43754 matt white/blanco mate

● 43755 matt black/negro mate

● 43756 **NEW** gold/oro


GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio



*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)

ø60/2.3"




ORA

○ 29894 matt white/blanco mate

● 29895 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





LISE

○ 29886 matt white/blanco mate

● 29887 matt black/negro mate

LED COB 6W 2700K 370lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico



P.202
WALL



P.202
WALL



SABI

○ 64320 matt white/blanco mate

● 64321 matt black/negro mate

LED SMD 3W 2700K 280lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico








NUDOS

● **68139** dark brown/marrón oscuro

E27 MAX 15W LED ☒ [17462]

Body Steel+Jute/Acero+Yute
Diff Transparent Glass/Cristal Transparente



P.198
WALL




LIANA

● **68569** brown/marrón

E27 MAX 15W LED ☒ [17464]

Body Steel+Hemp/Acero+Cáñamo




NIDO

● **68153** brown/marrón

E27 MAX 15W LED ☒ [17464]

Body Cane+Steel/Caña+Acero




MARINA


● **60004** matt black/negro mate

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.197
WALL




CHARLOTTE

● **68562** dark grey/gris oscuro

● **68563** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal




MARGOT

● **68561** matt black/negro mate

● **68564** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Aluminium+Wood/Aluminio+Madera





WINCH — Àlex & Manel Lluscà 

● 66204 brown/marrón


E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



1 MT



WINCH — Àlex & Manel Lluscà 

● 66205 brown/marrón


E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



1.5 MT




BRUME — Àlex & Manel Lluscà 

● 40078 old steel/Acero envejecido


LED SMD 3W 2700K 200lm CRI>80 Driver 

Body Steel/Acero

Diff Transparent+Opal Glass/Cristal Transparente+Opal



1 MT



P.209
WALL





- 28375 matt white/blanco mate
- 28376 dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28209 matt white/blanco mate
- 28210 dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED [17463/Smart 17498]

Body Aluminium+Wood/Aluminio+Madera



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Thanks to Lafincaroja Photo by Jorge Peiro



MINE — Nahrang 

Restaurant & Bar
Product Design Awards  GERMAN
DESIGN
AWARD
SPECIAL
2018



- 28375-1L matt white/blanco mate
- 28376-1L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-1L matt white/blanco mate
- 28210-1L dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED  [17463/Smart 17498]



2 MT 1 HOOK 



- 28375-2L matt white/blanco mate
- 28376-2L dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28209-2L matt white/blanco mate
- 28210-2L dark grey/gris oscuro

Diff PMMA

2 E27 MAX 15W LED  [17463/Smart 17498]



4 MT 2 HOOK 



- 28375-3L matt white/blanco mate
- 28376-3L dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28209-3L matt white/blanco mate
- 28210-3L dark grey/gris oscuro

Diff PMMA

3 E27 MAX 15W LED  [17463/Smart 17498]



6 MT 3 HOOK 



- 28375-4L matt white/blanco mate
- 28376-4L dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28209-4L matt white/blanco mate
- 28210-4L dark grey/gris oscuro

Diff PMMA

4 E27 MAX 15W LED  [17463/Smart 17498]



8 MT 4 HOOK 



- 28375-5L matt white/blanco mate
- 28376-5L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-5L matt white/blanco mate
- 28210-5L dark grey/gris oscuro

Diff PMMA

5 E27 MAX 15W LED  [17463/Smart 17498]



10 MT 5 HOOK 



Hook accessory/Accesorio gancho

- 28373 matt white/blanco mate
- 28374 grey/gris

CUSTOMIZE YOUR MINE

Nº of lights/nº de luces
Mts of cable/mts de cable
Nº of hooks/nº de ganchos


Send your demand on/envíanos tu petición a customize@faro.es

P.43
TABLE





STOOD


— Lucid 

● 29849 black+wood/negro+madera

5 E27 MAX 15W LED ☒ [17464]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo




Cherry tree
Wood shade

● 29848 black+wood/negro+madera

E27 MAX 15W LED ☒ [17464]



Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo




P.54
TABLE&FLOOR

P.154
WALL



LOOP

— Estudi Ribaudí 



● 29567 black+wood/negro+madera


Shade Cherry Tree Wood/Madera Cerezo

● 29397 **NEW** black+wood/negro+madera


Shade Ash Tree Wood/Madera Fresno

LED SMD 3 x 6W 2700K 500lm CRI>80 Driver ✓

Body Steel



Cherry tree
Wood shade



Ash tree
Wood shade


INDOOR SUSPENDED / SUSPENSIÓN

P.52
TABLE&FLOOR

P.155
WALL




PAULINE

— Nahtrang 


● 20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal





PHILL

— Nahtrang 

● 20099 black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal



SAVOY

— Isaac Piñero



video

109




- 20308-89 matt white/blanco mate
- 20309-90 matt black/matt black
- 20309-91 black+green/negro+verde

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil
Diff Papyrus/Papiro




0.8 MT



INDOOR SUSPENDED / SUSPENSIÓN

P.67
TABLE&FLOOR

P.157
WALL





video

MAMBO

— Faro Lab 




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



P.60
TABLE&FLOOR

P.159
WALL





● 64314-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



● 64314-48 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]




Body Steel/Acero
Shade Rattan



● 64314-49 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



● 64315-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



● 64315-48 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]




Body Steel/Acero
Shade Rattan



● 64315-49 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



NEW SAMBA


— Faro Lab



- 64315-44 black+beige/negro+beige
- 64315-45 black+yellow/negro+amarillo
- 64315-46 black+green/negro+verde

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



- 64314-44 black+beige/negro+beige
- 64314-45 black+yellow/negro+amarillo
- 64314-46 black+green/negro+verde

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



P.63
TABLE&FLOOR

P.161
WALL




*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650



NEW CONGA


— Faro Lab 






-  64315-54 black+white/negro+blanco
-  64315-55 black+beige/negro+beige
-  64315-56 black/negro

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



-  64314-54 black+white/negro+blanco
-  64314-55 black+beige/negro+beige
-  64314-56 black/negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal




INDOOR SUSPENDED / SUSPENSIÓN

P.62 TABLE&FLOOR
P.160 WALL

*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650



SAIGON-IN

— Nahrang 



 video



-  20124 white ivory/blanco marfil
-  20125 matt white/blanco mate
-  20126 terracotta/terracota
-  20127 matt black/negro mate
-  20128 yellow/amarillo
-  20129 burgundy/granate
-  20130 olive green/verde oliva
-  20131 brown/marrón

4 E27 MAX 15W LED  [17464]


Body Steel/Acero

Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro



1.6 MT

-  20116 white ivory/blanco marfil
-  20117 matt white/blanco mate
-  20118 terracotta/terracota
-  20119 matt black/negro mate
-  20120 yellow/amarillo
-  20121 burgundy/granate
-  20122 olive green/verde oliva
-  20123 brown/marrón

3 E27 MAX 15W LED  [17463]



Body Steel/Acero

Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro



1.6 MT



20124/20116

20125/20117

20126/20118

20127/20119

20128/20120

20129/20121

20130/20122

20131/20123





video



FONOVIA

— Faro Lab 



● **20110** grey+grey/gris+gris


LED SMD 25W 3000K 1800lm CRI>80 Driver ✓

● **20109 NEW** grey+grey/gris+gris

LED SMD 25W 4000K 1900lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra T xtil
Diff Opal Polycarbonate/Policarbonato Opal

 220- 50/ 240V 60HZ  $\alpha = 0.4$





● **20107 NEW** grey+grey/gris+gris


LED SMD 50W 3000K 3600lm CRI>80 Driver ✓

● **20108 NEW** grey+grey/gris+gris


LED SMD 50W 4000K 3800lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra T xtil
Diff Opal Polycarbonate/Policarbonato Opal

 220- 50/ 240V 60HZ  $\alpha = 0.4$



Recycled PET



Sound Absorbing $\alpha = 0.4$

*Modular option available on page 479/Ver opci n modular en p gina 479





Thanks to BE_DE_O

MUTE

— Nahtrang



video

- 20101 dark grey+grey/gris oscuro+gris
- 20102 dark grey+brown/gris oscuro+marrón


LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

- 20103 dark grey+grey/gris oscuro+gris
- 20104 dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2650lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

100- 50/ α =0.4
 240V 60HZ 2MT



References ending in DA are compatible with
 1/10V - Push - DALI

- 20101DA dark grey+grey/gris oscuro+gris
- 20102DA dark grey+brown/gris oscuro+marrón


LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

- 20103DA dark grey+grey/gris oscuro+gris
- 20104DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2500lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal


100- 50/ α =0.4
 240V 60HZ 2MT



Sound Absorbing
 α =0.4




Pendant & Ceiling



Recycled PET



LINDA

— Estudi Ribaudí 



- 29309 matt white/blanco mate
- 29313 black+white/negro+blanco

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil


  1.2 MT

100/3.9"



P.72
TABLE&FLOOR

P.196
WALL




- 29864 matt black/negro mate
- 29865 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil

  1.3 MT



P.74
TABLE&FLOOR



TREE

— Estudi Ribaudí 




- 29864 matt black/negro mate
- 29865 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil


  1.3 MT



P.74
TABLE&FLOOR



HOTEL

— Àlex & Manel Llusca 




● 29944 chrome+white/cromo+blanco

3 E27 MAX 15W LED ☒ [17462]

Body Steel/Acero


Shade Textile/Téxtil

Bottom Diff Textile/Téxtil



P.78
TABLE&FLOOR

P.171
WALL



FUSTA

— Àlex & Manel Llusca 




● 28393 black+wood/negro+madera

● 28394 white+wood/blanco+madera

E27 MAX 15W LED ☒ [17464]

Body Steel+Wood/Acero+Madera

Shade Textile/Téxtil




VESPER

— Nahtrang 




- 29986 white+beige/blanco+beige
 - 29987 brown+beige/marrón+beige
- 2 E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal




- 29988 white+beige/blanco+beige
 - 29989 brown+beige/marrón+beige
- 3 E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal



P.71 TABLE&FLOOR P.172 WALL





THANA


68533 nickel+white/níquel+blanco

3 E27 MAX 15W LED [17463/Smart 17498]



Body Steel/Acero
Shade Textile/Téxtil



P.82
TABLE&FLOOR



P.174
WALL



SABA


68548 nickel+black/níquel+negro

E27 MAX 15W LED [17464]


Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Polycarbonato Opal



P.83
TABLE&FLOOR



P.176
WALL



SABA


68549 nickel+black/níquel+negro

3 E27 MAX 15W LED [17464]



Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Polycarbonato Opal



P.83
TABLE&FLOOR



P.176
WALL




AINA

64174 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver

Body Opal Polycarbonate/Polycarbonato Opal
Shade Textile/Téxtil



SEVEN


68283 matt white/blanco mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil



P.136
CEILING



SEVEN



68284 matt white/blanco mate

3 E27 MAX 15W LED [17463/Smart 17498]

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil



P.136
CEILING



Standard combination multiple canopy / *Combinaciones con florón múltiple*

	3 lights/ <i>lucos</i>	5 lights/ <i>lucos</i>	7 lights/ <i>lucos</i>
	Retro  20046-3L matt copper/cobre mate  20050-3L black+copper/negro+cobre	 20046-5L matt copper/cobre mate  20050-5L black+copper/negro+cobre	 20046-7L matt copper/cobre mate  20050-7L black+copper/negro+cobre
	Plat  68145-3L matt black/negro mate  68146-3L matt white/blanco mate	 68145-5L matt black/negro mate  68146-5L matt white/blanco mate	 68145-7L matt black/negro mate  68146-7L matt white/blanco mate
	Whizz  20160-3L black+gold/negro+oro  20161-3L gold+black/oro+negro	 20160-5L black+gold/negro+oro  20161-5L gold+black/oro+negro	 20160-7L black+gold/negro+oro  20161-7L gold+black/oro+negro
	Art  64137-3L old gold/oro envejecido  64135-3L matt black/negro mate	 64137-5L old gold/oro envejecido  64135-5L matt black/negro mate	 64137-7L old gold/oro envejecido  64135-7L matt black/negro mate
	Liz  65080-3L old gold/oro envejecido	 65080-5L old gold/oro envejecido	 65080-7L old gold/oro envejecido
	Marlin  64133-3L gold+ black/oro+negro	 64133-5L gold+ black/oro+negro	 64133-7L gold+ black/oro+negro
	Clara  64128-3L matt black/negro mate	 64128-5L matt black/negro mate	 64128-7L matt black/negro mate
	Claire  62802-3L matt black/negro mate  62803-3L green/verde	 62802-5L matt black/negro mate  62803-5L green/verde	 62802-7L matt black/negro mate  62803-7L green/verde
	Lang  62804-3L matt black/negro mate  62805-3L green/verde	 62804-5L matt black/negro mate  62805-5L green/verde	 62804-7L matt black/negro mate  62805-7L green/verde
	Samba  64314-44-3L beige/beige  64314-45-3L yellow/amarillo  64314-46-3L green/verde	 64314-44-5L beige/beige  64314-45-5L yellow/amarillo  64314-46-5L green/verde	 64314-44-7L beige/beige  64314-45-7L yellow/amarillo  64314-46-7L green/verde
	Conga  64314-54-3L matt white/blanco mate  64314-55-3L beige/beige  64314-56-3L matt black/negro mate	 64314-54-5L matt white/blanco mate  64314-55-5L beige/beige  64314-56-5L matt black/negro mate	 64314-54-7L matt white/blanco mate  64314-55-7L beige/beige  64314-56-7L matt black/negro mate
	Kombo  68591-3L grey/gris  68592-3L beige/beige	 68591-5L grey/gris  68592-5L beige/beige	 68591-7L grey/gris  68592-7L beige/beige
	Kombo  68593-3L grey/gris  68594-3L beige/beige	 68593-5L grey/gris  68594-5L beige/beige	 68593-7L grey/gris  68594-7L beige/beige
	Kombo  68595-3L grey/gris  68596-3L beige/beige  68597-3L terracotta/terracota	 68595-5L grey/gris  68596-5L beige/beige  68597-5L terracotta/terracota	 68595-7L grey/gris  68596-7L beige/beige  68597-7L terracotta/terracota
	Mambo  64314-47-3L rattan/mimbre	 64314-47-5L rattan/mimbre	 64314-47-7L rattan/mimbre
	Mambo  64314-48-3L rattan/mimbre	 64314-48-5L rattan/mimbre	 64314-48-7L rattan/mimbre
	Mambo  64314-49-3L rattan/mimbre	 64314-49-5L rattan/mimbre	 64314-49-7L rattan/mimbre

Solutions

Multiple canopy
Florón múltiple



STANDARD REQUESTS

See standard combination / *ver tabla combinaciones*



SPECIAL REQUESTS

Send your demand on *envíanos tu petición a* customize@faro.es

INDOOR SUSPENDED / SUSPENSIÓN


Canopy recessed
Florón empotrable



with frame / con marco

● 64231 matt white/blanco mate


135X85



trimless / sin marco

● 64232 matt white/blanco mate

135X85



*Compatible in these situations.
Compatibles en estas situaciones.

✓ Electrical wire+Turnbuckle
Cable eléctrico+
Tensor independiente




✓ Canopy with lamp holder
Florón con portalámparas
E14 / E27



✗ Canopy with turnbuckle
Florón con tensor



✗ Canopy with driver
Florón con driver



Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.




● 68602 matt black/negro mate

Track connector for suspension
Conector carril para suspensión



● 01997001 white/blanc

● 01997002 matt black/negro mate



*Accessories compatible with all
pendants with bulb and without
turnbuckle.

Accesorios compatibles con todos los
colgantes con bombilla y sin tensor/es



INDOOR SUSPENDED / SUSPENSIÓN



- 68604-44 beige/beige
- 68604-45 yellow/amarillo
- 68604-46 green/verd
- 68604-54 white/blanco
- 68604-55 beige/beige
- 68604-56 black/negro




- 68604-62 grey/gris
- 68604-63 beige/beige
- 68604-64 grey/gris
- 68604-65 beige/beige
- 68604-66 grey/gris
- 68604-67 beige/beige
- 68604-68 terracotta/terracota



- 68604-47 rattan/mimbre
- 68604-48 rattan/mimbre
- 68604-49 rattan/mimbre

TENDER

— Nahtrang 

● **20094** black+wood/negro+madera


● **20095** white+wood/blanco+madera

LED SMD 24W 3000K 1369lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera

Diff Opal PMMA/PMMA Opal

 100- 50/
240V 60HZ



82/3.2"
Ø450/17.7"





Ceiling
Techo

DOLME

— Xjer Studio 

● 64096 matt black/negro mate


● 64097 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver ✓


Body Steel/Acero

Diff Opal Polycarbonate/Polycarbonato Opal

 220- 50/
240V 60HZ



P.90
SUSPENDED





SIDE — Àlex & Manel Llusca



- 62132 matt white/blanco mate
- 62133 white+nickel/blanco+níquel
- 62134 black+gold/negro+oro
- 62135 black+copper/negro+cobre

G9 MAX 6W LED [17443]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



SIDE — Àlex & Manel Llusca



- 62140 matt white/blanco mate
- 62141 white+nickel/blanco+níquel
- 62142 black+gold/negro+oro
- 62143 black+copper/negro+cobre

LED SMD 15W 3000K 860lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal



100- 50/
240V 60HZ

SIDE — Àlex & Manel Llusca



- 62144 matt white/blanco mate
- 62145 white+nickel/blanco+níquel
- 62146 black+gold/negro+oro
- 62147 black+copper/negro+cobre







LED SMD 17W 3000K 1000lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal




100- 50/
240V 60HZ

P.93
SUSPENDED



LINK


— Estudi Ribaudí 



- 29877 matt white/blanco mate
- 29878 matt black/negro mate

GU10 MAX 8W LED ⊗ [97685327]


Body Steel/Acero






- 29879 matt white/blanco mate
- 29880 matt black/negro mate


4 GU10 MAX 8W LED ⊗ [97685327]

Body Steel/Acero



P.220 SPOT	P.55 TABLE&FLOOR	P.244 TRACK
		


ORLEANS

— Nahtrang 




- 43532 matt white/blanco mate
 - 43533 matt black/negro mate
 - ◐ 43534 chrome+black/cromo+negro
- 2 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero



- 43529 matt white/blanco mate
 - 43530 matt black/negro mate
 - ◐ 43531 chrome+black/cromo+negro
- GU10 MAX 8W LED ☒ [97685327]


Body Steel/Acero



INDOOR CEILING / TECHO

P.223
SPOT

P.245
TRACK





TECTO

- 63270 matt white/blanco mate
- 63271 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ 17316 / ● 17324]

Body Aluminium/Aluminio



TECTO

- 63272 matt white/blanco mate
- 63273 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 / ● 17324]

Body Aluminium/Aluminio






TECTO QR111

- 63276 matt white/blanco mate
- 63277 matt black/negro mate

2 QR111 MAX 15W LED ⊗ [97411]
LED transformer ⊗ [2 x 9811020]

Body Aluminium/Aluminio



TECTO QR111

- 63274 matt white/blanco mate
- 63275 matt black/negro mate

QR111 MAX 15W LED ⊗ [97684227]
LED transformer ⊗ [9811020]

Body Aluminium/Aluminio



SVEN

- 63268 matt white/blanco mate

GU10 MAX 8W LED ⊗ [97685327]

Body Plaster/Yeso






SVEN

- 63269 matt white/blanco mate

GU10 MAX 8W LED ⊗ [97685327]

Body Plaster/Yeso






REL

- 64200 matt white/blanco mate
- 64201 matt black/negro mate

LED COB 25W 2700K 2230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






REL

- 64198 matt white/blanco mate
- 64199 matt black/negro mate

LED COB 15W 2700K 1340lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




JANET

- 65137 white+gold/blanco+oro

E27 MAX 15W LED ✗ [17462]

Body Steel/Acero





HARU

- 64206 matt white/blanco mate
- 64207 matt black/negro mate

LED SMD 6W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





NATSU

- 64204 matt white/blanco mate
- 64205 matt black/negro mate

LED 30W 3000K 1275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




POTE

- 63124 matt white/blanco mate
- 63125 matt black/negro mate

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Aluminium/Aluminio





STAN


- 43746 matt white/blanco mate
- 43747 matt black/negro mate
- 43758 **NEW** gold/oro

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Accesorios en página 219



P.232
RECESSED




P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



P.202
WALL




SEVEN

- 68323 matt white/blanco mate

LED SMD 20W CRI>80 Driver ✓
3000K 1313lm 4000K 1274lm 6000K 1234lm

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal




SEVEN

- 68298 matt white/blanco mate

2 E27 MAX 15W LED ✕ [17463/Smart 17498]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal




SEVEN


- 68317 matt white/blanco mate

3 E27 MAX 15W LED ✕ [17463/Smart 17498]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal



P.127
SUSPENDED





IRIS

● 63393 grey/gris

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




IRIS

● 63394 grey/gris

LED SMD 20W 3000K 1600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal






IRIS

● 63395 grey/gris

LED SMD 30W 3000K 2400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




BIC

○ 63408 matt white/blanco mate

LED SMD 60W 3000K 4000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




MEGA— Jordi Llopis

○ 63410 matt white/blanco mate

LED SMD 52W 2700K 0-3600lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal





AMI

○ 63397 matt white/blanco mate


● 63398 aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

⊕ 220- 50/
240V 60HZ



CLOE


● 63403 shiny chrome/cromo brillo

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP44 ⊕ 100- 50/
240V 60HZ



FORO

○ 63404 matt white/blanco mate


● 63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff PMMA

IP44 ⊕ 100- 50/
240V 60HZ



TOLA

○ 62968 matt white/blanco mate


● 62983 aluminium/aluminio

E27 MAX 15W LED ⊗ [17437]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44 ⊕



TOLA


○ 62969 matt white/blanco mate

2 E27 MAX 15W LED ⊗ [17437]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44 ⊕





LOGOS

- 62966 matt white/blanco mate
- 62981 aluminium/aluminio

2 E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




LOGOS

- 62965 matt white/blanco mate
- 62980 aluminium/aluminio

E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






BRUME — Àlex & Manel Llusca

- 40077 anthracite/antracita

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Steel/Acero
Diff Transparent+Opal Glass/Cristal Transparente+Opal



P.209
WALL



INDOOR CEILING / TECHO



VUK

- 64188 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Polycarbonate/Polycarbonato Opal



KAO

- 63399 shiny chrome/cromo brillo

LED SMD 35W 3000K 2800lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal PMMA/PMMA Opal







ZON

- 63291 matt white/blanco mate

LED 18W 3000K 1600lm Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal PMMA/PMMA Opal



NEW KLEE

— Isaac Piñeiro



Right reader/*Lector derecho*



● **20065** grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓

Reader LED COB 3W 2700K 85lm CRI>80
Driver ✓

Body Steel+Melamine/Acero+Melamina

Diff Opal PMMA/PMMA opal



Left reader/*Lector izquierdo*



● **20066** grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓

Reader LED COB 3W 2700K 85lm CRI>80
Driver ✓

Body Steel+Melamine/Acero+Melamina

Diff Opal PMMA/PMMA opal



Dimmable
Intensity



Surface
Superficie



MOY

— Nahtrang




- 40090 satin gold/oro satinado
- 40091 satin aluminium/aluminio satin.
- 40092 bronze/bronce

LED 4W 3000K 300lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60Hz 



JOY



— Nahtrang




- 64027 matt black/negro mate
- 64028 matt white/blanco mate

LED 3W 3000K 360lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

 100- 50/
240V 60Hz 






LE VITA

— Nahtrang 





 video

-  29690 shiny gold/oro brillo
-  29695 matt black/negro mate


LED 6W 2700K 570lm CRI>80 Driver 

Body Steel/Acero


Diff Opal Glass/Cristal Opal




INDOOR SURFACE / SUPERFICIE



P.50
TABLE&FLOOR



P.87
SUSPENDED




● 20167 black+satin gold/negro+oro sat.


● 20168 satin gold+black/oro sat.+negro

E27 MAX 15W LED [17426/17496]


Body Steel/Acero



P.57
TABLE&FLOOR



P.89
SUSPENDED



Adjustable

WHIZZ


— Christoph F. Wagner 

● 20165-95 black+satin gold/negro+oro

● 20165-96 satin gold+black/oro+negro

E27 MAX 15W LED  [17426/17496]

Body Steel/Acero



INDOOR SURFACE / SUPERFICIE




Adjustable Shade



SLIM



— Àlex & Manel Lluscà 

2 Installation Modes/2 Modos de instalación



- 24502 matt white/blanco mate
 - 24503 black+gold/negro+oro
 - LED 20W 3000K 1150lm CRI>80 Driver ✓
 - Body Steel/Acero
 - Diff Opal Glass/Cristal Opal
-  220- 50/ 240V 60Hz  180°  1.9MT

P.88
SUSPENDED



HAN

— Goula/Figuera



○ 01000 matt white/blanco mate


● 01001 matt black/negro mate

LED SMD 6W 2700K 500lm CRI>80 Driver ✓



Body Steel/Acero

Diff Opal PMMA/PMMA Opal

⚡ 100- 50/ 240V 60Hz ●



INDOOR SURFACE / SUPERFICIE



Hanger



Thanks to MIKMAX



Thanks to Studio Tamat Photo by Seven'ZArt





GUADALUPE

— Faro Lab 



 video





-  20031-80 black+beige/negro+beige
-  20031-81 black+green/negro+green

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Steel/Acero






-  20032-80 black+beige/negro+beige
-  20032-81 black+green/negro+green


E27 MAX 15W LED  [17463]

Reader LED HIGH POWER 1W 3000K 100lm
CRI>80 Driver 


Body Steel/Acero
Shade Steel/Acero



P.38
TABLE&FLOOR



GUEST

— Andreu Carulla 




 video

● 01045 matt black/negro mate

E27 MAX 15W LED  [17429]

Body Aluminium/Aluminio



P.48
FLOOR



INDOOR SURFACE / SUPERFICIE

PURE

— Nahrang 





● 24527 matt white/blanco mate

● 24528 matt black/negro mate

LED SMD 6W 3000K 1150lm CRI>80 Driver 

Body Steel/Acero

Diff Transparent PMMA/PMMA Transparente




NEW **MAGOS**

— Faro Lab 




- 20330 matt black/negro mate
- 20331 black+maple/negro+arce
- 20332 black+walnut/negro+nogal

LED SMD 6W 2700K 600lm CRI>80
Reader LED 3W 2700K 160lm CRI90
 Driver 

Body Aluminium+ABS+Wood/Aluminio+ABS+Madera
Diff Opal Polycarbonate/Polycarbonato Opal




 100- 50/
 240V 60Hz
 
 Wireless charger





NIKO

— Nahtrang 



Right reader/*Lector derecho*

● 01009 white+wood/blanco+madera


Diff Opal Glass/Cristal Opal

● 01027 white+wood/blanco+madera


Diff Opal Polycarbonate/Policarbonato Opal

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+wood/Aluminio+madera



🔌 USB charger Wireless charger



Left reader/*Lector izquierdo*

● 01014 white+wood/blanco+madera


Diff Opal Glass/Cristal Opal

● 01026 white+wood/blanco+madera


Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+wood/Aluminio+madera



🔌 USB charger Wireless charger




P.42
TABLE



Wireless
Charger



USB
Charger





Touch
Switch




MOOD — Nahrang





20061 black+wood/negro+madera
LED 2 x 3W 3000K 67lm CRI>80 Driver ✓
Body Steel+wood/Acero+madera



20062 black+wood/negro+madera
LED 2 x 3W 3000K 67lm CRI>80
Reader LED 2W 3000K 105lm CRI>80
Driver ✓
Body Steel+wood/Acero+madera




20060 black+wood/negro+madera
LED 2W 3000K 105lm CRI>80 Driver ✓
Body Steel+wood/Acero+madera





STOOD


— Lucid 

● 29844 black+wood/negro+madera

E27 MAX 15W LED  [17462]

Body Steel/Acero


Shade Cherry Tree Wood/Madera Cerezo



P.106
SUSPENDED



P.54
TABLE&FLOOR





● 29845 black+wood/negro+madera

E27 MAX 15W LED  [17462]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo



LOOP

— Estudi Ribaudí 



● 29566 black+wood/negro+madera




Shade Cherry Tree Wood/Madera Cerezo

● 29396 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero



INDOOR SURFACE / SUPERFICIE



P.107
SUSPENDED



P.52
TABLE&FLOOR



● 29565 black+wood/negro+madera



Shade Cherry Tree Wood/Madera Cerezo

● 29395 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero



MONTREAL

— Nahtrang 




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 24030-01 matt white/blanco mate
- 24030-02 white+beige/blanco+beige
- 24031-01 chrome+white/cromo+blanco
- 24031-02 chrome+beige/cromo+beige
- 24031-03 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil



- 24032-01 matt white/blanco mate
- 24032-02 white+beige/blanco+beige
- 24033-01 chrome+white/cromo+blanco
- 24033-02 chrome+beige/cromo+beige
- 24033-03 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED SMD 3W 2700K 150lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil



P.64
TABLE&FLOOR





video

SAVOY


— Isaac Piñeiro



- 20300-92 matt white/blanco mate
- 20301-93 matt black/negro mate
- 20301-94 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero



INDOOR SURFACE / SUPERFICIE



P.109
SUSPENDED




P.67
TABLE&FLOOR



- 20302-92 matt white/blanco mate
- 20303-93 matt black/negro mate
- 20303-94 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]
LED SMD 3W 3000K 160lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




● 64307-47 black+rattan/negro+rattan

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Shade Rattan





● 64309-47 black+rattan/negro+rattan

E27 MAX 15W LED ☒ [17463]

LED SMD 3W 3000K 280lm CRI>80 Driver ✓

Body Steel/Acero

Shade Rattan



P.61 TABLE&FLOOR P.110 SUSPENDED



NEW MAMBO

— Faro Lab




video

64307-61 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Rattan





64309-61 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero

Shade Rattan



NEW CONGA


— Faro Lab 



- 64306-01 matt white/blanco mate
- 64306-02 matt white+beige/blanco+beige
- 64307-03 matt black/negro mate

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



- 64308-01 matt white/blanco mate
- 64308-02 matt white+beige/blanco+beige
- 64309-03 matt black/negro mate

E27 MAX 15W LED  [17463]
LED SMD 3W 3000K 280lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil



P.62 TABLE&FLOOR **P.113** SUSPENDED



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

NEW SAMBA


— Faro Lab



- 64306-35 white+beige/blanco+beige
- 64306-36 white+yellow/blanco+amarillo
- 64306-37 white+green/blanco+verde
- 64307-35 black+beige/negro+beige
- 64307-36 black+yellow/negro+amarillo
- 64307-37 black+green/negro+verde

E27 MAX 15W LED [17463]


Body Steel/Acero
Shade Textile/Téxtil



- 64308-35 white+beige/blanco+beige
- 64308-36 white+yellow/blanco+amarillo
- 64308-37 white+green/blanco+verde
- 64309-35 black+beige/negro+beige
- 64309-36 black+yellow/negro+amarillo
- 64309-37 black+green/negro+verde

E27 MAX 15W LED [17463]
LED SMD 3W 3000K 280lm CRI>80 Driver ✓


Body Steel/Acero
Shade Textile/Téxtil



INDOOR SURFACE / SUPERFICIE

P.63 TABLE&FLOOR
P.112 SUSPENDED

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



ARTIS

— Àlex & Manel Llusçà 




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 68490-01 bronze+white/bronce+blanco
- 68490-02 bronze+beige/bronce+beige
- 68490-03 bronze+black/bronce+black
- 68491-01 chrome+white/cromo+blanco
- 68491-02 chrome+beige/cromo+beige
- 68491-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]



Body Steel/Acero
Shade Textile/Téxtil



- 68492-01 bronze+white/bronce+blanco
- 68492-02 bronze+beige/bronce+beige
- 68492-03 bronze+black/bronce+black
- 68493-01 chrome+white/cromo+blanco
- 68493-02 chrome+beige/cromo+beige
- 68493-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED 1W 3000K 140lm CRI>80 Driver ✓


Body Steel/Acero
Shade Textile/Téxtil



- 68494-01 bronze+white/bronce+blanco
- 68494-02 bronze+beige/bronce+beige
- 68494-03 bronze+black/bronce+black
- 68495-01 chrome+white/cromo+blanco
- 68495-02 chrome+beige/cromo+beige
- 68495-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.70
TABLE&FLOOR



ETERNA

— Lucid 




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

INDOOR SURFACE / SUPERFICIE



- 24007-10 chrome+white/cromo+blanco
- 24007-11 chrome+beige/cromo+beige
- 24007-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil



- 24006-10 chrome+white/cromo+blanco
- 24006-11 chrome+beige/cromo+beige
- 24006-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver 




Body Steel/Acero
Shade Textile/Téxtil




- 24005-10 chrome+white/cromo+blanco
- 24005-11 chrome+beige/cromo+beige
- 24005-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.45
TABLE



FRAME


— Nahträng 



- 20170-01 matt nickel+white/níquel mate+blanco
- 20170-02 matt nickel+beige/níquel mate+beige
- 20170-03 matt nickel+black/níquel mate+negro
- 20171-01 old gold+white/oro viejo+blanco
- 20171-02 old gold+beige/oro viejo+beige
- 20171-03 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]



Body Aluminium/Aluminio
Shade Textile/Téxtil



- 20172-01 matt nickel+white/níquel mate+blanco
- 20172-02 matt nickel+beige/níquel mate+beige
- 20172-03 matt nickel+black/níquel mate+negro
- 20173-01 old gold+white/oro viejo+blanco
- 20173-02 old gold+beige/oro viejo+beige
- 20173-03 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]
 LED SMD 3W 3000K 100lm CRI>80 Driver 

Body Aluminium/Aluminio
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650

REM

— Àlex & Manel Lluscà 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650


INDOOR SURFACE / SUPERFICIE




- 29680-19 matt nickel+white/níquel mate+blanco
- 29680-20 matt nickel+beige/níquel mate+beige
- 29680-21 matt nickel+black/níquel mate+negro
- 29681-19 old gold+white/oro viejo+blanco
- 29681-20 old gold+beige/oro viejo+beige
- 29681-21 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]



Body Steel/Acero Shade Textile/Téxtil



- 29682-19 matt nickel+white/níquel mate+blanco
- 29682-20 matt nickel+beige/níquel mate+beige
- 29682-21 matt nickel+black/níquel mate+negro
- 29683-19 old gold+white/oro viejo+blanco
- 29683-20 old gold+beige/oro viejo+beige
- 29683-21 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver 

Body Steel/Acero Shade Textile/Téxtil



P.69
TABLE&FLOOR





LUPE

— Jordi Busquets




☑️ 29995 chrome+beige/cromo+beige

● 20031-88 black+beige/negro+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



thanks to MIKMAX



☑️ 29996 chrome+beige/cromo+beige



● 20032-88 black+beige/negro+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]


LED HIGH POWER 1W 3000K 100lm CRI>80

Driver ☑️

Body Steel/Acero
Shade Textile/Téxtil



P.73
TABLE&FLOOR



RON

— Pepe Llaudet 

● 64400-10 dark grey+white/gris oscuro+blanco


● 64400-11 dark grey+beige/gris oscuro+beige

● 64400-12 dark grey+black/gris oscuro+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel+Bamboo/Acero+Bambú

Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650





BLOME — Estudi Ribaudí 

○ 62099 matt white/blanco mate



● 62100 matt black/negro mate

LED SMD 3W 3000K 150lm CRI>90 Driver ✓

Body Steel+Silicone/Acero+Silicona

Shade Textile/Téxtil

Diff Opal Glass/Cristal Opal




SABANA — Pepe Llaudet 

● 29993 nickel+beige/níquel+beige

E27 MAX 15W LED ✕ [17462]

Body Steel/Acero

Shade Textile/Téxtil



SABANA — Pepe Llaudet 



● 29991 nickel+beige/níquel+beige


E27 MAX 15W LED ✕ [17462]

LED HIGH POWER 1W 4000K CRI>80 Driver ✓

Body Steel/Acero

Shade Textile/Téxtil



SABANA — Pepe Llaudet 



● 29992 nickel+beige/níquel+beige

E27 MAX 15W LED ✕ [17462]

LED HIGH POWER 1W 4000K CRI>80 Driver ✓

Body Steel/Acero

Shade Textile/Téxtil







FOLD

— Nutcreatives 

- 64302 matt white/blanco mate
- 64303 matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]



Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero




- 64304 matt white/blanco mate
- 64305 matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]
LED SMD 3W 3000K 200lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero





VOLTA — Estudi Ribaudí 

● 20021 nickel+white/níquel+blanco


● 20022 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Tèxtil




VOLTA — Estudi Ribaudí 

● 20023 nickel+white/níquel+blanco


● 20024 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]

LED HIGH POWER 3W 3000K 200lm CRI>80 Driver 

Body Steel/Acero

Shade Textile/Tèxtil



ROOM — Àlex & Manel Llusca 


● 29974 nickel+white/níquel+blanco

● 29975 nickel+black/níquel+negro



E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Tèxtil



P.77
TABLE&FLOOR




ROOM — Àlex & Manel Llusca 

● 29976 nickel+white/níquel+blanco



● 29977 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]

LED HIGH POWER 3W 3000K 200lm CRI>80 Driver 


Body Steel/Acero

Shade Textile/Tèxtil



HOTEL

— Àlex & Manel Lluscà 



Thanks to Minúscula


INDOOR SURFACE / SUPERFICIE



- 29941 chrome+white/cromo+blanco
- 29946 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 3500K CRI>80 Driver 



Body Steel/Acero
Shade Textile/Téxtil



- 29940 chrome+white/cromo+blanco
- 29945 chrome+black/cromo+negro


E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil






P.121
SUSPENDED



P.78
TABLE&FLOOR







VESPER — Nahtrang 



-  29982 white+beige/blanco+beige
-  29983 brown+beige/marrón+beige

E14 MAX 8W LED  [17461]
LED HIGH POWER 1W 3000K 120lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil





VESPER — Nahtrang 



-  29980 white+beige/blanco+beige
-  29981 brown+beige/marrón+beige

E14 MAX 8W LED  [17461]


Body Steel/Acero
Shade Textile/Téxtil



P.122 SUSPENDED **P.71** TABLE&FLOOR



Thanks to Elena Castells Poch





BERNI — Nahrang

- 29329 matt white/blanco mate
- 29330 matt black/negro mate
- 29331 satin nickel/níquel satinado

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero



P.76
TABLE&FLOOR




BERNI — Nahrang

- 29326 matt white/blanco mate
- 29327 matt black/negro mate
- 29328 satin nickel/níquel satinado

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero




SWEET — Estudi Ribaudí

- 29936 nickel+white/níquel+blanco
- 29952 matt white/blanco mate
- 29953 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil





SWEET — Estudi Ribaudí

- 29935 nickel+white/níquel+blanco
- 29950 matt white/blanco mate
- 29951 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 1W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil



P.75
TABLE&FLOOR






HANNA

● **64301** nickel+beige/níquel+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil





HANNA

● **64300** nickel+beige/níquel+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED HIGH POWER 3W 3000K 250lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil




THANA

● **68532** nickel+white/níquel+blanco

E14 MAX 8W LED ☒ [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.123
SUSPENDED



P.82
TABLE&FLOOR





MOMA

● **68506** chrome+white/cromo+blanco

● **68507** chrome+black/cromo+negro

E27 MAX 15W LED ☒ [17463]
LED HIGH POWER 1W 6000K 80lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil




MOMA

● **68504** chrome+white/cromo+blanco

● **68505** chrome+black/cromo+negro

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Shade Textile/Téxtil





TIRA

○ **64322** matt white/blanco mate

● **64323** matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED HIGH POWER 3W 3000K 280lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



P.79
TABLE&FLOOR



HANDY

— Jordi Blasi 



INDOOR SURFACE / SUPERFICIE





○ 28413 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil





○ 28415 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver 





Body Steel/Acero
Shade Textile/Téxtil



○ 28414 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil






SAHARA

62705 chrome+linen/cromo+lino

62706 chrome+white/cromo+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil





ESSENTIAL

29341 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 3W 2700K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil



SABA


68544 nickel+black/níquel+negro

E27 MAX 15W LED [17463/Smart 17498]


Body Steel/Acero
Shade (double) Textile/Téxtil



P.123
SUSPENDED



P.83
TABLE&FLOOR




MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED [17461]

Body Steel/Acero
Shade Textile/Téxtil



RODA



62988 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil





P.82
TABLE&FLOOR







AUREA — Estudi Ribaudí 

○ 62115 matt white/blanco mate
 LED SMD 8W 2700K 300lm CRI>80 Driver ✓
Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





BOC

○ 62707 matt white/blanco mate
 ● 62708 matt black/negro mate
 ● 62709 satin nickel/níquel satinado
 ● 62710 shiny chrome/cromo brillo
 ● 62711 bronze/bronce
 LED HIGH POWER 3W 3000K 130lm CRI>80 Driver ✓
Body Aluminium/Aluminio





ROB

● 68497 bronze/bronce
 ● 68499 satin nickel/níquel satinado
 LED HIGH POWER 3W 3000K 160lm CRI>80 Driver ✓
Body Aluminium+Steel/Aluminio+Acero




ROB

● 68496 bronze/bronce
 ● 68498 satin nickel/níquel satinado
 E27 MAX 15W LED [17463/Smart 17498]
 LED HIGH POWER 3W 3000K 160lm CRI>80 Driver ✓
Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





PIXIE

— Nahtrng 





○ 24015 matt white/blanco mate

● 24016 matt black/negro mate

LED HIGH POWER 2W 2700K 90lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




FLIN

○ 64318 matt white/blanco mate

● 64319 matt black/negro mate

LED HIGH POWER 3W 3000K 280lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



LOKE



● 40994 shiny chrome/cromo brillo

○ 41019 matt white/blanco mate

● 41020 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona





LOKE

● 40996 shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓



Body Aluminium/Aluminio





PEPPER

- 64168 beige/beige
 - 64169 matt black/negro mate
- E27 MAX 15W LED [17462]
- Body Steel/Acero




STUDIO — Nahrang

- 51133 black+creme/negro+crema
- 51134 shiny chrome/cromo brillo
- 51135 shiny white/blanco brillo


E14 MAX 15W LED [17461]

Body Steel/Acero



Wall accessory/Accesorio aplique

- 51129 matt black/negro mate
- Body Steel/Acero





JULIET

41025N shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium/Aluminio



BEL


41028 shiny chrome/cromo brillo

41029 matt white/blanco mate

41030 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona







BOKEN

41031 matt white/blanco mate

41032 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




LESER

41026 satin nickel/níquel satinado

LED 5W 3000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




SAMI

41023 matt white/blanco mate

LED HIGH POWER 3W 2700K 120lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




LENA

52059 matt white/blanco mate




52061 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



Electronic Adapteur 11V 300mA ✓









KALE

● 62703 matt black/negro mate

LED HIGH POWER 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

 100- 50/ 240V 60Hz  45° 




LEAD

● 62704 bronze+brown/bronce+marrón

LED 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium+Leather/Aluminio+Piel

LEATHER  100- 50/ **PIEL** 240V 60Hz  45° 




NEW TILA
— Estudi Ribaudí 

○ 62360 matt white/blanco mate

● 62361 matt black/negro mate

E27 MAX 15W LED  [17462]


Body Steel/Acero



Thanks to MIKMAX



2 Installation Modes/2 Modos de instalación



PRESS


— Jordi Blasi 

- 62350 shiny white/blanco brillo
- 62351 shiny black/negro brillo
- 62352 shiny red/rojo brillo
- 62353 shiny yellow/amarillo brillo

LED SMD 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

 **PRESS LAMP**  350°  90° 100-50/240V 60Hz



Thanks to MIKMAX







- 62161 matt white/blanco mate
- 62162 matt black/negro mate
- 62163 satin gold/oro satinado
- 62164 bronze/bronce

LED SMD 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



Thanks to MIKMAX

LE PETIT

— Àlex & Manel Llusca 



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Thanks to MIKMAX

NIT

— Goula/Figuera




Left/izquierdo **NEW**

○ 01003 matt white/blanco mate

● 01004 matt black/negro mate

E27 MAX 15W LED [17429/17464]

Body Steel/Acero



2 Installation Modes/2 Modos de instalación




Right/derecho

○ 01005 matt white/blanco mate

● 01006 matt black/negro mate

E27 MAX 15W LED [17429/17464]

Body Steel/Acero





Right reader/Lector derecho

- 62122 matt white/blanco mate
- 62123 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



➦ USB charger



Left reader/Lector izquierdo

- 62124 matt white/blanco mate
- 62125 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



➦ USB charger



● 62116 matt black/negro mate




○ 62117 matt white/blanco mate

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



➦ USB charger



Thanks to Lafincaroja Photo by Jorge Peiro

Thanks to MIKMAX

SUAU

— Nahträng




- 62104 **NEW** bronze/bronce
- 62118 matt black/negro mate
- 62120 matt white/blanco mate
- 62121 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero






 100-240V
  50/60Hz
  30°
 
 350°
  90°




- 62126 satin nickel/níquel satinado
- 62128 matt black/negro mate
- 62129 matt white/blanco mate
- 62111 **NEW** bronze/bronce
- 62114 satin gold/oro satinado

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

RECESSED
 100-240V
  50/60Hz
  30°
 
 350°

 90°
 
 255x80



INDOOR SURFACE / SUPERFICIE

NOON

— Alegre Design




Thanks to MIKMAX



○ 62355 matt white/blanco mate

G45 E27 MAX 15W LED ✕ [17462]

Body Steel/Acero



Thanks to MIKMAX



WELL NEW


● 64030 matt white/blanco mate

LED SMD 7W 2700K 340lm CRI90 Driver ✓

Body Aluminium+Polypropylene/
Aluminio+Polipropileno

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60Hz USB charger &
Wireless charger



INDOOR SURFACE / SUPERFICIE

Thanks to MIKMAX



CORB NEW


● 40135 matt white/blanco mate

● 40136 matt black/negro mate

GU10 MAX 8W LED [● 17316 /O 17324]

Body Steel/Acero


USB charger



USB
Charger



SMILE


— Jordi Busquets 

● 62130 matt white/blanco mate

● 62131 matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero





ERES

○ **64026** matt white/blanco mate
E27 MAX15W [17463/Smart 17498]
Body Steel/Acero






OVO — Estudi Ribaudí

● **62108** matt white/blanco mate
R7s 118mm MAX 15W LED [17497]
Body Steel/Acero



OVO — Estudi Ribaudí

● **62105** matt white/blanco mate
R7s 78mm MAX 8W LED [17499]
Body Steel/Acero





COTTON



● 66403 beige/beige

● 66404 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66405 beige/beige

● 66406 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66407 beige/beige

● 66408 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66409 beige/beige

● 66410 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil





COTTON

- 66411 beige/beige
- 66412 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



COTTON

- 66413 beige/beige
- 66414 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil






COTTON

- 66415 beige/beige
- 66416 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil





HOMS

○ 63167 matt white/blanco mate

R7s 78mm MAX 8W LED ☒ [17499]

Body Steel/Acero



KERA

○ 62300 shiny white/blanco brillo

● 62301 shiny black/negro brillo

E27 MAX 15W LED ☒ [17462]

Body Ceramic/Cerámica






SERA

○ 62302 shiny white/blanco brillo

● 62303 shiny black/negro brillo

E27 MAX 15W LED ☒ [17462]

Body Ceramic/Cerámica



140mm NEW


○ 62170 matt white/blanco mate

● 62171 matt black/negro mate

● 62172 satin gold/oro satinado


E27 MAX 15W LED ☒ [17429/17464]

Body Aluminium/Aluminio





TEN

— Faro Lab 




70mm


- 62150 matt white/blanco mate
- 62151 matt black/negro mate
- 62152 satin gold/oro satinado
- 62153 satin gold/oro satinado
- 62154 shiny copper/cobre brillo
- 62155 satin nickel/níquel satinado

E27 MAX 15W LED ☒ [17429/17464]

Body Aluminium/Aluminio



P.40
TABLE







RETRO — Àlex & Manel Lluscà 

- 20045 matt copper/cobre mate
- 20049 black+copper/negro+cobre

E14 MAX 8W LED  [17461]

Body Steel/Acero




LINDA — Estudi Ribaudí 

- 29306 matt white/blanco mate
- 29310 black+white/negro+blanco

2 E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Diff Textile/Tèxtil



SAC — Àlex & Manel Lluscà 


- 66191 brown+beige/marrón+beige

2 E14 MAX 8W LED  [17461]



Body Steel/Acero
Shade Textile/Tèxtil



P.120
SUSPENDED



P.72
TABLE&FLOOR





LOA

● 62809 matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero



HUDSON

● 62810 matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente






MARINA

● 60005 matt black/negro mate


E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



P.102
SUSPENDED





CELIA


● 40070 matt black/negro mate

E14 MAX 8W LED ✕ [17461]

Body Steel/Acero



1.8 MT



LIST


● 60000 matt black/negro mate

E27 MAX 15W LED ✕ [17463/Smart 17498]

Body Steel/Acero



350° 90° 90°




NUDOS

● 68138 dark brown/marrón oscuro

E27 MAX 15W LED ✕ [17462]

Body Steel+Wood/Acero+Madera

Diff Transparent Glass/Cristal Transparente



P.100
SUSPENDED




REMAKE

● 50121 matt black/negro mate

● 50122 shiny chrome/cromo brillo

E27 MAX 15W LED ✕ [17463/Smart 17498]

Body Steel/Acero






MARLIN


● 65133 satin gold+black/oro sat.+negro

E27 MAX 15W LED [17428]

Body Steel/Acero



P.96
SUSPENDED



RAS

● 62807 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero





PETRA

● 40062 shiny chrome/cromo brillo

E14 MAX 8W LED [17461]

Body Steel/Acero




SNAP NEW

● 57402 off white+grey/blanco roto+gris

● 57403 dark grey/gris oscuro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero



P.47
TABLE





BOARD

● 01040 matt black/negro mate

LED SMD 7W 2700K 450lm CRI>80 Driver ✓

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD  100- 50/
PIZARRA 240V 60Hz 




BOARD

● 01041 matt black/negro mate

LED SMD 12W 2700K 700lm CRI>80 Driver ✓

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD  100- 50/
PIZARRA 240V 60Hz 



NEW **TOU** — Faro Lab 




- **01205** burgundy/burdeos
- **01207** grey/gris

LED SMD 7W 2700K 450lm CRI>80 Driver ✓

Body Aluminium+foam/Aluminio+espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Téxtil





- **01206** burgundy/burdeos
- **01208** grey/gris

LED SMD 12W 2700K 750lm CRI>80 Driver ✓

Body Aluminium+foam/Aluminio+espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Téxtil



P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



STAN


- 43750 matt white/blanco mate
- 43751 matt black/negro mate
- 43760 **NEW** satin gold/oro satinado

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)




ORA

- 29890 matt white/blanco mate
- 29891 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio




LISE

- 29888 matt white/blanco mate
- 29889 matt black/negro mate

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio



STAN


- 43748 matt white/blanco mate
- 43749 matt black/negro mate
- 43759 **NEW** satin gold/oro satinado

GU10 MAX 8W LED [97685327]


Body Aluminium/Aluminio




*Accessories page 219/Accesorios en página 219



P.100
SUSPENDED



P.100
SUSPENDED







CONIK — Àlex & Manel Llusca 

● 64219 matt white/blanco mate
LED SMD 8W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





INDOOR SURFACE / SUPERFICIE



DALLAS

○ 63199 matt white/blanco mate
LED COB 5W 3000K 435lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



NASH

○ 62819 matt white/blanco mate
● 62821 NEW matt black/negro mate
LED SMD 8W 3000K 450lm CRI>80 Driver ✓



Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



NASH

○ 62820 matt white/blanco mate
● 62822 NEW matt black/negro mate
LED SMD 16W 3000K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






CHERAS

○ 63173 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso




CHERAS

○ 63174 matt white/blanco mate

G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




CHERAS

○ 63175 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso




EACO

○ 63176 matt white/blanco mate

G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




EACO

○ 63177 matt white/blanco mate

2 G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




EACO

○ 63178 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso



Thanks to BAOBARQ




OSLO

○ 63284 matt white/blanco mate

G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso

PLASTER YESO  



OLAF


○ 63278 matt white/blanco mate

2 E14 MAX 8W LED ✕ [17461]

Body Plaster/Yeso

Diff Glass/Cristal

PLASTER YESO  




SNOW

○ 63285 matt white/blanco mate

E14 MAX 8W LED ✕ [17461]

Body Plaster/Yeso

PLASTER YESO  



ELSA


○ 63279 matt white/blanco mate

LED SMD 8W 3000K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Translucent PMMA/PMMA Translúcido

PLASTER YESO  220- 50/ 240V 60Hz 






COVE NEW

○ 63480 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Plaster/Yeso

PLASTER YESO  230V 50Hz 




TERA

○ 63184 matt white/blanco mate

LED SMD 6W 2700K 530lm CRI>80 Driver ✓

Body Plaster/Yeso

PLASTER YESO  220- 50/ 240V 60Hz 





LUNA

○ 63225 matt white/blanco mate

LED SMD 5W 2700K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Opal PMMA/PMMA Opal

PLASTER YESO  220- 50/ 240V 60Hz 



KAMEN

● 63311 beige/beige

● 63312 grey/gris

G9 MAX 6W LED ⊗ [17466]

Body Concrete/Cemento

CONCRETE CEMENTO  







MAGRITTE

- 61080 satin nickel/níquel satinado
- 61083 satin gold/oro satinado
- 61086 **NEW** matt black/negro mate

LED SMD 6W 3000K 380lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal





MAGRITTE

- 61081 satin nickel/níquel satinado
- 61084 satin gold/oro satinado
- 61087 **NEW** matt black/negro mate

LED SMD 8W 3000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal





MAGRITTE

- 61082 satin nickel/níquel satinado
- 61085 satin gold/oro satinado
- 61088 **NEW** matt black/negro mate

LED SMD 12W 3000K 750lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal




INDOOR SURFACE / SUPERFICIE

LIRIA

- 63156 satin nickel/níquel satinado

E27 MAX 15W LED ⊗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal




DIULA

- 62986 satin nickel/níquel satinado

2 E27 MAX 15W LED ⊗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal




DIULA

- 62987 satin nickel/níquel satinado

E27 MAX 15W LED ⊗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal







PERLA — Àlex & Manel Llusca 

- 40085 old gold/oro envejecido
- 40086 shiny chrome/cromo brillo
- 40087 bronze/bronce

G9 MAX 6W LED  [17443]

Body Steel/Acero
Diff Opal Glass+Transparent Glass/
 Cristal Opal+Cristal Transparente

IP44  100- 50/
 240V 60Hz 




BIANCA — Àlex & Manel Llusca 

- 63510 shiny chrome/cromo brillo

G9 MAX 6W LED  [17443]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44  100- 50/
 240V 60Hz 







BRUME — Àlex & Manel Llusca


● **40076** anthracite/antracita

LED 3W 2700K 200lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio

Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44  100- 50/
240V 60Hz 



P.135
CEILING



INDOOR SURFACE / SUPERFICIE



GALA



● **63504** shiny chrome/cromo brillo


● **63505** satin gold/oro satinado

G9 MAX 6W LED  [17495]

Body Steel/Acero

Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60Hz 





LAGO

● 63503 shiny chrome/cromo brillo

G9 MAX 6W LED ☒ [17495]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



LAOS

● 63321 shiny chrome/cromo brillo

2 E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






RELAX

● 63038 shiny chrome/cromo brillo

2 G9 MAX 6W LED ☒ [17466]

Body Steel/Acero
Diff Glass/Cristal



DOKA

● 63323 shiny chrome/cromo brillo

2 E14 MAX 8W LED ☒ [17461]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



DOKA

● 63322 shiny chrome/cromo brillo

E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LAOS

● 63320 shiny chrome/cromo brillo

E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LASS

○ 63009 mirror/espejo

5 G9 MAX 6W LED [17466]

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal



INDOOR SURFACE / SUPERFICIE




LASS

○ 63008 mirror/espejo

4 G9 MAX 6W LED [17466]

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal




TERMA

● 63148 shiny chrome/cromo brillo

LED SMD 7W 4000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido






VOLGA

- 63507 shiny chrome/cromo brillo
- 63512 **NEW** matt black/negro mate

LED SMD 5W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





VOLGA

- 63508 shiny chrome/cromo brillo
- 63513 **NEW** matt black/negro mate

LED SMD 12W 3000K 850lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal







VOLGA

- 63509 shiny chrome/cromo brillo
- 63514 **NEW** matt black/negro mate

LED SMD 18W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





DANUBIO

- 63600 shiny chrome/cromo brillo
- 63603 **NEW** bronze/bronce

LED SMD 9W 2700K 600Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



IP44  100-240V 50/60Hz 

DANUBIO

- 63601 shiny chrome/cromo brillo
- 63604 **NEW** bronze/bronce

LED SMD 12W 2700K 800Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



IP44  100-240V 50/60Hz 




DANUBIO



- 63602 shiny chrome/cromo brillo
- 63605 **NEW** bronze/bronce

LED SMD 18W 2700K 1080Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44  100-240V 50/60Hz 







NILO

- 63318 shiny chrome/cromo brillo
- 63316 NEW matt black/negro mate

LED SMD 12W 3000K 950 lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



IP44  100- 50/
240V 60Hz 



NILO

- 63319 shiny chrome/cromo brillo
- 63317 NEW matt black/negro mate

LED SMD 18W 3000K 1400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60Hz 








EDGE

● 63501 shiny chrome/cromo brillo

LED SMD 12W 4000K 870lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60Hz 



INDOOR SURFACE / SUPERFICIE





EDGE

● 63500 shiny chrome/cromo brillo

LED SMD 8W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60Hz 





EDGE

● 63502 shiny chrome/cromo brillo

LED SMD 18W 4000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60Hz 






INDO

● 63146 shiny chrome/cromo brillo

LED SMD 9W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60Hz 





COCO — Faro Lab 



- 40660 matt white/blanco mate
- 40661 matt black/negro mate
- 40662 black+green/negro+verde
- 40663 black+terracotta/negro+terracota

GU10 MAX 8W LED [97685327]

Body Steel+ABS/Acero+ABS



- 40664 matt white/blanco mate
- 40665 matt black/negro mate

2 GU10 MAX 8W LED [97685327]




Body Steel+ABS/Acero+ABS



- 40666 matt white/blanco mate
- 40667 matt black/negro mate

3 GU10 MAX 8W LED [97685327]

Body Steel+ABS/Acero+ABS





Spotlights
Focos



STAN



○ 43726 matt white/blanco mate

● 43727 matt black/negro mate

LED 15W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



STAN


○ 43722 matt white/blanco mate

● 43723 matt black/negro mate

● 43762 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio






STAN

○ 43740 matt white/blanco mate

● 43741 matt black/negro mate

GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



P.136
CEILING



P.232
RECESSED



P.100
SUSPENDED



P.242
TRACK



P.202
WALL




STAN

○ 43742 matt white/blanco mate

● 43743 matt black/negro mate

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio




STAN

○ 43744 matt white/blanco mate

● 43745 matt black/negro mate

3 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



Ring accessory



○ 43728 matt white/blanco mate

● 43729 matt gold/oro mate

Diff honey comb



○ 43730 matt black/negro mate

Linear spread lens




○ 43732 matt white/blanco mate

Spread lens



○ 43731 matt white/blanco mate






LAO — Nahtrang 

- 29039 matt black/negro mate
- 29040 matt white/blanco mate

LED SMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal






LAO — Nahtrang 

- 29041 matt black/negro mate
- 29042 matt white/blanco mate

LED 2xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal





LAO — Nahtrang 

- 29043 matt black/negro mate
- 29044 matt white/blanco mate

LED 3xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal



P.132
CEILING




P.55
TABLE&FLOOR



P.244
TRACK





LINK — Estudi Ribaudí 

- 29873 matt white/blanco mate
- 29874 matt black/negro mate
- 29897 bronze/bronce

GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero




LINK — Estudi Ribaudí 

- 29875 matt white/blanco mate
- 29876 matt black/negro mate

2 GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero







STONE — Àlex & Manel Llusca







● **43500** grey/gris
 GU10 MAX 8W LED ☒ [97685327]
Body Steel+Concrete/Acero+Cemento



● **43501** grey/gris
 2 GU10 MAX 8W LED ☒ [97685327]
Body Steel+Concrete/Acero+Cemento



● **43502** grey/gris
 3 GU10 MAX 8W LED ☒ [97685327]
Body Steel+Concrete/Acero+Cemento

RING — Àlex & Manel Lluscà 



- 40553 matt white/blanco mate
 - 40554 dark grey/gris oscuro
 - 40555 satin nickel/níquel satinado
- 2 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero






- 40556 matt white/blanco mate
 - 40557 dark grey/gris oscuro
- 3 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero




- 40559 matt white/blanco mate
- 4 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero




- 40550 matt white/blanco mate
 - 40551 dark grey/gris oscuro
 - 40552 satin nickel/níquel satinado
- GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero




P.244
TRACK






ORLEANS — Nahrang 



- 43520 matt white/blanco mate
 - 43521 matt black/negro mate
 - 43522 chrome+black/cromo+negro
- GU10 MAX 8W LED  [97685327]


Body Steel/Acero






- 43523 matt white/blanco mate
 - 43524 matt black/negro mate
 - 43525 chrome+black/cromo+negro
- 2 GU10 MAX 8W LED  [97685327]

Body Steel/Acero



- 43526 matt white/blanco mate
 - 43527 matt black/negro mate
 - 43528 chrome+black/cromo+negro
- 3 GU10 MAX 8W LED  [97685327]


Body Steel/Acero



NEW DOMINO
 — Aldanondoyfdez 

○ **63313** matt white/blanco mate
 LED SMD 6W 2700K 200lm CRI90 Driver ✓
Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO  100- 50/ 240V 60HZ  265X160





Recessed
Empotrables



TROOP

● 43700 white+black/blanco+negro

LED 2W 3000K 210lm CRI>90
Driver 700mA ☒

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



TROOP

● 43701 white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90
Driver 700mA ☒

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



TROOP

● 43702 white+black/blanco+negro




LED 5x2W 3000K 1050lm CRI>90
Driver 700mA ☒

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible




TROOP

● 43703 white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90
Driver 700mA ☒

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



TROOP WALL WASHER

● 43710 white+black/blanco+negro



LED 5x2W 3000K 1250lm CRI>90
Driver 700mA ☒

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

● 43704 matt black/negro mate

LED 2W 3000K 210lm CRI>90 Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonate Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

● 43705 matt black/negro mate

LED 3x2W 3000K 630lm CRI>90 Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonate Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

● 43706 matt black/negro mate

LED 5x2W 3000K 1050lm CRI>90 Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonate Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible




TROOP TRIMLESS

● 43707 matt black/negro mate

LED 10x2W 3000K 2100lm CRI>90 Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonate Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible





HYDE

- 40118 matt white/blanco mate
- 40119 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE

- 40114 matt white/blanco mate
- 40115 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS




- 40110 matt white/blanco mate
- 40111 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE

- 40120 matt white/blanco mate
- 40121 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE

- 40116 matt white/blanco mate
- 40117 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS




- 40112 matt white/blanco mate
- 40113 matt black/negro mate

GU10 MAX 8W LED [X] [O 17316 ● 17324 or *LED MODULE] Socket GU10 [X] [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





HYDE

- 40126 matt white/blanco mate
- 40127 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE

- 40124 matt white/blanco mate
- 40125 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS




- 40122 matt white/blanco mate
- 40123 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





NAIS NEW

○ 02121001 matt white/blanco mate

● 02121002 matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ✕

Body Aluminium+steel/Aluminio+acero

Diff Transparent PMMA/PMMA transparente



*Drivers info pag. 646



NAIS ORIENTABLE NEW

○ 02111001 matt white/blanco mate

● 02111002 matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ✕

Body Aluminium+steel/Aluminio+acero

Diff Transparent PMMA/PMMA transparente



*Drivers info pag. 646






KOI

○ 42921 matt white/blanco mate

LED SMD 6W 3000K 400lm CRI>80 Driver ✓

Body Opal Polycarbonate/Polycarbonato Opal

Diff Opal Polycarbonate/Polycarbonato Opal



RADÓN

○ 43396 matt white/blanco mate

● 43406 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]

Socket GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640



RADÓN

○ 43397 matt white/blanco mate

● 43407 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]

Socket 2 x GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640



RADÓN

○ 43398 matt white/blanco mate

● 43408 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]




Socket GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640





ARGÓN

- 43401 matt white/blanco mate
- 43411 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



ARGÓN

- 43403 matt white/blanco mate
- 43413 matt black/negro mate

2 GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket 2 x GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



ARGÓN




- 43402 matt white/blanco mate
- 43412 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



NEÓN

- 43399 matt white/blanco mate
- 43409 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



NEÓN

- 43400 matt white/blanco mate
- 43410 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



GAS




- 43404 matt white/blanco mate
- 43405 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





P.136
CEILING



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



P.202
WALL




STAN

- 43752 matt white/blanco mate
- 43753 matt black/negro mate
- 43761 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Accesorios en página 219




EBBA

- 42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



WABI DIM TO WARM



- 43900 matt white/blanco mate

LED 10W 1800-3200K max.600lm CRI>80
Driver 250mA ✕ [98310510C]

Body Aluminium/Aluminio



*Drivers info pag. 646





FOX

- 02101001 matt white/blanco mate
- 02101002 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✕
 5W Driver 500mA ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX TRIMLESS

- 02101101 matt white/blanco mate
- 02101102 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✕
 5W Driver 500mA ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX ORIENTABLE

- 02101301 matt white/blanco mate
- 02101302 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✕
 5W Driver 500mA ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX

- 02101501 matt white/blanco mate

LED COB 7W 2700K 535lm CRI>80
 Driver 350mA ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FOX

- 02101601 matt white/blanco mate

LED COB 10W 2700K 680lm CRI>80
 Driver 500mA ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





AIM

● **02100401** matt white/blanco mate


LED COB 3W 3000K 256lm CRI>80 350mA
Driver ☒

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646




MOIST

● **02100901** matt white/blanco mate

GU10 MAX 8W LED ☒ [17316]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



CLEAR

● **02100301** matt white/blanco mate


LED COB 7W 3000K 403lm CRI>80 350mA
Driver ☒

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646





FRESH E27 TRIMLESS NEW

● **02300101** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Aluminium/Aluminio






FRESH WALL WASHER

- 02100601 matt white/blanco mate
- 02100602 matt black/negro mate
- 02100603 gold/oro

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio




FRESH IP65

- 02101401 matt white/blanco mate
- 02101402 NEW matt black/negro mate

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FRESH IP65 TRIMLESS NEW

- 02400101 matt white/blanco mate
- 02400102 matt black/negro mate

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



FRESH IP44


- 02200501 matt white/blanco mate
- 02200502 matt black/negro mate
- 02200503 gold/oro

GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH


- 02100501 matt white/blanco mate
- 02100502 matt black/negro mate
- 02100503 gold/oro

GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH TRIMLESS


- 02100701 matt white/blanco mate
- 02100702 matt black/negro mate

GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640






MÓVIL

- 43056 matt white/blanco mate
- 43057 satin nickel/níquel satinado
- 43059 Aluminium/Aluminio

GU10 MAX 8W LED ✕
 Socket MR16 ✓
 Socket GU10 ✕ [43065]

Body Aluminium/Aluminio




WET


- 02100801 matt white/blanco mate

LED GU10 MAX 8W LED ✕
 [17316 or *LED MODULE]

Body Steel/Acero
 Diff Transparent Glass/Cristal Transparente



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640




GINGKO QR111

- 03030101 matt white/blanco mate
- 03030102 matt black/negro mate
- 03030103 grey/gris

G53 MAX 15W LED ✕ [97411]
 Transformer ✕ [98111020]

Body Steel/Acero





FALCON

- 03020402 matt black/negro mate

GU10 MAX 8W LED ✕ [17316]

Body Steel/Acero




GINGKO QR111

- 03030201 matt white/blanco mate
- 03030202 matt black/negro mate

2 G53 MAX 15W LED ✕ [97411]
 Transformer ✕ [2x98111020]

Body Steel/Acero







BOW


● **02150101** matt white/blanco mate

LED COB 7W 2700K 520lm CRI>90 350mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



BOW


● **02150201** matt white/blanco mate

LED COB 10W 2700K 655lm CRI>90 500mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



BOW


● **02150301** matt white/blanco mate

LED COB 18W 2700K 1575lm CRI>90 500mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



CROC NEW


● **43780** matt white/blanco mate

LED SMD 9W 2700K 1021lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646



CROC NEW


● **43781** matt white/blanco mate

LED SMD 13W 2700K 856lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646



CROC NEW


● **43782** matt white/blanco mate

LED SMD 19W 2700K 1958lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646






SON

● 42928 matt white/blanco mate

LED SMD 8W 2700K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

⏚ 220- 50/ 240V 60HZ ⚡ Ø100





LUAN

● 42931 matt white/blanco mate

LED SMD 40W 3000K 3200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 □ 100- 50/ 240V 60HZ ⚡ Ø375




SON

● 42929 matt white/blanco mate

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

⏚ 220- 50/ 240V 60HZ ⚡ Ø205




TED

● 42926 matt white/blanco mate

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 ⏚ 220- 50/ 240V 60HZ 160° ⚡ Ø150




SON

● 42930 matt white/blanco mate

LED SMD 24W 4000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

⏚ 220- 50/ 240V 60HZ ⚡ Ø205



TOD

● 42927 matt white/blanco mate

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 ⏚ 220- 50/ 240V 60HZ 160° ⚡ Ø195






NEU TRIMLESS

○ 63286 matt white/blanco mate

LED MR16 8W ✕ Gear ✕ 98101050
Socket MR16 ✓

Body Plaster/Yeso




NORD

○ 63290 matt white/blanco mate

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA ✕ [98310118LC]

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal



SIGNAL ASIMETRIC

● 02100101 grey/gris


LED COB 3W 3000K 102lm CRI>80 350mA
Driver ✕ [98310110]

Body Aluminium/Aluminio



Recessed box ✕ [02100101C]

*Drivers info pag. 646



NAVI NEW


○ 63481 matt white/blanco mate

LED SMD 10W 3000K 630lm CRI>80 Driver ✓

Body Plaster/Yeso



Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible






PLAS

○ 63283 matt white/blanco mate
 LED HIGH POWER 1W 3000K 112lm CRI>80
 Driver 3W 350mA [46060]
 Body Plaster/Yeso



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible





PLAS **NEW**

○ 63490 matt white/blanco mate
 LED HIGH POWER 3W 3000K 200lm CRI>80
 Driver 3W 350mA [46060]
 Body Plaster/Yeso



Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible




PLAS

○ 63281 matt white/blanco mate
 LED HIGH POWER 1W 3000K 112lm CRI>80
 Driver 3W 350mA [46060]
 Body Plaster/Yeso



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible




PLAS

○ 63282 matt white/blanco mate
 LED HIGH POWER 1W 3000K 112lm CRI>80
 Driver 3W 350mA [46060]
 Body Plaster/Yeso



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible





STAN

○ 43724 matt white/blanco mate

● 43725 matt black/negro mate


LED 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Accessories page 219/Accesorios en página 219



STAN

○ 43720 matt white/blanco mate

● 43721 matt black/negro mate


● 43757 NEW satin gold/oro satinado

GU10 MAX 8W LED ⊗ [97685327]

Body Aluminium/Aluminio




*Accessories page 219/Accesorios en página 219



P.136
CEILING



P.232
RECESSED




P.218
SPOT



P.100
SUSPENDED




P.202
WALL





Track
Carril




LAO — Nahrang 

● 29045 matt black/negro mate


LED SMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS

Diff Opal PMMA/PMMA Opal



P.220
SPOT



RING — Àlex & Manel Llusca 

○ 40562 matt white/blanco mate



● 40563 dark grey/gris oscuro

GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero



P.222
SPOT



LINK — Estudi Ribaudí 

○ 29871 matt white/blanco mate

● 29872 matt black/negro mate

● 29896 bronze/bronce

GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero





P.132
CEILING



P.220
SPOT



P.55
TABLE&FLOOR





ORLEANS — Nahrang

● 43535 matt white/blanco mate

● 43536 matt black/negro mate

GU10 MAX 8W LED [97685327]



Body Steel/Acero



P.133
CEILING



P.223
SPOT



INDOOR TRACK / CARRIL




PLOT

○ 64202 matt white/blanco mate

● 64203 matt black/negro mate

GU10 MAX 8W LED [17316 ● 17324]

Body Steel/Acero




RAM

● 40101 matt black/negro mate

E27 MAX 15W LED [97687127]

Body Aluminium/Aluminio



Surface track kit 1mt/Kit carril de superficie 1mt

○ 64210 matt white/blanco mate

● 64212 matt black/negro mate

● 64214 grey/gris



Surface track kit 2mts/Kit carril de superficie 2mts

○ 64211 matt white/blanco mate

● 64213 matt black/negro mate

● 64215 grey/gris

Body Steel



The exteriors are true oases. Our designs are designed to conquer these wonderful spaces all year round.

The creative formats and the high resistance of the materials, conceived especially for the outdoors, promise long and happy days in the open air.

Los exteriores son verdaderos oasis. Nuestros diseños están pensados para conquistar estos maravillosos espacios durante todo el año. La creatividad en los formatos y la alta resistencia de los materiales concebidos especialmente para los exteriores, auguran largas y felices jornadas al aire libre.



OUTDOOR



floor/portable/spike/suspended

This outdoor collection designed by Nahtrang comes to offer an infinite number of combinations and functionalities. The high quality of its materials and the careful detail of its finishes, make it a premium collection ideal to enjoy in outdoor spaces.

Esta colección de exterior diseñada por Nahtrang llega para ofrecer infinidad de combinaciones y funcionalidades. La alta calidad de sus materiales y el cuidado detalle de sus acabados, la convierten en una colección premium ideal para disfrutar en los espacios exteriores.




Saigon
by Nahtrang




W100
1.95mt

1.95mt ● **71569-08** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
1.2mt / 1.95mt

1.2mt ● **71575-07** brown/marrón
1.95mt ● **71569-07** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
1.2mt / 1.95mt

1.2mt ● **71575-05** matt white/blanco mate
1.2mt ● **71575-06** brown/marrón
1.95mt ● **71569-05** matt white/blanco mate
1.95mt ● **71569-06** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
0.6mt / 1.3mt / 2.1mt

0.6mt ● **71576-04** matt white/blanco mate
1.3mt ● **71575-04** matt white/blanco mate
2.1mt ● **71569-04** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
0.5mt / 1.15mt / 2mt

0.5mt ● **71576-01** matt white/blanco mate
1.15mt ● **71575-01** matt white/blanco mate
2mt ● **71569-01** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal





71569-08



71575-07



71575-05




71569-04




W100
Hole Cap

Hole ● 71584-08 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
Hole Cap

Hole ● 71584-07 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
Hole Cap

Hole ● 71584-05 matt white/blanco mate
Hole ● 71584-06 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
Hole Cap

Hole ● 71584-04 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
Hole Cap

Hole ● 71584-01 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
Hole Cap

Hole ● 71584-03 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal






SAIGON BY NAH TRANG




W70
1.37mt

1.37mt ● **71575P-07** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
1.37mt

1.37mt ● **71575P-05** matt white/blanco mate
1.37mt ● **71575P-06** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
0.87mt / 1.5mt

0.87mt ● **71576P-04** matt white/blanco mate
1.5mt ● **71575P-04** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal




R55
1.35mt

1.35mt ● **71575P-01** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
0.73mt / 1.37mt

0.73mt ● **71576P-03** matt white/blanco mate
1.37mt ● **71575P-03** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal









W100
Cone Cap/
Hole Cap

Cone ● 71579C-08 brown/marrón
Hole ● 71579H-08 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
Cone Cap/
Hole Cap

Cone ● 71579C-07 brown/marrón
Hole ● 71579H-07 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal



T70
Cone Cap/
Hole Cap

Cone ● 71579C-05 matt white/blanco mate
Hole ● 71579H-05 matt white/blanco mate
Cone ● 71579C-06 brown/marrón
Hole ● 71579H-06 brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
Cone Cap/
Hole Cap

Cone ● 71579C-04 matt white/blanco mate
Hole ● 71579H-04 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal




R55

Cap ● 71579-02 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
Cone Cap/
Hole Cap

Cone ● 71579C-03 matt white/blanco mate
Hole ● 71579H-03 matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal





71579C-07



71575-07



71579H-06



71579C-03



TOC

● 70775 matt white/blanco mate

● 70776 matt black/negro mate

● 70777 grey/gris


LED SMD 2W 3000K 180lm

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal



Micro USB 9h Worktime 5h Charge



TOC

● 70786 matt white/blanco mate


LED SMD 5W 3000K 468lm

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal



9h Worktime 9h Charge





Portables
Portátiles




CAGE

● 75608 dark grey/gris oscuro

LED SMD 12W 2700K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PEMD/PEMD Opal



TASK

● 70914 matt white/blanco mate

LED SMD 2W 3000K 263lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54 Battery ✓ USB Type C

6h Worktime
 5h Charge



16lm



103lm



263lm

ø200/7.9"



100/3.9"



KASP NEW


● 71912 matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓


Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65**    IK06

   1.5 MT



2700K



3000K

OUTDOOR PORTABLES / PORTÁTILES

KASP NEW


● 71913 matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65**    IK06

   1.5 MT



USB
Charger



Wall accessory/Accesorio aplique

● 71914 matt black/negro mate



ARGUS

● 70784 dark grey/gris oscuro


LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

TOUCH LAMP IP54 DC5V 1A Battery ✓

Micro USB 9h Worktime 5h Charge



KERALA

● 74454 dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

TOUCH LAMP DIM IP54 DC5V 1A Battery ✓

Micro USB 6h Worktime 8h Charge




100lm



250lm



400lm





BALDA

● 70498 matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body Opal PEMD/PEMD Opal



BALDA

● 70499 matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body Opal PEMD/PEMD Opal



VOILA


● 71565 dark grey/gris oscuro

LED RGB WHITE 2W 3000K Driver ✓

Body Opal Polycarbonate/Polycarbonato Opal



Micro USB 7h Worktime 10h Charge



NEW Rush

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
 (Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
 (Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
 (Pole distance to pole height)



© 2014 CREE LED LIGHTING SOLUTIONS

Rush




Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente

COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush Beacon 14W	CCT	FLUX	LENS
750000	2700K	830lm	360°
750000D Dali	2700K	830lm	360°
750000C Casambi	2700K	830lm	360°
750001	2700K	980lm	360° Wide
750001D Dali	2700K	980lm	360° Wide
750001C Casambi	2700K	980lm	360° Wide
750002	2700K	795lm	180°
750002D Dali	2700K	795lm	180°
750002C Casambi	2700K	795lm	180°
750010	3000K	830lm	360°
750010D Dali	3000K	830lm	360°
750010C Casambi	3000K	830lm	360°
750011	3000K	980lm	360° Wide
750011D Dali	3000K	980lm	360° Wide
750011C Casambi	3000K	980lm	360° Wide
750012	3000K	795lm	180°
750012D Dali	3000K	795lm	180°
750012C Casambi	3000K	795lm	180°
750020	4000K	830lm	360°
750020D Dali	4000K	830lm	360°
750020C Casambi	4000K	830lm	360°
750021	4000K	980lm	360° Wide
750021D Dali	4000K	980lm	360° Wide
750021C Casambi	4000K	980lm	360° Wide
750022	4000K	795lm	180°
750022D Dali	4000K	795lm	180°
750022C Casambi	4000K	795lm	180°



Rush Bollard 20W	CCT	FLUX	LENS
750100	2700K	1147lm	360°
750100D Dali	2700K	1147lm	360°
750100C Casambi	2700K	1147lm	360°
750101	2700K	1355lm	360° Wide
750101D Dali	2700K	1355lm	360° Wide
750101C Casambi	2700K	1355lm	360° Wide
750102	2700K	1103lm	180°
750102D Dali	2700K	1103lm	180°
750102C Casambi	2700K	1103lm	180°
750110	3000K	1147lm	360°
750110D Dali	3000K	1147lm	360°
750110C Casambi	3000K	1147lm	360°
750111	3000K	1355lm	360° Wide
750111D Dali	3000K	1355lm	360° Wide
750111C Casambi	3000K	1355lm	360° Wide
750112	3000K	1103lm	180°
750112D Dali	3000K	1103lm	180°
750112C Casambi	3000K	1103lm	180°
750120	4000K	1147lm	360°
750120D Dali	4000K	1147lm	360°
750120C Casambi	4000K	1147lm	360°
750121	4000K	1355lm	360° Wide
750121D Dali	4000K	1355lm	360° Wide
750121C Casambi	4000K	1355lm	360° Wide
750122	4000K	1103lm	180°
750122D Dali	4000K	1103lm	180°
750122C Casambi	4000K	1103lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush Pole 3.1mt 38W	CCT	FLUX	LENS
750200	2700K	3322lm	360°
750200D Dali	2700K	3322lm	360°
750200C Casambi	2700K	3322lm	360°
750201	2700K	3079lm	360° Wide
750201D Dali	2700K	3079lm	360° Wide
750201C Casambi	2700K	3079lm	360° Wide
750202	2700K	2397lm	180°
750202D Dali	2700K	2397lm	180°
750202C Casambi	2700K	2397lm	180°
750210	3000K	3322lm	360°
750210D Dali	3000K	3322lm	360°
750210C Casambi	3000K	3322lm	360°
750211	3000K	3079lm	360° Wide
750211D Dali	3000K	3079lm	360° Wide
750211C Casambi	3000K	3079lm	360° Wide
750212	3000K	2397lm	180°
750212D Dali	3000K	2397lm	180°
750212C Casambi	3000K	2397lm	180°
750220	4000K	3322lm	360°
750220D Dali	4000K	3322lm	360°
750220C Casambi	4000K	3322lm	360°
750221	4000K	3079lm	360° Wide
750221D Dali	4000K	3079lm	360° Wide
750221C Casambi	4000K	3079lm	360° Wide
750222	4000K	2397lm	180°
750222D Dali	4000K	2397lm	180°
750222C Casambi	4000K	2397lm	180°

Rush Pole 3.7mt 38W	CCT	FLUX	LENS
750300	2700K	2972lm	360°
750300D Dali	2700K	2972lm	360°
750300C Casambi	2700K	2972lm	360°
750301	2700K	2921lm	360° Wide
750301D Dali	2700K	2921lm	360° Wide
750301C Casambi	2700K	2921lm	360° Wide
750302	2700K	2576lm	180°
750302D Dali	2700K	2576lm	180°
750302C Casambi	2700K	2576lm	180°
750310	3000K	2972lm	360°
750310D Dali	3000K	2972lm	360°
750310C Casambi	3000K	2972lm	360°
750311	3000K	2921lm	360° Wide
750311D Dali	3000K	2921lm	360° Wide
750311C Casambi	3000K	2921lm	360° Wide
750312	3000K	2576lm	180°
750312D Dali	3000K	2576lm	180°
750312C Casambi	3000K	2576lm	180°
750320	4000K	2972lm	360°
750320D Dali	4000K	2972lm	360°
750320C Casambi	4000K	2972lm	360°
750321	4000K	2921lm	360° Wide
750321D Dali	4000K	2921lm	360° Wide
750321C Casambi	4000K	2921lm	360° Wide
750322	4000K	2576lm	180°
750322D Dali	4000K	2576lm	180°
750322C Casambi	4000K	2576lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750210

Optics 360°

Luminaires interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.

NEW Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
 (Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
 (Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
 (Pole distance to pole height)



Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen <i>Beacon</i> 14W	CCT	FLUX	LENS
751000	2700K	712lm	360°
751000D Dali	2700K	712lm	360°
751000C Casambi	2700K	712lm	360°
751001	2700K	856lm	360° Wide
751001D Dali	2700K	856lm	360° Wide
751001C Casambi	2700K	856lm	360° Wide
751002	2700K	695lm	180°
751002D Dali	2700K	695lm	180°
751002C Casambi	2700K	695lm	180°
751010	3000K	712lm	360°
751010D Dali	3000K	712lm	360°
751010C Casambi	3000K	712lm	360°
751011	3000K	856lm	360° Wide
751011D Dali	3000K	856lm	360° Wide
751011C Casambi	3000K	856lm	360° Wide
751012	3000K	695lm	180°
751012D Dali	3000K	695lm	180°
751012C Casambi	3000K	695lm	180°
751020	4000K	712lm	360°
751020D Dali	4000K	712lm	360°
751020C Casambi	4000K	712lm	360°
751021	4000K	856lm	360° Wide
751021D Dali	4000K	856lm	360° Wide
751021C Casambi	4000K	856lm	360° Wide
751022	4000K	695lm	180°
751022D Dali	4000K	695lm	180°
751022C Casambi	4000K	695lm	180°



Screen <i>Bollard</i> 20W	CCT	FLUX	LENS
751100	2700K	990lm	360°
751100D Dali	2700K	990lm	360°
751100C Casambi	2700K	990lm	360°
751101	2700K	1225lm	360° Wide
751101D Dali	2700K	1225lm	360° Wide
751101C Casambi	2700K	1225lm	360° Wide
751102	2700K	965lm	180°
751102D Dali	2700K	965lm	180°
751102C Casambi	2700K	965lm	180°
751110	3000K	990lm	360°
751110D Dali	3000K	990lm	360°
751110C Casambi	3000K	990lm	360°
751111	3000K	1225lm	360° Wide
751111D Dali	3000K	1225lm	360° Wide
751111C Casambi	3000K	1225lm	360° Wide
751112	3000K	965lm	180°
751112D Dali	3000K	965lm	180°
751112C Casambi	3000K	965lm	180°
751120	4000K	990lm	360°
751120D Dali	4000K	990lm	360°
751120C Casambi	4000K	990lm	360°
751121	4000K	1225lm	360° Wide
751121D Dali	4000K	1225lm	360° Wide
751121C Casambi	4000K	1225lm	360° Wide
751122	4000K	965lm	180°
751122D Dali	4000K	965lm	180°
751122C Casambi	4000K	965lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen Pole 3.1mt 38W	CCT	FLUX	LENS
751200	2700K	2370lm	360°
751200D Dali	2700K	2370lm	360°
751200C Casambi	2700K	2370lm	360°
751201	2700K	2692lm	360° Wide
751201D Dali	2700K	2692lm	360° Wide
751201C Casambi	2700K	2692lm	360° Wide
751202	2700K	1819lm	180°
751202D Dali	2700K	1819lm	180°
751202C Casambi	2700K	1819lm	180°
751210	3000K	2370lm	360°
751210D Dali	3000K	2370lm	360°
751210C Casambi	3000K	2370lm	360°
751211	3000K	2692lm	360° Wide
751211D Dali	3000K	2692lm	360° Wide
751211C Casambi	3000K	2692lm	360° Wide
751212	3000K	1819lm	180°
751212D Dali	3000K	1819lm	180°
751212C Casambi	3000K	1819lm	180°
751220	4000K	2370lm	360°
751220D Dali	4000K	2370lm	360°
751220C Casambi	4000K	2370lm	360°
751221	4000K	2692lm	360° Wide
751221D Dali	4000K	2692lm	360° Wide
751221C Casambi	4000K	2692lm	360° Wide
751222	4000K	1819lm	180°
751222D Dali	4000K	1819lm	180°
751222C Casambi	4000K	1819lm	180°

Screen Pole 3.7mt 38W	CCT	FLUX	LENS
751300	2700K	2661lm	360°
751300D Dali	2700K	2661lm	360°
751300C Casambi	2700K	2661lm	360°
751301	2700K	2145lm	360° Wide
751301D Dali	2700K	2145lm	360° Wide
751301C Casambi	2700K	2145lm	360° Wide
751302	2700K	1656lm	180°
751302D Dali	2700K	1656lm	180°
751302C Casambi	2700K	1656lm	180°
751310	3000K	2661lm	360°
751310D Dali	3000K	2661lm	360°
751310C Casambi	3000K	2661lm	360°
751311	3000K	2145lm	360° Wide
751311D Dali	3000K	2145lm	360° Wide
751311C Casambi	3000K	2145lm	360° Wide
751312	3000K	1656lm	180°
751312D Dali	3000K	1656lm	180°
751312C Casambi	3000K	1656lm	180°
751320	4000K	2661lm	360°
751320D Dali	4000K	2661lm	360°
751320C Casambi	4000K	2661lm	360°
751321	4000K	2145lm	360° Wide
751321D Dali	4000K	2145lm	360° Wide
751321C Casambi	4000K	2145lm	360° Wide
751322	4000K	1656lm	180°
751322D Dali	4000K	1656lm	180°
751322C Casambi	4000K	1656lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751312

Optics 180°

Luminaires interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751311

Optics 360° Wide


Luminaire interdistance/Interdistancia entre luminarias 12mt.



Bast

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

⊕ | IP65 | IK10 | CRI>80 | 220-240V | 50/60Hz | Driver incl. | ● | 360°



Bast Bollard	P	BEAM	CCT	FLUX
70292	● 25W	360°	3000K	2100lm

180° Accessory	
70293	●



360°




180°





CADAQUÉS

— Faro Lab 



 video

● 71242 beige/beige

● 71243 blue/azul

LED SMD 18W 2700K 500lm CRI>80 Driver ✓

Body Aluminum/Aluminio

Shade Textylene/Textilene


Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/ 240V 60Hz  3 MT

Extendible cable/Cable extensible

● 71244 matt black/negro mate

IP44  2.5 MT



IMO Certificate



Ground fixing included

vertisol
contemporary weavers





Floor
Suelo

VERSUS

— Pepe Llaudet




○ 74423 matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body Opal PEMD/PEMD Opal

IP44   3 MT




Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Large accessory

● 74424 black/negro


Body Steel/Acero



Small accessory


● 74422 black/negro

Body Steel/Acero





3daysofdesign Copenhagen, Denmark

CAT — Nahtrang 

- 71562 matt black/negro mate
- 71563 matt white/blanco mate
- 71564 red/rojo


E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP54   5 MT

Wall accessory/Accesorio aplique

- 71556 matt black/negro mate
- Body Steel/Acero



OUTDOOR FLOOR / SUELO




SAIGON — Nahtrang 

- 71584-02 dark grey/gris oscuro


E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP65   3 MT



Portable/Portátil



NEW **BROT**
— Yembarastudio



Portable/Portátil 900mm

● **71256** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓


Portable/Portátil 1800mm

● **71257** matt black/negro mate


LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz 1.8 MT



Standard/Estándar



71253 71254

Standard/Estándar 900mm

● **71253** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓


Standard/Estándar 1800mm

● **71254** matt black/negro mate

LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz





OUTDOOR FLOOR / SUELO






CAST NEW

● **74155** dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver ✓

Body Concrete/Cemento
Diff Glass/Cristal

IP65  100-240V 50/60Hz 






CAST NEW

● **74156** dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver ✓

Body Concrete/Cemento
Diff Glass/Cristal

IP65  100-240V 50/60Hz 




BLOCK

— Àlex&Manel Llusçà



● 74141 grey/gris
 E27 MAX 15W LED [17463]
Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65 IK08




OUTDOOR FLOOR / SUELO




● 74142 grey/gris
 E27 MAX 15W LED [17463]
Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65 IK08



P.338
 WALL





LOTUS

— Estudi Ribaudí







video

● 71224 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



IP65  IK08 100-240V 50/60Hz 





● 71225 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal


IP65  IK08 100-240V 50/60Hz 



P.356
WALL



STICKER


— Lucid 

● 75541 dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55  100-50/240V 60Hz 




P.355
WALL



OUTDOOR FLOOR / SUELO

TRAM


— Estudi Ribaudí 

● 75531 dark grey/gris oscuro

E27 MAX 15W LED  [17463]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65  



P.312
POLE

P.340
WALL





TWIST



— Estudi Ribaudí 



● 71286 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 







● 71287 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal


IP65  100- 50/
240V 60Hz 



P.338
WALL



SHELBY



— Conillas 




● **75537** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
 Policarbonato Opal+Transparente

IP65  220- 50/
 240V 60Hz 






OUTDOOR FLOOR / SUELO

● **75538** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
 Policarbonato Opal+Transparente

IP65  220- 50/
 240V 60Hz 



P.340
 WALL





DATNA

— Àlex & Manel Llusca 


● 74441 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44  




● 74442 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44  



P.312
POLE



P.346
WALL







PLIM

● 71300 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/ 240V 60Hz IK08 





PLIM

● 71301 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/ Policarbonato Opal+Transparente

IP65  100- 50/ 240V 60Hz IK08 





PLIM

● 71299 dark grey/gris oscuro



LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/ Policarbonato Opal+Transparente

IP65  100- 50/ 240V 60Hz IK08 



P.343
WALL






MUGA

● 75604 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



MUGA

● 75603 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




ONZE

● 70761 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal





GIZA

● 70767 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.





GIZA

● 70768 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.



P.342
WALL







BERET

● **75522** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz 








BERET

● **75523** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz 



OUTDOOR FLOOR / SUELO



GROP

● **75600** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 




GROP

● **75601** dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 




NANDA

● **71216** dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




NANDA

● **71217** dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





LOGAR

● **75605** dark grey/gris oscuro

LED SMD 12W 3000K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




LOGAR

● **75606** dark grey/gris oscuro

LED SMD 23W 3000K 1340lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





WILMA

● 75001 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



P.330
SUSPENDED



P.345
WALL




WILMA

● 74997 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




WILMA

● 75003 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



VERNO

● 73450 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO

● 73440 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO


● 73460 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.





BLUB'S — Estudi Ribaudí 


● **74433S-03** dark grey/gris oscuro

E27 MAX 15W LED  [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MISTU — Faro Lab 


● **74433S-02** dark grey/gris oscuro

E27 MAX 15W LED  [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MUFFIN — Àlex & Manel Lluscà 


● **74433S-04** dark grey/gris oscuro

E27 MAX 15W LED  [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




P.330
SUSPENDED



P.344
WALL



BLUB'S — Estudi Ribaudí 


● **74434B-03** dark grey/gris oscuro

E27 MAX 15W LED  [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.315
POLE



MISTU — Faro Lab 


● **74434B-02** dark grey/gris oscuro

E27 MAX 15W LED  [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE



MUFFIN — Àlex & Manel Lluscà 


● **74434B-04** dark grey/gris oscuro

E27 MAX 15W LED  [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE





MOON — Faro Lab 


● 74433S-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



NALA


● 70772 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.351
WALL




SETE

● 75521 dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




MOON — Faro Lab 

● 74434B-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





MILA

● 70771 dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




SURAT


● 72310 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



GROW

— Estudi Ribaudí 




● **71206** dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Polycarbonate/Polycarbonato
Transparente

IP65  100- 50/
240V 60Hz 




● **71207** dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Polycarbonate/Polycarbonato
Transparente


IP65  100- 50/
240V 60Hz 




Flowerpot accessory

● **71208** dark grey/gris oscuro

Body Polycarbonate/Polycarbonato



BU-OH!

— Estudi Ribaudí 






● 71213 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 





OUTDOOR FLOOR / SUELO

● 71214 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 



P.312
POLE



P.355
WALL







NAYA


● 71199 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/ 240V 60Hz  120°



AGRA

● 70753 dark grey/gris oscuro


● 70754 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 



AGRA



● 70755 dark grey/gris oscuro


● 70756 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 





NAYA

● 71198 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/ 240V 60Hz  120°






ALP

● 74451 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




ALP

● 74452 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal







DAS

● 75519 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



OUTDOOR FLOOR / SUELO





DAS

● 75520 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







NOBORU


● **70576** dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  IK08 100-240V 50/60Hz 



MAUREN

● **70993** brass/latón

E27 MAX 15W LED  [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **MADE IN EU** **IP44** 







SPY-1



● 70782 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  220-240V 50Hz 





SPY-2



● 70783 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  220-240V 50Hz 





SHADOW

— Àlex&Manel Llusca 


● 72312 dark grey/gris oscuro

LED SMD 11W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 







● 72311 dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 





GINA

● **71352** dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



KLAMP — Àlex & Manel Llusçà 

● **74411** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal






CHANDRA

● **72298** dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





SOLAR

Solar selection/Selección solar



SAURA

● 70774 dark grey/gris oscuro


LED SMD 2W 3000K 225lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



2.5h Worktime
6/8h Charge lithium battery ✓



OUTDOOR FLOOR / SUELO




SOLEIL

● 70785 dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal






P.291
BOLLARD



P.340
WALL



TRAM — Estudi Ribaudí



● **75532** dark grey/gris oscuro

LED SMD 42W 3000K 3000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100- 50/
240V 60Hz



P.294
BOLLARD



P.346
WALL



DATNA — Àlex & Manel Llusçà



● **74444E** dark grey/gris oscuro

LED SMD 37W 3000K 2700lm CRI85 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 100- 50/
240V 60Hz



P.303
BOLLARD



P.355
WALL



BU-OH! — Estudi Ribaudí







● **71209** dark grey/gris oscuro


LED SMD 42W 3000K 2700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100- 50/
240V 60Hz








MISTU — Faro Lab 

● 74435F2-02 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





MISTU — Faro Lab 

● 74436F3-02 dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




MUFFIN — Àlex & Manel Llusçà 

● 74435F2-04 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal







MUFFIN — Àlex & Manel Llusca 

● 74436F3-04 dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




BLUB'S — Estudi Ribaudí 

● 74435F2-03 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD




P.330
SUSPENDED



P.344
WALL




BLUB'S — Estudi Ribaudí 

● 74436F3-03 dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





P.297
BOLLARD



BERET

● **75524** dark grey/gris oscuro

LED SMD 16W 4000K 625lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz IK06



P.297
BOLLARD





GROF

● **75602** dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz




PLAZA

● **75607** dark grey/gris oscuro

LED SMD 24W 3000K 1120lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK08 100-240V 50/60Hz





P.331
SUSPENDED



P.347
WALL




NÁUTICA

● **71116** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● **71117** rust brown/marrón óxido

2 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● **71118** rust brown/marrón óxido

3 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





SLOT





— Lucid 





● **70038** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



IP65  100-240V 50/60HZ IK08  28°  1 MT 





● **70036** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





IP65  100-240V 50/60HZ IK08  28°





● **70037** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



IP65  100-240V 50/60HZ IK08  28°  1 MT 




● **70035** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ IK08  28°





Spike&Projector
Estaca y Proyector



FLOW

— Alegre Design



Spike accessory/ *Accesorio estaca*

● 71548 matt black/negro mate

● 71549 beige/beige

Body Steel/Acero



● 71546 matt black/negro mate



● 71547 beige/beige

GU10 MAX 8W LED [97685327]


Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE WALL & SPIKE IP65 2.5 MT





TONI — Alegre Design 

● 71528 matt black/negro mate

GU10 MAX 8W LED ☒ [97685327]

Body PMMA

Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE


WALL & SPIKE


IP65



2.5 MT

☑ 160°
180°



ALFA — Àlex & Manel Llusca 



● 70025 dark grey/gris oscuro

LED COB 13W 3000K 900lm CRI>80 Driver ☑

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 ☑ 100-240V 50/60HZ 80° 160°/180°



PROJECT — Àlex&Manel Llusca 

● 71383 grey/gris


● 71390 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 ☑ 90°/95° 340°



PROJECT — Àlex&Manel Llusca 


● 71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED ☒ [17398]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 ☑ 95° 340°






OKI

● 70160 dark grey/gris oscuro

LED COB 2W 3000K 110lm CRI>80
Driver ☒ [98324015] [IP67:98111031]
Spike ☒ [70525]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 III AC/DC 12/24V 0.2 MT IK04 30°




OKO

● 70161 dark grey/gris oscuro

LED COB 20W 3000K 1400lm CRI>80 Driver ✓
Spike ☒ [70525]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 220-240V 50/60HZ 30°




PLOM

● 70912 dark grey/gris oscuro

LED CREE 8.5W 3000K 635lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP64 100-240V 50/60HZ 18-45° 90°




LIT

● 70260 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60HZ 36° 90°/180°




SHOW

● 71095 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓
Spike ☒ [70525]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP67 10°-60° 1 MT 100-240V 50/60HZ






FOC

● 70156 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FOC

● 70157 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TORAN


● 70140 dark grey/gris oscuro

LED SMD 3.8W 4000K 345lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



2 MT




VIC

● 70581 dark grey/gris oscuro

LED SMD 55.5W 3000K 2400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





KARL

● 70261 dark grey/gris oscuro

LED SMD 13.5W 3000K 1100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



KEW

● 70407 grey/gris


LED 6W 4000K 420lm CRI>80
Transformer 12VDC ✗ [98111031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.








SETH-60


● 70226 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ  40°  2 MT






SETH-28


● 70227 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ  40°  2 MT







PICCOLA



— Faro Lab 

- 70245 matt black/negro mate
- 70246 matt white/blanco mate

LED SMD 6W 2700K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65  100-240V 50/60HZ IK08  1.5 MT








FOC

● 70159 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM **IP65**  220-240V 50/60HZ  36°  90° 180°  0.5 MT








FOC

● 70158 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM **IP65**  220-240V 50/60HZ  36°  90° 180°  0.5 MT




SOBEK

● 70151 matt black/negro mate

LED COB 7W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ  IK06  50°  0.2 MT




BALDER

● 70469 matt black/negro mate

LED SMD 3W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67  100-240V 50/60HZ   50°  2 MT 







PLOM

● 70913 dark grey/gris oscuro

LED CREE 7W 3000K 636lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54  100-240V 50/60HZ  18-45°  45°





ANDY

● 71613 satin gold/oro satinado

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



TONO

● 73150 matt black/negro mate

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







GARTEN-4

● 73111 matt black/negro mate

E27 PAR 38 MAX 15W LED ☒ [17400]


Body Heat-Resistant ABS/ABS Termoresistente



GARTEN-1

● 73100 matt black/negro mate

Body Heat-Resistant ABS/ABS Termoresistente



Connection box T

● 75801 matt black/negro mate


Body PVC




Connection box

● 75800 matt black/negro mate

Body PVC





SCUBA NEW

● **75753** chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Polycarbonato opal




IP66  IK10 100-240V 50/60HZ   120°

SCUBA NEW

● **75754** chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Polycarbonato opal


IP66  IK10 100-240V 50/60HZ   120°

Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión


75755 matt black/negro mate

IP44

ø90/3.5"
40/1.6"



P.341
WALL





Suspended
Suspensión



MUFFIN — Àlex&Manel Lluscà



● **74427C-04** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.344
WALL



WILMA

● **75002** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]



Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.299
BOLLARD



P.345
WALL



NÁUTICA

○ **71106** white+copper/blanco+cobre

○ **71108** brown+copper/marrón+cobre


● **71138** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.317
POLE



MOON — Faro Lab



● **74427C-01** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.301
BOLLARD



P.344
WALL



BLUB'S — Estudi Ribaudí



● **74427C-03** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.344
WALL



MISTU — Faro Lab



● **74427C-02** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.344
WALL





NÁUTICA

● 71139 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



HONEY

● 73696 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




ESTORIL

● 71143 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]



Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.347 WALL



P.345 WALL



P.347 WALL




ESTORIL

● 71142 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente







TAMI

● 70799 dark grey/gris oscuro

LED COB 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




GOZ

● 70575 dark grey/gris oscuro

LED COB 9W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




OLOT

○ 71372 matt white/blanco mate

● 71374 dark grey/gris oscuro

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




DAKRON

○ 70722 matt white/blanco mate

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Polycarbonato Opal




YEN

● 70690 grey/gris

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




TASA

● 70806 dark grey/gris oscuro

○ 70821 matt white/blanco mate

E27 MAX 15W LED ✗ [97687127]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





Ceiling
Techo

NEW **PALS**
— Faro Lab 

○ 70290 matt white/blanco mate


● 70291 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio


Diff Opal Glass/Cristal Opal

IP65 IK06  





Surface
Superficie

MASK— Lucid 

Anti corrosion

MASK has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.





video




● 71279 dark grey/gris oscuro



○ 71282 matt white/blanco mate

LED SMD 24W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65 IK06 100- 50/ 240V 60Hz 



OUTDOOR SURFACE / SUPERFICIE



TWIST — Estudi Ribaudí 


● **71285** dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 



P.292
BOLLARDS



BLOCK — Àlex&Manel Llusca 


● **74139** grey/gris

G45 E27 MAX 15W LED ✕ [17463]

Body Concrete/Cemento

Diff Opal Glass/Cristal Opal


IP65  IK06 **SEA SIDE SUITABLE** 



P.289
BOLLARDS





HALF — Nahtrang 



○ 71536 matt white/blanco mate



● 71537 dark grey/gris oscuro

LED SMD 13W 3000K 1350lm CRI>80 Driver ✓


Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP65  100- 50/ 240V 60Hz 








SHELBY — Conillas 

● 75536 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
 Policarbonato Opal+Transparente

IP44  100- 50/
 240V 60Hz 



P.293
 BOLLARD



TRAM — Estudi Ribaudí 

● 75529 dark grey/gris oscuro

○ 75533 matt white/blanco mate

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  

P.291
 BOLLARD



P.312
 POLE





SCUBA **NEW**


● 75751 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60Hz 120°



SCUBA **NEW**


● 75750 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60Hz 120°



Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44

40/1.6" $\varnothing 90/3.5"$



P.328
SUSPENDED





GIZA


● 70766 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Trans. Polycarbonate/Polycarbonato Trans.

IP54  100- 50/ 240V 60Hz 



P.296 BOLLARD





KERALA

● 74453 dark grey/gris oscuro

LED SMD 13W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  100- 50/ 240V 60Hz 





ORWELL

● 75700 dark grey/gris oscuro

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  220- 50/ 240V 60Hz 



ORWELL WIFI


● 75701 dark grey/gris oscuro

LED SMD 4-13W 3000K-6500K 95-480lm CRI>80 Driver ✓




Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

 IP54   220- 50/ 240V 60Hz  Camera 5mt 



P.262 PORTABLE





PLIM

● 71295 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100- 50/
240V 60Hz IK08



PLIM

● 71296 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100- 50/
240V 60Hz






PLIM

● 71297 dark grey/gris oscuro



LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100- 50/
240V 60Hz IK08



P.295
BOLLARD





MISTU — Faro Lab 

● 74432A-02 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



MOON — Faro Lab 

● 74432A-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.301
BOLLARD



P.330
SUSPENDED



MUFFIN — Àlex&Manel Llusca 

● 74432A-04 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



BLUB'S — Estudi Ribaudí 

● 74432A-03 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]



Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED







TOC

- 70780 matt white/blanco mate
- 70781 matt black/negro mate

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.258
PORTABLES



OUTDOOR SURFACE / SUPERFICIE




WILMA


- 74998 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.299
BOLLARD




WILMA


- 75000 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.330
SUSPENDED




HONEY


- 73695 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED





CERES — Àlex&Manel Lluscà 

● 71607 matt black/negro mate

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Out Diff Polycarbonate/Policarbonato
In Diff Opal Glass/Cristal Opal



ARGOT

● 71424 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente






DADO

● 71606 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



DATNA — Àlex&Manel Lluscà 

● 74440 dark grey/gris oscuro

1xE27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.294
 BOLLARD



P.312
 POLE





NÁUTICA

● **71110** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



NÁUTICA

● **71128** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





NÁUTICA



● **71129** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.330
SUSPENDED



P.317
POLE



ESTORIL

● **71140** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



ESTORIL

● **71141** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




WALLY




● **74261** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED





NAHIR


● 70992 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44  



TIMON


● 70996 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44 





NORAY

● 70999 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente



BORDA

● 70997 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente






CABO

● 70998 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente





HIKARI

● 71274 dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/
240V 60Hz



KUBICK

● 70689 dark grey/gris oscuro

● 70715 grey/gris

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44






LUR

● 70827 dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100- 50/
240V 60Hz



SUN

● 70823 dark grey/gris oscuro

LED SMD 4.4W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100- 50/
240V 60Hz



TOM

○ 70665 matt white/blanco mate

● 70666 dark grey/gris oscuro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/
240V 60Hz



TOM XL




● 70682 dark grey/gris oscuro

○ 70683 matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/
240V 60Hz





NALA

● **70773** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



POMO

● **71306** dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TAMASHI



● **71303** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.301
BOLLARD




PIVOT

○ **71304** matt white/blanco mate

● **71305** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




POL

● **70829** dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal








MOL

● **70720** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





TEJO

- 70573 dark grey/gris oscuro
- 70573B matt white/blanco mate

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




NEGUS

- 70696 grey/gris

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






BONN

- 70697 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



FRED

- 70663 dark grey/gris oscuro
- 70664 matt white/blanco mate

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal



FRED XL

- 70667 dark grey/gris oscuro
- 70668 matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal








NATRON

- 70887 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





CELA

● 72280 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal



CELA

● 72281 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal






FEDON

● 70714 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal



ESTAY

○ 72010 matt white/blanco mate

● 72011 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



DERBY

○ 72002 matt white/blanco mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





DERBY

○ 72000 matt white/blanco mate

● 72001 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






ALP

● 74450 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




AXEL

● 71272 matt white/blanco mate

● 71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



BRACKET







● 72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



P.305 BOLLARDS



CLAUSS

○ 70262 matt white/blanco mate

● 70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



FUTURE — Estudi Ribaudí

○ 71516 matt white/blanco mate

● 71517 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal







ÀNCORA—Àlex&Manel Llusçà

● 74401 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





BU-OH! — Estudi Ribaudí




- 71212 dark grey/gris oscuro
- 71215 matt white/blanco mate

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
 240V 60Hz 



P.303
BOLLARD



P.312
POLE



OUTDOOR SURFACE / SUPERFICIE



P.291
BOLLARD



STICKER — Lucid





- 75540 dark grey/gris oscuro

LED SMD 13W 3000K 770lm CRI>80
 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55  100- 50/
 240V 60Hz 



LOTUS

— Estudi Ribaudí



video

○ 71222 matt white/blanco mate


● 71223 dark grey/gris oscuro

LED 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal


IP65 IK08 100-240V 50/60Hz



P.290
BOLLARDS





VIEW — Estudi Ribaudí 

● 71519 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal





QUART

● 70579 dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







DRAGMA — Àlex&Manel Llusçà 

● 71362L dark grey/gris oscuro

LED SMD 15W 3000K 500lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LAKO NEW

- 71909 matt white/blanco mate
- 71910 dark grey/gris oscuro
- 71911 brown/marrón

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz 90°




DORO NEW

- 71903 matt white/blanco mate
- 71904 dark grey/gris oscuro
- 71905 brown/marrón

LED SMD 20W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz




DORO NEW

- 71906 matt white/blanco mate
- 71907 dark grey/gris oscuro
- 71908 brown/marrón

LED SMD 28W 3000K 2350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz




DORO NEW

- 71900 matt white/blanco mate
- 71901 dark grey/gris oscuro
- 71902 brown/marrón

LED SMD 13W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz






TAKUA

- 71277 dark grey/gris oscuro
- 71308 NEW matt white/blanco mate
- 71309 NEW brown/marrón

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz




OVAL

- 71276 dark grey/gris oscuro

LED COB 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz




TANE

- 72269 dark grey/gris oscuro

LED SMD 7W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60Hz




ADAY

- 70644 matt white/blanco mate
- 70645 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 100-240V 50/60Hz




ADAY

- 70646 matt white/blanco mate
- 70647 dark grey/gris oscuro

LED SMD 13W 3000K 787lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 220-240V 50/60Hz




WEST

- 70899 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54






WEST

● **70888** dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




TOLUCA

● **71052** satin alum./aluminio satinado

LED SMD 16W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




KAULA

● **70405** satin inox/inox satinado

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal




TACANA

● **71049** satin alum./aluminio satinado

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




KAULA

● **70406** satin inox/inox satinado

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal





TACOS

● **71064** satin alum./aluminio satinado

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






LACE

● **70811** dark grey/gris oscuro
 LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 ⚡ 100-240V 50/60Hz 110°



BRUC

● **70828** dark grey/gris oscuro
 LED 2 SMD 7W 3000K 830lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


IP54 IK06 ⚡ 100-240V 50/60Hz



LING

● **70812** dark grey/gris oscuro
 ○ **70813** matt white/blanco mate
 LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


IP54 ⚡ 100-240V 50/60Hz 110°



LACRE

● **70802** dark grey/gris oscuro
 E27 MAX 15W LED [17463]
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



IP54 ⚡



LOG

● **70264** dark grey/gris oscuro
 LED SMD 9W 3000K 600lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



IP54 ⚡ 220-240V 50/60Hz




BLIND

○ **70267** matt white/blanco mate
 ● **70268** brown/marrón
 ● **70634** dark grey/gris oscuro
 LED 6W 3000K 2x90lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 ⚡ 110-240V 50/60Hz





OLAN

- 70269 matt white/blanco mate
- 70270 rust brown/marrón óxido
- 70637 dark grey/gris oscuro

2 LED 6W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60Hz 40°



SUNSET

- 70686 matt white/blanco mate
- 70687 dark grey/gris oscuro

LED 2 SMD 3W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 100-240V 50/60Hz 40°






COBO

- 70404 dark grey/gris oscuro

LED COB 10W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 40°



THON

- 70283 matt black/negro mate

LED COB 15W 3000K 825lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220-240V 50/60Hz 18°



THON

- 70284 matt black/negro mate

LED COB 30W 3000K 1538lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220-240V 50/60Hz 18°







PROA — Àlex&Manel Llusca

- 74400 dark grey/gris oscuro

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44





STEPS — Estudi Ribaudí




- 75502 matt white/blanco mate
- 75503 dark grey/gris oscuro

4 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 2 Blind Caps
 2 Tapas Ciegas



OUTDOOR SURFACE / SUPERFICIE



STEPS — Estudi Ribaudí




- 75500 matt white/blanco mate
- 75501 dark grey/gris oscuro

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 1 Blind Cap
 1 Tapa Ciega



KLAMP — Àlex&Manel Llusca




- 74407 dark grey/gris oscuro

GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



KLAMP — Àlex&Manel Llusca




- 74408 dark grey/gris oscuro

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



P.309 BOLLARDS






BRONX — Àlex&Manel Llusçà



- 71194 brown/marrón
- 71195 matt white/blanco mate
- 71196 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





KALA

- 70582 matt white/blanco mate
- 70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






GUIZA

- 71278 dark grey/gris oscuro

LED SMD 8W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




SUMA

- 70749 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





CANON

- 70566N dark grey/gris oscuro
- 70567N matt white/blanco mate

LED HIGH POWER 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP44 100-240V 50/60Hz 120°



NAIROBI

- 70830 matt white/blanco mate
- 70831 dark grey/gris oscuro
- 70832 rust brown/marrón óxido

LED 2 SMD 6W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz






TINIA

- 71353 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17063]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



GINA

- 71363 dark grey/gris oscuro
- 71366 matt white/blanco mate
- 71367 matt black/negro mate

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



TAIMA

- 71388 dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 220-240V 50/60Hz 90°




WOOD

- 74455 dark grey/gris oscuro




LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 95° 90°



P.309 BOLLARD





ELE


● **74419** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100-240V 50/60Hz **95°**



PILL

○ **70824** matt white/blanco mate

● **70825** dark grey/gris oscuro



● **70826** rust brown/marrón óxido

LED CREE 4W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz



DRAK

● **72330** Brass/latón

LED 6W 3000K 160lm CRI>80 Driver ✓

Body Brass/latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP44** 100-240V 50/60Hz **IK08**



BROW

○ **70408** matt white/blanco mate


● **70409** dark grey/gris oscuro

LED COB 3W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

IP44 220-240V 50Hz





KEENAN

● **70564** nickel/níquel

LED SMD 1W 6500K 80lm CRI>80

Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V



KEENAN

● **70546** nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80

Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V



KEENAN

● **70547** nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80




Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V



LOTH

● **70285** matt black/negro mate

LED COB 6W 3000K 165lm CRI>80 Driver

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.



LOTH


● **70286** matt black/negro mate

LED 2 COB 6W 3000K 235lm CRI>80 Driver

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.



LOTH




● **70287** matt black/negro mate

LED 4 COB 3W 3000K 255lm CRI>80 Driver

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.





GRANT

● **70655** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE IP65 IK10 100-240V 50/60Hz

120°



GRANT

● **70656** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE IP65 100-240V 50/60Hz 120°



PATH

● **70508** dark grey/gris oscuro






○ **70501** matt white/blanco mate

LED SMD 9W 3000K 390lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 100-240V 50/60Hz







MUST

● **70657** dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10  220-240V 50/60Hz 

MUST

● **70658** dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10  220-240V 50/60Hz 

MUST




● **70659** dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10  220-240V 50/60Hz 



GRADA



● **70906** dark grey/gris oscuro

● **70907** rust brown/marrón óxido

LED SMD 3W 3000K 86lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  220-240V 50/60Hz 

GRADA

● **70908** dark grey/gris oscuro

● **70909** rust brown/marrón óxido

LED SMD 6W 3000K 208lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  220-240V 50/60Hz 

GRADA

● **70910** dark grey/gris oscuro




● **70911** rust brown/marrón óxido

LED SMD 12W 3000K 443lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  220-240V 50/60Hz 





GALO


○ 70265 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73



GALO


○ 70266 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73



DANG

● 70446 matt black/negro mate


LED CREE 3W 3000K 80lm CRI>80 Driver ✗ [98324015]

Body Aluminium+316 Stainless Steel+Glass/Aluminio+Acero Inox 316+Cristal

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK05 24 Vdc 40°

*Drivers info pag. 647



NASE

○ 70395 matt white/blanco mate


● 70398 dark grey/gris oscuro

LED SMD 2.9W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz 120° 92x87x80



NASE

○ 70396 matt white/blanco mate


● 70399 dark grey/gris oscuro

LED SMD 3W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz 120° 132x90x80



UVE


● 70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 120° ø78





OUTDOOR RECESSED / EMPOTRABLES

Recessed
Empotrables




FROL

● **70135** satin inox/inox satinado

LED SMD 0,8W 3000K 55lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 220-240V 50/60Hz 92x92x50




GRON

● **70134** satin inox/inox satinado

LED SMD 1W 3000K 70lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 220-240V 50/60Hz 105x66x50



STRIPE


● **72092** dark grey/gris oscuro

○ **72093** matt white/blanco mate

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89



LIISO

○ **71490** matt white/blanco mate

● **71491** matt black/negro mate


E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP44 71482 230x89

Recessed box/Caja de empotrar

71482 ●



STRIPE


○ **72094** matt white/blanco mate

● **72095** dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89



ESCA

○ **71480** matt white/blanco mate

● **71481** matt black/negro mate


E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP44 71482 230x89

Recessed box/Caja de empotrar

71482 ●





DART

- 70272 matt white/blanco mate
- 70273 matt black/negro mate

LED COB 2W 2700K 70lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 100° Ø68



Recessed box/Caja de empotrar

70276 black/negro

Surface box/Caja de superficie

70274 white/blanco

70275 black/negro



SPARK

- 70162 dark grey/gris oscuro
- 70163 matt white/blanco mate

LED SMD 5W 3000K 230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100-240V 50/60Hz



Recessed box/Caja de empotrar

70276 black/negro

Surface box/Caja de superficie

70274 white/blanco

70275 black/negro



SPARK

- 70164 dark grey/gris oscuro
- 70165 matt white/blanco mate

LED SMD 5W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100-240V 50/60Hz


Recessed box/Caja de empotrar

70276 black/negro

Surface box/Caja de superficie

70274 white/blanco

70275 black/negro



DART

- 70277 matt white/blanco mate
- 70278 matt black/negro mate

LED COB 5W 2700K 275lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 100° 160x68



Recessed box/Caja de empotrar

70281 black/negro

Surface box/Caja de superficie

70279 white/blanco

70280 black/negro





MINI RACING

● **70403** dark grey/gris oscuro


LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45°

ø76



MINI CARTER

● **70402** dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45°

ø76



SOUN

● **70833** dark grey/gris oscuro

● **70834** matt white/blanco mate


LED SMD 5W 3000K 280lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120°

220x950655



SOUN

● **70900** dark grey/gris oscuro

● **70901** matt white/blanco mate

LED SMD 8W 3000K 630lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120°

183x225x70



STORE

● **70451** dark grey/gris oscuro

LED SMD 2W 2700K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120°

98x160x85



FILTER

● **70450** dark grey/gris oscuro


LED 2W 2700K 75lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120°

98x160x85





SEDNA


● 70146 dark grey/gris oscuro

LED SMD 1W 3000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70°

80x75



SEDNA


● 70147 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70°

125x58



SEDNA


● 70148 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50Hz 70°

128x112



NAT

● 70638 dark grey/gris oscuro



○ 70271 matt white/blanco mate

LED SMD 8W 3000K 330lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz 120°

215x65x70





HORUS

● 70155 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz 50° 62x98





HORUS

● 70154 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz 50° 62x98





GRUND

● 70726 satin inox/inox satinado

● 70730 anodized black/negro anodizado

LED HIGH POWER 2W 3000K 152lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08

700 mA 15° 1000Kg. 2204Lb. ø32



CROSBY


● 70458N satin inox/inox satinado

LED HIGH POWER 2W 6000K 85lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz

120°



GRUND

● 70728 satin inox/inox satinado

● 70731 anodized black/negro anodizado

LED COB 7W 3000K 420lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08

350 mA 36° 1000Kg. 2204Lb. ø60



CROSBY


● 70459N satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz

120°



GRUND

● 70729 satin inox/inox satinado

● 70732 anodized black/negro anodizado

LED COB 13W 3000K 846lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08

350 mA 36° 1000Kg. 2204Lb. ø68



CROSBY


● 70453 satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✗ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz

120°



*Drivers info pag. 647




GRUND NEW

● **70733** satin inox/inox satinado
 ● **70735** anodized black/negro anodizado
 LED HIGH POWER 2W 2700K 100lm CRI>90
Body Aluminium+Stainless Steel 316/
 Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **ANTI-GLARE** **IP67** IK08

700 mA 15° 1000Kg. 2204Lb. ø32




GRUND NEW

● **70734** satin inox/inox satinado
 ● **70736** anodized black/negro anodizado
 LED COB 7W 2700K 400lm CRI>90
Body Aluminium+Stainless Steel 316/
 Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **ANTI-GLARE** **IP67** IK08

350 mA 15° 1000Kg. 2204Lb. ø60




CURTIS ASIMETRIC

● **70462N** satin inox/inox satinado
 LED HIGH POWER 2W 3000K 77lm CRI>80
 Driver
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60Hz

Visit faro.es to consult how to install it.
 Visita faro.es para consultar su instalación.




KANE

● **70660** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. 120° ø40




KANE

● **70661** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. 120° ø40




KANE

● **70662** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. 120° ø40





TRAS ORIENTABLE

● **71701** matt black/negro mate
 LED SMD 4W 3000K 462lm CRI>80
 1 Power Supply 24Vdc ☒ [98324020U] x max.
 4 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

ORIENTABLE **IP67** IK09 III 71703

13° 30° 30° 175x195x127

Recessed box/Caja de empotrar

● **71703** matt black/negro mate



TRAS

● **71702** matt black/negro mate
 LED SMD 8W 3000K 924lm CRI>80
 1 Power Supply 24Vdc ☒ [98324020U] x max.
 2 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 71703 13° 175x195x127

*Drivers info pag. 647

Recessed box/Caja de empotrar

● **71703** matt black/negro mate




TRAS NEW

● **71716** 13° matt black/negro mate
 ● **71717** 40° matt black/negro mate
 LED SMD 25W 3000K 2580lm CRI90
 1 Power Supply 24Vdc ☒ [98310228] x max.
 4 units

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 250x235x105

*Drivers info pag. 647





GEISER ORIENTABLE

● 70304 satin inox/inox satinado

GU10 MAX 8W ✕ [17324]

Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° ø116



GEISER ORIENTABLE 38°

● 70305 satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° ø116



GEISER ORIENTABLE NEW

● 70310 satin inox/inox satinado

GU10 MAX 8W ✕ [97685327]

Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° 2000Kg. 4409Lb.



GEISER ORIENTABLE

● 70302 10° satin inox/inox satinado

● 70303 38° satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20°

2000Kg. 4409Lb.



GEISER ORIENTABLE NEW

● 70308 10° satin inox/inox satinado

● 70309 38° satin inox/inox satinado

LED COB 15W 3000K 900lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20°

2000Kg. 4409Lb.



GEISER ORIENTABLE

● 70306 10° satin inox/inox satinado

● 70307 38° satin inox/inox satinado

LED COB 29W 3000K 1800lm Driver ✓


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE IP67

100-240V 50/60Hz IK08 -25°/25° 2000Kg. 4409Lb.





SURIA-3


- 70588 24° satin inox/inox satinado
- 70592N 60° satin inox/inox satinado

LED COB 3W 3000K 175lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



SURIA-12


- 70589 24° satin inox/inox satinado
- 70593N 60° satin inox/inox satinado

LED COB 12W 3000K 1280lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



SURIA-24


- 70586 24° satin inox/inox satinado
- 70587 60° satin inox/inox satinado

LED COB 24W 3000K 1870lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



LED -18


- 71496N 6000K satin inox/inox satinado
- 71498N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



LED -18


- 71497N 6000K satin inox/inox satinado
- 71499N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 220-240V 50/60Hz

1000Kg. 2204Lb.





SALT ASIMETRIC

● **70591** satin inox/inox satinado


LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

2000Kg. 4409Lb. 45°



TARO

● **70449** satin inox/inox satinado


LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

600Kg. 1322Lb. 30°



EDEL

● **70455** satin inox/inox satinado

LED HIGH POWER 18W 4000K 900lm CRI>80 Driver ✗ [98324020U]

Body 316 Stainless Steel/Acero Inox 316


Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP68 IK08 24 Vdc 50/60Hz

25° $\phi 156$

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



TECNO-1

● **71483** satin inox/inox satinado


E27 MAX 15W LED ✗ [17463]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08

2000Kg. 4409Lb.



TECNO-6

● **71489N** satin inox/inox satinado


GU10 MAX 8W LED ✗ [17324]

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08

2000Kg. 4409Lb.



LIO

● **71495** satin inox/inox satinado


GX53 6W 3000K 330lm ✓ [17340 100-240V]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK10

2000Kg. 4409Lb.






FALLS ORIENTABLE **NEW**

● 71730 satin inox/inox satinado

LED SMD 9W 3000K 672lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb. 30x60° 25° 310x52x100



FALLS ORIENTABLE **NEW**

● 71731 satin inox/inox satinado

LED SMD 9W 3000K 669lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb. 30x60° 30x60° 310x52x100



FALLS ORIENTABLE **NEW**

● 71732 satin inox/inox satinado

LED SMD 18W 3000K 1367lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb. 30x60° 25° 520x53x100




FALLS ORIENTABLE **NEW**

● 71733 satin inox/inox satinado

LED SMD 18W 3000K 1413lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb. 30x60° 30x60° 520x53x100





FALLS **NEW**


● **71734** satin inox/inox satinado

LED SMD 6W 2700K 190lm CRI90
Driver **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

310x52x100



OUTDOOR RECESSED / EMPOTRABLES



FALLS **NEW**


● **71735** satin inox/inox satinado

LED SMD 6W 3000K 200lm CRI90
Driver **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

310x52x100



FALLS **NEW**


● **71736** satin inox/inox satinado

LED SMD 11W 2700K 291lm CRI90
Driver **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

520x53x100



FALLS **NEW**


● **71737** satin inox/inox satinado

LED SMD 11W 3000K 316lm CRI90
Driver **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

520x53x100





Espacio Princesa 52. *Barcelona.*

Let's Work



- / 01 Lighting consultancy
- / 02 Conceptualization and development
- / 03 Special requests


At your service
proyectos@faro.es



Smart Lighting

CASAMBI

Create scenes, regulate light intensity and much more in a simple way, contributing to energy saving and providing Well-being to the user.



Colin

Cylinder

Deep

Fuga

Optic


Sigma

Synch

Teko

Ledstrip

Multiple features
Múltiples funcionalidades



On/Off

Grouping

Scenes

Animation

Gallery

Intensity


Calendar

Timer

Sunrise
& Sunset



Surface *Superficie*



Recessed *Empotrable*

Tracks are available for recessed, suspended and surface installation.

Los carriles están disponibles para instalación empotrada, suspendida y de superficie.



Suspended *Suspendida*





Neso



Neso is a magnetic track system that allows you to combine different types of luminaires for both general and accent lighting.




1

Choose your Neso track
Escoge tu carril Neso



2

Join them to build continuous lines
Únelos para construir líneas continuas



MECHANICAL CONNECTOR
For surface, pendant and recessed.
Para superficie, colgante y empotrado.

L AND T ACCESSORIES INNER AND OUTER CORNERS
For surface, pendant and recessed.
Para superficie, colgante y empotrado.

INPUT TERMINAL
Necessary for recessed track.
Necesario para carril empotrado.

3

Turn your Neso track surface into pendant
Convierte tu carril Neso superficie en colgante

4

Add luminaires to your Neso track
Añade luminarias a tu carril Neso



Magnetic fixing

Neso allows the integration of lighting in any type of architecture. The luminaires are attached to the rail by means of magnets. This makes it very easy to change their position. Imagination and creativity to power!


Neso permite la integración de la iluminación en cualquier tipo de arquitectura. las luminarias se fijan al carril mediante imanes. Esto hace que sea muy fácil cambiarlas de posición. ¡Imaginación y creatividad al poder!




Track Recessed

Track 1m	5020120102	●
Track 1m Dali	5020120102D	●
Track 2m	5020120202	●
Track 2m Dali	5020120202D	●


IP20 | III | SE LV | 24V



Accessories




Input terminal		
	5020221402	●
Dali	5020221402D	●




Mechanical connector		
	5020200102	●


Power supply		
120W	98324120	●
180W	98324180	●
150W	98324150U	●




L		
	5020221002	●
Dali	5020221002D	●



T		
	5020221102	●
Dali	5020221102D	●



Inner corner		
	5020221202	●
Dali	5020221202D	●




Outer corner		
	5020221302	●
Dali	5020221302D	●


Track Surface & Suspension

Track 1m	5020110102	●
Track 1m Dali	5020110102D	●
Track 2m	5020110202	●
Track 2m Dali	5020110202D	●


IP20 | III | SE LV | 24V



Accessories



Mechanical connector		
	5020200102	●



Driver box		
	5020210002	●
Dali	5020210002D	●




Pendant Kit for driver box		
	5020210202	●
Dali	5020210202D	●




SteelWire		
	5020210102	●


Power supply			
120W	98324120	●	
180W	98324180	●	
150W	98324150U	●	




L		
	5020211002	●
Dali	5020211002D	●




T		
	5020211102	●
Dali	5020211102D	●



Inner corner		
	5020211202	●
Dali	5020211202D	●



Outer corner		
	5020211302	●
Dali	5020211302D	●




Input Terminal		
	5020210302	●
Dali	5020210302D	●



Neso Point 3L

		P	BEAM	CCT	FLUX
5010192712	●	4W	12°	2700K	220lm
5010192722	●	4W	34°	2700K	220lm
5010193012	●	4W	12°	3000K	250lm
5010193022	●	4W	34°	3000K	250lm


LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



Neso Point 6L

		P	BEAM	CCT	FLUX
5010292712	●	8W	12°	2700K	490lm
5010292722	●	8W	34°	2700K	490lm
5010293012	●	8W	12°	3000K	510lm
5010293022	●	8W	34°	3000K	510lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



***DALI option**


Add a D at the end of the ref.



Neso Point 12L

		P	BEAM	CCT	FLUX
5010392712	●	16W	12°	2700K	810lm
5010392722	●	16W	34°	2700K	810lm
5010393012	●	16W	12°	3000K	850lm
5010393022	●	16W	34°	3000K	850lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



***DALI option**


Add a D at the end of the ref.



Neso Unik

		P	CCT	FLUX
5010892702	●	5W	2700K	330lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



***DALI option**

Add a D at the end of the ref.





Neso Line 32cm

	P	CCT	FLUX
5010492702 ●	13W	2700K	550lm
5010493002 ●	13W	3000K	590lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



***DALI option**


Add a D at the end of the ref.



Neso Line 64cm

	P	CCT	FLUX
5010592702 ●	26W	2700K	930lm
5010593002 ●	26W	3000K	970lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



***DALI option**


Add a D at the end of the ref.



Neso Top

	P	BEAM	CCT	FLUX
5010692712 ●	5W	20°	2700K	330lm
5010692722 ●	5W	40°	2700K	330lm
5010693012 ●	5W	20°	3000K	360lm
5010693022 ●	5W	40°	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



***DALI option**

Add a D at the end of the ref.








Neso Hole

		P	BEAM	CCT	FLUX
5010792712	●	5W	20°	2700K	330lm
5010792722	●	5W	40°	2700K	330lm
5010793012	●	5W	20°	3000K	360lm
5010793022	●	5W	40°	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



***DALI option**


Add a D at the end of the ref.



Neso Hole NEW

		P	BEAM	CCT	FLUX
5010802712	●	10W	18°	2700K	705lm
5010803012	●	10W	36°	2700K	705lm
5010802722	●	10W	18°	3000K	735lm
5010803022	●	10W	36°	3000K	735lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 18°/36°



***DALI option**


Add a D at the end of the ref.






Fuga


Fuga **Small**



Fuga **Medium**



Fuga **Large**






Fuga Small 7W

		P	CRI	BEAM	CCT	FLUX
011100101	○	7W	82	24°	2700K	600lm
011100102	●	7W	82	24°	2700K	600lm
011100201	○	7W	82	60°	2700K	600lm
011100202	●	7W	82	60°	2700K	600lm
011100301	○	7W	85	24°	3000K	650lm
011100302	●	7W	85	24°	3000K	650lm
011100401	○	7W	85	60°	3000K	650lm
011100402	●	7W	85	60°	3000K	650lm
011100501	○	7W	85	24°	4000K	700lm
011100502	●	7W	85	24°	4000K	700lm
011100601	○	7W	85	60°	4000K	700lm
011100602	●	7W	85	60°	4000K	700lm


Fuga Small 12W

011100701	○	12W	82	24°	2700K	1050lm
011100702	●	12W	82	24°	2700K	1050lm
011100801	○	12W	82	60°	2700K	1050lm
011100802	●	12W	82	60°	2700K	1050lm
011100901	○	12W	85	24°	3000K	1100lm
011100902	●	12W	85	24°	3000K	1100lm
011101001	○	12W	85	60°	3000K	1100lm
011101002	●	12W	85	60°	3000K	1100lm
011101101	○	12W	85	24°	4000K	1150lm
011101102	●	12W	85	24°	4000K	1150lm
011101201	○	12W	85	60°	4000K	1150lm
011101202	●	12W	85	60°	4000K	1150lm




*TRIAC option 12W

Add a C at the end of the ref.



Fuga Medium 12W

		P	CRI	BEAM	CCT	FLUX
011200101	○	12W	82	24°	2700K	950lm
011200102	●	12W	82	24°	2700K	950lm
011200201	○	12W	82	60°	2700K	950lm
011200202	●	12W	82	60°	2700K	950lm
011200301	○	12W	85	24°	3000K	1000lm
011200302	●	12W	85	24°	3000K	1000lm
011200401	○	12W	85	60°	3000K	1000lm
011200402	●	12W	85	60°	3000K	1000lm
011200501	○	12W	85	24°	4000K	1100lm
011200502	●	12W	85	24°	4000K	1100lm
011200601	○	12W	85	60°	4000K	1100lm
011200602	●	12W	85	60°	4000K	1100lm



*DALI option


Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Medium 18W

		P	CRI	BEAM	CCT	FLUX
011200701	○	18W	82	24°	2700K	1450lm
011200702	●	18W	82	24°	2700K	1450lm
011200801	○	18W	82	60°	2700K	1450lm
011200802	●	18W	82	60°	2700K	1450lm
011200901	○	18W	85	24°	3000K	1500lm
011200902	●	18W	85	24°	3000K	1500lm
011201001	○	18W	85	60°	3000K	1500lm
011201002	●	18W	85	60°	3000K	1500lm
011201101	○	18W	85	24°	4000K	1600lm
011201102	●	18W	85	24°	4000K	1600lm
011201201	○	18W	85	60°	4000K	1600lm
011201202	●	18W	85	60°	4000K	1600lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Medium 17W

CRI95

		P	CRI	BEAM	CCT	FLUX
011201301	○	17W	95	24°	2700K	1250lm
011201302	●	17W	95	24°	2700K	1250lm
011201401	○	17W	95	60°	2700K	1250lm
011201402	●	17W	95	60°	2700K	1250lm
011201501	○	17W	95	24°	3000K	1300lm
011201502	●	17W	95	24°	3000K	1300lm
011201601	○	17W	95	60°	3000K	1300lm
011201602	●	17W	95	60°	3000K	1300lm
011201701	○	17W	95	24°	4000K	1400lm
011201702	●	17W	95	24°	4000K	1400lm
011201801	○	17W	95	60°	4000K	1400lm
011201802	●	17W	95	60°	4000K	1400lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Medium 24W

CRI95

		P	CRI	BEAM	CCT	FLUX
011201901	○	24W	95	24°	2700K	1800lm
011201902	●	24W	95	24°	2700K	1800lm
011202001	○	24W	95	60°	2700K	1800lm
011202002	●	24W	95	60°	2700K	1800lm
011202101	○	24W	95	24°	3000K	1850lm
011202102	●	24W	95	24°	3000K	1850lm
011202201	○	24W	95	60°	3000K	1850lm
011202202	●	24W	95	60°	3000K	1850lm
011202301	○	24W	95	24°	4000K	1950lm
011202302	●	24W	95	24°	4000K	1950lm
011202401	○	24W	95	60°	4000K	1950lm
011202402	●	24W	95	60°	4000K	1950lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Medium 28W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
011202501	○	28W	82	24°	2700K	2000lm
011202502	●	28W	82	24°	2700K	2000lm
011202601	○	28W	82	60°	2700K	2000lm
011202602	●	28W	82	60°	2700K	2000lm
011202701	○	28W	85	24°	3000K	2050lm
011202702	●	28W	85	24°	3000K	2050lm
011202801	○	28W	85	60°	3000K	2050lm
011202802	●	28W	85	60°	3000K	2050lm
011202901	○	28W	85	24°	4000K	2150lm
011202902	●	28W	85	24°	4000K	2150lm
011203001	○	28W	85	60°	4000K	2150lm
011203002	●	28W	85	60°	4000K	2150lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Medium 28W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
011203101	○	28W	85	24°	fruits ●	1600lm
011203102	●	28W	85	24°	fruits ●	1600lm
011203201	○	28W	85	60°	fruits ●	1600lm
011203202	●	28W	85	60°	fruits ●	1600lm
011203301	○	28W	85	24°	fish ●	1700lm
011203302	●	28W	85	24°	fish ●	1700lm
011203401	○	28W	85	60°	fish ●	1700lm
011203402	●	28W	85	60°	fish ●	1700lm
011203501	○	28W	70	24°	meat ●	1500lm
011203502	●	28W	70	24°	meat ●	1500lm
011203601	○	28W	70	60°	meat ●	1500lm
011203602	●	28W	70	60°	meat ●	1500lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option 21W**

Add a D at the end of the ref.

***DALI option 28W**

Add a D at the end of the ref.

Fuga Medium 21W


RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
011203701	○	21W	95	24°	3100K	1300lm
011203702	●	21W	95	24°	3100K	1300lm
011203801	○	21W	95	56°	3100K	1300lm
011203802	●	21W	95	56°	3100K	1300lm

Fuga Medium 28W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
011203901	○	28W	95	24°	3100K	1800lm
011203902	●	28W	95	24°	3100K	1800lm
011204001	○	28W	95	56°	3100K	1800lm
011204002	●	28W	95	56°	3100K	1800lm



***TRIAC option 21W**

Add a C at the end of the ref.

***TRIAC option 28W**


Add a C at the end of the ref.

***CASAMBI option 21W**

Add a W at the end of the ref.

***CASAMBI option 28W**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Large 18W

		P	CRI	BEAM	CCT	FLUX
011300101	○	18W	82	24°	2700K	1350lm
011300102	●	18W	82	24°	2700K	1350lm
011300201	○	18W	82	60°	2700K	1350lm
011300202	●	18W	82	60°	2700K	1350lm
011300301	○	18W	85	24°	3000K	1400lm
011300302	●	18W	85	24°	3000K	1400lm
011300401	○	18W	85	60°	3000K	1400lm
011300402	●	18W	85	60°	3000K	1400lm
011300501	○	18W	85	24°	4000K	1500lm
011300502	●	18W	85	24°	4000K	1500lm
011300601	○	18W	85	60°	4000K	1500lm
011300602	●	18W	85	60°	4000K	1500lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Large 25W

		P	CRI	BEAM	CCT	FLUX
011300701	○	25W	82	24°	2700K	1850lm
011300702	●	25W	82	24°	2700K	1850lm
011300801	○	25W	82	60°	2700K	1850lm
011300802	●	25W	82	60°	2700K	1850lm
011300901	○	25W	85	24°	3000K	1900lm
011300902	●	25W	85	24°	3000K	1900lm
011301001	○	25W	85	60°	3000K	1900lm
011301002	●	25W	85	60°	3000K	1900lm
011301101	○	25W	85	24°	4000K	2000lm
011301102	●	25W	85	24°	4000K	2000lm
011301201	○	25W	85	60°	4000K	2000lm
011301202	●	25W	85	60°	4000K	2000lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Large 36W

CRI95

		P	CRI	BEAM	CCT	FLUX
011301901	○	36W	95	24°	2700K	2800lm
011301902	●	36W	95	24°	2700K	2800lm
011302001	○	36W	95	60°	2700K	2800lm
011302002	●	36W	95	60°	2700K	2800lm
011302101	○	36W	95	24°	3000K	2850lm
011302102	●	36W	95	24°	3000K	2850lm
011302201	○	36W	95	60°	3000K	2850lm
011302202	●	36W	95	60°	3000K	2850lm
011302301	○	36W	95	24°	4000K	2950lm
011302302	●	36W	95	24°	4000K	2950lm
011302401	○	36W	95	60°	4000K	2950lm
011302402	●	36W	95	60°	4000K	2950lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Fuga Large 41W

HIGH EFFICIENCY LED

			P	CRI	BEAM	CCT	FLUX
011301301	○	41W	82	24°	2700K	2950lm	
011301302	●	41W	82	24°	2700K	2950lm	
011301401	○	41W	82	60°	2700K	2950lm	
011301402	●	41W	82	60°	2700K	2950lm	
011301501	○	41W	85	24°	3000K	3000lm	
011301502	●	41W	85	24°	3000K	3000lm	
011301601	○	41W	85	60°	3000K	3000lm	
011301602	●	41W	85	60°	3000K	3000lm	
011301701	○	41W	85	24°	4000K	3100lm	
011301702	●	41W	85	24°	4000K	3100lm	
011301801	○	41W	85	60°	4000K	3100lm	
011301802	●	41W	85	60°	4000K	3100lm	




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option 29W**

Add a D at the end of the ref.

***DALI option 41W**

Add a D at the end of the ref.

Fuga Large 29W

FOOD LIGHTING LED

			P	CRI	BEAM	CCT	FLUX
011302501	○	29W	85	24°	fruits ●	1600lm	
011302502	●	29W	85	24°	fruits ●	1600lm	
011302601	○	29W	85	60°	fruits ●	1600lm	
011302602	●	29W	85	60°	fruits ●	1600lm	
011302701	○	29W	85	24°	fish ●	1700lm	
011302702	●	29W	85	24°	fish ●	1700lm	
011302801	○	29W	85	60°	fish ●	1700lm	
011302802	●	29W	85	60°	fish ●	1700lm	
011302901	○	29W	70	24°	meat ●	1500lm	
011302902	●	29W	70	24°	meat ●	1500lm	
011303001	○	29W	70	60°	meat ●	1500lm	
011303002	●	29W	70	60°	meat ●	1500lm	

Fuga Large 41W

FOOD LIGHTING LED

011303101	○	41W	85	24°	fruits ●	2350lm
011303102	●	41W	85	24°	fruits ●	2350lm
011303201	○	41W	85	60°	fruits ●	2350lm
011303202	●	41W	85	60°	fruits ●	2350lm
011303301	○	41W	85	24°	fish ●	2450lm
011303302	●	41W	85	24°	fish ●	2450lm
011303401	○	41W	85	60°	fish ●	2450lm
011303402	●	41W	85	60°	fish ●	2450lm
011303501	○	41W	70	24°	meat ●	2250lm
011303502	●	41W	70	24°	meat ●	2250lm
011303601	○	41W	70	60°	meat ●	2250lm
011303602	●	41W	70	60°	meat ●	2250lm



***TRIAC option 29W**

Add a C at the end of the ref.

***TRIAC option 41W**


Add a C at the end of the ref.

***CASAMBI option 29W**

Add a W at the end of the ref.

***CASAMBI option 41W**

Add a W at the end of the ref.



Fuga Large 29W


RETAIL LIGHTING LED

			P	CRI	BEAM	CCT	FLUX
011303701	○	29W	95	24°	3100K	1800lm	
011303702	●	29W	95	24°	3100K	1800lm	
011303801	○	29W	95	56°	3100K	1800lm	
011303802	●	29W	95	56°	3100K	1800lm	

Fuga Large 36W

RETAIL LIGHTING LED

011303901	○	41W	95	24°	3100K	2700lm
011303902	●	41W	95	24°	3100K	2700lm
011304001	○	41W	95	56°	3100K	2700lm
011304002	●	41W	95	56°	3100K	2700lm



***DALI option 29W**

Add a D at the end of the ref.

***DALI option 41W**

Add a D at the end of the ref.

***TRIAC option 29W**

Add a C at the end of the ref.

***TRIAC option 41W**

Add a C at the end of the ref.

***CASAMBI option 29W**

Add a W at the end of the ref.


***CASAMBI option 41W**

Add a W at the end of the ref.




Sigma


• Sigma Nano



• Sigma Mini



410



Sigma Nano 10W

		P	CRI	BEAM	CCT	FLUX
011000102	●	10W	82	20°	2700K	600lm
011000202	●	10W	82	56°	2700K	600lm
011000302	●	10W	85	20°	3000K	650lm
011000402	●	10W	85	56°	3000K	650lm
011000502	●	10W	85	20°	4000K	700lm
011000602	●	10W	85	56°	4000K	700lm

Sigma Nano 15W

011000702	●	15W	82	20°	2700K	1050lm
011000802	●	15W	82	56°	2700K	1050lm
011000902	●	15W	85	20°	3000K	1100lm
011001002	●	15W	85	56°	3000K	1100lm
011001102	●	15W	85	20°	4000K	1150lm
011001202	●	15W	85	56°	4000K	1150lm





*TRIAC option 15W

Add a C at the end of the ref.



Sigma Mini 12W

		P	CRI	BEAM	CCT	FLUX
010900102	●	12W	82	20°	2700K	950lm
010900202	●	12W	82	56°	2700K	950lm
010900302	●	12W	85	20°	3000K	1000lm
010900402	●	12W	85	56°	3000K	1000lm
010900502	●	12W	85	20°	4000K	1100lm
010900602	●	12W	85	56°	4000K	1100lm



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.


***CASAMBI option**

Add a W at the end of the ref.



Sigma Mini 18W

		P	CRI	BEAM	CCT	FLUX
010900702	●	18W	82	20°	2700K	1450lm
010900802	●	18W	82	56°	2700K	1450lm
010900902	●	18W	85	20°	3000K	1500lm
010901002	●	18W	85	56°	3000K	1500lm
010901102	●	18W	85	20°	4000K	1600lm
010901202	●	18W	85	56°	4000K	1600lm



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**


Add a W at the end of the ref.



Sigma Mini 17W

CRI95

		P	CRI	BEAM	CCT	FLUX
010901302	●	17W	95	20°	2700K	1250lm
010901402	●	17W	95	56°	2700K	1250lm
010901502	●	17W	95	20°	3000K	1300lm
010901602	●	17W	95	56°	3000K	1300lm
010901702	●	17W	95	20°	4000K	1400lm
010901802	●	17W	95	56°	4000K	1400lm



***DALI option**


Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Sigma Mini 24W

CRI95

		P	CRI	BEAM	CCT	FLUX
010901902	●	24W	95	20°	2700K	1800lm
010902002	●	24W	95	56°	2700K	1800lm
010902102	●	24W	95	20°	3000K	1850lm
010902202	●	24W	95	56°	3000K	1850lm
010902302	●	24W	95	20°	4000K	1950lm
010902402	●	24W	95	56°	4000K	1950lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Sigma Mini 24W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
010902502	●	24W	82	20°	2700K	2000lm
010902602	●	24W	82	56°	2700K	2000lm
010902702	●	24W	85	20°	3000K	2050lm
010902802	●	24W	85	56°	3000K	2050lm
010902902	●	24W	85	20°	4000K	2150lm
010903002	●	24W	85	56°	4000K	2150lm



***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**


Add a W at the end of the ref.



Sigma Mini 27W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010903102	●	27W	85	20°	fruits ●	1600lm
010903202	●	27W	85	56°	fruits ●	1600lm
010903302	●	27W	85	20°	fish ●	1700lm
010903402	●	27W	85	56°	fish ●	1700lm
010903502	●	27W	70	20°	meat ●	1500lm
010903602	●	27W	70	56°	meat ●	1500lm



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



Sigma Mini 20W


RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010903702	●	20W	95	20°	3100K	1300lm
010903802	●	20W	95	56°	3100K	1300lm

Sigma Mini 27W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010903902	●	27W	95	20°	3100K	1800lm
010904002	●	27W	95	56°	3100K	1800lm



***DALI option 20W**

Add a D at the end of the ref.

***TRIAC option 20W**

Add a C at the end of the ref.

***CASAMBI option 20W**

Add a W at the end of the ref.

***DALI option 27W**

Add a D at the end of the ref.

***TRIAC option 27W**

Add a C at the end of the ref.


***CASAMBI option 27W**

Add a W at the end of the ref.




Cylinder


Cylinder **Nano**




Cylinder **Mini**



Cylinder





Cylinder Nano 7W

		P	CRI	BEAM	CCT	FLUX
010800101	○	7W	82	20°	2700K	600lm
010800102	●	7W	82	20°	2700K	600lm
010800201	○	7W	82	56°	2700K	600lm
010800202	●	7W	82	56°	2700K	600lm
010800301	○	7W	85	20°	3000K	650lm
010800302	●	7W	85	20°	3000K	650lm
010800401	○	7W	85	56°	3000K	650lm
010800402	●	7W	85	56°	3000K	650lm
010800501	○	7W	85	20°	4000K	700lm
010800502	●	7W	85	20°	4000K	700lm
010800601	○	7W	85	56°	4000K	700lm
010800602	●	7W	85	56°	4000K	700lm

Cylinder Nano 12W

010800701	○	12W	82	20°	2700K	1050lm
010800702	●	12W	82	20°	2700K	1050lm
010800801	○	12W	82	56°	2700K	1050lm
010800802	●	12W	82	56°	2700K	1050lm
010800901	○	12W	85	20°	3000K	1100lm
010800902	●	12W	85	20°	3000K	1100lm
010801001	○	12W	85	56°	3000K	1100lm
010801002	●	12W	85	56°	3000K	1100lm
010801101	○	12W	85	20°	4000K	1150lm
010801102	●	12W	85	20°	4000K	1150lm
010801201	○	12W	85	56°	4000K	1150lm
010801202	●	12W	85	56°	4000K	1150lm




*TRIAC option 12W

Add a C at the end of the ref.


*CASAMBI option 12W

Add a W at the end of the ref.



Cylinder Mini 12W

		P	CRI	BEAM	CCT	FLUX
010704101	○	12W	82	20°	2700K	950lm
010704102	●	12W	82	20°	2700K	950lm
010704201	○	12W	82	56°	2700K	950lm
010704202	●	12W	82	56°	2700K	950lm
010704301	○	12W	85	20°	3000K	1000lm
010704302	●	12W	85	20°	3000K	1000lm
010704401	○	12W	85	56°	3000K	1000lm
010704402	●	12W	85	56°	3000K	1000lm
010704501	○	12W	85	20°	4000K	1100lm
010704502	●	12W	85	20°	4000K	1100lm
010704601	○	12W	85	56°	4000K	1100lm
010704602	●	12W	85	56°	4000K	1100lm



*DALI option


Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 18W

		P	CRI	BEAM	CCT	FLUX
010704701	○	18W	82	20°	2700K	1450lm
010704702	●	18W	82	20°	2700K	1450lm
010704801	○	18W	82	56°	2700K	1450lm
010704802	●	18W	82	56°	2700K	1450lm
010704901	○	18W	85	20°	3000K	1500lm
010704902	●	18W	85	20°	3000K	1500lm
010705001	○	18W	85	56°	3000K	1500lm
010705002	●	18W	85	56°	3000K	1500lm
010705101	○	18W	85	20°	4000K	1600lm
010705102	●	18W	85	20°	4000K	1600lm
010705201	○	18W	85	56°	4000K	1600lm
010705202	●	18W	85	56°	4000K	1600lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 17W

CRI95

		P	CRI	BEAM	CCT	FLUX
010705301	○	17W	95	20°	2700K	1250lm
010705302	●	17W	95	20°	2700K	1250lm
010705401	○	17W	95	56°	2700K	1250lm
010705402	●	17W	95	56°	2700K	1250lm
010705501	○	17W	95	20°	3000K	1300lm
010705502	●	17W	95	20°	3000K	1300lm
010705601	○	17W	95	56°	3000K	1300lm
010705602	●	17W	95	56°	3000K	1300lm
010705701	○	17W	95	20°	4000K	1400lm
010705702	●	17W	95	20°	4000K	1400lm
010705801	○	17W	95	56°	4000K	1400lm
010705802	●	17W	95	56°	4000K	1400lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 24W

CRI95

		P	CRI	BEAM	CCT	FLUX
010705901	○	24W	95	20°	2700K	1800lm
010705902	●	24W	95	20°	2700K	1800lm
010706001	○	24W	95	56°	2700K	1800lm
010706002	●	24W	95	56°	2700K	1800lm
010706101	○	24W	95	20°	3000K	1850lm
010706102	●	24W	95	20°	3000K	1850lm
010706201	○	24W	95	56°	3000K	1850lm
010706202	●	24W	95	56°	3000K	1850lm
010706301	○	24W	95	20°	4000K	1950lm
010706302	●	24W	95	20°	4000K	1950lm
010706401	○	24W	95	56°	4000K	1950lm
010706402	●	24W	95	56°	4000K	1950lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 27W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
010706501	○	27W	82	20°	2700K	2000lm
010706502	●	27W	82	20°	2700K	2000lm
010706601	○	27W	82	56°	2700K	2000lm
010706602	●	27W	82	56°	2700K	2000lm
010706701	○	27W	85	20°	3000K	2050lm
010706702	●	27W	85	20°	3000K	2050lm
010706801	○	27W	85	56°	3000K	2050lm
010706802	●	27W	85	56°	3000K	2050lm
010706901	○	27W	85	20°	4000K	2150lm
010706902	●	27W	85	20°	4000K	2150lm
010707001	○	27W	85	56°	4000K	2150lm
010707002	●	27W	85	56°	4000K	2150lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder Mini 27W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010707101	○	27W	85	20°	fruits ●	1600lm
010707102	●	27W	85	20°	fruits ●	1600lm
010707201	○	27W	85	56°	fruits ●	1600lm
010707202	●	27W	85	56°	fruits ●	1600lm
010707301	○	27W	85	20°	fish ●	1700lm
010707302	●	27W	85	20°	fish ●	1700lm
010707401	○	27W	85	56°	fish ●	1700lm
010707402	●	27W	85	56°	fish ●	1700lm
010707501	○	27W	70	20°	meat ●	1500lm
010707502	●	27W	70	20°	meat ●	1500lm
010707601	○	27W	70	56°	meat ●	1500lm
010707602	●	27W	70	56°	meat ●	1500lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option 20W**

Add a D at the end of the ref.

***DALI option 27W**

Add a D at the end of the ref.

Cylinder Mini 20W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010707701	○	20W	95	20°	3100K	1300lm
010707702	●	20W	95	20°	3100K	1300lm
010707801	○	20W	95	56°	3100K	1300lm
010707802	●	20W	95	56°	3100K	1300lm

Cylinder Mini 27W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010707901	○	27W	95	20°	3100K	1800lm
010707902	●	27W	95	20°	3100K	1800lm
010708001	○	27W	95	56°	3100K	1800lm
010708002	●	27W	95	56°	3100K	1800lm



***TRIAC option 20W**

Add a C at the end of the ref.

***TRIAC option 27W**


Add a C at the end of the ref.

***CASAMBI option 20W**

Add a W at the end of the ref.

***CASAMBI option 27W**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 18W

		P	CRI	BEAM	CCT	FLUX
010604101	○	18W	82	20°	2700K	1350lm
010604102	●	18W	82	20°	2700K	1350lm
010604201	○	18W	82	56°	2700K	1350lm
010604202	●	18W	82	56°	2700K	1350lm
010604301	○	18W	85	20°	3000K	1400lm
010604302	●	18W	85	20°	3000K	1400lm
010604401	○	18W	85	56°	3000K	1400lm
010604402	●	18W	85	56°	3000K	1400lm
010604501	○	18W	85	20°	4000K	1500lm
010604502	●	18W	85	20°	4000K	1500lm
010604601	○	18W	85	56°	4000K	1500lm
010604602	●	18W	85	56°	4000K	1500lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 25W

		P	CRI	BEAM	CCT	FLUX
010604701	○	25W	85	20°	2700K	1850lm
010604702	●	25W	85	20°	2700K	1850lm
010604801	○	25W	85	56°	2700K	1850lm
010604802	●	25W	85	56°	2700K	1850lm
010604901	○	25W	85	20°	3000K	1900lm
010604902	●	25W	85	20°	3000K	1900lm
010605001	○	25W	85	56°	3000K	1900lm
010605002	●	25W	85	56°	3000K	1900lm
010605101	○	25W	85	20°	4000K	2000lm
010605102	●	25W	85	20°	4000K	2000lm
010605201	○	25W	85	56°	4000K	2000lm
010605202	●	25W	85	56°	4000K	2000lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 36W

CRI95

		P	CRI	BEAM	CCT	FLUX
010605901	○	36W	95	20°	2700K	2800lm
010605902	●	36W	95	20°	2700K	2800lm
010606001	○	36W	95	56°	2700K	2800lm
010606002	●	36W	95	56°	2700K	2800lm
010606101	○	36W	95	20°	3000K	2850lm
010606102	●	36W	95	20°	3000K	2850lm
010606201	○	36W	95	56°	3000K	2850lm
010606202	●	36W	95	56°	3000K	2850lm
010606301	○	36W	95	20°	4000K	2950lm
010606302	●	36W	95	20°	4000K	2950lm
010606401	○	36W	95	56°	4000K	2950lm
010606402	●	36W	95	56°	4000K	2950lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 36W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
010605301	○	36W	82	20°	2700K	2950lm
010605302	●	36W	82	20°	2700K	2950lm
010605401	○	36W	82	56°	2700K	2950lm
010605402	●	36W	82	56°	2700K	2950lm
010605501	○	36W	85	20°	3000K	3000lm
010605502	●	36W	85	20°	3000K	3000lm
010605601	○	36W	85	56°	3000K	3000lm
010605602	●	36W	85	56°	3000K	3000lm
010605701	○	36W	85	20°	4000K	3100lm
010605702	●	36W	85	20°	4000K	3100lm
010605801	○	36W	85	56°	4000K	3100lm
010605802	●	36W	85	56°	4000K	3100lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 24W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010606501	○	24W	85	20°	fruits ●	1600lm
010606502	●	24W	85	20°	fruits ●	1600lm
010606601	○	24W	85	56°	fruits ●	1600lm
010606602	●	24W	85	56°	fruits ●	1600lm
010606701	○	24W	85	20°	fish ●	1700lm
010606702	●	24W	85	20°	fish ●	1700lm
010606801	○	24W	85	56°	fish ●	1700lm
010606802	●	24W	85	56°	fish ●	1700lm
010606901	○	24W	70	20°	meat ●	1500lm
010606902	●	24W	70	20°	meat ●	1500lm
010607001	○	24W	70	56°	meat ●	1500lm
010607002	●	24W	70	56°	meat ●	1500lm




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 36W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607101	○	36W	85	20°	fruits ●	2350lm
010607102	●	36W	85	20°	fruits ●	2350lm
010607201	○	36W	85	56°	fruits ●	2350lm
010607202	●	36W	85	56°	fruits ●	2350lm
010607301	○	36W	85	20°	fish ●	2450lm
010607302	●	36W	85	20°	fish ●	2450lm
010607401	○	36W	85	56°	fish ●	2450lm
010607402	●	36W	85	56°	fish ●	2450lm
010607501	○	36W	70	20°	meat ●	2250lm
010607502	●	36W	70	20°	meat ●	2250lm
010607601	○	36W	70	56°	meat ●	2250lm
010607602	●	36W	70	56°	meat ●	2250lm



***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**



Add a W at the end of the ref.



Cylinder 24W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607701	○	24W	95	20°	3100K	1800lm
010607702	●	24W	95	20°	3100K	1800lm
010607801	○	24W	95	56°	3100K	1800lm
010607802	●	24W	95	56°	3100K	1800lm



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**


Add a W at the end of the ref.



Cylinder 36W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607901	○	36W	95	20°	3100K	2700lm
010607902	●	36W	95	20°	3100K	2700lm
010608001	○	36W	95	56°	3100K	2700lm
010608002	●	36W	95	56°	3100K	2700lm



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



Cylinder QR-111 LED

		P	SOCKET	V
01065701	○	MAX 12W	G53	12
01065702	●	MAX 12W	G53	12



Cylinder QR-111 LED TRIAC

		P	SOCKET	V
01065701R	○	MAX 15W	G53	12
01065702R	●	MAX 15W	G53	12





How to install

3Phase track, 16 A

Outer main supply installation
Instalación con cabezal de alimentación en el exterior


Inner main supply installation
Instalación con cabezal de alimentación en el interior




- | | |
|---|------------------------------|
| 1 | Outer "L" JOINT |
| 2 | inner "L" JOINT |
| 3 | Outer live end |
| 4 | inner live end |
| 5 | Outer "T" INTERMEDIATE JOINT |
| 6 | inner "T" INTERMEDIATE JOINT |
| 7 | CROSS JOINT |

Connection sketch *Esquema de conexiones*


1 Circuit




2 Circuit




3 Circuit



Recommended distance between fixage *Distancia recomendada entre fijaciones*




Max.Weight: 19,84 lb
 Peso máx.: 9 kg
 Max. 3 projectors = 3,8 KVA
 Máx. 3 proyectores = 3,8 KVA




Max.Weight: 33,06 lb
 Peso máx.: 15 kg
 Max. 5 projectors = 3,8 KVA
 Máx. 5 proyectores = 3,8 KVA

Accessories



Base for surface

01991301	○
01991302	●
01991303	●






*Adapter/track connector

01997001	○
01997002	●

*Only for/Sólo para: Triphase track

3Phase Track

Compatible with IVELA & GLOBAL



Surface & pendent 3 phase track

01990101	○	1000 mm
01990102	●	1000 mm
01990103	○	1000 mm
01990201	●	2000 mm
01990202	○	2000 mm
01990203	●	2000 mm

IP20 |

Surface & pendent Dali track

01995001	○	1000 mm
01995002	●	1000 mm
01995003	○	1000 mm
01995101	●	2000 mm
01995102	○	2000 mm
01995103	●	2000 mm

IP20 |

Recessed 3 phase track

01997101	○	1000 mm
01997102	●	1000 mm
01997201	○	2000 mm
01997202	●	2000 mm

IP20 |



Inner live end

01990601	○
01990602	●



Outer live end

01990701	○
01990702	●



Centre feed

01993301	○
01993302	●



Dali inner live end

01993501	○
01993502	●



Dali outer live end

01993601	○
01993602	●



Dali centre feed

01993401	○
01993402	●



Inner live end

01997401	○
01997402	●



Outer live end

01997301	○
01997302	●



Centre feed

01997801	○
01997802	●

Accessories for surface&pendant 3phase track, surface&pendant Dali track



Inner "L" Joint

01990501	○
01990502	●



Outer "L" Joint

01990401	○
01990402	●



Outer "T"

01990901	○
01990902	●



Inner "T"

01991601	○
01991602	●



Ceiling kit 1piece

01991201	○
----------	---



Cross Joint

01991001	○
01991002	●



Intermediate Joint

01990801	○
01990802	●



End cap

01991101	○
01991102	●



Flexible "L"

01993201	○
01993202	●



Pendant Kit 2000

01990301	○
01990302	●

Accessories for recessed 3phase track



Intermediate Joint

01997501	○
01997502	●



End cap

01997701	○
01997702	●




Ceiling Kit 1piece


01997601	○
----------	---




Deep



Deep **Small**




Deep **Medium**



Deep **Large**



TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	01 Round/Redondo	35 350 mA	827 2700K 620lm	1 15°	1 ○ white	- No accesory
	02 Round Trimless/Redondo sin marco		830 3000K 650lm	3 36°	2 ● black	H Honeycomb
	03 Square/Cuadrado		840 4000K 690lm	6 60°		S Stripy
	04 Square Trimless/Cuadrado sin marco		930 3000K 580lm CRI95			D Spread
			940 4000K 600lm CRI95			



Deep 60 Round

	P	CCT	FLUX	CRI	BEAM
30135 827 1 1	6/11W	2700K	620lm	-	15° ○
30135 827 1 2	6/11W	2700K	620lm	-	15° ●
30135 827 3 1	6/11W	2700K	620lm	-	36° ○
30135 827 3 2	6/11W	2700K	620lm	-	36° ●
30135 827 6 1	6/11W	2700K	620lm	-	60° ○
30135 827 6 2	6/11W	2700K	620lm	-	60° ●
30135 830 1 1	6/11W	3000K	650lm	-	15° ○
30135 830 1 2	6/11W	3000K	650lm	-	15° ●
30135 830 3 1	6/11W	3000K	650lm	-	36° ○
30135 830 3 2	6/11W	3000K	650lm	-	36° ●
30135 830 6 1	6/11W	3000K	650lm	-	60° ○
30135 830 6 2	6/11W	3000K	650lm	-	60° ●
30135 840 1 1	6/11W	4000K	640lm	-	15° ○
30135 840 1 2	6/11W	4000K	690lm	-	15° ●
30135 840 3 1	6/11W	4000K	690lm	-	36° ○
30135 840 3 2	6/11W	4000K	690lm	-	36° ●
30135 840 6 1	6/11W	4000K	690lm	-	60° ○
30135 840 6 2	6/11W	4000K	690lm	-	60° ●
30135 930 1 1	6/11W	3000K	580lm	95	15° ○
30135 930 1 2	6/11W	3000K	580lm	95	15° ●
30135 930 3 1	6/11W	3000K	580lm	95	36° ○
30135 930 3 2	6/11W	3000K	580lm	95	36° ●
30135 930 6 1	6/11W	3000K	580lm	95	60° ○
30135 930 6 2	6/11W	3000K	580lm	95	60° ●
30135 940 1 1	6/11W	4000K	600lm	95	15° ○
30135 940 1 2	6/11W	4000K	600lm	95	15° ●
30135 940 3 1	6/11W	4000K	600lm	95	36° ○
30135 940 3 2	6/11W	4000K	600lm	95	36° ●
30135 940 6 1	6/11W	4000K	600lm	95	60° ○
30135 940 6 2	6/11W	4000K	600lm	95	60° ●


- *6W 100-240V Driver not incl.
98310620
- *TRIAC 6W Driver not incl.
98310509C
- *11W 100-240V Driver not incl.
98310116
- *TRIAC 11W Driver not incl.
98310114C
- *DALI 11W Driver not incl.
98310536
- *CASAMBI 11W Driver not incl.
98310538



*Accessory Honeycomb not incl.
Add an H at the end of the ref.




*Accessory Spread not incl.
Add a D at the end of the ref.



*Accessory Stripy not incl.
Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	01 Round/Redondo	35 350 mA	827 2700K 620lm	1 15°	1 ○ white	- No accesory
	02 Round Trimless/Redondo sin marco		830 3000K 650lm	3 36°	2 ● black	H Honeycomb
	03 Square/Cuadrado		840 4000K 690lm	6 60°		S Stripy
	04 Square Trimless/Cuadrado sin marco		930 3000K 580lm CRI95			D Spread
			940 4000K 600lm CRI95			



Deep 60 Round Trimless

	P	CCT	FLUX	CRI	BEAM
30235 827 1 1	6/11W	2700K	620lm	-	15° ○
30235 827 1 2	6/11W	2700K	620lm	-	15° ●
30235 827 3 1	6/11W	2700K	620lm	-	36° ○
30235 827 3 2	6/11W	2700K	620lm	-	36° ●
30235 827 6 1	6/11W	2700K	620lm	-	60° ○
30235 827 6 2	6/11W	2700K	620lm	-	60° ●
30235 830 1 1	6/11W	3000K	650lm	-	15° ○
30235 830 1 2	6/11W	3000K	650lm	-	15° ●
30235 830 3 1	6/11W	3000K	650lm	-	36° ○
30235 830 3 2	6/11W	3000K	650lm	-	36° ●
30235 830 6 1	6/11W	3000K	650lm	-	60° ○
30235 830 6 2	6/11W	3000K	650lm	-	60° ●
30235 840 1 1	6/11W	4000K	640lm	-	15° ○
30235 840 1 2	6/11W	4000K	690lm	-	15° ●
30235 840 3 1	6/11W	4000K	690lm	-	36° ○
30235 840 3 2	6/11W	4000K	690lm	-	36° ●
30235 840 6 1	6/11W	4000K	690lm	-	60° ○
30235 840 6 2	6/11W	4000K	690lm	-	60° ●
30235 930 1 1	6/11W	3000K	580lm	95	15° ○
30235 930 1 2	6/11W	3000K	580lm	95	15° ●
30235 930 3 1	6/11W	3000K	580lm	95	36° ○
30235 930 3 2	6/11W	3000K	580lm	95	36° ●
30235 930 6 1	6/11W	3000K	580lm	95	60° ○
30235 930 6 2	6/11W	3000K	580lm	95	60° ●
30235 940 1 1	6/11W	4000K	600lm	95	15° ○
30235 940 1 2	6/11W	4000K	600lm	95	15° ●
30235 940 3 1	6/11W	4000K	600lm	95	36° ○
30235 940 3 2	6/11W	4000K	600lm	95	36° ●
30235 940 6 1	6/11W	4000K	600lm	95	60° ○
30235 940 6 2	6/11W	4000K	600lm	95	60° ●

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	01 Round/Redondo	35 350 mA	827 2700K 620lm	1 15°	1 ○ white	- No accesory
	02 Round Trimless/Redondo sin marco		830 3000K 650lm	3 36°	2 ● black	H Honeycomb
	03 Square/Cuadrado		840 4000K 690lm	6 60°		S Stripy
	04 Square Trimless/Cuadrado sin marco		930 3000K 580lm CRI95			D Spread
			940 4000K 600lm CRI95			



Deep 60 Square

	P	CCT	FLUX	CRI	BEAM
30335 827 1 1	6/11W	2700K	620lm	-	15° ○
30335 827 1 2	6/11W	2700K	620lm	-	15° ●
30335 827 3 1	6/11W	2700K	620lm	-	36° ○
30335 827 3 2	6/11W	2700K	620lm	-	36° ●
30335 827 6 1	6/11W	2700K	620lm	-	60° ○
30335 827 6 2	6/11W	2700K	620lm	-	60° ●
30335 830 1 1	6/11W	3000K	650lm	-	15° ○
30335 830 1 2	6/11W	3000K	650lm	-	15° ●
30335 830 3 1	6/11W	3000K	650lm	-	36° ○
30335 830 3 2	6/11W	3000K	650lm	-	36° ●
30335 830 6 1	6/11W	3000K	650lm	-	60° ○
30335 830 6 2	6/11W	3000K	650lm	-	60° ●
30335 840 1 1	6/11W	4000K	640lm	-	15° ○
30335 840 1 2	6/11W	4000K	690lm	-	15° ●
30335 840 3 1	6/11W	4000K	690lm	-	36° ○
30335 840 3 2	6/11W	4000K	690lm	-	36° ●
30335 840 6 1	6/11W	4000K	690lm	-	60° ○
30335 840 6 2	6/11W	4000K	690lm	-	60° ●
30335 930 1 1	6/11W	3000K	580lm	95	15° ○
30335 930 1 2	6/11W	3000K	580lm	95	15° ●
30335 930 3 1	6/11W	3000K	580lm	95	36° ○
30335 930 3 2	6/11W	3000K	580lm	95	36° ●
30335 930 6 1	6/11W	3000K	580lm	95	60° ○
30335 930 6 2	6/11W	3000K	580lm	95	60° ●
30335 940 1 1	6/11W	4000K	600lm	95	15° ○
30335 940 1 2	6/11W	4000K	600lm	95	15° ●
30335 940 3 1	6/11W	4000K	600lm	95	36° ○
30335 940 3 2	6/11W	4000K	600lm	95	36° ●
30335 940 6 1	6/11W	4000K	600lm	95	60° ○
30335 940 6 2	6/11W	4000K	600lm	95	60° ●

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	01 Round/Redondo	35 350 mA	827 2700K 620lm	1 15°	1 ○ white	- No accesory
	02 Round Trimless/Redondo sin marco		830 3000K 650lm			
	03 Square/Cuadrado		840 4000K 690lm	6 60°		S Stripy
	04 Square Trimless/Cuadrado sin marco		930 3000K 580lm CRI95			
			940 4000K 600lm CRI95			



Deep 60 Square Trimless

	P	CCT	FLUX	CRI	BEAM
30435 827 1 1	6/11W	2700K	620lm	-	15° ○
30435 827 1 2	6/11W	2700K	620lm	-	15° ●
30435 827 3 1	6/11W	2700K	620lm	-	36° ○
30435 827 3 2	6/11W	2700K	620lm	-	36° ●
30435 827 6 1	6/11W	2700K	620lm	-	60° ○
30435 827 6 2	6/11W	2700K	620lm	-	60° ●
30435 830 1 1	6/11W	3000K	650lm	-	15° ○
30435 830 1 2	6/11W	3000K	650lm	-	15° ●
30435 830 3 1	6/11W	3000K	650lm	-	36° ○
30435 830 3 2	6/11W	3000K	650lm	-	36° ●
30435 830 6 1	6/11W	3000K	650lm	-	60° ○
30435 830 6 2	6/11W	3000K	650lm	-	60° ●
30435 840 1 1	6/11W	4000K	640lm	-	15° ○
30435 840 1 2	6/11W	4000K	690lm	-	15° ●
30435 840 3 1	6/11W	4000K	690lm	-	36° ○
30435 840 3 2	6/11W	4000K	690lm	-	36° ●
30435 840 6 1	6/11W	4000K	690lm	-	60° ○
30435 840 6 2	6/11W	4000K	690lm	-	60° ●
30435 930 1 1	6/11W	3000K	580lm	95	15° ○
30435 930 1 2	6/11W	3000K	580lm	95	15° ●
30435 930 3 1	6/11W	3000K	580lm	95	36° ○
30435 930 3 2	6/11W	3000K	580lm	95	36° ●
30435 930 6 1	6/11W	3000K	580lm	95	60° ○
30435 930 6 2	6/11W	3000K	580lm	95	60° ●
30435 940 1 1	6/11W	4000K	600lm	95	15° ○
30435 940 1 2	6/11W	4000K	600lm	95	15° ●
30435 940 3 1	6/11W	4000K	600lm	95	36° ○
30435 940 3 2	6/11W	4000K	600lm	95	36° ●
30435 940 6 1	6/11W	4000K	600lm	95	60° ○
30435 940 6 2	6/11W	4000K	600lm	95	60° ●

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.




*Accessory Stripy not incl.

Add an S at the end of the ref.

430 Deep Medium | 3 | 0 | 5 | 5 | 0 | | | | | | |

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	05 Round/Redondo	50 500 mA	827 2700K 1100lm	1 15°	1 ○ white	- No accesory
	06 Round Trimless/Redondo sin marco		830 3000K 1190lm	3 36°	2 ● black	H Honeycomb
	07 Square/Cuadrado		840 4000K 1240lm	6 60°		S Stripy
	08 Square Trimless/Cuadrado sin marco		930 3000K 950lm CRI95			D Spread
			940 4000K 1050lm CRI95			



Deep 78 Round

	P	CCT	FLUX	CRI	BEAM
30550 827 1 1	12/18W	2700K	1100lm	-	15° ○
30550 827 1 2	12/18W	2700K	1100lm	-	15° ●
30550 827 3 1	12/18W	2700K	1100lm	-	36° ○
30550 827 3 2	12/18W	2700K	1100lm	-	36° ●
30550 827 6 1	12/18W	2700K	1100lm	-	60° ○
30550 827 6 2	12/18W	2700K	1100lm	-	60° ●
30550 830 1 1	12/18W	3000K	1190lm	-	15° ○
30550 830 1 2	12/18W	3000K	1190lm	-	15° ●
30550 830 3 1	12/18W	3000K	1190lm	-	36° ○
30550 830 3 2	12/18W	3000K	1190lm	-	36° ●
30550 830 6 1	12/18W	3000K	1190lm	-	60° ○
30550 830 6 2	12/18W	3000K	1190lm	-	60° ●
30550 840 1 1	12/18W	4000K	1240lm	-	15° ○
30550 840 1 2	12/18W	4000K	1240lm	-	15° ●
30550 840 3 1	12/18W	4000K	1240lm	-	36° ○
30550 840 3 2	12/18W	4000K	1240lm	-	36° ●
30550 840 6 1	12/18W	4000K	1240lm	-	60° ○
30550 840 6 2	12/18W	4000K	1240lm	-	60° ●
30550 930 1 1	12/18W	3000K	950lm	95	15° ○
30550 930 1 2	12/18W	3000K	950lm	95	15° ●
30550 930 3 1	12/18W	3000K	950lm	95	36° ○
30550 930 3 2	12/18W	3000K	950lm	95	36° ●
30550 930 6 1	12/18W	3000K	950lm	95	60° ○
30550 930 6 2	12/18W	3000K	950lm	95	60° ●
30550 940 1 1	12/18W	4000K	1050lm	95	15° ○
30550 940 1 2	12/18W	4000K	1050lm	95	15° ●
30550 940 3 1	12/18W	4000K	1050lm	95	36° ○
30550 940 3 2	12/18W	4000K	1050lm	95	36° ●
30550 940 6 1	12/18W	4000K	1050lm	95	60° ○
30550 940 6 2	12/18W	4000K	1050lm	95	60° ●

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	05 Round/Redondo	50 500 mA	827 2700K 1100lm	1 15°	1 ○ white	- No accesory
	06 Round Trimless/Redondo sin marco		830 3000K 1190lm	3 36°	2 ● black	H Honeycomb
	07 Square/Cuadrado		840 4000K 1240lm	6 60°		S Stripy
	08 Square Trimless/Cuadrado sin marco		930 3000K 950lm CRI95			D Spread
			940 4000K 1050lm CRI95			



Deep 78 Round Trimless

	P	CCT	FLUX	CRI	BEAM
30650 827 1 1	12/18W	2700K	1100lm	-	15° ○
30650 827 1 2	12/18W	2700K	1100lm	-	15° ●
30650 827 3 1	12/18W	2700K	1100lm	-	36° ○
30650 827 3 2	12/18W	2700K	1100lm	-	36° ●
30650 827 6 1	12/18W	2700K	1100lm	-	60° ○
30650 827 6 2	12/18W	2700K	1100lm	-	60° ●
30650 830 1 1	12/18W	3000K	1190lm	-	15° ○
30650 830 1 2	12/18W	3000K	1190lm	-	15° ●
30650 830 3 1	12/18W	3000K	1190lm	-	36° ○
30650 830 3 2	12/18W	3000K	1190lm	-	36° ●
30650 830 6 1	12/18W	3000K	1190lm	-	60° ○
30650 830 6 2	12/18W	3000K	1190lm	-	60° ●
30650 840 1 1	12/18W	4000K	1240lm	-	15° ○
30650 840 1 2	12/18W	4000K	1240lm	-	15° ●
30650 840 3 1	12/18W	4000K	1240lm	-	36° ○
30650 840 3 2	12/18W	4000K	1240lm	-	36° ●
30650 840 6 1	12/18W	4000K	1240lm	-	60° ○
30650 840 6 2	12/18W	4000K	1240lm	-	60° ●
30650 930 1 1	12/18W	3000K	950lm	95	15° ○
30650 930 1 2	12/18W	3000K	950lm	95	15° ●
30650 930 3 1	12/18W	3000K	950lm	95	36° ○
30650 930 3 2	12/18W	3000K	950lm	95	36° ●
30650 930 6 1	12/18W	3000K	950lm	95	60° ○
30650 930 6 2	12/18W	3000K	950lm	95	60° ●
30650 940 1 1	12/18W	4000K	1050lm	95	15° ○
30650 940 1 2	12/18W	4000K	1050lm	95	15° ●
30650 940 3 1	12/18W	4000K	1050lm	95	36° ○
30650 940 3 2	12/18W	4000K	1050lm	95	36° ●
30650 940 6 1	12/18W	4000K	1050lm	95	60° ○
30650 940 6 2	12/18W	4000K	1050lm	95	60° ●

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.




*Accessory Stripy not incl.

Add an S at the end of the ref.

432 Deep Medium | 3 | 0 | 7 | 5 | 0 | | | | | | | |

TYOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	05 Round/Redondo	50 500 mA	827 2700K 1100lm	1 15°	1 ○ white	- No accesory
	06 Round Trimless/Redondo sin marco		830 3000K 1190lm	3 36°	2 ● black	H Honeycomb
	07 Square/Cuadrado		840 4000K 1240lm	6 60°		S Stripy
	08 Square Trimless/Cuadrado sin marco		930 3000K 950lm CRI95			D Spread
			940 4000K 1050lm CRI95			



Deep 78 Square

	P	CCT	FLUX	CRI	BEAM
30750 827 1 1	12/18W	2700K	1100lm	-	15° ○
30750 827 1 2	12/18W	2700K	1100lm	-	15° ●
30750 827 3 1	12/18W	2700K	1100lm	-	36° ○
30750 827 3 2	12/18W	2700K	1100lm	-	36° ●
30750 827 6 1	12/18W	2700K	1100lm	-	60° ○
30750 827 6 2	12/18W	2700K	1100lm	-	60° ●
30750 830 1 1	12/18W	3000K	1190lm	-	15° ○
30750 830 1 2	12/18W	3000K	1190lm	-	15° ●
30750 830 3 1	12/18W	3000K	1190lm	-	36° ○
30750 830 3 2	12/18W	3000K	1190lm	-	36° ●
30750 830 6 1	12/18W	3000K	1190lm	-	60° ○
30750 830 6 2	12/18W	3000K	1190lm	-	60° ●
30750 840 1 1	12/18W	4000K	1240lm	-	15° ○
30750 840 1 2	12/18W	4000K	1240lm	-	15° ●
30750 840 3 1	12/18W	4000K	1240lm	-	36° ○
30750 840 3 2	12/18W	4000K	1240lm	-	36° ●
30750 840 6 1	12/18W	4000K	1240lm	-	60° ○
30750 840 6 2	12/18W	4000K	1240lm	-	60° ●
30750 930 1 1	12/18W	3000K	950lm	95	15° ○
30750 930 1 2	12/18W	3000K	950lm	95	15° ●
30750 930 3 1	12/18W	3000K	950lm	95	36° ○
30750 930 3 2	12/18W	3000K	950lm	95	36° ●
30750 930 6 1	12/18W	3000K	950lm	95	60° ○
30750 930 6 2	12/18W	3000K	950lm	95	60° ●
30750 940 1 1	12/18W	4000K	1050lm	95	15° ○
30750 940 1 2	12/18W	4000K	1050lm	95	15° ●
30750 940 3 1	12/18W	4000K	1050lm	95	36° ○
30750 940 3 2	12/18W	4000K	1050lm	95	36° ●
30750 940 6 1	12/18W	4000K	1050lm	95	60° ○
30750 940 6 2	12/18W	4000K	1050lm	95	60° ●

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
3 Recessed	05 Round/Redondo	50 500 mA	827 2700K 1100lm	1 15°	1 ○ white	- No accesory
	06 Round Trimless/Redondo sin marco		830 3000K 1190lm	3 36°	2 ● black	H Honeycomb
	07 Square/Cuadrado		840 4000K 1240lm	6 60°		S Stripy
	08 Square Trimless/Cuadrado sin marco		930 3000K 950lm CRI95			D Spread
			940 4000K 1050lm CRI95			



Deep 78 Square Trimless

	P	CCT	FLUX	CRI	BEAM
30850 827 1 1 1	12/18W	2700K	1100lm	-	15° ○
30850 827 1 2 2	12/18W	2700K	1100lm	-	15° ●
30850 827 3 1 1	12/18W	2700K	1100lm	-	36° ○
30850 827 3 2 2	12/18W	2700K	1100lm	-	36° ●
30850 827 6 1 1	12/18W	2700K	1100lm	-	60° ○
30850 827 6 2 2	12/18W	2700K	1100lm	-	60° ●
30850 830 1 1 1	12/18W	3000K	1190lm	-	15° ○
30850 830 1 2 2	12/18W	3000K	1190lm	-	15° ●
30850 830 3 1 1	12/18W	3000K	1190lm	-	36° ○
30850 830 3 2 2	12/18W	3000K	1190lm	-	36° ●
30850 830 6 1 1	12/18W	3000K	1190lm	-	60° ○
30850 830 6 2 2	12/18W	3000K	1190lm	-	60° ●
30850 840 1 1 1	12/18W	4000K	1240lm	-	15° ○
30850 840 1 2 2	12/18W	4000K	1240lm	-	15° ●
30850 840 3 1 1	12/18W	4000K	1240lm	-	36° ○
30850 840 3 2 2	12/18W	4000K	1240lm	-	36° ●
30850 840 6 1 1	12/18W	4000K	1240lm	-	60° ○
30850 840 6 2 2	12/18W	4000K	1240lm	-	60° ●
30850 930 1 1 1	12/18W	3000K	950lm	95	15° ○
30850 930 1 2 2	12/18W	3000K	950lm	95	15° ●
30850 930 3 1 1	12/18W	3000K	950lm	95	36° ○
30850 930 3 2 2	12/18W	3000K	950lm	95	36° ●
30850 930 6 1 1	12/18W	3000K	950lm	95	60° ○
30850 930 6 2 2	12/18W	3000K	950lm	95	60° ●
30850 940 1 1 1	12/18W	4000K	1050lm	95	15° ○
30850 940 1 2 2	12/18W	4000K	1050lm	95	15° ●
30850 940 3 1 1	12/18W	4000K	1050lm	95	36° ○
30850 940 3 2 2	12/18W	4000K	1050lm	95	36° ●
30850 940 6 1 1	12/18W	4000K	1050lm	95	60° ○
30850 940 6 2 2	12/18W	4000K	1050lm	95	60° ●

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY		
3 Recessed	09 Round/Redondo	10 1050 mA	827 2700K 2400lm	1 15°	1 ○ white	- No accessory		
	10 Round Trimless/Redondo sin marco		830 3000K 2550lm				3 36°	2 ● black
	11 Square/Cuadrado		840 4000K 2650lm	6 60°	S Stripy			
	12 Square Trimless/Cuadrado sin marco		927 2700K 2020lm CRI95			D Spread		
	930 3000K 2100lm CRI95							
940 4000K 2300lm CRI95								
941 P.White 2050lm CRI95								



Deep 90 Round

	P	CCT	FLUX	CRI	BEAM
30910 827 1 1	18/25/39W	2700K	2400lm	-	15° ○
30910 827 1 2	18/25/39W	2700K	2400lm	-	15° ●
30910 827 3 1	18/25/39W	2700K	2400lm	-	36° ○
30910 827 3 2	18/25/39W	2700K	2400lm	-	36° ●
30910 827 6 1	18/25/39W	2700K	2400lm	-	60° ○
30910 827 6 2	18/25/39W	2700K	2400lm	-	60° ●
30910 830 1 1	18/25/39W	3000K	2550lm	-	15° ○
30910 830 1 2	18/25/39W	3000K	2550lm	-	15° ●
30910 830 3 1	18/25/39W	3000K	2550lm	-	36° ○
30910 830 3 2	18/25/39W	3000K	2550lm	-	36° ●
30910 830 6 1	18/25/39W	3000K	2550lm	-	60° ○
30910 830 6 2	18/25/39W	3000K	2550lm	-	60° ●
30910 840 1 1	18/25/39W	4000K	2650lm	-	15° ○
30910 840 1 2	18/25/39W	4000K	2650lm	-	15° ●
30910 840 3 1	18/25/39W	4000K	2650lm	-	36° ○
30910 840 3 2	18/25/39W	4000K	2650lm	-	36° ●
30910 840 6 1	18/25/39W	4000K	2650lm	-	60° ○
30910 840 6 2	18/25/39W	4000K	2650lm	-	60° ●
30910 927 1 1	18/25/39W	2700K	2020lm	95	15° ○
30910 927 1 2	18/25/39W	2700K	2020lm	95	15° ●
30910 927 3 1	18/25/39W	2700K	2020lm	95	36° ○
30910 927 3 2	18/25/39W	2700K	2020lm	95	36° ●
30910 927 6 1	18/25/39W	2700K	2020lm	95	60° ○
30910 927 6 2	18/25/39W	2700K	2020lm	95	60° ●
30910 930 1 1	18/25/39W	3000K	2020lm	95	15° ○
30910 930 1 2	18/25/39W	3000K	2020lm	95	15° ●
30910 930 3 1	18/25/39W	3000K	2020lm	95	36° ○
30910 930 3 2	18/25/39W	3000K	2020lm	95	36° ●
30910 930 6 1	18/25/39W	3000K	2020lm	95	60° ○
30910 930 6 2	18/25/39W	3000K	2020lm	95	60° ●
30910 940 1 1	18/25/39W	4000K	2300lm	95	15° ○
30910 940 1 2	18/25/39W	4000K	2300lm	95	15° ●
30910 940 3 1	18/25/39W	4000K	2300lm	95	36° ○
30910 940 3 2	18/25/39W	4000K	2300lm	95	36° ●
30910 940 6 1	18/25/39W	4000K	2300lm	95	60° ○
30910 940 6 2	18/25/39W	4000K	2300lm	95	60° ●
30910 941 1 1	18/25/39W	P.White	2050lm	95	15° ○
30910 941 1 2	18/25/39W	P.White	2050lm	95	15° ●
30910 941 3 1	18/25/39W	P.White	2050lm	95	36° ○
30910 941 3 2	18/25/39W	P.White	2050lm	95	36° ●
30910 941 6 1	18/25/39W	P.White	2050lm	95	60° ○
30910 941 6 2	18/25/39W	P.White	2050lm	95	60° ●

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY		
3 Recessed	09 Round/Redondo	10 1050 mA	827 2700K 2400lm	1 15°	1 ○ white	- No accessory		
	10 Round Trimless/Redondo sin marco		830 3000K 2550lm				3 36°	2 ● black
	11 Square/Cuadrado		840 4000K 2650lm	6 60°	S Stripy			
	12 Square Trimless/Cuadrado sin marco		927 2700K 2020lm CRI95			D Spread		
	930 3000K 2100lm CRI95							
940 4000K 2300lm CRI95								
941 P.White 2050lm CRI95								



Deep 90 Round Trimless

P	CCT	FLUX	CRI	BEAM
31010 827 1 1	18/25/39W	2700K	2400lm	- 15° ○
31010 827 1 2	18/25/39W	2700K	2400lm	- 15° ●
31010 827 3 1	18/25/39W	2700K	2400lm	- 36° ○
31010 827 3 2	18/25/39W	2700K	2400lm	- 36° ●
31010 827 6 1	18/25/39W	2700K	2400lm	- 60° ○
31010 827 6 2	18/25/39W	2700K	2400lm	- 60° ●
31010 830 1 1	18/25/39W	3000K	2550lm	- 15° ○
31010 830 1 2	18/25/39W	3000K	2550lm	- 15° ●
31010 830 3 1	18/25/39W	3000K	2550lm	- 36° ○
31010 830 3 2	18/25/39W	3000K	2550lm	- 36° ●
31010 830 6 1	18/25/39W	3000K	2550lm	- 60° ○
31010 830 6 2	18/25/39W	3000K	2550lm	- 60° ●
31010 840 1 1	18/25/39W	4000K	2650lm	- 15° ○
31010 840 1 2	18/25/39W	4000K	2650lm	- 15° ●
31010 840 3 1	18/25/39W	4000K	2650lm	- 36° ○
31010 840 3 2	18/25/39W	4000K	2650lm	- 36° ●
31010 840 6 1	18/25/39W	4000K	2650lm	- 60° ○
31010 840 6 2	18/25/39W	4000K	2650lm	- 60° ●
31010 927 1 1	18/25/39W	2700K	2020lm	95 15° ○
31010 927 1 2	18/25/39W	2700K	2020lm	95 15° ●
31010 927 3 1	18/25/39W	2700K	2020lm	95 36° ○
31010 927 3 2	18/25/39W	2700K	2020lm	95 36° ●
31010 927 6 1	18/25/39W	2700K	2020lm	95 60° ○
31010 927 6 2	18/25/39W	2700K	2020lm	95 60° ●
31010 930 1 1	18/25/39W	3000K	2020lm	95 15° ○
31010 930 1 2	18/25/39W	3000K	2020lm	95 15° ●
31010 930 3 1	18/25/39W	3000K	2020lm	95 36° ○
31010 930 3 2	18/25/39W	3000K	2020lm	95 36° ●
31010 930 6 1	18/25/39W	3000K	2020lm	95 60° ○
31010 930 6 2	18/25/39W	3000K	2020lm	95 60° ●
31010 940 1 1	18/25/39W	4000K	2300lm	95 15° ○
31010 940 1 2	18/25/39W	4000K	2300lm	95 15° ●
31010 940 3 1	18/25/39W	4000K	2300lm	95 36° ○
31010 940 3 2	18/25/39W	4000K	2300lm	95 36° ●
31010 940 6 1	18/25/39W	4000K	2300lm	95 60° ○
31010 940 6 2	18/25/39W	4000K	2300lm	95 60° ●
31010 941 1 1	18/25/39W	P.White	2050lm	95 15° ○
31010 941 1 2	18/25/39W	P.White	2050lm	95 15° ●
31010 941 3 1	18/25/39W	P.White	2050lm	95 36° ○
31010 941 3 2	18/25/39W	P.White	2050lm	95 36° ●
31010 941 6 1	18/25/39W	P.White	2050lm	95 60° ○
31010 941 6 2	18/25/39W	P.White	2050lm	95 60° ●

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY
3 Recessed	09 Round/Redondo	10 1050 mA	827 2700K 2400lm	1 15°	1 ○ white	- No accessory
	10 Round Trimless/Redondo sin marco		830 3000K 2550lm	3 36°	2 ● black	H Honeycomb
	11 Square/Cuadrado		840 4000K 2650lm	6 60°		S Stripy
	12 Square Trimless/Cuadrado sin marco		927 2700K 2020lm CRI95			D Spread
			930 3000K 2100lm CRI95			
			940 4000K 2300lm CRI95			
			941 P.White 2050lm CRI95			



Deep 90 Square

P	CCT	FLUX	CRI	BEAM		
31110 827 1 1	18/25/39W	2700K	2400lm	-	15°	○
31110 827 1 2	18/25/39W	2700K	2400lm	-	15°	●
31110 827 3 1	18/25/39W	2700K	2400lm	-	36°	○
31110 827 3 2	18/25/39W	2700K	2400lm	-	36°	●
31110 827 6 1	18/25/39W	2700K	2400lm	-	60°	○
31110 827 6 2	18/25/39W	2700K	2400lm	-	60°	●
31110 830 1 1	18/25/39W	3000K	2550lm	-	15°	○
31110 830 1 2	18/25/39W	3000K	2550lm	-	15°	●
31110 830 3 1	18/25/39W	3000K	2550lm	-	36°	○
31110 830 3 2	18/25/39W	3000K	2550lm	-	36°	●
31110 830 6 1	18/25/39W	3000K	2550lm	-	60°	○
31110 830 6 2	18/25/39W	3000K	2550lm	-	60°	●
31110 840 1 1	18/25/39W	4000K	2650lm	-	15°	○
31110 840 1 2	18/25/39W	4000K	2650lm	-	15°	●
31110 840 3 1	18/25/39W	4000K	2650lm	-	36°	○
31110 840 3 2	18/25/39W	4000K	2650lm	-	36°	●
31110 840 6 1	18/25/39W	4000K	2650lm	-	60°	○
31110 840 6 2	18/25/39W	4000K	2650lm	-	60°	●
31110 927 1 1	18/25/39W	2700K	2020lm	95	15°	○
31110 927 1 2	18/25/39W	2700K	2020lm	95	15°	●
31110 927 3 1	18/25/39W	2700K	2020lm	95	36°	○
31110 927 3 2	18/25/39W	2700K	2020lm	95	36°	●
31110 927 6 1	18/25/39W	2700K	2020lm	95	60°	○
31110 927 6 2	18/25/39W	2700K	2020lm	95	60°	●
31110 930 1 1	18/25/39W	3000K	2020lm	95	15°	○
31110 930 1 2	18/25/39W	3000K	2020lm	95	15°	●
31110 930 3 1	18/25/39W	3000K	2020lm	95	36°	○
31110 930 3 2	18/25/39W	3000K	2020lm	95	36°	●
31110 930 6 1	18/25/39W	3000K	2020lm	95	60°	○
31110 930 6 2	18/25/39W	3000K	2020lm	95	60°	●
31110 940 1 1	18/25/39W	4000K	2300lm	95	15°	○
31110 940 1 2	18/25/39W	4000K	2300lm	95	15°	●
31110 940 3 1	18/25/39W	4000K	2300lm	95	36°	○
31110 940 3 2	18/25/39W	4000K	2300lm	95	36°	●
31110 940 6 1	18/25/39W	4000K	2300lm	95	60°	○
31110 940 6 2	18/25/39W	4000K	2300lm	95	60°	●
31110 941 1 1	18/25/39W	P.White	2050lm	95	15°	○
31110 941 1 2	18/25/39W	P.White	2050lm	95	15°	●
31110 941 3 1	18/25/39W	P.White	2050lm	95	36°	○
31110 941 3 2	18/25/39W	P.White	2050lm	95	36°	●
31110 941 6 1	18/25/39W	P.White	2050lm	95	60°	○
31110 941 6 2	18/25/39W	P.White	2050lm	95	60°	●

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY
3 Recessed	09 Round/Redondo	10 1050 mA	827 2700K 2400lm	1 15°	1 ○ white	- No accessory
	10 Round Trimless/Redondo sin marco		830 3000K 2550lm	3 36°	2 ● black	H Honeycomb
	11 Square/Cuadrado		840 4000K 2650lm	6 60°		S Stripy
	12 Square Trimless/Cuadrado sin marco		927 2700K 2020lm CRI95			D Spread
			930 3000K 2100lm CRI95			
			940 4000K 2300lm CRI95			
			941 P.White 2050lm CRI95			



Deep 90 Square Trimless

P	CCT	FLUX	CRI	BEAM		
31210 827 1 1	18/25/39W	2700K	2400lm	-	15°	○
31210 827 1 2	18/25/39W	2700K	2400lm	-	15°	●
31210 827 3 1	18/25/39W	2700K	2400lm	-	36°	○
31210 827 3 2	18/25/39W	2700K	2400lm	-	36°	●
31210 827 6 1	18/25/39W	2700K	2400lm	-	60°	○
31210 827 6 2	18/25/39W	2700K	2400lm	-	60°	●
31210 830 1 1	18/25/39W	3000K	2550lm	-	15°	○
31210 830 1 2	18/25/39W	3000K	2550lm	-	15°	●
31210 830 3 1	18/25/39W	3000K	2550lm	-	36°	○
31210 830 3 2	18/25/39W	3000K	2550lm	-	36°	●
31210 830 6 1	18/25/39W	3000K	2550lm	-	60°	○
31210 830 6 2	18/25/39W	3000K	2550lm	-	60°	●
31210 840 1 1	18/25/39W	4000K	2650lm	-	15°	○
31210 840 1 2	18/25/39W	4000K	2650lm	-	15°	●
31210 840 3 1	18/25/39W	4000K	2650lm	-	36°	○
31210 840 3 2	18/25/39W	4000K	2650lm	-	36°	●
31210 840 6 1	18/25/39W	4000K	2650lm	-	60°	○
31210 840 6 2	18/25/39W	4000K	2650lm	-	60°	●
31210 927 1 1	18/25/39W	2700K	2020lm	95	15°	○
31210 927 1 2	18/25/39W	2700K	2020lm	95	15°	●
31210 927 3 1	18/25/39W	2700K	2020lm	95	36°	○
31210 927 3 2	18/25/39W	2700K	2020lm	95	36°	●
31210 927 6 1	18/25/39W	2700K	2020lm	95	60°	○
31210 927 6 2	18/25/39W	2700K	2020lm	95	60°	●
31210 930 1 1	18/25/39W	3000K	2020lm	95	15°	○
31210 930 1 2	18/25/39W	3000K	2020lm	95	15°	●
31210 930 3 1	18/25/39W	3000K	2020lm	95	36°	○
31210 930 3 2	18/25/39W	3000K	2020lm	95	36°	●
31210 930 6 1	18/25/39W	3000K	2020lm	95	60°	○
31210 930 6 2	18/25/39W	3000K	2020lm	95	60°	●
31210 940 1 1	18/25/39W	4000K	2300lm	95	15°	○
31210 940 1 2	18/25/39W	4000K	2300lm	95	15°	●
31210 940 3 1	18/25/39W	4000K	2300lm	95	36°	○
31210 940 3 2	18/25/39W	4000K	2300lm	95	36°	●
31210 940 6 1	18/25/39W	4000K	2300lm	95	60°	○
31210 940 6 2	18/25/39W	4000K	2300lm	95	60°	●
31210 941 1 1	18/25/39W	P.White	2050lm	95	15°	○
31210 941 1 2	18/25/39W	P.White	2050lm	95	15°	●
31210 941 3 1	18/25/39W	P.White	2050lm	95	36°	○
31210 941 3 2	18/25/39W	P.White	2050lm	95	36°	●
31210 941 6 1	18/25/39W	P.White	2050lm	95	60°	○
31210 941 6 2	18/25/39W	P.White	2050lm	95	60°	●

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.




Synch



CITILED.
The Light Engine

Our downlights SYNCH incorporate Citizen components, to offer the latest technology available in the market and the most efficient LED.
Nuestros downlights SYNCH incorporan componentes Citizen, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

Synch Trimless 13/19W



*13/19W Driver not incl.

98310321

*TRIAC 13/19W Driver not incl.

98310321LC


*DALI 13/19W Driver not incl.

98310536


*CASAMBI 13/19W Driver not incl.

98310538

		P	CRI	BEAM	CCT	FLUX
038002801	○	13/19W	80	25°	2700K	810/1110lm
038002802	●	13/19W	80	25°	2700K	810/1110lm
038002804	●	13/19W	80	25°	2700K	810/1110lm
038002901	○	13/19W	80	36°	2700K	810/1110lm
038002902	●	13/19W	80	36°	2700K	810/1110lm
038002904	●	13/19W	80	36°	2700K	810/1110lm
038003001	○	13/19W	80	52°	2700K	810/1110lm
038003002	●	13/19W	80	52°	2700K	810/1110lm
038003004	●	13/19W	80	52°	2700K	810/1110lm
038003101	○	13/19W	80	25°	3000K	840/1170lm
038003102	●	13/19W	80	25°	3000K	840/1170lm
038003104	●	13/19W	80	25°	3000K	840/1170lm
038003201	○	13/19W	80	36°	3000K	840/1170lm
038003202	●	13/19W	80	36°	3000K	840/1170lm
038003204	●	13/19W	80	36°	3000K	840/1170lm
038003301	○	13/19W	80	52°	3000K	840/1170lm
038003302	●	13/19W	80	52°	3000K	840/1170lm
038003304	●	13/19W	80	52°	3000K	840/1170lm
038003701	○	13/19W	80	25°	4000K	840/1250lm
038003702	●	13/19W	80	25°	4000K	840/1250lm
038003704	●	13/19W	80	25°	4000K	840/1250lm
038003801	○	13/19W	80	36°	4000K	840/1250lm
038003802	●	13/19W	80	36°	4000K	840/1250lm
038003804	●	13/19W	80	36°	4000K	840/1250lm
038003901	○	13/19W	80	52°	4000K	840/1250lm
038003902	●	13/19W	80	52°	4000K	840/1250lm
038003904	●	13/19W	80	52°	4000K	840/1250lm
038004601	○	13/19W	97	25°	2700K	600/840lm
038004602	●	13/19W	97	25°	2700K	600/840lm
038004604	●	13/19W	97	25°	2700K	600/840lm
038004701	○	13/19W	97	36°	2700K	600/840lm
038004702	●	13/19W	97	36°	2700K	600/840lm
038004704	●	13/19W	97	36°	2700K	600/840lm
038004801	○	13/19W	97	52°	2700K	600/840lm
038004802	●	13/19W	97	52°	2700K	600/840lm
038004804	●	13/19W	97	52°	2700K	600/840lm
038004901	○	13/19W	97	25°	3000K	630/870lm
038004902	●	13/19W	97	25°	3000K	630/870lm
038004904	●	13/19W	97	25°	3000K	630/870lm
038005001	○	13/19W	97	36°	3000K	630/870lm
038005002	●	13/19W	97	36°	3000K	630/870lm
038005004	●	13/19W	97	36°	3000K	630/870lm
038005101	○	13/19W	97	52°	3000K	630/870lm
038005102	●	13/19W	97	52°	3000K	630/870lm
038005104	●	13/19W	97	52°	3000K	630/870lm
038005201	○	13/19W	97	25°	4000K	660/900lm
038005202	●	13/19W	97	25°	4000K	660/900lm
038005204	●	13/19W	97	25°	4000K	660/900lm
038005301	○	13/19W	97	36°	4000K	660/900lm
038005302	●	13/19W	97	36°	4000K	660/900lm
038005304	●	13/19W	97	36°	4000K	660/900lm
038005401	○	13/19W	97	52°	4000K	660/900lm
038005402	●	13/19W	97	52°	4000K	660/900lm
038005404	●	13/19W	97	52°	4000K	660/900lm



*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
 Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.



*13/19W Driver not incl.

98310321

*TRIAC 13/19W Driver not incl.

98310321LC


*DALI 13/19W Driver not incl.

98310536

*CASAMBI 13/19W Driver not incl.

98310538

	P	CRI	BEAM	CCT	FLUX
038000101	○ 13/19W	80	25°	2700K	810/1110lm
038000102	● 13/19W	80	25°	2700K	810/1110lm
038000104	● 13/19W	80	25°	2700K	810/1110lm
038000201	○ 13/19W	80	36°	2700K	810/1110lm
038000202	● 13/19W	80	36°	2700K	810/1110lm
038000204	● 13/19W	80	36°	2700K	810/1110lm
038000301	○ 13/19W	80	52°	2700K	810/1110lm
038000302	● 13/19W	80	52°	2700K	810/1110lm
038000304	● 13/19W	80	52°	2700K	810/1110lm
038000401	○ 13/19W	80	25°	3000K	840/1170lm
038000402	● 13/19W	80	25°	3000K	840/1170lm
038000404	● 13/19W	80	25°	3000K	840/1170lm
038000501	○ 13/19W	80	36°	3000K	840/1170lm
038000502	● 13/19W	80	36°	3000K	840/1170lm
038000504	● 13/19W	80	36°	3000K	840/1170lm
038000601	○ 13/19W	80	52°	3000K	840/1170lm
038000602	● 13/19W	80	52°	3000K	840/1170lm
038000604	● 13/19W	80	52°	3000K	840/1170lm
038001001	○ 13/19W	80	25°	4000K	840/1200lm
038001002	● 13/19W	80	25°	4000K	840/1200lm
038001004	● 13/19W	80	25°	4000K	840/1200lm
038001101	○ 13/19W	80	36°	4000K	840/1200lm
038001102	● 13/19W	80	36°	4000K	840/1200lm
038001104	● 13/19W	80	36°	4000K	840/1200lm
038001201	○ 13/19W	80	52°	4000K	840/1200lm
038001202	● 13/19W	80	52°	4000K	840/1200lm
038001204	● 13/19W	80	52°	4000K	840/1200lm
038001901	○ 13/19W	97	25°	2700K	600/840lm
038001902	● 13/19W	97	25°	2700K	600/840lm
038001904	● 13/19W	97	25°	2700K	600/840lm
038002001	○ 13/19W	97	36°	2700K	600/840lm
038002002	● 13/19W	97	36°	2700K	600/840lm
038002004	● 13/19W	97	36°	2700K	600/840lm
038002101	○ 13/19W	97	52°	2700K	600/840lm
038002102	● 13/19W	97	52°	2700K	600/840lm
038002104	● 13/19W	97	52°	2700K	600/840lm
038002201	○ 13/19W	97	25°	3000K	630/870lm
038002202	● 13/19W	97	25°	3000K	630/870lm
038002204	● 13/19W	97	25°	3000K	630/870lm
038002301	○ 13/19W	97	36°	3000K	630/870lm
038002302	● 13/19W	97	36°	3000K	630/870lm
038002304	● 13/19W	97	36°	3000K	630/870lm
038002401	○ 13/19W	97	52°	3000K	630/870lm
038002402	● 13/19W	97	52°	3000K	630/870lm
038002404	● 13/19W	97	52°	3000K	630/870lm
038002501	○ 13/19W	97	25°	4000K	660/900lm
038002502	● 13/19W	97	25°	4000K	660/900lm
038002504	● 13/19W	97	25°	4000K	660/900lm
038002601	○ 13/19W	97	36°	4000K	660/900lm
038002602	● 13/19W	97	36°	4000K	660/900lm
038002604	● 13/19W	97	36°	4000K	660/900lm
038002701	○ 13/19W	97	52°	4000K	660/900lm
038002702	● 13/19W	97	52°	4000K	660/900lm
038002704	● 13/19W	97	52°	4000K	660/900lm



*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
 Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.



Optic



Optic Mini




Optic



TECH / TÉCNICO




Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Optic Mini 12/18W

	P	CRI	BEAM	CCT	FLUX
032503001	○ 12/18W	82	20°	2700K	950/1450lm
032503002	● 12/18W	82	20°	2700K	950/1450lm
032503003	● 12/18W	82	20°	2700K	950/1450lm
032503101	○ 12/18W	82	56°	2700K	950/1450lm
032503102	● 12/18W	82	56°	2700K	950/1450lm
032503103	● 12/18W	82	56°	2700K	950/1450lm
032503201	○ 12/18W	85	20°	3000K	1000/1500lm
032503202	● 12/18W	85	20°	3000K	1000/1500lm
032503203	● 12/18W	85	20°	3000K	1000/1500lm
032503301	○ 12/18W	85	56°	3000K	1000/1500lm
032503302	● 12/18W	85	56°	3000K	1000/1500lm
032503303	● 12/18W	85	56°	3000K	1000/1500lm
032503401	○ 12/18W	85	20°	4000K	1100/1600lm
032503402	● 12/18W	85	20°	4000K	1100/1600lm
032503403	● 12/18W	85	20°	4000K	1100/1600lm
032503501	○ 12/18W	85	56°	4000K	1100/1600lm
032503502	● 12/18W	85	56°	4000K	1100/1600lm
032503503	● 12/18W	85	56°	4000K	1100/1600lm



*12W Driver not incl.

98310116

*18W Driver not incl.

98310321

*TRIAC 12W Driver not incl.

98310114C

*TRIAC 18W Driver not incl.


98310321LC

*DALI 12/18W Driver not incl.

98310536

*CASAMBI 12/18W Driver not incl.


98310538



Optic Mini 17/24W

CRI95

	P	CRI	BEAM	CCT	FLUX
032503601	○ 17/24W	95	20°	2700K	1250/1800lm
032503602	● 17/24W	95	20°	2700K	1250/1800lm
032503603	● 17/24W	95	20°	2700K	1250/1800lm
032503701	○ 17/24W	95	56°	2700K	1250/1800lm
032503702	● 17/24W	95	56°	2700K	1250/1800lm
032503703	● 17/24W	95	56°	2700K	1250/1800lm
032503801	○ 17/24W	95	20°	3000K	1300/1850lm
032503802	● 17/24W	95	20°	3000K	1300/1850lm
032503803	● 17/24W	95	20°	3000K	1300/1850lm
032503901	○ 17/24W	95	56°	3000K	1300/1850lm
032503902	● 17/24W	95	56°	3000K	1300/1850lm
032503903	● 17/24W	95	56°	3000K	1300/1850lm
032504001	○ 17/24W	95	20°	4000K	1400/1950lm
032504002	● 17/24W	95	20°	4000K	1400/1950lm
032504003	● 17/24W	95	20°	4000K	1400/1950lm
032504101	○ 17/24W	95	56°	4000K	1400/1950lm
032504102	● 17/24W	95	56°	4000K	1400/1950lm
032504103	● 17/24W	95	56°	4000K	1400/1950lm



*17W Driver not incl.

98310321

*24W Driver not incl.

98310233

*TRIAC 17W Driver not incl.

98310321LC

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538




Optic Mini 24W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
032504201	○	24W	82	20°	2700K	2000lm
032504202	●	24W	82	20°	2700K	2000lm
032504203	●	24W	82	20°	2700K	2000lm
032504301	○	24W	82	56°	2700K	2000lm
032504302	●	24W	82	56°	2700K	2000lm
032504303	●	24W	82	56°	2700K	2000lm
032504401	○	24W	85	20°	3000K	2050lm
032504402	●	24W	85	20°	3000K	2050lm
032504403	●	24W	85	20°	3000K	2050lm
032504501	○	24W	85	56°	3000K	2050lm
032504502	●	24W	85	56°	3000K	2050lm
032504503	●	24W	85	56°	3000K	2050lm
032504601	○	24W	85	20°	4000K	2150lm
032504602	●	24W	85	20°	4000K	2150lm
032504603	●	24W	85	20°	4000K	2150lm
032504701	○	24W	85	56°	4000K	2150lm
032504702	●	24W	85	56°	4000K	2150lm
032504703	●	24W	85	56°	4000K	2150lm

FOOD LIGHTING LED

032504801	○	24W	85	20°	fruits ●	1600lm
032504802	●	24W	85	20°	fruits ●	1600lm
032504803	●	24W	85	20°	fruits ●	1600lm
032504901	○	24W	85	56°	fruits ●	1600lm
032504902	●	24W	85	56°	fruits ●	1600lm
032504903	●	24W	85	56°	fruits ●	1600lm
032505001	○	24W	85	20°	fish ●	1700lm
032505002	●	24W	85	20°	fish ●	1700lm
032505003	●	24W	85	20°	fish ●	1700lm
032505101	○	24W	85	56°	fish ●	1700lm
032505102	●	24W	85	56°	fish ●	1700lm
032505103	●	24W	85	56°	fish ●	1700lm
032505201	○	24W	70	20°	meat ●	1500lm
032505202	●	24W	70	20°	meat ●	1500lm
032505203	●	24W	70	20°	meat ●	1500lm
032505301	○	24W	70	56°	meat ●	1500lm
032505302	●	24W	70	56°	meat ●	1500lm
032505303	●	24W	70	56°	meat ●	1500lm



*24W Driver not incl.

98310233

*TRIAC Driver not incl.

98310236C


*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538

TECH / TÉCNICO



Optic Mini 17/24W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
032505401	○	17/24W	95	20°	3100K	1300/1800lm
032505402	●	17/24W	95	20°	3100K	1300/1800lm
032505403	●	17/24W	95	20°	3100K	1300/1800lm
032505501	○	17/24W	95	56°	3100K	1300/1800lm
032505502	●	17/24W	95	56°	3100K	1300/1800lm
032505503	●	17/24W	95	56°	3100K	1300/1800lm



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*DALI 17/24W Driver not incl.

98310536

*24W Driver not incl.


98310233

*TRIAC 24W Driver not incl.

98310236C

*CASAMBI 17/24W Driver not incl.

98310538



*18W Driver not incl.


98310321

*25W Driver not incl.

98310233

Optic 18/25W

		P	CRI	BEAM	CCT	FLUX
032003001	○	18/25W	82	20°	2700K	1350/1850lm
032003002	●	18/25W	82	20°	2700K	1350/1850lm
032003101	○	18/25W	82	56°	2700K	1350/1850lm
032003102	●	18/25W	82	56°	2700K	1350/1850lm
032003201	○	18/25W	85	20°	3000K	1400/1900lm
032003202	●	18/25W	85	20°	3000K	1400/1900lm
032003301	○	18/25W	85	56°	3000K	1400/1900lm
032003302	●	18/25W	85	56°	3000K	1400/1900lm
032003401	○	18/25W	85	20°	4000K	1500/2000lm
032003402	●	18/25W	85	20°	4000K	1500/2000lm
032003501	○	18/25W	85	56°	4000K	1500/2000lm
032003502	●	18/25W	85	56°	4000K	1500/2000lm



*TRIAC 18W Driver not incl.

98310321LC

*TRIAC 25W Driver not incl.


98310236C

*DALI 18/25W Driver not incl.

98310536

*CASAMBI 12/25W Driver not incl.

98310538



*17W Driver not incl.

98310321


*24W Driver not incl.

98310233

Optic 24/36W

CRI95

		P	CRI	BEAM	CCT	FLUX
032003601	○	24/36W	95	20°	2700K	1800/2800lm
032003602	●	24/36W	95	20°	2700K	1800/2800lm
032003701	○	24/36W	95	56°	2700K	1800/2800lm
032003702	●	24/36W	95	56°	2700K	1800/2800lm
032003801	○	24/36W	95	20°	3000K	1850/2850lm
032003802	●	24/36W	95	20°	3000K	1850/2850lm
032003901	○	24/36W	95	56°	3000K	1850/2850lm
032003902	●	24/36W	95	56°	3000K	1850/2850lm
032004001	○	24/36W	95	20°	4000K	1950/2950lm
032004002	●	24/36W	95	20°	4000K	1950/2950lm
032004101	○	24/36W	95	56°	4000K	1950/2950lm
032004102	●	24/36W	95	56°	4000K	1950/2950lm



*TRIAC 17W Driver not incl.

98310321LC

*TRIAC 24W Driver not incl.

98310236C

*DALI 17/24W Driver not incl.

98310536


*CASAMBI 17/24W Driver not incl.

98310538

Optic 36W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
032004201	○	36W	82	20°	2700K	2950lm
032004202	●	36W	82	20°	2700K	2950lm
032004301	○	36W	82	56°	2700K	2950lm
032004302	●	36W	82	56°	2700K	2950lm
032004401	○	36W	85	20°	3000K	3000lm
032004402	●	36W	85	20°	3000K	3000lm
032004501	○	36W	85	56°	3000K	3000lm
032004502	●	36W	85	56°	3000K	3000lm
032004601	○	36W	85	20°	4000K	3100lm
032004602	●	36W	85	20°	4000K	3100lm
032004701	○	36W	85	56°	4000K	3100lm
032004702	●	36W	85	56°	4000K	3100lm



*36W Driver not incl.


98310444

*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.


98310538



Optic 24/36W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
032004801	○	24/36W	85	20°	fruits ●	1600/2350lm
032004802	●	24/36W	85	20°	fruits ●	1600/2350lm
032004901	○	24/36W	85	20°	fruits ●	1600/2350lm
032004902	●	24/36W	85	56°	fruits ●	1600/2350lm
032005001	○	24/36W	85	56°	fish ●	1700/2450lm
032005002	●	24/36W	85	56°	fish ●	1700/2450lm
032005101	○	24/36W	85	20°	fish ●	1700/2450lm
032005102	●	24/36W	85	20°	fish ●	1700/2450lm
032005201	○	24/36W	70	20°	meat ●	1500/2250lm
032005202	●	24/36W	70	56°	meat ●	1500/2250lm
032005301	○	24/36W	70	56°	meat ●	1500/2250lm
032005302	●	24/36W	70	56°	meat ●	1500/2250lm



*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.


98310536

*36W Driver not incl.

98310444

*CASAMBI 24/36W Driver not incl.


98310538



Optic 24/36W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
032005401	○	24/36W	95	20°	3100K	1800/2700lm
032005402	●	24/36W	95	20°	3100K	1800/2700lm
032005501	○	24/36W	95	56°	3100K	1800/2700lm
032005502	●	24/36W	95	56°	3100K	1800/2700lm



*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.


98310536

*36W Driver not incl.

98310444


*CASAMBI 24/36W Driver not incl.

98310538







Colin



Colin Nano




Colin Mini



Colin



Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Colin Nano 7/12W

	P	CRI	BEAM	CCT	FLUX
035000101	○ 7/12W	82	20°	2700K	600/1050lm
035000102	● 7/12W	82	20°	2700K	600/1050lm
035000103	● 7/12W	82	20°	2700K	600/1050lm
035000201	○ 7/12W	82	56°	2700K	600/1050lm
035000202	● 7/12W	82	56°	2700K	600/1050lm
035000203	● 7/12W	82	56°	2700K	600/1050lm
035000301	○ 7/12W	85	20°	3000K	650/1100lm
035000302	● 7/12W	85	20°	3000K	650/1100lm
035000303	● 7/12W	85	20°	3000K	650/1100lm
035000401	○ 7/12W	85	56°	3000K	650/1100lm
035000402	● 7/12W	85	56°	3000K	650/1100lm
035000403	● 7/12W	85	56°	3000K	650/1100lm
035000501	○ 7/12W	85	20°	4000K	700/1150lm
035000502	● 7/12W	85	20°	4000K	700/1150lm
035000503	● 7/12W	85	20°	4000K	700/1150lm
035000601	○ 7/12W	85	56°	4000K	700/1150lm
035000602	● 7/12W	85	56°	4000K	700/1150lm
035000603	● 7/12W	85	56°	4000K	700/1150lm



*7W Driver not incl.

98310620

*DALI 12W Driver not incl.

98310536

*TRIAC 7W Driver not incl.

98310509C

*TRIAC 12W Driver not incl.


98310114C

*12W Driver not incl.

98310116

*CASAMBI 12W Driver not incl.

98310538



Colin Nano 7/12W Trimless

	P	CRI	BEAM	CCT	FLUX
035100101	○ 7/12W	82	20°	2700K	600/1050lm
035100102	● 7/12W	82	20°	2700K	600/1050lm
035100201	● 7/12W	82	56°	2700K	600/1050lm
035100202	○ 7/12W	82	56°	2700K	600/1050lm
035100301	● 7/12W	85	20°	3000K	650/1100lm
035100302	● 7/12W	85	20°	3000K	650/1100lm
035100401	○ 7/12W	85	56°	3000K	650/1100lm
035100402	● 7/12W	85	56°	3000K	650/1100lm
035100501	● 7/12W	85	20°	4000K	700/1150lm
035100502	○ 7/12W	85	20°	4000K	700/1150lm
035100601	● 7/12W	85	56°	4000K	700/1150lm
035100602	● 7/12W	85	56°	4000K	700/1150lm



*7W Driver not incl.

98310620

*DALI 12W Driver not incl.

98310536

*TRIAC 7W Driver not incl.

98310509C

*TRIAC 12W Driver not incl.

98310114C


*12W Driver not incl.

98310116

*CASAMBI 12W Driver not incl.

98310538

Colin Nano 14/24W




*14W Driver not incl.

2x 98310620

*DALI 24W Driver not incl.

2x 98310536

	P	CRI	BEAM	CCT	FLUX
035005001	○ 14/24W	82	20°	2700K	1200/2100lm
035005002	● 14/24W	82	20°	2700K	1200/2100lm
035005003	● 14/24W	82	20°	2700K	1200/2100lm
035005101	○ 14/24W	82	56°	2700K	1200/2100lm
035005102	● 14/24W	82	56°	2700K	1200/2100lm
035005103	● 14/24W	82	56°	2700K	1200/2100lm
035005201	○ 14/24W	85	20°	3000K	1300/2200lm
035005202	● 14/24W	85	20°	3000K	1300/2200lm
035005203	● 14/24W	85	20°	3000K	1300/2200lm
035005301	○ 14/24W	85	56°	3000K	1300/2200lm
035005302	● 14/24W	85	56°	3000K	1300/2200lm
035005303	● 14/24W	85	56°	3000K	1300/2200lm
035005401	○ 14/24W	85	20°	4000K	1400/2300lm
035005402	● 14/24W	85	20°	4000K	1400/2300lm
035005403	● 14/24W	85	20°	4000K	1400/2300lm
035005501	○ 14/24W	85	56°	4000K	1400/2300lm
035005502	● 14/24W	85	56°	4000K	1400/2300lm
035005503	● 14/24W	85	56°	4000K	1400/2300lm



*TRIAC 14W Driver not incl.

2x 98310509C

*TRIAC 24W Driver not incl.

2x 98310114C


*24W Driver not incl.

2x 98310116

*CASAMBI 24W Driver not incl.

2x 98310538

Colin Nano 14/24W Trimless



*14W Driver not incl.

2x 98310620

*DALI 24W Driver not incl.

2x 98310536

	P	CRI	BEAM	CCT	FLUX
035105001	○ 14/24W	82	20°	2700K	1200/2100lm
035105002	● 14/24W	82	20°	2700K	1200/2100lm
035105101	● 14/24W	82	56°	2700K	1200/2100lm
035105102	○ 14/24W	82	56°	2700K	1200/2100lm
035105201	● 14/24W	85	20°	3000K	1300/2200lm
035105202	● 14/24W	85	20°	3000K	1300/2200lm
035105301	○ 14/24W	85	56°	3000K	1300/2200lm
035105302	● 14/24W	85	56°	3000K	1300/2200lm
035105401	● 14/24W	85	20°	4000K	1400/2300lm
035105402	○ 14/24W	85	20°	4000K	1400/2300lm
035105501	● 14/24W	85	56°	4000K	1400/2300lm
035105502	● 14/24W	85	56°	4000K	1400/2300lm



*TRIAC 14W Driver not incl.

2x 98310509C

*TRIAC 24W Driver not incl.


2x 98310114C

*24W Driver not incl.

2x 98310116

*CASAMBI 24W Driver not incl.

2x 98310538




*12W Driver not incl.

98310116

*TRIAC 18W Driver not incl.

98310321LC



*17W Driver not incl.


98310321

*TRIAC 24W Driver not incl.

98310236C

Colin Mini 12/18W

	P	CRI	BEAM	CCT	FLUX
033008301	○ 12/18W	82	20°	2700K	950/1450lm
033008302	● 12/18W	82	20°	2700K	950/1450lm
033008303	● 12/18W	82	20°	2700K	950/1450lm
033008401	○ 12/18W	82	56°	2700K	950/1450lm
033008402	● 12/18W	82	56°	2700K	950/1450lm
033008403	● 12/18W	82	56°	2700K	950/1450lm
033008501	○ 12/18W	85	20°	3000K	1000/1500lm
033008502	● 12/18W	85	20°	3000K	1000/1500lm
033008503	● 12/18W	85	20°	3000K	1000/1500lm
033008601	○ 12/18W	85	56°	3000K	1000/1500lm
033008602	● 12/18W	85	56°	3000K	1000/1500lm
033008603	● 12/18W	85	56°	3000K	1000/1500lm
033008701	○ 12/18W	85	20°	4000K	1100/1600lm
033008702	● 12/18W	85	20°	4000K	1100/1600lm
033008703	● 12/18W	85	20°	4000K	1100/1600lm
033008801	○ 12/18W	85	56°	4000K	1100/1600lm
033008802	● 12/18W	85	56°	4000K	1100/1600lm
033008803	● 12/18W	85	56°	4000K	1100/1600lm



*TRIAC 12W Driver not incl.

98310114C

*DALI 12/18W Driver not incl.

98310536

*18W Driver not incl.

98310321

*CASAMBI 12/18W Driver not incl.

98310538

Colin Mini 17/24W

CRI95

	P	CRI	BEAM	CCT	FLUX
033008901	○ 17/24W	95	20°	2700K	1250/1800lm
033008902	● 17/24W	95	20°	2700K	1250/1800lm
033008903	● 17/24W	95	20°	2700K	1250/1800lm
033009001	○ 17/24W	95	56°	2700K	1250/1800lm
033009002	● 17/24W	95	56°	2700K	1250/1800lm
033009003	● 17/24W	95	56°	2700K	1250/1800lm
033009101	○ 17/24W	95	20°	3000K	1300/1850lm
033009102	● 17/24W	95	20°	3000K	1300/1850lm
033009103	● 17/24W	95	20°	3000K	1300/1850lm
033009201	○ 17/24W	95	56°	3000K	1300/1850lm
033009202	● 17/24W	95	56°	3000K	1300/1850lm
033009203	● 17/24W	95	56°	3000K	1300/1850lm
033009301	○ 17/24W	95	20°	4000K	1400/1950lm
033009302	● 17/24W	95	20°	4000K	1400/1950lm
033009303	● 17/24W	95	20°	4000K	1400/1950lm
033009401	○ 17/24W	95	56°	4000K	1400/1950lm
033009402	● 17/24W	95	56°	4000K	1400/1950lm
033009403	● 17/24W	95	56°	4000K	1400/1950lm



*TRIAC 17W Driver not incl.

98310321LC

*DALI 17/24W Driver not incl.



98310536

*24W Driver not incl.

98310233

*CASAMBI 17/24W Driver not incl.

98310538




Colin Mini 24W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
033009501	○	24W	82	20°	2700K	2000lm
033009502	●	24W	82	20°	2700K	2000lm
033009503	●	24W	82	20°	2700K	2000lm
033009601	○	24W	82	56°	2700K	2000lm
033009602	●	24W	82	56°	2700K	2000lm
033009603	●	24W	82	56°	2700K	2000lm
033009701	○	24W	85	20°	3000K	2050lm
033009702	●	24W	85	20°	3000K	2050lm
033009703	●	24W	85	20°	3000K	2050lm
033009801	○	24W	85	56°	3000K	2050lm
033009802	●	24W	85	56°	3000K	2050lm
033009803	●	24W	85	56°	3000K	2050lm
033009901	○	24W	85	20°	4000K	2150lm
033009902	●	24W	85	20°	4000K	2150lm
033009903	●	24W	85	20°	4000K	2150lm
033010001	○	24W	85	56°	4000K	2150lm
033010002	●	24W	85	56°	4000K	2150lm
033010003	●	24W	85	56°	4000K	2150lm

FOOD LIGHTING LED

033010101	○	24W	85	20°	fruits ●	1600lm
033010102	●	24W	85	20°	fruits ●	1600lm
033010103	●	24W	85	20°	fruits ●	1600lm
033010201	○	24W	85	56°	fruits ●	1600lm
033010202	●	24W	85	56°	fruits ●	1600lm
033010203	●	24W	85	56°	fruits ●	1600lm
033010301	○	24W	85	20°	fish ●	1700lm
033010302	●	24W	85	20°	fish ●	1700lm
033010303	●	24W	85	20°	fish ●	1700lm
033010401	○	24W	85	56°	fish ●	1700lm
033010402	●	24W	85	56°	fish ●	1700lm
033010403	●	24W	85	56°	fish ●	1700lm
033010501	○	24W	70	20°	meat ●	1500lm
033010502	●	24W	70	20°	meat ●	1500lm
033010503	●	24W	70	20°	meat ●	1500lm
033010601	○	24W	70	56°	meat ●	1500lm
033010602	●	24W	70	56°	meat ●	1500lm
033010603	●	24W	70	56°	meat ●	1500lm



*24W Driver not incl.

98310233

*TRIAC Driver not incl.


98310236C

*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538



Colin Mini 17/24W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
033010701	○	17/24W	95	20°	3100K	1300/1800lm
033010702	●	17/24W	95	20°	3100K	1300/1800lm
033010703	●	17/24W	95	20°	3100K	1300/1800lm
033010801	○	17/24W	95	56°	3100K	1300/1800lm
033010802	●	17/24W	95	56°	3100K	1300/1800lm
033010803	●	17/24W	95	56°	3100K	1300/1800lm



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538




*24W Driver not incl.

2x 98310116

*TRIAC 36W Driver not incl.

2x 98310321LC



*34W Driver not incl.


2x 98310321

*TRIAC 48W Driver not incl.

2x 98310236C

Colin 2L Mini 24/36W

	P	CRI	BEAM	CCT	FLUX
033010901	○ 24/36W	82	20°	2700K	1900/2900lm
033010902	● 24/36W	82	20°	2700K	1900/2900lm
033010903	● 24/36W	82	20°	2700K	1900/2900lm
033011001	○ 24/36W	82	56°	2700K	1900/2900lm
033011002	● 24/36W	82	56°	2700K	1900/2900lm
033011003	● 24/36W	82	56°	2700K	1900/2900lm
033011101	○ 24/36W	85	20°	3000K	2000/3000lm
033011102	● 24/36W	85	20°	3000K	2000/3000lm
033011103	● 24/36W	85	20°	3000K	2000/3000lm
033011201	○ 24/36W	85	56°	3000K	2000/3000lm
033011202	● 24/36W	85	56°	3000K	2000/3000lm
033011203	● 24/36W	85	56°	3000K	2000/3000lm
033011301	○ 24/36W	85	20°	4000K	2200/3200lm
033011302	● 24/36W	85	20°	4000K	2200/3200lm
033011303	● 24/36W	85	20°	4000K	2200/3200lm
033011401	○ 24/36W	85	56°	4000K	2200/3200lm
033011402	● 24/36W	85	56°	4000K	2200/3200lm
033011403	● 24/36W	85	56°	4000K	2200/3200lm



*TRIAC 24W Driver not incl.

2x 98310114C

*DALI 24/36W Driver not incl.

2x 98310536

*36W Driver not incl.

2x 98310321


*CASAMBI 24/36W Driver not incl.

2x 98310538

Colin 2L Mini 34/48W

CRI95

	P	CRI	BEAM	CCT	FLUX
033011501	○ 34/48W	95	20°	2700K	2500/3600lm
033011502	● 34/48W	95	20°	2700K	2500/3600lm
033011503	● 34/48W	95	20°	2700K	2500/3600lm
033011601	○ 34/48W	95	56°	2700K	2500/3600lm
033011602	● 34/48W	95	56°	2700K	2500/3600lm
033011603	● 34/48W	95	56°	2700K	2500/3600lm
033011701	○ 34/48W	95	20°	3000K	2600/3700lm
033011702	● 34/48W	95	20°	3000K	2600/3700lm
033011703	● 34/48W	95	20°	3000K	2600/3700lm
033011801	○ 34/48W	95	56°	3000K	2600/3700lm
033011802	● 34/48W	95	56°	3000K	2600/3700lm
033011803	● 34/48W	95	56°	3000K	2600/3700lm
033011901	○ 34/48W	95	20°	4000K	2800/3900lm
033011902	● 34/48W	95	20°	4000K	2800/3900lm
033011903	● 34/48W	95	20°	4000K	2800/3900lm
033012001	○ 34/48W	95	56°	4000K	2800/3900lm
033012002	● 34/48W	95	56°	4000K	2800/3900lm
033012003	● 34/48W	95	56°	4000K	2800/3900lm



*TRIAC 34W Driver not incl.

2x 98310321LC

*DALI 34/48W Driver not incl.


2x 98310536

*48W Driver not incl.

2x 98310233

*CASAMBI 34/48W Driver not incl.

2x 98310538




Colin 2L Mini 48W

HIGH EFFICIENCY LED

	P	CRI	BEAM	CCT	FLUX
033012101	○	48W	82	20°	2700K 4000lm
033012102	●	48W	82	20°	2700K 4000lm
033012103	●	48W	82	20°	2700K 4000lm
033012201	○	48W	82	56°	2700K 4000lm
033012202	●	48W	82	56°	2700K 4000lm
033012203	●	48W	82	56°	2700K 4000lm
033012301	○	48W	85	20°	3000K 4100lm
033012302	●	48W	85	20°	3000K 4100lm
033012303	●	48W	85	20°	3000K 4100lm
033012401	○	48W	85	56°	3000K 4100lm
033012402	●	48W	85	56°	3000K 4100lm
033012403	●	48W	85	56°	3000K 4100lm
033012501	○	48W	85	20°	4000K 4300lm
033012502	●	48W	85	20°	4000K 4300lm
033012503	●	48W	85	20°	4000K 4300lm
033012601	○	48W	85	56°	4000K 4300lm
033012602	●	48W	85	56°	4000K 4300lm
033012603	●	48W	85	56°	4000K 4300lm

FOOD LIGHTING LED

033012701	○	48W	85	20°	fruits ●	3200lm
033012702	●	48W	85	20°	fruits ●	3200lm
033012703	●	48W	85	20°	fruits ●	3200lm
033012801	○	48W	85	56°	fruits ●	3200lm
033012802	●	48W	85	56°	fruits ●	3200lm
033012803	●	48W	85	56°	fruits ●	3200lm
033012901	○	48W	85	20°	fish ●	3400lm
033012902	●	48W	85	20°	fish ●	3400lm
033012903	●	48W	85	20°	fish ●	3400lm
033013001	○	48W	85	56°	fish ●	3400lm
033013002	●	48W	85	56°	fish ●	3400lm
033013003	●	48W	85	56°	fish ●	3400lm
033013101	○	48W	70	20°	meat ●	3000lm
033013102	●	48W	70	20°	meat ●	3000lm
033013103	●	48W	70	20°	meat ●	3000lm
033013201	○	48W	70	56°	meat ●	3000lm
033013202	●	48W	70	56°	meat ●	3000lm
033013203	●	48W	70	56°	meat ●	3000lm



*48W Driver not incl.

2x 98310233

*TRIAC Driver not incl.


2x 98310236C

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.

2x 98310538



Colin 2L Mini 34/48W

RETAIL LIGHTING LED

	P	CRI	BEAM	CCT	FLUX
033013301	○	34/48W	95	20°	3100K 2600/3600lm
033013302	●	34/48W	95	20°	3100K 2600/3600lm
033013303	●	34/48W	95	20°	3100K 2600/3600lm
033013401	○	34/48W	95	56°	3100K 2600/3600lm
033013402	●	34/48W	95	56°	3100K 2600/3600lm
033013403	●	34/48W	95	56°	3100K 2600/3600lm



*34W Driver not incl.

2x 98310116

*TRIAC 34W Driver not incl.

2x 98310114C

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536


*CASAMBI 34/48W Driver not incl.

2x 98310538



Colin 3L Mini 36/54W

	P	CRI	BEAM	CCT	FLUX
033013501	○ 36/54W	82	20°	2700K	2850/4350lm
033013502	● 36/54W	82	20°	2700K	2850/4350lm
033013503	● 36/54W	82	20°	2700K	2850/4350lm
033013601	○ 36/54W	82	56°	2700K	2850/4350lm
033013602	● 36/54W	82	56°	2700K	2850/4350lm
033013603	● 36/54W	82	56°	2700K	2850/4350lm
033013701	○ 36/54W	85	20°	3000K	3000/4500lm
033013702	● 36/54W	85	20°	3000K	3000/4500lm
033013703	● 36/54W	85	20°	3000K	3000/4500lm
033013801	○ 36/54W	85	56°	3000K	3000/4500lm
033013802	● 36/54W	85	56°	3000K	3000/4500lm
033013803	● 36/54W	85	56°	3000K	3000/4500lm
033013901	○ 36/54W	85	20°	4000K	3300/4800lm
033013902	● 36/54W	85	20°	4000K	3300/4800lm
033013903	● 36/54W	85	20°	4000K	3300/4800lm
033014001	○ 36/54W	85	56°	4000K	3300/4800lm
033014002	● 36/54W	85	56°	4000K	3300/4800lm
033014003	● 36/54W	85	56°	4000K	3300/4800lm



*36W Driver not incl.

3x 98310116

*TRIAC 54W Driver not incl.

3x 98310321LC

*TRIAC 36W Driver not incl.

3x 98310114C

*DALI 36/54W Driver not incl.


3x 98310536

*54W Driver not incl.

3x 98310321

*CASAMBI 36/54W Driver not incl.


3x 98310538



Colin 3L Mini 51/72W

CRI95

	P	CRI	BEAM	CCT	FLUX
033014101	○ 51/72W	95	20°	2700K	3750/5400lm
033014102	● 51/72W	95	20°	2700K	3750/5400lm
033014103	● 51/72W	95	20°	2700K	3750/5400lm
033014201	○ 51/72W	95	56°	2700K	3750/5400lm
033014202	● 51/72W	95	56°	2700K	3750/5400lm
033014203	● 51/72W	95	56°	2700K	3750/5400lm
033014301	○ 51/72W	95	20°	3000K	3900/5550lm
033014302	● 51/72W	95	20°	3000K	3900/5550lm
033014303	● 51/72W	95	20°	3000K	3900/5550lm
033014401	○ 51/72W	95	56°	3000K	3900/5550lm
033014402	● 51/72W	95	56°	3000K	3900/5550lm
033014403	● 51/72W	95	56°	3000K	3900/5550lm
033014501	○ 51/72W	95	20°	4000K	4200/5850lm
033014502	● 51/72W	95	20°	4000K	4200/5850lm
033014503	● 51/72W	95	20°	4000K	4200/5850lm
033014601	○ 51/72W	95	56°	4000K	4200/5850lm
033014602	● 51/72W	95	56°	4000K	4200/5850lm
033014603	● 51/72W	95	56°	4000K	4200/5850lm



*51W Driver not incl.

3x 98310321

*TRIAC 72W Driver not incl.

3x 98310236C

*TRIAC 51W Driver not incl.

3x 98310321LC

*DALI 51/72W Driver not incl.


3x 98310536

*72W Driver not incl.

3x 98310233

*CASAMBI 51/72W Driver not incl.

3x 98310538



Colin 3L Mini 72W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
033014701	○	72W	82	20°	2700K	6000lm
033014702	●	72W	82	20°	2700K	6000lm
033014703	●	72W	82	20°	2700K	6000lm
033014801	○	72W	82	56°	2700K	6000lm
033014802	●	72W	82	56°	2700K	6000lm
033014803	●	72W	82	56°	2700K	6000lm
033014901	○	72W	85	20°	3000K	6150lm
033014902	●	72W	85	20°	3000K	6150lm
033014903	●	72W	85	20°	3000K	6150lm
033015001	○	72W	85	56°	3000K	6150lm
033015002	●	72W	85	56°	3000K	6150lm
033015003	●	72W	85	56°	3000K	6150lm
033015101	○	72W	85	20°	4000K	6450lm
033015102	●	72W	85	20°	4000K	6450lm
033015103	●	72W	85	20°	4000K	6450lm
033015201	○	72W	85	56°	4000K	6450lm
033015202	●	72W	85	56°	4000K	6450lm
033015203	●	72W	85	56°	4000K	6450lm

FOOD LIGHTING LED

033015301	○	72W	85	20°	fruits ●	4800lm
033015302	●	72W	85	20°	fruits ●	4800lm
033015303	●	72W	85	20°	fruits ●	4800lm
033015401	○	72W	85	56°	fruits ●	4800lm
033015402	●	72W	85	56°	fruits ●	4800lm
033015403	●	72W	85	56°	fruits ●	4800lm
033015501	○	72W	85	20°	fish ●	5100lm
033015502	●	72W	85	20°	fish ●	5100lm
033015503	●	72W	85	20°	fish ●	5100lm
033015601	○	72W	85	56°	fish ●	5100lm
033015602	●	72W	85	56°	fish ●	5100lm
033015603	●	72W	85	56°	fish ●	5100lm
033015701	○	72W	70	20°	meat ●	4500lm
033015702	●	72W	70	20°	meat ●	4500lm
033015703	●	72W	70	20°	meat ●	4500lm
033015801	○	72W	70	56°	meat ●	4500lm
033015802	●	72W	70	56°	meat ●	4500lm
033015803	●	72W	70	56°	meat ●	4500lm



*72W Driver not incl.

3x 98310233

*TRIAC Driver not incl.


3x 98310236C

*DALI Driver not incl.

3x 98310536

*CASAMBI Driver not incl.

3x 98310538



Colin 3L Mini 51/72W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
033015901	○	51/72W	95	20°	3100K	3900/5400lm
033015902	●	51/72W	95	20°	3100K	3900/5400lm
033015903	●	51/72W	95	20°	3100K	3900/5400lm
033016001	○	51/72W	95	56°	3100K	3900/5400lm
033016002	●	51/72W	95	56°	3100K	3900/5400lm
033016003	●	51/72W	95	56°	3100K	3900/5400lm



*51W Driver not incl.

3x 98310116

*TRIAC 51W Driver not incl.

3x 98310114C

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.


3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536


*CASAMBI 51/72W Driver not incl.

3x 98310538



Colin 18/25W

		P	CRI	BEAM	CCT	FLUX
034008501	○	18/25W	82	20°	2700K	1350/1850lm
034008502	●	18/25W	82	20°	2700K	1350/1850lm
034008503	●	18/25W	82	20°	2700K	1350/1850lm
034008601	○	18/25W	82	56°	2700K	1350/1850lm
034008602	●	18/25W	82	56°	2700K	1350/1850lm
034008603	●	18/25W	82	56°	2700K	1350/1850lm
034008701	○	18/25W	85	20°	3000K	1400/1900lm
034008702	●	18/25W	85	20°	3000K	1400/1900lm
034008703	●	18/25W	85	20°	3000K	1400/1900lm
034008801	○	18/25W	85	56°	3000K	1400/1900lm
034008802	●	18/25W	85	56°	3000K	1400/1900lm
034008803	●	18/25W	85	56°	3000K	1400/1900lm
034008901	○	18/25W	85	20°	4000K	1500/2000lm
034008902	●	18/25W	85	20°	4000K	1500/2000lm
034008903	●	18/25W	85	20°	4000K	1500/2000lm
034009001	○	18/25W	85	56°	4000K	1500/2000lm
034009002	●	18/25W	85	56°	4000K	1500/2000lm
034009003	●	18/25W	85	56°	4000K	1500/2000lm



*18W Driver not incl.

98310321

*TRIAC 25W Driver not incl.

98310236C

*TRIAC 18W Driver not incl.

98310321LC

*DALI 18/25W Driver not incl.


98310536

*25W Driver not incl.

98310233

*CASAMBI 18/25W Driver not incl.

98310538




Colin 24/36W

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
034010301	○	24/36W	85	20°	fruits ●	1600/2350lm
034010302	●	24/36W	85	20°	fruits ●	1600/2350lm
034010303	●	24/36W	85	20°	fruits ●	1600/2350lm
034010401	○	24/36W	85	56°	fruits ●	1600/2350lm
034010402	●	24/36W	85	56°	fruits ●	1600/2350lm
034010403	●	24/36W	85	56°	fruits ●	1600/2350lm
034010501	○	24/36W	85	20°	fish ●	1700/2450lm
034010502	●	24/36W	85	20°	fish ●	1700/2450lm
034010503	●	24/36W	85	20°	fish ●	1700/2450lm
034010601	○	24/36W	85	56°	fish ●	1700/2450lm
034010602	●	24/36W	85	56°	fish ●	1700/2450lm
034010603	●	24/36W	85	56°	fish ●	1700/2450lm
034010701	○	24/36W	70	20°	meat ●	1500/2250lm
034010702	●	24/36W	70	20°	meat ●	1500/2250lm
034010703	●	24/36W	70	20°	meat ●	1500/2250lm
034010801	○	24/36W	70	56°	meat ●	1500/2250lm
034010802	●	24/36W	70	56°	meat ●	1500/2250lm
034010803	●	24/36W	70	56°	meat ●	1500/2250lm
034010901	○	24/36W	95	20°	3100K	1800/2700lm
034010902	●	24/36W	95	20°	3100K	1800/2700lm
034010903	●	24/36W	95	20°	3100K	1800/2700lm
034011001	○	24/36W	95	56°	3100K	1800/2700lm
034011002	●	24/36W	95	56°	3100K	1800/2700lm
034011003	●	24/36W	95	56°	3100K	1800/2700lm

RETAIL LIGHTING LED



*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.


98310536

*36W Driver not incl.

98310444

*CASAMBI 24/36W Driver not incl.

98310538




Colin 36W
CRI95

		P	CRI	BEAM	CCT	FLUX
034009101	○	36W	95	20°	2700K	2800lm
034009102	●	36W	95	20°	2700K	2800lm
034009103	●	36W	95	20°	2700K	2800lm
034009201	○	36W	95	56°	2700K	2800lm
034009202	●	36W	95	56°	2700K	2800lm
034009203	●	36W	95	56°	2700K	2800lm
034009301	○	36W	95	20°	3000K	2850lm
034009302	●	36W	95	20°	3000K	2850lm
034009303	●	36W	95	20°	3000K	2850lm
034009401	○	36W	95	56°	3000K	2850lm
034009402	●	36W	95	56°	3000K	2850lm
034009403	●	36W	95	56°	3000K	2850lm
034009501	○	36W	95	20°	4000K	2950lm
034009502	●	36W	95	20°	4000K	2950lm
034009503	●	36W	95	20°	4000K	2950lm
034009601	○	36W	95	56°	4000K	2950lm
034009602	●	36W	95	56°	4000K	2950lm
034009603	●	36W	95	56°	4000K	2950lm

HIGH EFFICIENCY LED

034009701	○	36W	82	20°	2700K	2950lm
034009702	●	36W	82	20°	2700K	2950lm
034009703	●	36W	82	20°	2700K	2950lm
034009801	○	36W	82	56°	2700K	2950lm
034009802	●	36W	82	56°	2700K	2950lm
034009803	●	36W	82	56°	2700K	2950lm
034009901	○	36W	85	20°	3000K	3000lm
034009902	●	36W	85	20°	3000K	3000lm
034009903	●	36W	85	20°	3000K	3000lm
034010001	○	36W	85	56°	3000K	3000lm
034010002	●	36W	85	56°	3000K	3000lm
034010003	●	36W	85	56°	3000K	3000lm
034010101	○	36W	85	20°	4000K	3100lm
034010102	●	36W	85	20°	4000K	3100lm
034010103	●	36W	85	20°	4000K	3100lm
034010201	○	36W	85	56°	4000K	3100lm
034010202	●	36W	85	56°	4000K	3100lm
034010203	●	36W	85	56°	4000K	3100lm



*36W Driver not incl.

98310444

*DALI Driver not incl.


98310536

*CASAMBI Driver not incl.

98310538


Colin QR-111 LED


		P	SOCKET	V
03400401	○	MAX 12W	G53	12
03400402	●	MAX 12W	G53	12
03400403	●	MAX 12W	G53	12



*Electronic Gear not incl.


98111020





Colin 2L 36/50W

	P	CRI	BEAM	CCT	FLUX
034011101	○ 36/50W	82	20°	2700K	2700/3700lm
034011102	● 36/50W	82	20°	2700K	2700/3700lm
034011103	● 36/50W	82	20°	2700K	2700/3700lm
034011201	○ 36/50W	82	56°	2700K	2700/3700lm
034011202	● 36/50W	82	56°	2700K	2700/3700lm
034011203	● 36/50W	82	56°	2700K	2700/3700lm
034011301	○ 36/50W	85	20°	3000K	2800/3800lm
034011302	● 36/50W	85	20°	3000K	2800/3800lm
034011303	● 36/50W	85	20°	3000K	2800/3800lm
034011401	○ 36/50W	85	56°	3000K	2800/3800lm
034011402	● 36/50W	85	56°	3000K	2800/3800lm
034011403	● 36/50W	85	56°	3000K	2800/3800lm
034011501	○ 36/50W	85	20°	4000K	3000/4000lm
034011502	● 36/50W	85	20°	4000K	3000/4000lm
034011503	● 36/50W	85	20°	4000K	3000/4000lm
034011601	○ 36/50W	85	56°	4000K	3000/4000lm
034011602	● 36/50W	85	56°	4000K	3000/4000lm
034011603	● 36/50W	85	56°	4000K	3000/4000lm



*36W Driver not incl.

2x 98310321

*TRIAC 50W Driver not incl.

2x 98310236C

*TRIAC 36W Driver not incl.

2x 98310321LC

*DALI 36/50W Driver not incl.


2x 98310536

*50W Driver not incl.

2x 98310233

*CASAMBI 36/50W Driver not incl.

2x 98310538




Colin 2L 48/72W

FOOD LIGHTING LED

	P	CRI	BEAM	CCT	FLUX
034012901	○ 48/72W	85	20°	fruits ●	3200/4700lm
034012902	● 48/72W	85	20°	fruits ●	3200/4700lm
034012903	● 48/72W	85	20°	fruits ●	3200/4700lm
034013001	○ 48/72W	85	56°	fruits ●	3200/4700lm
034013002	● 48/72W	85	56°	fruits ●	3200/4700lm
034013003	● 48/72W	85	56°	fruits ●	3200/4700lm
034013101	○ 48/72W	85	20°	fish ●	3400/4900lm
034013102	● 48/72W	85	20°	fish ●	3400/4900lm
034013103	● 48/72W	85	20°	fish ●	3400/4900lm
034013201	○ 48/72W	85	56°	fish ●	3400/4900lm
034013202	● 48/72W	85	56°	fish ●	3400/4900lm
034013203	● 48/72W	85	56°	fish ●	3400/4900lm
034013301	○ 48/72W	70	20°	meat ●	3000/4500lm
034013302	● 48/72W	70	20°	meat ●	3000/4500lm
034013303	● 48/72W	70	20°	meat ●	3000/4500lm
034013401	○ 48/72W	70	56°	meat ●	3000/4500lm
034013402	● 48/72W	70	56°	meat ●	3000/4500lm
034013403	● 48/72W	70	56°	meat ●	3000/4500lm
034013501	○ 48/72W	95	20°	3100K	3600/5400lm
034013502	● 48/72W	95	20°	3100K	3600/5400lm
034013503	● 48/72W	95	20°	3100K	3600/5400lm
034013601	○ 48/72W	95	56°	3100K	3600/5400lm
034013602	● 48/72W	95	56°	3100K	3600/5400lm
034013603	● 48/72W	95	56°	3100K	3600/5400lm

RETAIL LIGHTING LED



*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.

2x 98310236C

*DALI 48/72W Driver not incl.


2x 98310536

*72W Driver not incl.

2x 98310444

*CASAMBI 48/72W Driver not incl.

2x 98310538




Colin 2L 72W

CRI95

		P	CRI	BEAM	CCT	FLUX
034011701	○	72W	95	20°	2700K	5600lm
034011702	●	72W	95	20°	2700K	5600lm
034011703	●	72W	95	20°	2700K	5600lm
034011801	○	72W	95	56°	2700K	5600lm
034011802	●	72W	95	56°	2700K	5600lm
034011803	●	72W	95	56°	2700K	5600lm
034011901	○	72W	95	20°	3000K	5700lm
034011902	●	72W	95	20°	3000K	5700lm
034011903	●	72W	95	20°	3000K	5700lm
034012001	○	72W	95	56°	3000K	5700lm
034012002	●	72W	95	56°	3000K	5700lm
034012003	●	72W	95	56°	3000K	5700lm
034012101	○	72W	95	20°	4000K	5900lm
034012102	●	72W	95	20°	4000K	5900lm
034012103	●	72W	95	20°	4000K	5900lm
034012201	○	72W	95	56°	4000K	5900lm
034012202	●	72W	95	56°	4000K	5900lm
034012203	●	72W	95	56°	4000K	5900lm

HIGH EFFICIENCY LED

034012301	○	72W	82	20°	2700K	5900lm
034012302	●	72W	82	20°	2700K	5900lm
034012303	●	72W	82	20°	2700K	5900lm
034012401	○	72W	82	56°	2700K	5900lm
034012402	●	72W	82	56°	2700K	5900lm
034012403	●	72W	82	56°	2700K	5900lm
034012501	○	72W	85	20°	3000K	6000lm
034012502	●	72W	85	20°	3000K	6000lm
034012503	●	72W	85	20°	3000K	6000lm
034012601	○	72W	85	56°	3000K	6000lm
034012602	●	72W	85	56°	3000K	6000lm
034012603	●	72W	85	56°	3000K	6000lm
034012701	○	72W	85	20°	4000K	6200lm
034012702	●	72W	85	20°	4000K	6200lm
034012703	●	72W	85	20°	4000K	6200lm
034012801	○	72W	85	56°	4000K	6200lm
034012802	●	72W	85	56°	4000K	6200lm
034012803	●	72W	85	56°	4000K	6200lm



*72W Driver not incl.


2x 98310444

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.

2x 98310538




Colin 2L QR-111 LED

		P	SOCKET	V
03400501	○	MAX 12W	2x G53	12
03400502	●	MAX 12W	2x G53	12
03400503	●	MAX 12W	2x G53	12




*Electronic Gear not incl.

2x 98111020



Colin 3L 54/75W

	P	CRI	BEAM	CCT	FLUX
034013701	○ 54/75W	82	20°	2700K	4050/3700lm
034013702	● 54/75W	82	20°	2700K	4050/3700lm
034013703	● 54/75W	82	20°	2700K	4050/3700lm
034013801	○ 54/75W	82	56°	2700K	4050/3700lm
034013802	● 54/75W	82	56°	2700K	4050/3700lm
034013803	● 54/75W	82	56°	2700K	4050/3700lm
034013901	○ 54/75W	85	20°	3000K	4200/5700lm
034013902	● 54/75W	85	20°	3000K	4200/5700lm
034013903	● 54/75W	85	20°	3000K	4200/5700lm
034014001	○ 54/75W	85	56°	3000K	4200/5700lm
034014002	● 54/75W	85	56°	3000K	4200/5700lm
034014003	● 54/75W	85	56°	3000K	4200/5700lm
034014101	○ 54/75W	85	20°	4000K	4500/6000lm
034014102	● 54/75W	85	20°	4000K	4500/6000lm
034014103	● 54/75W	85	20°	4000K	4500/6000lm
034014201	○ 54/75W	85	56°	4000K	4500/6000lm
034014202	● 54/75W	85	56°	4000K	4500/6000lm
034014203	● 54/75W	85	56°	4000K	4500/6000lm



*54W Driver not incl.

3x 98310321

*TRIAC 75W Driver not incl.

3x 98310236C

*TRIAC 54W Driver not incl.

3x 98310321LC

*DALI 54/75W Driver not incl.


3x 98310536

*75W Driver not incl.

3x 98310233

*CASAMBI 54/75W Driver not incl.

3x 98310538




Colin 3L 72/108W

FOOD LIGHTING LED

	P	CRI	BEAM	CCT	FLUX
034015501	○ 72/108W	85	20°	fruits ●	4800/7050lm
034015502	● 72/108W	85	20°	fruits ●	4800/7050lm
034015503	● 72/108W	85	20°	fruits ●	4800/7050lm
034015601	○ 72/108W	85	56°	fruits ●	4800/7050lm
034015602	● 72/108W	85	56°	fruits ●	4800/7050lm
034015603	● 72/108W	85	56°	fruits ●	4800/7050lm
034015701	○ 72/108W	85	20°	fish ●	5100/7350lm
034015702	● 72/108W	85	20°	fish ●	5100/7350lm
034015703	● 72/108W	85	20°	fish ●	5100/7350lm
034015801	○ 72/108W	85	56°	fish ●	5100/7350lm
034015802	● 72/108W	85	56°	fish ●	5100/7350lm
034015803	● 72/108W	85	56°	fish ●	5100/7350lm
034015901	○ 72/108W	70	20°	meat ●	4500/6750lm
034015902	● 72/108W	70	20°	meat ●	4500/6750lm
034015903	● 72/108W	70	20°	meat ●	4500/6750lm
034016001	○ 72/108W	70	56°	meat ●	4500/6750lm
034016002	● 72/108W	70	56°	meat ●	4500/6750lm
034016003	● 72/108W	70	56°	meat ●	4500/6750lm
034016101	○ 72/108W	95	20°	3100K	5400/8100lm
034016102	● 72/108W	95	20°	3100K	5400/8100lm
034016103	● 72/108W	95	20°	3100K	5400/8100lm
034016201	○ 72/108W	95	56°	3100K	5400/8100lm
034016202	● 72/108W	95	56°	3100K	5400/8100lm
034016203	● 72/108W	95	56°	3100K	5400/8100lm

RETAIL LIGHTING LED



*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 72/108W Driver not incl.


3x 98310536

*108W Driver not incl.

3x 98310444

*CASAMBI 72/108W Driver not incl.


3x 98310538



Colin 3L 108W
CRI95

		P	CRI	BEAM	CCT	FLUX
034014301	○	108W	95	20°	2700K	8400lm
034014302	●	108W	95	20°	2700K	8400lm
034014303	●	108W	95	20°	2700K	8400lm
034014401	○	108W	95	56°	2700K	8400lm
034014402	●	108W	95	56°	2700K	8400lm
034014403	●	108W	95	56°	2700K	8400lm
034014501	○	108W	95	20°	3000K	8550lm
034014502	●	108W	95	20°	3000K	8550lm
034014503	●	108W	95	20°	3000K	8550lm
034014601	○	108W	95	56°	3000K	8550lm
034014602	●	108W	95	56°	3000K	8550lm
034014603	●	108W	95	56°	3000K	8550lm
034014701	○	108W	95	20°	4000K	8850lm
034014702	●	108W	95	20°	4000K	8850lm
034014703	●	108W	95	20°	4000K	8850lm
034014801	○	108W	95	56°	4000K	8850lm
034014802	●	108W	95	56°	4000K	8850lm
034014803	●	108W	95	56°	4000K	8850lm
034014901	○	108W	82	20°	2700K	8850lm
034014902	●	108W	82	20°	2700K	8850lm
034014903	●	108W	82	20°	2700K	8850lm
034015001	○	108W	82	56°	2700K	8850lm
034015002	●	108W	82	56°	2700K	8850lm
034015003	●	108W	82	56°	2700K	8850lm
034015101	○	108W	85	20°	3000K	9000lm
034015102	●	108W	85	20°	3000K	9000lm
034015103	●	108W	85	20°	3000K	9000lm
034015201	○	108W	85	56°	3000K	9000lm
034015202	●	108W	85	56°	3000K	9000lm
034015203	●	108W	85	56°	3000K	9000lm
034015301	○	108W	85	20°	4000K	9300lm
034015302	●	108W	85	20°	4000K	9300lm
034015303	●	108W	85	20°	4000K	9300lm
034015401	○	108W	85	56°	4000K	9300lm
034015402	●	108W	85	56°	4000K	9300lm
034015403	●	108W	85	56°	4000K	9300lm

HIGH EFFICIENCY LED



*108W Driver not incl.


3x 98310444

*DALI Driver not incl.

3x 98310536

*CASAMBI Driver not incl.

3x 98310538



Colin 3L QR-111 LED

		P	SOCKET	V
03400601	○	MAX 12W	3x G53	12
03400602	●	MAX 12W	3x G53	12
03400603	●	MAX 12W	3x G53	12



*Electronic Gear not incl.


3x 98111020



Teko



Teko




Teko 2L



Teko 3L





Teko 12/18W

		P	CRI	BEAM	CCT	FLUX
050400101	○	12/18W	82	20°	2700K	950/1450lm
050400102	●	12/18W	82	20°	2700K	950/1450lm
050400201	○	12/18W	82	56°	2700K	950/1450lm
050400202	●	12/18W	82	56°	2700K	950/1450lm
050400301	○	12/18W	85	20°	3000K	1000/1500lm
050400302	●	12/18W	85	20°	3000K	1000/1500lm
050400401	○	12/18W	85	56°	3000K	1000/1500lm
050400402	●	12/18W	85	56°	3000K	1000/1500lm
050400501	○	12/18W	85	20°	4000K	1100/1600lm
050400502	●	12/18W	85	20°	4000K	1100/1600lm
050400601	○	12/18W	85	56°	4000K	1100/1600lm
050400602	●	12/18W	85	56°	4000K	1100/1600lm



*12W Driver not incl.

98310116

*TRIAC 12W Driver not incl.

98310114C

*18W Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 12/18W Driver not incl.

98310536

*CASAMBI 12/25W Driver not incl.

98310538



Teko 17/24W

CRI95

		P	CRI	BEAM	CCT	FLUX
050400701	○	17/24W	95	20°	2700K	1250/1800lm
050400702	●	17/24W	95	20°	2700K	1250/1800lm
050400801	○	17/24W	95	56°	2700K	1250/1800lm
050400802	●	17/24W	95	56°	2700K	1250/1800lm
050400901	○	17/24W	95	20°	3000K	1300/1850lm
050400902	●	17/24W	95	20°	3000K	1300/1850lm
050401001	○	17/24W	95	56°	3000K	1300/1850lm
050401002	●	17/24W	95	56°	3000K	1300/1850lm
050401101	○	17/24W	95	20°	4000K	1400/1950lm
050401102	●	17/24W	95	20°	4000K	1400/1950lm
050401201	○	17/24W	95	56°	4000K	1400/1950lm
050401202	●	17/24W	95	56°	4000K	1400/1950lm



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



Teko 24W

			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050401301	○	24W	82	20°	2700K	2000lm
	050401302	●	24W	82	20°	2700K	2000lm
	050401401	○	24W	82	56°	2700K	2000lm
	050401402	●	24W	82	56°	2700K	2000lm
	050401501	○	24W	85	20°	3000K	2050lm
	050401502	●	24W	85	20°	3000K	2050lm
	050401601	○	24W	85	56°	3000K	2050lm
	050401602	●	24W	85	56°	3000K	2050lm
	050401701	○	24W	85	20°	4000K	2150lm
	050401702	●	24W	85	20°	4000K	2150lm
	050401801	○	24W	85	56°	4000K	2150lm
	050401802	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	050401901	○	24W	82	20°	fruits ●	1600lm
	050401902	●	24W	82	20°	fruits ●	1600lm
	050402001	○	24W	82	56°	fruits ●	1600lm
	050402002	●	24W	82	56°	fruits ●	1600lm
	050402101	○	24W	85	20°	fish ●	1700lm
	050402102	●	24W	85	20°	fish ●	1700lm
	050402201	○	24W	85	56°	fish ●	1700lm
	050402202	●	24W	85	56°	fish ●	1700lm
	050402301	○	24W	85	20°	meat ●	1500lm
	050402302	●	24W	85	20°	meat ●	1500lm
	050402401	○	24W	85	56°	meat ●	1500lm
	050402402	●	24W	85	56°	meat ●	1500lm



*36W Driver not incl.

98310233

*TRIAC Driver not incl.

98310236C


*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538

TECH / TÉCNICO



Teko 17/24W

			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050402501	○	17/24W	95	20°	3100K	1300/1800lm
	050402502	●	17/24W	95	20°	3100K	1300/1800lm
	050402601	○	17/24W	95	56°	3100K	1300/1800lm
	050402602	●	17/24W	95	56°	3100K	1300/1800lm



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



Teko 2L 24/36W

		P	CRI	BEAM	CCT	FLUX
050500101	○	24/36W	82	20°	2700K	1900/2900lm
050500102	●	24/36W	82	20°	2700K	1900/2900lm
050500201	○	24/36W	82	56°	2700K	1900/2900lm
050500202	●	24/36W	82	56°	2700K	1900/2900lm
050500301	○	24/36W	85	20°	3000K	2000/3000lm
050500302	●	24/36W	85	20°	3000K	2000/3000lm
050500401	○	24/36W	85	56°	3000K	2000/3000lm
050500402	●	24/36W	85	56°	3000K	2000/3000lm
050500501	○	24/36W	85	20°	4000K	2200/3200lm
050500502	●	24/36W	85	20°	4000K	2200/3200lm
050500601	○	24/36W	85	56°	4000K	2200/3200lm
050500602	●	24/36W	85	56°	4000K	2200/3200lm



*24W Driver not incl.

2x 98310116

*TRIAC 24W Driver not incl.

2x 98310114C

*36W Driver not incl.

2x 98310321

*TRIAC 36W Driver not incl.


2x 98310321LC

*DALI 24/36W Driver not incl.

2x 98310536

*CASAMBI 24/36W Driver not incl.

2x 98310538



Teko 2L 17/24W

CRI95

		P	CRI	BEAM	CCT	FLUX
050500701	○	34/48W	95	20°	2700K	2500/3600lm
050500702	●	34/48W	95	20°	2700K	2500/3600lm
050500801	○	34/48W	95	56°	2700K	2500/3600lm
050500802	●	34/48W	95	56°	2700K	2500/3600lm
050500901	○	34/48W	95	20°	3000K	2600/3700lm
050500902	●	34/48W	95	20°	3000K	2600/3700lm
050501001	○	34/48W	95	56°	3000K	2600/3700lm
050501002	●	34/48W	95	56°	3000K	2600/3700lm
050501101	○	34/48W	95	20°	4000K	2800/3900lm
050501102	●	34/48W	95	20°	4000K	2800/3900lm
050501201	○	34/48W	95	56°	4000K	2800/3900lm
050501202	●	34/48W	95	56°	4000K	2800/3900lm



*34W Driver not incl.

2x 98310321

*TRIAC 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Teko 2L 48W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
050501301	○	48W	82	20°	2700K	4000lm
050501302	●	48W	82	20°	2700K	4000lm
050501401	○	48W	82	56°	2700K	4000lm
050501402	●	48W	82	56°	2700K	4000lm
050501501	○	48W	85	20°	3000K	4100lm
050501502	●	48W	85	20°	3000K	4100lm
050501601	○	48W	85	56°	3000K	4100lm
050501602	●	48W	85	56°	3000K	4100lm
050501701	○	48W	85	20°	4000K	4300lm
050501702	●	48W	85	20°	4000K	4300lm
050501801	○	48W	85	56°	4000K	4300lm
050501802	●	48W	85	56°	4000K	4300lm

FOOD LIGHTING LED

050501901	○	48W	82	20°	fruits ●	3200lm
050501902	●	48W	82	20°	fruits ●	3200lm
050502001	○	48W	82	56°	fruits ●	3200lm
050502002	●	48W	82	56°	fruits ●	3200lm
050502101	○	48W	85	20°	fish ●	3400lm
050502102	●	48W	85	20°	fish ●	3400lm
050502201	○	48W	85	56°	fish ●	3400lm
050502202	●	48W	85	56°	fish ●	3400lm
050502301	○	48W	85	20°	meat ●	3000lm
050502302	●	48W	85	20°	meat ●	3000lm
050502401	○	48W	85	56°	meat ●	3000lm
050502402	●	48W	85	56°	meat ●	3000lm



*48W Driver not incl.

2x 98310233

*TRIAC Driver not incl.


2x 98310236C

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.

2x 98310538



Teko 2L 34/48W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
050502501	○	34/48W	95	20°	3100K	2600/3600lm
050502502	●	34/48W	95	20°	3100K	2600/3600lm
050502601	○	34/48W	95	56°	3100K	2600/3600lm
050502602	●	34/48W	95	56°	3100K	2600/3600lm



*34W Driver not incl.

2x 98310321

*TRIAC 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Teko 3L 36/54W

		P	CRI	BEAM	CCT	FLUX
050600101	○	36/54W	82	20°	2700K	2850/4350lm
050600102	●	36/54W	82	20°	2700K	2850/4350lm
050600201	○	36/54W	82	56°	2700K	2850/4350lm
050600202	●	36/54W	82	56°	2700K	2850/4350lm
050600301	○	36/54W	85	20°	3000K	3000/4500lm
050600302	●	36/54W	85	20°	3000K	3000/4500lm
050600401	○	36/54W	85	56°	3000K	3000/4500lm
050600402	●	36/54W	85	56°	3000K	3000/4500lm
050600501	○	36/54W	85	20°	4000K	3300/4800lm
050600502	●	36/54W	85	20°	4000K	3300/4800lm
050600601	○	36/54W	85	56°	4000K	3300/4800lm
050600602	●	36/54W	85	56°	4000K	3300/4800lm



*36W Driver not incl.

3x 98310116

*TRIAC 36W Driver not incl.

3x 98310114C

*54W Driver not incl.

3x 98310321

*TRIAC 54W Driver not incl.


3x 98310321LC

*DALI 36/54W Driver not incl.

3x 98310536

*CASAMBI 36/54W Driver not incl.

3x 98310538



Teko 3L 51/72W

CRI95

		P	CRI	BEAM	CCT	FLUX
050600701	○	51/72W	95	20°	2700K	3750/5400lm
050600702	●	51/72W	95	20°	2700K	3750/5400lm
050600801	○	51/72W	95	56°	2700K	3750/5400lm
050600802	●	51/72W	95	56°	2700K	3750/5400lm
050600901	○	51/72W	95	20°	3000K	3900/5550lm
050600902	●	51/72W	95	20°	3000K	3900/5550lm
050601001	○	51/72W	95	56°	3000K	3900/5550lm
050601002	●	51/72W	95	56°	3000K	3900/5550lm
050601101	○	51/72W	95	20°	4000K	4200/5850lm
050601102	●	51/72W	95	20°	4000K	4200/5850lm
050601201	○	51/72W	95	56°	4000K	4200/5850lm
050601202	●	51/72W	95	56°	4000K	4200/5850lm



*51W Driver not incl.

3x 98310321

*TRIAC 51W Driver not incl.

3x 98310321LC

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.


3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.

3x 98310538



Teko 3L 72W

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
050601301	○	72W	82	20°	2700K	6000lm
050601302	●	72W	82	20°	2700K	6000lm
050601401	○	72W	82	56°	2700K	6000lm
050601402	●	72W	82	56°	2700K	6000lm
050601501	○	72W	85	20°	3000K	6150lm
050601502	●	72W	85	20°	3000K	6150lm
050601601	○	72W	85	56°	3000K	6150lm
050601602	●	72W	85	56°	3000K	6150lm
050601701	○	72W	85	20°	4000K	6450lm
050601702	●	72W	85	20°	4000K	6450lm
050601801	○	72W	85	56°	4000K	6450lm
050601802	●	72W	85	56°	4000K	6450lm
050601901	○	72W	82	20°	fruits ●	4800lm
050601902	●	72W	82	20°	fruits ●	4800lm
050602001	○	72W	82	56°	fruits ●	4800lm
050602002	●	72W	82	56°	fruits ●	4800lm
050602101	○	72W	85	20°	fish ●	5100lm
050602102	●	72W	85	20°	fish ●	5100lm
050602201	○	72W	85	56°	fish ●	5100lm
050602202	●	72W	85	56°	fish ●	5100lm
050602301	○	72W	85	20°	meat ●	4500lm
050602302	●	72W	85	20°	meat ●	4500lm
050602401	○	72W	85	56°	meat ●	4500lm
050602402	●	72W	85	56°	meat ●	4500lm

FOOD LIGHTING LED



*72W Driver not incl.

3x 98310233

*TRIAC Driver not incl.


3x 98310236C

*DALI Driver not incl.

3x 98310536

*CASAMBI Driver not incl.

3x 98310538



Teko 3L 51/72W

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
050602501	○	51/72W	95	20°	3100K	3900/5400lm
050602502	●	51/72W	95	20°	3100K	3900/5400lm
050602601	○	51/72W	95	56°	3100K	3900/5400lm
050602602	●	51/72W	95	56°	3100K	3900/5400lm



*51W Driver not incl.

3x 98310321

*TRIAC 51W Driver not incl.

3x 98310321LC

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.



3x 98310538



Via


1

Choose your Via
Escoge tu Via




2

Join them to build continuous lines
Únelos para construir líneas continuas



CONTINUOUS ACCESSORY
For surface, pendant and recessed.
Para superficie, colgante y empotrado.




L-SHAPE
Only for surface and pendant.
Solo para superficie y colgante.

3

Turn your via surface into pendant
Convierte tu via superficie en colgante


Use the pendant accessory for the first unit.
Usa el accesorio colgante para la primera unidad.

Use the steelWires for the following units.
Usa los tensores de acero para las siguientes unidades.



Don't forget your continuous accessory!
¡No te olvides de tu accesorio continuo!

VS LIGHTING SOLUTIONS



***PRISMATIC 12W option**

Add a U at the end of the ref.

Via Surface 560 12W

		P	P/m	CRI	CCT	FLUX
041000901	○	12W	21,4W/m	80	3000K	1000lm
041000902	●	12W	21,4W/m	80	3000K	1000lm
041000903	●	12W	21,4W/m	80	3000K	1000lm
041001801	○	12W	21,4W/m	80	4000K	1100lm
041001802	●	12W	21,4W/m	80	4000K	1100lm
041001803	●	12W	21,4W/m	80	4000K	1100lm

Via Surface 560 17W

041000801	○	17W	30,3W/m	80	3000K	1200lm
041000802	●	17W	30,3W/m	80	3000K	1200lm
041000803	●	17W	30,3W/m	80	3000K	1200lm
041001701	○	17W	30,3W/m	80	4000K	1300lm
041001702	●	17W	30,3W/m	80	4000K	1300lm
041001703	●	17W	30,3W/m	80	4000K	1300lm

Via Surface 560 24W

041000701	○	24W	42,8W/m	80	3000K	1900lm
041000702	●	24W	42,8W/m	80	3000K	1900lm
041000703	●	24W	42,8W/m	80	3000K	1900lm
041001601	○	24W	42,8W/m	80	4000K	2000lm
041001602	●	24W	42,8W/m	80	4000K	2000lm
041001603	●	24W	42,8W/m	80	4000K	2000lm



***PRISMATIC 17W option**

Add a U at the end of the ref.

***PRISMATIC 24W option**


Add a U at the end of the ref.

***DALI/PUSH 24W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 24W option**

Add DU at the end of the ref.



***PRISMATIC 17W option**

Add a U at the end of the ref.

Via Surface 840 17W


		P	P/m	CRI	CCT	FLUX
041000601	○	17W	21,4W/m	80	3000K	1500lm
041000602	●	17W	21,4W/m	80	3000K	1500lm
041000603	●	17W	21,4W/m	80	3000K	1500lm
041001501	○	17W	21,4W/m	80	4000K	1600lm
041001502	●	17W	21,4W/m	80	4000K	1600lm
041001503	●	17W	21,4W/m	80	4000K	1600lm

Via Surface 840 25W

041000501	○	25W	30,3W/m	80	3000K	1800lm
041000502	●	25W	30,3W/m	80	3000K	1800lm
041000503	●	25W	30,3W/m	80	3000K	1800lm
041001401	○	25W	30,3W/m	80	4000K	1900lm
041001402	●	25W	30,3W/m	80	4000K	1900lm
041001403	●	25W	30,3W/m	80	4000K	1900lm

Via Surface 840 36W

041000401	○	36W	42,8W/m	80	3000K	2800lm
041000402	●	36W	42,8W/m	80	3000K	2800lm
041000403	●	36W	42,8W/m	80	3000K	2800lm
041001301	○	36W	42,8W/m	80	4000K	3000lm
041001302	●	36W	42,8W/m	80	4000K	3000lm
041001303	●	36W	42,8W/m	80	4000K	3000lm



***PRISMATIC 25W option**

Add a U at the end of the ref.

***PRISMATIC 36W option**


Add a U at the end of the ref.

***DALI/PUSH 36W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 36W option**

Add DU at the end of the ref.



Via Surface 1120 25W

		P	P/m	CRI	CCT	FLUX
041000301	○	25W	21,4W/m	80	3000K	2000lm
041000302	●	25W	21,4W/m	80	3000K	2000lm
041000303	●	25W	21,4W/m	80	3000K	2000lm
041001201	○	25W	21,4W/m	80	4000K	2100lm
041001202	●	25W	21,4W/m	80	4000K	2100lm
041001203	●	25W	21,4W/m	80	4000K	2100lm

Via Surface 1120 37W

041000201	○	37W	30,3W/m	80	3000K	2300lm
041000202	●	37W	30,3W/m	80	3000K	2300lm
041000203	●	37W	30,3W/m	80	3000K	2300lm
041001101	○	37W	30,3W/m	80	4000K	2500lm
041001102	●	37W	30,3W/m	80	4000K	2500lm
041001103	●	37W	30,3W/m	80	4000K	2500lm

Via Surface 1120 52W

041000101	○	52W	42,8W/m	80	3000K	3700lm
041000102	●	52W	42,8W/m	80	3000K	3700lm
041000103	●	52W	42,8W/m	80	3000K	3700lm
041001001	○	52W	42,8W/m	80	4000K	4600lm
041001002	●	52W	42,8W/m	80	4000K	4600lm
041001003	●	52W	42,8W/m	80	4000K	4600lm



*PRISMATIC 25W option

Add a U at the end of the ref.

*PRISMATIC 37W option

Add a U at the end of the ref.

*PRISMATIC 52W option

Add a U at the end of the ref.

*DALI/PUSH 52W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 52W option

Add DU at the end of the ref.

L-SHAPE

		P/m	CRI	CCT
041009601	○	21,4W/m	80	3000K
041009602	●	21,4W/m	80	3000K
041009603	●	21,4W/m	80	3000K
041009701	○	21,4W/m	80	4000K
041009702	●	21,4W/m	80	4000K
041009703	●	21,4W/m	80	4000K
041009801	○	30,3-42,8W/m	80	3000K
041009802	●	30,3-42,8W/m	80	3000K
041009803	●	30,3-42,8W/m	80	3000K
041009901	○	30,3-42,8W/m	80	4000K
041009902	●	30,3-42,8W/m	80	4000K
041009903	●	30,3-42,8W/m	80	4000K




*PRISMATIC 21,4W/m option

Add a U at the end of the ref.

*PRISMATIC 30,3-42,8W/m option

Add a U at the end of the ref.



Accessories



Pendant Canopy + 2 x steelWires

04100101	○
04100102	●
04100103	●



Pendant Canopy + 2 x steelWires

Dali	04100101D	○
Dali	04100102D	●
Dali	04100103D	●


Continuous accessory 1pc

04100201	●
----------	---



Steelwires 2pcs

04100100	●
----------	---



***PRISMATIC 12W option**

Add a U at the end of the ref.

Via Recessed 560 12W

		P	P/m	CRI	CCT	FLUX
041002701	○	12W	21,4W/m	80	3000K	1000lm
041002702	●	12W	21,4W/m	80	3000K	1000lm
041003001	○	12W	21,4W/m	80	4000K	1100lm
041003002	●	12W	21,4W/m	80	4000K	1100lm

Via Recessed 560 17W

041002601	○	17W	30,3W/m	80	3000K	1200lm
041002602	●	17W	30,3W/m	80	3000K	1200lm
041002901	○	17W	30,3W/m	80	4000K	1300lm
041002902	●	17W	30,3W/m	80	4000K	1300lm

Via Recessed 560 24W

041002501	○	24W	42,8W/m	80	3000K	1900lm
041002502	●	24W	42,8W/m	80	3000K	1900lm
041002801	○	24W	42,8W/m	80	4000K	2000lm
041002802	●	24W	42,8W/m	80	4000K	2000lm



***PRISMATIC 17W option**

Add a U at the end of the ref.

***PRISMATIC 24W option**


Add a U at the end of the ref.

***DALI/PUSH 24W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 24W option**

Add DU at the end of the ref.



***PRISMATIC 17W option**

Add a U at the end of the ref.

Via Recessed 840 17W

		P	P/m	CRI	CCT	FLUX
0410003301	○	17W	21,4W/m	80	3000K	1500lm
0410003302	●	17W	21,4W/m	80	3000K	1500lm
0410003601	○	17W	21,4W/m	80	4000K	1600lm
0410003602	●	17W	21,4W/m	80	4000K	1600lm

Via Recessed 840 25W

0410003201	○	25W	30,3W/m	80	3000K	1800lm
0410003202	●	25W	30,3W/m	80	3000K	1800lm
0410003501	○	25W	30,3W/m	80	4000K	1900lm
0410003502	●	25W	30,3W/m	80	4000K	1900lm

Via Recessed 840 36W

0410003101	○	36W	42,8W/m	80	3000K	2800lm
0410003102	●	36W	42,8W/m	80	3000K	2800lm
0410003401	○	36W	42,8W/m	80	4000K	3000lm
0410003402	●	36W	42,8W/m	80	4000K	3000lm



***PRISMATIC 25W option**

Add a U at the end of the ref.

***PRISMATIC 36W option**

Add a U at the end of the ref.

***DALI/PUSH 36W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 36W option**

Add DU at the end of the ref.

Via Recessed **1120 23W**


		P	P/m	CRI	CCT	FLUX
0410003901	○	23W	21,4W/m	80	3000K	2000lm
0410003902	●	23W	21,4W/m	80	3000K	2000lm
0410004201	○	23W	21,4W/m	80	4000K	2100lm
0410004202	●	23W	21,4W/m	80	4000K	2100lm

Via Recessed **1120 34W**

0410003801	○	34W	30,3W/m	80	3000K	2300lm
0410003802	●	34W	30,3W/m	80	3000K	2300lm
0410004101	○	34W	30,3W/m	80	4000K	2500lm
0410004102	●	34W	30,3W/m	80	4000K	2500lm

Via Recessed **1120 48W**

0410003701	○	48W	42,8W/m	80	3000K	3700lm
0410003702	●	48W	42,8W/m	80	3000K	3700lm
0410004001	○	48W	42,8W/m	80	4000K	4600lm
0410004002	●	48W	42,8W/m	80	4000K	4600lm

***PRISMATIC 23W option**

Add a U at the end of the ref.

***PRISMATIC 34W option**

Add a U at the end of the ref.

***PRISMATIC 48W option**

Add a U at the end of the ref.

***DALI/PUSH 48W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 48W option**

Add DU at the end of the ref.

Accessories**Continuous accessory 1pc**

04100201






Fonovia

Fonovia is a concept of linear light that isolates us from the environment, creating moments of concentration thanks to its fabric with sound-absorbing properties that in turn softens the light creating spaces of well-being. It accompanies moments of concentration and privacy. Fabric that favours acoustic absorption. Ideal for crowded spaces and meeting rooms.




1

Choose your via pendant composition in page 473
Escoge tu composición de via colgante en la página 473



2

Dress it with fonovia sound absorbing shade system
Vístela con el sistema de pantallas fonoabsorbentes fonovia



3

Create your Fonovia as long as you want
Crea tu Fonovia tan largo como quieras



**Ledstrip Vertical 5Mt
14W/Mt IP67 2700K**

08045001-01	10 cm
08045001-02	20 cm
08045001-03	30 cm
08045001-04	40 cm
08045001-05	50 cm
08045001-06	60 cm
08045001-07	70 cm
08045001-08	80 cm
08045001-09	90 cm
08045001-10	100 cm
08045001-11	110 cm
08045001-12	120 cm
08045001-13	130 cm
08045001-14	140 cm
08045001-15	150 cm
08045001-16	160 cm
08045001-17	170 cm
08045001-18	180 cm
08045001-19	190 cm
08045001-20	200 cm
08045001-21	210 cm
08045001-22	220 cm
08045001-23	230 cm
08045001-24	240 cm
08045001-25	250 cm
08045001-26	260 cm
08045001-27	270 cm
08045001-28	280 cm
08045001-29	290 cm
08045001-30	300 cm
08045001-31	310 cm
08045001-32	320 cm
08045001-33	330 cm
08045001-34	340 cm
08045001-35	350 cm
08045001-36	360 cm
08045001-37	370 cm
08045001-38	380 cm
08045001-39	390 cm
08045001-40	400 cm
08045001-41	410 cm
08045001-42	420 cm
08045001-43	430 cm
08045001-44	440 cm
08045001-45	450 cm
08045001-46	460 cm
08045001-47	470 cm
08045001-48	480 cm
08045001-49	490 cm
08045001	500 cm

**Ledstrip Vertical 5Mt
14W/Mt IP67 3000K**


08046001-01	10 cm
08046001-02	20 cm
08046001-03	30 cm
08046001-04	40 cm
08046001-05	50 cm
08046001-06	60 cm
08046001-07	70 cm
08046001-08	80 cm
08046001-09	90 cm
08046001-10	100 cm
08046001-11	110 cm
08046001-12	120 cm
08046001-13	130 cm
08046001-14	140 cm
08046001-15	150 cm
08046001-16	160 cm
08046001-17	170 cm
08046001-18	180 cm
08046001-19	190 cm
08046001-20	200 cm
08046001-21	210 cm
08046001-22	220 cm
08046001-23	230 cm
08046001-24	240 cm
08046001-25	250 cm
08046001-26	260 cm
08046001-27	270 cm
08046001-28	280 cm
08046001-29	290 cm
08046001-30	300 cm
08046001-31	310 cm
08046001-32	320 cm
08046001-33	330 cm
08046001-34	340 cm
08046001-35	350 cm
08046001-36	360 cm
08046001-37	370 cm
08046001-38	380 cm
08046001-39	390 cm
08046001-40	400 cm
08046001-41	410 cm
08046001-42	420 cm
08046001-43	430 cm
08046001-44	440 cm
08046001-45	450 cm
08046001-46	460 cm
08046001-47	470 cm
08046001-48	480 cm
08046001-49	490 cm
08046001	500 cm

**Ledstrip Horizontal 5Mt
14W/Mt IP67 2700K**

08047001-01	10 cm
08047001-02	20 cm
08047001-03	30 cm
08047001-04	40 cm
08047001-05	50 cm
08047001-06	60 cm
08047001-07	70 cm
08047001-08	80 cm
08047001-09	90 cm
08047001-10	100 cm
08047001-11	110 cm
08047001-12	120 cm
08047001-13	130 cm
08047001-14	140 cm
08047001-15	150 cm
08047001-16	160 cm
08047001-17	170 cm
08047001-18	180 cm
08047001-19	190 cm
08047001-20	200 cm
08047001-21	210 cm
08047001-22	220 cm
08047001-23	230 cm
08047001-24	240 cm
08047001-25	250 cm
08047001-26	260 cm
08047001-27	270 cm
08047001-28	280 cm
08047001-29	290 cm
08047001-30	300 cm
08047001-31	310 cm
08047001-32	320 cm
08047001-33	330 cm
08047001-34	340 cm
08047001-35	350 cm
08047001-36	360 cm
08047001-37	370 cm
08047001-38	380 cm
08047001-39	390 cm
08047001-40	400 cm
08047001-41	410 cm
08047001-42	420 cm
08047001-43	430 cm
08047001-44	440 cm
08047001-45	450 cm
08047001-46	460 cm
08047001-47	470 cm
08047001-48	480 cm
08047001-49	490 cm
08047001	500 cm

**Ledstrip Horizontal 5Mt
14W/Mt IP67 3000K**

08048001-01	10 cm
08048001-02	20 cm
08048001-03	30 cm
08048001-04	40 cm
08048001-05	50 cm
08048001-06	60 cm
08048001-07	70 cm
08048001-08	80 cm
08048001-09	90 cm
08048001-10	100 cm
08048001-11	110 cm
08048001-12	120 cm
08048001-13	130 cm
08048001-14	140 cm
08048001-15	150 cm
08048001-16	160 cm
08048001-17	170 cm
08048001-18	180 cm
08048001-19	190 cm
08048001-20	200 cm
08048001-21	210 cm
08048001-22	220 cm
08048001-23	230 cm
08048001-24	240 cm
08048001-25	250 cm
08048001-26	260 cm
08048001-27	270 cm
08048001-28	280 cm
08048001-29	290 cm
08048001-30	300 cm
08048001-31	310 cm
08048001-32	320 cm
08048001-33	330 cm
08048001-34	340 cm
08048001-35	350 cm
08048001-36	360 cm
08048001-37	370 cm
08048001-38	380 cm
08048001-39	390 cm
08048001-40	400 cm
08048001-41	410 cm
08048001-42	420 cm
08048001-43	430 cm
08048001-44	440 cm
08048001-45	450 cm
08048001-46	460 cm
08048001-47	470 cm
08048001-48	480 cm
08048001-49	490 cm
08048001	500 cm




Ledstrip

483

TECH / TÉCNICO





**Ledstrip 5Mt 14.4W/Mt 24V
CRI85 2300K 3000lm**

08040101-01	10 cm
08040101-02	20 cm
08040101-03	30 cm
08040101-04	40 cm
08040101-05	50 cm
08040101-06	60 cm
08040101-07	70 cm
08040101-08	80 cm
08040101-09	90 cm
08040101-10	100 cm
08040101-11	110 cm
08040101-12	120 cm
08040101-13	130 cm
08040101-14	140 cm
08040101-15	150 cm
08040101-16	160 cm
08040101-17	170 cm
08040101-18	180 cm
08040101-19	190 cm
08040101-20	200 cm
08040101-21	210 cm
08040101-22	220 cm
08040101-23	230 cm
08040101-24	240 cm
08040101-25	250 cm
08040101-26	260 cm
08040101-27	270 cm
08040101-28	280 cm
08040101-29	290 cm
08040101-30	300 cm
08040101-31	310 cm
08040101-32	320 cm
08040101-33	330 cm
08040101-34	340 cm
08040101-35	350 cm
08040101-36	360 cm
08040101-37	370 cm
08040101-38	380 cm
08040101-39	390 cm
08040101-40	400 cm
08040101-41	410 cm
08040101-42	420 cm
08040101-43	430 cm
08040101-44	440 cm
08040101-45	450 cm
08040101-46	460 cm
08040101-47	470 cm
08040101-48	480 cm
08040101-49	490 cm
08040101	500 cm


**Ledstrip 5Mt 14.4W/Mt 24V CRI85
2700K 3650lm**

08040301-01	10 cm
08040301-02	20 cm
08040301-03	30 cm
08040301-04	40 cm
08040301-05	50 cm
08040301-06	60 cm
08040301-07	70 cm
08040301-08	80 cm
08040301-09	90 cm
08040301-10	100 cm
08040301-11	110 cm
08040301-12	120 cm
08040301-13	130 cm
08040301-14	140 cm
08040301-15	150 cm
08040301-16	160 cm
08040301-17	170 cm
08040301-18	180 cm
08040301-19	190 cm
08040301-20	200 cm
08040301-21	210 cm
08040301-22	220 cm
08040301-23	230 cm
08040301-24	240 cm
08040301-25	250 cm
08040301-26	260 cm
08040301-27	270 cm
08040301-28	280 cm
08040301-29	290 cm
08040301-30	300 cm
08040301-31	310 cm
08040301-32	320 cm
08040301-33	330 cm
08040301-34	340 cm
08040301-35	350 cm
08040301-36	360 cm
08040301-37	370 cm
08040301-38	380 cm
08040301-39	390 cm
08040301-40	400 cm
08040301-41	410 cm
08040301-42	420 cm
08040301-43	430 cm
08040301-44	440 cm
08040301-45	450 cm
08040301-46	460 cm
08040301-47	470 cm
08040301-48	480 cm
08040301-49	490 cm
08040301	500 cm

**Ledstrip 5Mt 14.4W/Mt 24V
CRI85 3000K 3640lm**

08040201-01	10 cm
08040201-02	20 cm
08040201-03	30 cm
08040201-04	40 cm
08040201-05	50 cm
08040201-06	60 cm
08040201-07	70 cm
08040201-08	80 cm
08040201-09	90 cm
08040201-10	100 cm
08040201-11	110 cm
08040201-12	120 cm
08040201-13	130 cm
08040201-14	140 cm
08040201-15	150 cm
08040201-16	160 cm
08040201-17	170 cm
08040201-18	180 cm
08040201-19	190 cm
08040201-20	200 cm
08040201-21	210 cm
08040201-22	220 cm
08040201-23	230 cm
08040201-24	240 cm
08040201-25	250 cm
08040201-26	260 cm
08040201-27	270 cm
08040201-28	280 cm
08040201-29	290 cm
08040201-30	300 cm
08040201-31	310 cm
08040201-32	320 cm
08040201-33	330 cm
08040201-34	340 cm
08040201-35	350 cm
08040201-36	360 cm
08040201-37	370 cm
08040201-38	380 cm
08040201-39	390 cm
08040201-40	400 cm
08040201-41	410 cm
08040201-42	420 cm
08040201-43	430 cm
08040201-44	440 cm
08040201-45	450 cm
08040201-46	460 cm
08040201-47	470 cm
08040201-48	480 cm
08040201-49	490 cm
08040201	500 cm





**Ledstrip 5Mt 19.2W/Mt 24V
CRI85 2700K 5082lm**


08030301-01	10 cm
08030301-02	20 cm
08030301-03	30 cm
08030301-04	40 cm
08030301-05	50 cm
08030301-06	60 cm
08030301-07	70 cm
08030301-08	80 cm
08030301-09	90 cm
08030301-10	100 cm
08030301-11	110 cm
08030301-12	120 cm
08030301-13	130 cm
08030301-14	140 cm
08030301-15	150 cm
08030301-16	160 cm
08030301-17	170 cm
08030301-18	180 cm
08030301-19	190 cm
08030301-20	200 cm
08030301-21	210 cm
08030301-22	220 cm
08030301-23	230 cm
08030301-24	240 cm
08030301-25	250 cm
08030301-26	260 cm
08030301-27	270 cm
08030301-28	280 cm
08030301-29	290 cm
08030301-30	300 cm
08030301-31	310 cm
08030301-32	320 cm
08030301-33	330 cm
08030301-34	340 cm
08030301-35	350 cm
08030301-36	360 cm
08030301-37	370 cm
08030301-38	380 cm
08030301-39	390 cm
08030301-40	400 cm
08030301-41	410 cm
08030301-42	420 cm
08030301-43	430 cm
08030301-44	440 cm
08030301-45	450 cm
08030301-46	460 cm
08030301-47	470 cm
08030301-48	480 cm
08030301-49	490 cm
08030301	500 cm



**Ledstrip 5Mt 19.2W/Mt 24V
CRI85 3000K 4280lm**


08030201-01	10 cm
08030201-02	20 cm
08030201-03	30 cm
08030201-04	40 cm
08030201-05	50 cm
08030201-06	60 cm
08030201-07	70 cm
08030201-08	80 cm
08030201-09	90 cm
08030201-10	100 cm
08030201-11	110 cm
08030201-12	120 cm
08030201-13	130 cm
08030201-14	140 cm
08030201-15	150 cm
08030201-16	160 cm
08030201-17	170 cm
08030201-18	180 cm
08030201-19	190 cm
08030201-20	200 cm
08030201-21	210 cm
08030201-22	220 cm
08030201-23	230 cm
08030201-24	240 cm
08030201-25	250 cm
08030201-26	260 cm
08030201-27	270 cm
08030201-28	280 cm
08030201-29	290 cm
08030201-30	300 cm
08030201-31	310 cm
08030201-32	320 cm
08030201-33	330 cm
08030201-34	340 cm
08030201-35	350 cm
08030201-36	360 cm
08030201-37	370 cm
08030201-38	380 cm
08030201-39	390 cm
08030201-40	400 cm
08030201-41	410 cm
08030201-42	420 cm
08030201-43	430 cm
08030201-44	440 cm
08030201-45	450 cm
08030201-46	460 cm
08030201-47	470 cm
08030201-48	480 cm
08030201-49	490 cm
08030201	500 cm





Ledstrip 5Mt RGB

08041001 500 cm




Controller

98324812 24V


Amplifier

98324813 24V




Surface Profile 45°

08050101-01	10 cm
08050101-02	20 cm
08050101-03	30 cm
08050101-04	40 cm
08050101-05	50 cm
08050101-06	60 cm
08050101-07	70 cm
08050101-08	80 cm
08050101-09	90 cm
08050101-10	100 cm
08050101-11	110 cm
08050101-12	120 cm
08050101-13	130 cm
08050101-14	140 cm
08050101-15	150 cm
08050101-16	160 cm
08050101-17	170 cm
08050101-18	180 cm
08050101-19	190 cm
08050101	200 cm




Surface Profile

08060101-01	10 cm
08060101-02	20 cm
08060101-03	30 cm
08060101-04	40 cm
08060101-05	50 cm
08060101-06	60 cm
08060101-07	70 cm
08060101-08	80 cm
08060101-09	90 cm
08060101-10	100 cm
08060101-11	110 cm
08060101-12	120 cm
08060101-13	130 cm
08060101-14	140 cm
08060101-15	150 cm
08060101-16	160 cm
08060101-17	170 cm
08060101-18	180 cm
08060101-19	190 cm
08060101	200 cm




Surface Profile 8mm

08080101-01	10 cm
08080101-02	20 cm
08080101-03	30 cm
08080101-04	40 cm
08080101-05	50 cm
08080101-06	60 cm
08080101-07	70 cm
08080101-08	80 cm
08080101-09	90 cm
08080101-10	100 cm
08080101-11	110 cm
08080101-12	120 cm
08080101-13	130 cm
08080101-14	140 cm
08080101-15	150 cm
08080101-16	160 cm
08080101-17	170 cm
08080101-18	180 cm
08080101-19	190 cm
08080101	200 cm



Recessed Profile

08070101-01	10 cm
08070101-02	20 cm
08070101-03	30 cm
08070101-04	40 cm
08070101-05	50 cm
08070101-06	60 cm
08070101-07	70 cm
08070101-08	80 cm
08070101-09	90 cm
08070101-10	100 cm
08070101-11	110 cm
08070101-12	120 cm
08070101-13	130 cm
08070101-14	140 cm
08070101-15	150 cm
08070101-16	160 cm
08070101-17	170 cm
08070101-18	180 cm
08070101-19	190 cm
08070101	200 cm





Opal Diffuser

08060102-01	10 cm
08060102-02	20 cm
08060102-03	30 cm
08060102-04	40 cm
08060102-05	50 cm
08060102-06	60 cm
08060102-07	70 cm
08060102-08	80 cm
08060102-09	90 cm
08060102-10	100 cm
08060102-11	110 cm
08060102-12	120 cm
08060102-13	130 cm
08060102-14	140 cm
08060102-15	150 cm
08060102-16	160 cm
08060102-17	170 cm
08060102-18	180 cm
08060102-19	190 cm
08060102	200 cm



Transparent Diffuser

08060103-01	10 cm
08060103-02	20 cm
08060103-03	30 cm
08060103-04	40 cm
08060103-05	50 cm
08060103-06	60 cm
08060103-07	70 cm
08060103-08	80 cm
08060103-09	90 cm
08060103-10	100 cm
08060103-11	110 cm
08060103-12	120 cm
08060103-13	130 cm
08060103-14	140 cm
08060103-15	150 cm
08060103-16	160 cm
08060103-17	170 cm
08060103-18	180 cm
08060103-19	190 cm
08060103	200 cm

Power Supply

			P	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)
	98324020U	II	20W	24 Vdc	0,55	100-240 V	-25< + 50°C	80°C	146 x 55 x 19
	98324030	II	30W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	168 x 51 x 24
	98324060	II	50W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	172 x 63 x 30
	98324120	II	75W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	193 x 63 x 30
	98324180	II	100W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	380 x 49 x 32
	98324150U	II	150W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 65 x 31
Dali-DMX	97308	II	100W	24 Vdc	0,90	100-240 V	-20< + 45°C	75°C	207 x 76 x 35
Triac IP66	97397	II	200W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	256 x 78 x 47
Casambi	98324599	II	120W	24 Vdc	0,98	220-240 V	-25< + 50°C	75°C	240 x 60 x 49

IP67 Power Supply

	98324031	II	30W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	132 x 42 x 34
	98324076	II	75W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 49 x 32
	98324100	II	100W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37
	98324151	II	150W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37

Dimmer for 12-24V LED Power Supply

	97052	II	12-24 V			220-240 V	-25< + 50°C	75°C	156 x 52 x 30
--	-------	----	---------	--	--	-----------	-------------	------	---------------

Drivers









200mA

98310509C	Constant current LED driver of 6-8W, 220-240V - 50/60Hz, With 200mA	Controlador LED de corriente constante de 6-8W, 220-240V - 50/60Hz, con 200mA		
98310620	Constant current LED driver of 1-20W, 100-240V - 50/60Hz, With 200mA	Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 200mA		
98310510C	Constant current LED driver of 10W, 220-240V - 50/60Hz, With 250mA TRIAC C	Controlador LED de corriente constante de 10W, 220-240V - 50/60Hz, con 250mA		


350mA



98310110LC	Constant current LED driver of 3-10W, 220-240V - 50/60Hz, With 350mA TRIAC	Controlador LED de corriente constante de 3-10W, 220-240V - 50/60Hz, con 350mA		
98310114C	Constant current LED driver of 10-14W, 220-240V - 50/60Hz, With 350mA TRIAC C	Controlador LED de corriente constante de 10-14W, 220-240V - 50/60Hz, con 350mA		
98310118LC	Constant current LED driver of 9-18W, 220-240V - 50/60Hz, With 350mA TRIAC LC	Controlador LED de corriente constante de 9-18W, 220-240V - 50/60Hz, con 350mA		
98310116	Constant current LED driver of 8-16W, 100-240V - 50/60Hz, With 350mA	Controlador LED de corriente constante de 8-16W, 100-240V - 50/60Hz, con 350mA		
98310620	Constant current LED driver of 1-20W, 100-240V - 50/60Hz, With 350mA	Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 350mA		
98310103	Constant current LED driver of 1-3W, 100-240V - 50/60Hz, With 350mA	Controlador LED de corriente constante de 1-3W, 100-240V - 50/60Hz, con 350mA		

500mA



98310307C	Constant current LED driver of 4,5-7W, 220-240V - 50/60Hz, With 500mA TRIAC C	Controlador LED de corriente constante de 4,5-7W, 220-240V - 50/60Hz, con 500mA		
98310321LC	Constant current LED driver of 8-21W, 220-240V - 50/60Hz, With 500mA TRIAC LC	Controlador LED de corriente constante de 8-21W, 220-240V - 50/60Hz, con 500mA		
98310321	Constant current LED driver of 10,5-21W, 100-240V - 50/60Hz, With 500mA	Controlador LED de corriente constante de 10,5-21W, 100-240V - 50/60Hz, con 500mA		
98310306	Constant current LED driver of 3-6W, 100-240V - 50/60Hz, With 500mA	Controlador LED de corriente constante de 3-6W, 100-240V - 50/60Hz, con 500mA		



700mA


98310210	Constant current LED driver of 4-10W, 220-240V - 50/60Hz, With 700mA TRIAC LC	Controlador LED de corriente constante de 4-10W, 220-240V - 50/60Hz, con 700mA		
98310220LC	Constant current LED driver of 11-20W, 220-240V - 50/60Hz, With 700mA TRIAC LC	Controlador LED de corriente constante de 11-20W, 220-240V - 50/60Hz, con 700mA		
98310236C	Constant current LED driver of 21-31W, 220-240V - 50/60Hz, With 700mA TRIAC C	Controlador LED de corriente constante de 21-31W, 220-240V - 50/60Hz, con 700mA		
98310233	Constant current LED driver of 14-30W, 100-240V - 50/60Hz, With 700mA	Controlador LED de corriente constante de 14-30W, 100-240V - 50/60Hz, con 700mA		
98310228	Constant current LED driver of 21-30W, 220-240V - 50/60Hz, With 700mA	Controlador LED de corriente constante de 21-30W, 220-240V - 50/60Hz, con 700mA		
98310203	Constant current LED driver of 3W, 100-240V - 50/60Hz, With 700mA	Controlador LED de corriente constante de 3W, 100-240V - 50/60Hz, con 700mA		
98310206E	Constant current LED driver of 1-6W, 100-240V - 50/60Hz, With 700mA	Controlador LED de corriente constante de 1-6W, 100-240V - 50/60Hz, con 700mA		

98310444	Dimmable constant current LED driver up to 40W, 100-240, 50/60Hz.	<i>Controlador LED de corriente constante regulable hasta 40W, 100-240, 50/60Hz. Multi-corriente con dip-switch.</i>		
----------	---	--	--	---



MULTICURRENT & SPECIAL DIM

98311320	Dimmable constant current LED driver up to 20W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 250-900mA in steps of 50mA. Dimmable options are: PUSH and 0/1-10V	<i>Controlador LED de corriente constante regulable hasta 20W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 250-900mA en pasos de 50mA. Las opciones regulables son: PUSH y 0/1-10V</i>		
----------	--	--	--	---



98310599	Dimmable constant current LED driver up to 50W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 350-500-550-650-700-750-850-900-1050mA. Dimmable options are: PUSH, 1-10V and DALI	<i>Controlador LED de corriente constante regulable hasta 50W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 350-500-550-650-700-750-850-900-1050mA. Las opciones regulables son: PUSH, 1-10V y DALI</i>		
----------	--	--	---	---



98311315	Constant current LED driver of 10-20W, 220-240V - 50/60Hz,With 250-700mA	<i>Controlador LED de corriente constante de 10-20W, 220-240V - 50/60Hz, con 250-700mA</i>		
----------	--	--	---	--



98310538	Constant current LED driver of 30-60W, 100-240V - 50/60Hz,With 1200mA	<i>Controlador LED de corriente constante de 30-60W, 100-240V - 50/60Hz, con 1200mA</i>		
----------	---	---	---	---























98310536	Dimmable constant current LED driver up to 38W, 220-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 300-1050mA in steps of 50mA. Dimmable options are: PUSH and DALI	<i>Controlador LED de corriente constante regulable hasta 38W, 220-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 300-1050mA en pasos de 50mA. Las opciones regulables son: PUSH y DALI</i>		
----------	--	--	--	---

12V

98111012	Constant voltage power supply for 12V DC. Supplies up to 12W, 220-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 12W, 220-240V, 50/60Hz.</i>		
----------	---	--	--	---

98111020	Constant voltage power supply for 12V DC. Supplies up to 20W, 220-240V, 50/60Hz.	<i>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 20W, 220-240V, 50/60Hz.</i>		
----------	--	--	---	---

97197	Constant voltage power supply for SORAA lampsWorking at 12V. Supplies up to 20W, 100-240V, 50/60Hz. Dimmable options are: DALI.	<i>Fuente de alimentación de voltaje constante para lámparas SORAA que funcionan a 12V. Suministra hasta 20W, 100-240V, 50/60Hz. Las opciones regulables son: DALI.</i>		
-------	---	---	--	---

98324006	Constant voltage power supply for 24V DC. Supplies up to 6W, 100-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 6W, 100-240V, 50/60Hz</i>		
98324020U	Constant voltage power supply for 24V DC. Supplies up to 20W, 100-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 20W, 100-240V, 50/60Hz</i>		
98324030	Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz</i>		
98324031	Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz. With protection rated at IP67	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i>		
98324060	Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz</i>		
98324076	Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz. With protection rated at IP67	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i>		
98324100	Constant voltage power supply for 24V DC. Supplies up to 100W, 220-240V, 50/60Hz. With protection rated at IP67	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 100W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i>		
98324151	Constant voltage power supply for 24V DC. Supplies up to 150W, 220-240V, 50/60Hz. With protection rated at IP67	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i>		
98324120	Constant voltage power supply for 24V DC. Supplies up to 120W, 220-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 120W, 220-240V, 50/60Hz</i>		
98324180	Constant voltage power supply for 24V DC. Supplies up to 180W, 220-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 180W, 220-240V, 50/60Hz</i>		
98324150U	Constant voltage power supply for 24V DC. Supplies up to 150-200W, 120-240V, 50/60Hz	<i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150-200W, 120-240V, 50/60Hz</i>		

PRICES




Prices established in this price list cancel all the previous ones and can be modified without notice. Conditions, characteristics and product prices set in this price list are the current ones on the printing date unless misprint and are subject to possible modifications. Prices set in this price list cancel all the previous ones and can be modified without notice. Taxes and rates charged in our invoices will be met by the buyer.

The catalogue prices are public prices.

VAT IS NOT INCLUDED IN THIS PRICE LIST.

Valid prices for Germany, Belgium, Spain, France, Greece, Holland and Portugal.

COLOR CODE OF EURO COLUMN

	Products from standard range.
	Products of the range 1.
	Products of the range 2.

DELIVERIES AND INSURANCE

Before taking on the expedition, the buyer should make sure that all bulks are in perfect conditions. If any anomaly, waste or breakage is detected, opening in the presence of a transport company agent or an insurance company agent should be done.

DELIVERY TERMS

Delivery terms are approximate and start from the order approval date on the part of LOREFAR, S.L.

CLAIMS AND RETURNS

Claims should be done within 8 days from the merchandise reception. No returns which have not previously been accepted by LOREFAR, S.L. will be admitted. Merchandise not delivered in perfect conditions and free of charge will not be accepted. Returns will be accepted if faulty merchandise, not due to broken glass or missing components previous notice to LOREFAR S.L. In such cases, please get in touch with us so that we can urgently deliver required parts.

Changes or returns of merchandise in good conditions will not be accepted. In case of explicit acceptance by LOREFAR, S.L., 20% for depreciation and merchandise sorting will be charged when receiving and checking.

SAMPLES

Samples will be completely paid when returning provided that they are in perfect conditions.

PRODUCTS

All products shown in this catalogue are supplied individually (accessories, equipments and lamps). Acceptance of our invoices or delivery notes and mentioned merchandise by the buyer, means implicit consent to our general sales conditions.



PRECIOS

Las condiciones, características y precios de los productos que aparecen en esta tarifa son los vigentes a la fecha de impresión salvo error tipográfico y están sujetos a posibles modificaciones. Los precios señalados en esta tarifa anulan todos los anteriores y pueden ser modificados sin previo aviso. Serán a cargo del comprador cuantos impuestos y tasas graven la operación objeto de nuestras facturas. Los precios mostrados son precios de venta al público (PVP).

IVA NO INCLUIDO EN TARIFA.

Tarifa válida para Alemania, Bélgica, España, Francia, Grecia, Holanda y Portugal.

CÓDIGO DE COLORES DE LA COLUMNA EURO

	Productos gama estándar.
	Productos gama 1.
	Productos gama 2.

ENVIOS Y SEGUROS

Antes de hacerse cargo de la expedición, el comprador deberá asegurarse de que los bultos están en perfectas condiciones. En caso de detectar alguna anomalía, merma o rotura deberá exigir su apertura en presencia de algún agente de la compañía de transportes o de la compañía aseguradora en su caso.

PLAZOS DE ENTREGA

Los plazos de entrega se entienden aproximados y empiezan a contar desde la fecha de aceptación del pedido por parte de LOREFAR S.L.

RECLAMACIONES Y DEVOLUCIONES

Las reclamaciones deberán hacerse dentro de los ocho días siguientes a la recepción de la mercancía. No se admitirá ninguna devolución que no haya sido previamente aceptada por LOREFAR S.L., ni mercancía que no sea entregada en perfecto estado y libre de todo gasto. Previa comunicación a LOREFAR S.L. se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de LOREFAR S.L., a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

MUESTRAS

Las muestras se abonarán completamente a su devolución, siempre que se encuentren en perfecto estado.

PRODUCTOS

Todos los productos que se muestran en este catálogo se suministran unitariamente (accesorios, equipos y lámparas). La aceptación por parte del comprador de nuestras facturas o albaranes y de las mercancías allí reseñadas, supone su conformidad implícita a nuestras condiciones generales de venta.




PRIX

Les conditions, caractéristiques et prix des produits qui apparaissent dans ces tarifs sont ceux en vigueur à la date d'impression sauf erreur typographique et sont susceptibles de modifications. Les prix indiqués dans ces tarifs annulent tous les prix antérieurs et peuvent être modifiés sans préavis. Les impôts et les taxes seront à la charge de l'acheteur grévant l'opération objet de nos factures. Les prix du catalogue sont les prix de vente public.

TVA NON COMPRISE DANS LES TARIFS

Tarifs valables pour l'Allemagne, la Belgique, l'Espagne, la France, la Grèce, la Hollande et le Portugal.

CODE COULEUR DE LA COLONNE EURO

	Produits de la gamme standard.
	Produits gamme 1.
	Produits gamme 2.

ENVOIS ET ASSURANCES

Avant de se faire responsable de l'expédition, l'acheteur devra s'assurer que les colis sont en parfaites conditions. S'il détecte une anomalie, une perte ou une rupture, celui-ci devra exiger l'ouverture en présence d'un agent de l'entreprise de transport ou de la compagnie d'assurance.

DÉLAIS DE LIVRAISON

Les délais de livraison sont approximatifs et commencent à courir à partir de la date d'acceptation de la commande de la part de LOREFAR S.L.

RÉCLAMATIONS ET RENVOIS

Les réclamations devront être réalisées dans les huit jours suivants la réception de la marchandise. Aucun renvoi non préalablement accepté par LOREFAR S.L. ne sera admis, ni aucune marchandise non livrée en parfait état et libre de tout frais. Après communication préalable à LOREFAR S.L. la marchandise défectueuse sera renvoyée, mais dans le cas de verres brisés ou de l'absence d'un composant. Dans ces cas nous vous prions de prendre contact avec nous afin que nous vous envoyions de manière urgente les pièces demandées. Les changements ou les retours de marchandises en bon état ne seront pas admis. En cas d'acceptation explicite de la part de LOREFAR S.L., lors de sa réception et de sa vérification un coût de 20% en concept de dépréciation et de classification de la marchandise sera facturé.

ÉCHANTILLONS

Les échantillons seront complètement payés lors de leur renvoi, toujours à condition qu'ils soient en bon état.

PRODUITS

Tous les produits de ce catalogue sont fournis unitairement (accessoires, équipements et lampes). L'acceptation de la part de l'acheteur de nos factures ou bordereaux et des marchandises signalées sur celles-ci, suppose sa conformité implicite à nos conditions générales de vente.

Ceiling fans are practical and efficient solutions for creating comfortable and welcoming areas. With a wide selection of designs and finishes to choose from, you will find the perfect ceiling fan to express your personal style and create a comfortable and stylish environment.

Los ventiladores de techo son soluciones prácticas y eficientes para crear áreas confortables y acogedoras. Con una amplia selección de diseños y acabados para elegir, encontrarás el ventilador de techo perfecto que te permitirá expresar tu gusto personal y crear un ambiente confortable y con estilo.



FAN

FAN

Ceiling fan projects *Proyectos de ventilación*

As experts and leaders in fan, we can customize and adapt fan functions to your needs.
Como expertos y líderes en ventilación, podemos personalizar y adaptar las funciones del ventilador a tus necesidades.



How you want to control your fan
Elige cómo controlar tu ventilador

on/off
voice / voz
remote control / mando a distancia
wall control / regulador de pared
KNX



Our fans around the world
Nuestros ventiladores en todo el mundo

We adapt the electrical voltage and frequency you need in your country
Adaptamos la tensión y frecuencia eléctrica que necesites en tu región



We adapt fan speeds to your needs
Adaptamos las velocidades del ventilador a tus necesidades



We modify the memory of your fan
Modificamos la memoria de tu ventilador

What do you need? ¿Qué necesitas?

Send your demand on/envíanos tu petición a fanprojects@faro.es

Smart Fan

Ventiladores inteligentes

Control your fan with your mobile or your voice
Controla tu ventilador con tu móvil o tu voz



Search for the fans with **Smart Fan** symbol
*Busca los ventiladores con el símbolo **Smart Fan***




It works with WiFi *Funciona con WiFi*

Download app
Descarga la app



Available on the iPhone
App Store

ANDROID APP ON
Google play



Watch video
Ver el vídeo



Compatible: Alexa, Google & Siri

Size it to your space

*El tamaño
del espacio*

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

El tamaño es realmente importante al seleccionar el ventilador de techo. Si un ventilador es demasiado grande, puede saturar el espacio. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área.



XL

28 m2 o más/or more
300 SQ.FT or more



más/over ø165 CM.
over ø56 INCH.



L

17,6-28 m2
190-300 SQ.FT



más/over ø132 CM.
ø50-54 INCH.



M

13-17,6 m2
140-190 SQ.FT



ø107-132 CM.
ø44-48 INCH.



S

13 m2 o menos/or less
140 SQ.FT or less



ø107 CM. o menos/or less
ø42 INCH. or less



Thanks to **The Room Studio** Photo Mauricio Fuertes



Faro fans.
Best choice.
La mejor elección.

- / 01 Summer/Winter. Useful throughout the year.**
Verano/invierno. Útil durante todo el año.
- / 02 Healthy & environmental friendly.**
Saludable y respetuosos con el medio ambiente.
- / 03 High performance.**
Alta calidad.
- / 04 Cost-effective. Over 50% energy saving compared to other systems.**
Eficiente. Más del 50% de ahorro de energía en comparación con otros sistemas.
- / 05 Engine guaranteed for 15 years.**
Motor con garantía de 15 años.
- / 06 DC Motor. The engine with the most performance.**
Motor DC. Un mejor rendimiento.
- / 07 Wide range. Over 80 designs.**
Amplia gama. Más de 80 diseños.

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Alo (Light)			•				•	•		•		incl.				•
Alo			•				•		•			incl.				•
Aloha			•				•		•		•	incl.				•
Andros				•	•		•		•			incl.				•
Aoba				•	•		•		•			incl.				
Attos				•	•		•	•		•		incl.				•
Cebu	•						•	•				incl.				•
Century				•	•		•	•		•		incl.				•
Chicago	•							•				incl.				•
Cies				•	•		•		•		•	incl.				•
Cocos			•		•		•	•		•		incl.				•
Cooper NEW		•			•		•		•			incl.				
Corso			•				•	•				optional		incl.	•	•
Cuba			•				•		•			optional		incl.	•	•
Decofan	•				•		•		•		•	incl.				
Disc			•		•		•	•		•		incl.				•
Easy	•						•	•				incl.			•	•
Eco Indus		•					•		•			optional	incl.			•
Eterfan		•			•		•		•		•	incl.				
Factory	•						•		•					incl.		•
Fraser NEW	•				•		•	•		•		incl.				
Grid			•		•		•		•		•	incl.				
Gotland NEW			•		•		•		•			incl.				•
Hydra			•		•		•	•			•	incl.				•
Ibiza			•				•		•			incl.				•
Icaria			•				•	•				incl.				•
Ice			•				•	•		•		incl.				•
Indus			•						•				incl.			
Islot			•		•		•		•			incl.				
Izaro			•		•		•	•		•		incl.				•
Just Fan S	•				•		•		•		•	incl.				•
Just Fan M		•			•		•		•		•	incl.				•
Just Fan XL				•	•		•		•		•	incl.				•
Kauai NEW				•	•		•		•			incl.				•
Keiki	•						•		•				incl.			•
Khios XXL NEW				•	•		•	•		•		incl.				
Komodo		•					•	•						incl.		•
Lama			•				•		•			incl.				
Lantau L			•				•		•			incl.				•
Lantau L (Light)			•				•	•		•		incl.				•
Lantau XL				•			•		•			incl.				•
Lantau XL (Light)				•			•	•		•		incl.				•
Leyte			•		•		•	•		•		incl.				
Lisboa	•						•	•				optional		incl.	•	•
Lombok			•				•	•				optional		incl.		•
Luzon			•						•			incl.				•

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Mallorca			•				•		•			incl.				•
Malvinas			•		•		•		•				incl.			•
Manhattan				•	•		•	•		•		incl.				•
Mediterráneo	•							•						incl.		
Meno				•			•		•			incl.				•
Milos NEW			•		•		•		•			incl.				•
Mini Eterfan		•			•		•		•		•	incl.				
Mini Icaria	•						•	•				incl.				•
Mini Indus	•								•				incl.			
Mini Lantau	•						•		•			incl.				•
Mini Mallorca	•						•		•			incl.				•
Mini Tube		•			•		•		•		•	incl.				
Mini Ufo	•						•	•				incl.				
Molokai		•			•		•		•			incl.				•
Morea			•		•		•		•			incl.				•
Nassau		•			•		•		•			incl.				•
Nias			•		•		•		•			incl.			•	
Nisos				•			•		•			optional		incl.	•	•
Nuu			•		•		•		•			incl.				•
Nuu (Light)			•		•		•	•		•		incl.				•
Oboe	•						•		•							•
Palao	•						•	•				optional		incl.		•
Palk			•		•		•	•				incl.				•
Panay		•						•				incl.				•
Pemba			•		•		•		•		•	incl.				
Polaris			•		•		•	•		•		incl.				•
Polea			•		•		•		•			incl.				•
Poros			•		•		•	•		•		incl.				•
Samos NEW			•		•		•		•			incl.				
Saona			•		•		•	•		•		incl.				•
Sioux			•		•	•	•		•			incl.				•
Siros			•		•		•		•			incl.				•
Rodas			•		•		•	•		•		incl.				•
Tabarca			•				•	•				incl.				•
Tilos				•	•		•	•				incl.				•
Timor			•				•	•		•		incl.				
Tonic			•		•		•		•	•		incl.				•
Tonsay			•				•	•				incl.				
Tube		•							•		•	incl.				
Typhoon			•		•	•	•				•	incl.				•
Vanu				•			•	•				incl.			•	•
Vedra	•						•		•			optional	incl.			•
Vulcano			•				•	•		•		incl.				•
Winch			•				•	•				incl.			•	•
Winche			•		•	•	•				•	incl.				•
Yakarta		•					•		•			optional		incl.		•



NEW KHIOS

XXL SIZE	ø305 CM	ø120 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL
--------------------	-------------------	---------------------	------------------------	--------------------	------------------	-------------------




34250
Body matt black/negro mate
Blades matt black/negro mate

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Aluminium/Aluminio
W 16-47-70-93-116-140
RPM 38-56-64-70-74-77
Voltage (V/Hz) 220-240/50-60

LED SMD 30W 2700K 1700lm
 CRI>80 Driver
Diff Opal Polycarbonate/
 Policarbonato opal



A	A I
670/26.3"	630/24.8"
B	C
200/7.9"	300/11.8"
D	E
170/6.7"	240/9.4"
F	G
3050/120"	1400/55.1"



MANHATTAN

<p>Ø244 CM</p>	<p>Ø96 INCH</p>	<p>> 28 M2 > 300 SQ.FT</p>	<p>DC MOTOR</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	---------------------	--------------------------------------	---------------------	--------------------------	---------------------------	---------------------------




33496
Body satin nickel/níquel satinado
Blades satin inox/inox satinado

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Aluminium/Aluminio
W 15-20-25-30-35-56
RPM 50-55-60-65-70-78
Airflow 269,12 m3 min/9500 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

LED SMD 16W
 CRI>80 Driver
Diff Polycarbonate/
 Policarbonato
Dimmable
Temperature
 2700K 795lm
 3300K 2250lm
 4600K 1400lm



A	AI
360/14.17"	325/12.79"
B	C
200/7.87"	130/5.12"
D	E
55/2.16"	130/5.12"
F	G
2440/96"	1160/45.67"



NEW **KAUAI**


∅240 CM	∅94 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	------------------------	--------------------	----------------------------	------------------	--------------------	-------------------



34200
34200WP *Smart Fan
Body dark brown/marrón oscuro
Blades pine tree/pino

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Wood/Madera
With timer/Con temporizador 1-4-8hr
W 13-17-21-36-54
RPM 79-86-93-110-126
Airflow 254,85 m3 min/9000 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (2) ✓
 125mm/4.9" | 250mm/9.8"



A	AI
480/18.9"	430/16.9"
B	C
170/6.7"	210/8.3"
D	E
65/2.5"	150/5.9"
F	G
2400/94.5"	1000/39.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ATTOS

213 CM	84 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	------------------------	--------------------	----------------------------	------------------	-------------------	-------------------



33494
33494WP *Smart Fan
 Body white/blanco
 Blades white/blanco




33495
33495WP *Smart Fan
 Body brown/marrón
 Blades brown/marrón



FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades ABS
W 5-7-12-18-28-44
RPM 30-44-58-72-86-103
Voltage (V/Hz) 220-240/60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD 18W
 CRI>80 Driver
Diff Polycarbonate/
 Policarbonato
Dimmable
Temperature
 2700K 1000lm
 3300K 1100lm
 4600K 1200lm



A	AI
340/13.3"	210/8.2"
B	C
120/4.7"	130/5.1"
D	E
60/2.3"	130/5.1"
F	G
2130/84"	1020/40.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



ANDROS

ø213 CM	ø84 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	------------------------	--------------------	------------------	-------------------	-------------------



33461
Body white/blanco
Blades white/blanco



33462
Body brown/marrón
Blades brown/marrón



33465
Body satin nickel/níquel satinado
Blades satin nickel/níquel satinado

Optional downrod/Tijas opcionales ☒



34002 1220mm/48in matt nickel
níquel mate



34007 900mm/35in brown
marrón



34009 600mm/23in white
blanco


34008 1220mm/48in brown
marrón

34010 900mm/35in white
blanco

34006 600mm/23in brown
marrón

34011 1220mm/48in white
blanco

Body Steel/Acero
Blades Aluminium/Aluminio
W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406,40 m3 min/14352 CFM
Voltage (V/Hz) 220-240/50-60



A	AI
460/18.1"	425/16.7"
B	C
220/8.6"	240/9.4"
D	E
50/1.96"	ø150/5.9"
F	G
ø2133/83.9"	950/37.4"



CIES

210 CM	83 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
------------------	-------------------	------------------------	--------------------	----------------------------	------------------	--------------------	-------------------



33512
33512WP *Smart Fan
Body shiny white/blanco brillo
Blades white/blanco




with light/con luz

DIMMABLE SMD LED 18W 3000K 900lm CRI>80 Driver
 Diff ABS+Polycarbonate/ABS+Policarbonato

33512-1
33512WP-1 *Smart Fan
Body shiny white/blanco brillo
Blades white/blanco

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-9-15-28-44
RPM 54-67-79-98-112
Airflow 344.4 m3 min/12159 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60





A	AI
430/16.92"	380/14.96"
B	C
250/9.84"	230/9.05"
D	E
50/1.96"	148/5.83"
F	G
2108/83"	930/36.61"

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.





AOBA

<p>∅ 180 CM</p>	<p>∅ 71 INCH</p>	<p> > 28 M2 > 300 SQ.FT</p>	<p> REMOTE CONTROL</p>
----------------------------	-----------------------------	--	---



33349
Body black/negro
Blades wood/madera

Body Steel/Acero
Blades Wood/Madera
W 30-70-88
RPM 74-125-152
Airflow 120m3 min/4237,7CFM
Voltage (V/Hz) 220-240/50
Downrods (3) 
 203mm/8" | 305mm/12" | 510mm/20"



A	AI
520/20.47"	410/16.14"
B	C
200/7.87"	230/9.05"
D	E
145/5.70"	160/6.29"
F	G
1800/70.86"	780/30.70"




Ø 178 CM	Ø 70 INCH	 > 28 M2 > 300 SQ.FT	DC MOTOR	SMART FAN OPTION	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--------------------	---------------------	---	--------------------	----------------------------	---	--	--





33430
33430WP *Smart Fan
Body matt black/negro mate
Blades dark walnut/nogal oscuro



33432
33432WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

Body Steel/Acero
Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175,28 m3 min/6190,01 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (3) 
101mm/3.9" | 203mm/7.8" | 457mm/17.7"



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	Ø130/5.1"
D	E
55/2.1"	Ø130/5.1"
F	G
Ø1780/70"	890/35"

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.




NISOS

<p>Ø178 CM</p>	<p>Ø70 INCH</p>	<p>> 28 M2 > 300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>INCLINING ROOF</p>	<p>DIRECT CEILING MOUNTING</p>	<p>CONTROLLED BY CHAINS</p>
--------------------	---------------------	--------------------------------------	--------------------------	---------------------------	--	---------------------------------




33363
Body dark brown/marrón oscuro
Blades cherry+dark walnut/cerezo+nogal oscuro



FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Plywood
W 26-50-88
RPM 59-83-113
Voltage (V/Hz) 220-240/50
Airflow 154 m3 min/5500 CFM
Optional downrod p. 636
Remote control [33929/33937] ⊗



A	Ai
860/33.8"	820/31.6"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1780/70.1"	750/29.5"

A	Ai
260/10.2"	230/9"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1780/70.1"	750/29.5"



LANTAU

<p>Ø 168 CM</p>	<p>Ø 66 INCH</p>	<p>HOUSE > 28 M2 > 300 SQ.FT</p>	<p>SUN SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	----------------------------------	-----------------------	-----------------------



33464
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33504
Body satin nickel/níquel satinado
Blades pine/pino




with light/con luz

33463
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

AC LED SMD 15W 3000K 900lm CRI>80
 Diff Opal Glass/Cristal Opal

33505
Body satin nickel/níquel satinado
Blades pine/pino

Body Steel/Acero
Blades Wood/Madera
W 24-39-82
RPM 70-95-135
Airflow 261,6 m3 min/9235 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.553 L	P.619 S
A	A I
410/16.1"	335/13.2"
B	C
180/7.05"	180/7.05"
D	E
70/2.79"	Ø150/5.9"
F	G
Ø1680/66.1"	840/33"



TILOS

∅168 CM	∅66 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	------------------------	--------------------	------------------	-------------------	-------------------



33466
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Optional downrod/Tijas opcionales ⊗



34005
 dark brown/marrón oscuro
 1220mm/48"




34004
 dark brown/marrón oscuro
 900mm/35"



34003
 dark brown/marrón oscuro
 600mm/23"

Body Steel/Acero
Blades ABS
W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264,05 m3 min/9325 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
LED ⊗ [17463]
Diff Opal Glass/
 Cristal Opal



A	A1
500/19.6"	440/17.3"
B	C
290/11.4"	220/8.6"
D	E
60/2.3"	∅140/5.51"
F	G
∅1685/66.3"	750/29.5"



CENTURY

ø 165 CM	ø 65 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------	------------------------	--------------------	----------------------------	------------------	-------------------	-------------------



33553
33553WP *Smart Fan
Body white/blanco
Blades white/blanco




33554
33554WP *Smart Fan
Body satin nickel/níquel satinado
Blades grey/gris

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Plywood
W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233,41 m3 min/8243 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD
 15W 3000K
 400-1200lm
 CRI>80 Driver
 ✓
Diff Opal
 PMMA/PMMA
 Opal



A	AI
330/12.6"	250/9.8"
B	C
170/6.7"	150/5.9"
D	E
50/1.96"	ø130/5.1"
F	G
ø1650/64.9"	750/29.5"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ALO

<p>Ø 152 CM</p>	<p>Ø 60 INCH</p>	<p> > 17.6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	-----------------------------	---	---------------------------	----------------------------	----------------------------



33718
Body matt black/negro mate
Blades rustic pine/pino rústico



33728
Body white/blanco
Blades rustic pine/pino rústico




with light/con luz

LED SMD 17W 3000K 600lm CRI>80 Driver ✓
 Diff Opal Glass/Cristal Opal

33719
Body black/negro
Blades rustic pine/pino rústico

33727
Body white/blanco
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-30-56
RPM 80-113-155
Airflow 129,29 m3 min/4564 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
335/13.2"	320/12.6"
B	C
180/70.8"	160/6.29"
D	E
60/23.6"	Ø130/5.1"
F	G
Ø1520/59.8"	760/29.9"


VULCANO



33549
33549WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 W 5-8-10,5-14,7-16,9-21,4
 RPM 80-108-126-149-161-180
 Airflow 177,88 m3 min/6281,77 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60
 Optional downrod p. 636

LED SMD 25W 3000K
 2000lm CRI>80
 Driver ✓
 Diff Opal Glass/Cristal
 Opal



A	A1
330/13"	250/9.8"
B	C
123/4.84"	284/11.2"
D	E
55/2.16"	Ø139/5.5"
F	G
Ø1524/6"	645/25.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TONIC

∅ 152 CM	∅ 60 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------	-------------------------------	--------------------	----------------------------	------------------	-------------------	-------------------




FAN LARGE / GRANDE

Thanks to MIKMAX

33552
33552WP *Smart Fan
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades ABS
Accessory cap/Tapa accesorio ✓
W 5-7-9-11-14-18
RPM 100-120-140-160-180-200
Airflow 180,57 m3 min/6377 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
 100-240/50-60
Optional downrod p. 636

LED SMD 15W 3000K
 400-1200lm CRI>80
 Driver ✓
Diff Polycarbonate/
 Policarbonato



A	A1
310/12.2"	250/9.8"
B	C
190/7.48"	180/7.05"
D	E
50/1.9"	∅130/5.11"
F	G
∅1520/59.8"	870/34.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MOREA

<p>Ø 152 CM</p>	<p>Ø 60 INCH</p>	<p>> 176-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>SMART FAN OPTION</p>	<p>SUMMER WINTER</p>	<p>WITH PROGRAMMER</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	---	---------------------	---------------------------------	--------------------------	----------------------------	---------------------------




33511
33511WP *Smart Fan
Body brown/marrón
Blades nogal wood/madera nogal



33519
33519WP *Smart Fan
Body brown/marrón
Blades pine wood/madera pino

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 3-7-12-17-38
RPM 58-105-131-148-195
Airflow 211,7 m3 min/7473 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636



A	AI
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/1.96"	148/5.83"
F	G
1520/60"	750/29.52"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



LAMA

<p>∅143 CM</p>	<p>∅56 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p> SUMMER  WINTER</p>	<p> REMOTE CONTROL</p>
--------------------	---------------------	--	--	---




33506
Body matt nickel/níquel mate
Blades pine wood/madera pino





33507
Body black/negro
Blades nogal wood/madera nogal

Body Steel/Acero
Blades Wood/Madera
W 16-27-44
RPM 84-114-143
Airflow 178,83 m3 min/6313 CFM
Voltage (V/Hz) 220-240/50



A	A1
272/10.6"	220/8.6"
B	C
120/4.7"	∅180/7.1"
D	E
25/1"	∅190/7.5"
F	G
∅1430/56.3"	610/24"

INDUS

∅ 140 CM	∅ 55 INCH	 > 17.6-28 M2 190-300 SQ.FT	 WALL CONTROL
--------------------	---------------------	---	---



33001
Body white/blanco
Blades white/blanco




33002
Body chrome/cromado
Blades chrome/cromado

P.612 **P.627**
M S







Body Steel/Acero
Blades Steel/Acero
W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155,52 m3 min/5492 CFM
Voltage (V/Hz) 220-240/50



A	AI
483/19"	440/17.3"
B	C
160/6.29"	180/7.05"
D	E
120/4.71"	∅145/5.7"
F	G
∅1400/55.1"	555/21.9"

MALVINAS

<p>Ø 140 CM</p>	<p>Ø 55 INCH</p>	<p>  > 17.6-28 M2 190-300 SQ.FT </p>	<p>  SUMMER WINTER </p>	<p>  WALL CONTROL </p>	<p>  INCLINING ROOF </p>
---------------------	----------------------	---	---	--	--




33110
Body dark grey/gris oscuro
Blades walnut+reddish mahogany/
 nogal+caoba rojizo



33111
Body dark brown/marrón oscuro
Blades mahogany+reddish mahogany/
 caoba+caoba rojizo

FAN LARGE / GRANDE

Body Steel/Acero
Blades MDF
W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176,22 m3 min/6223 CFM
Voltage (V/Hz) 220-240/50



A	AI
600/23.6"	500/19.6"
B	C
160/6.59"	200/7.87"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1400/55.1"	590/23.2"

LEYTE

∅138
CM

∅54
INCH

 > 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SMART
FAN
OPTION

DIM

 SUMMER
WINTER

 WITH
PROGRAMMER

 INCLINING
ROOF



33780

33780WP *Smart Fan

Body brown/marrón

Blades brown/marrón

Body Steel/Acero

Blades ABS

With timer/Con temporizador 1-4-8hr

W 6-10-15-23-39

RPM 81-102-122-140-165


Airflow 166,32 m3 min/5803 CFM

Voltage (V/Hz) 220-240/50-60

Voltage *Smart Fan (V/Hz) 100-240/50-60

Optional downrod p. 636

LED SMD 20W

CRI>80 Driver 


Diff ABS

DIMMABLE

3000K 990lm

4000K 2250lm

6000K 1400lm



A	AI
380/14.9"	270/10.6"
B	C
240/94.4"	350/13.7"
D	E
60/23.6"	∅170/6.7"
F	G
∅380/54.3"	590/11.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

COCOS

∅137 CM	∅54 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	---------------	----------------	----------------




FAN LARGE / GRANDE

33548
33548WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 W 7-10-13-17-24-29
 RPM 66-88-104-115-138-146
 Airflow 234 m3 min/8266 CFM
 Voltage (V/Hz) 230/50-60
 Voltage *Smart Fan (V/Hz)
 100-240/50-60
 Optional downrod p. 636

LED SMD 20W 3000K
 1600lm CRI>80
 Driver ✓
 Diff Opal Polycarbona-
 te/Polycarbonato Opal



A	Ai
500/19.6"	260/10.2"
B	C
140/5.5"	200/78.7"
D	E
55/21.6"	∅140/5.5"
F	G
∅1370/52"	585/23"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



HYDRA

<p>Ø133 CM</p>	<p>Ø52 INCH</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>SUMMER WINTER</p>	<p>WITH PROGRAMMER</p>	<p>INCLINING ROOF</p>
--------------------	---------------------	--	---------------------	--------------------------	----------------------------	---------------------------



33725
Body black/negro
Blades dark walnut+black/nogal oscuro+negro




33726
Body white/blanco
Blades white/blanco

FAN LARGE / GRANDE

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-7-10-13-18-25
RPM 99-116-134-154-172-193
Airflow 175,99m3min / 6213 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD
 22W 3000K
 1200lm
 CRI>80
 Driver
Diff Acrylic/
 Acrílico



A	AI
310/5.1"	270/10.6"
B	C
130/5.1"	250/9.8"
D	E
52/2.04"	130/5.1"
F	G
1330/52"	540/21.2"



NEW MILOS

∅ 132
CM


∅ 52
INCH

 > 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SMART FAN
OPTION

 SUMMER
WINTER

 REMOTE
CONTROL

 INCLINING
ROOF



34100

34100WP ***Smart Fan**

Body matt black/negro mate

Blades matt black/negro mate

Body Steel/Acero

Blades Plywood


W 4-6-10-16-28-34

RPM 50-73-96-118-143-188

Airflow 140,14 m3 min/4949 CFM

Voltage (V/Hz) 220-240/50-60

Voltage ***Smart Fan** (V/Hz) 100-240/50-60



A	AI
270/10.6"	260/10.2"
B	C
120/4.7"	70/2.7"
D	E
60/2.3"	140/5.5"
F	G
1320/52"	600/23.6"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.


MENO

<p>Ø 135 CM</p>	<p>Ø 53 INCH</p>	<p> > 17.6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> WITH PROGRAMMER</p>	<p> INCLINING ROOF</p>
----------------------------	-----------------------------	---	---------------------------	-----------------------------	----------------------------



33782
Body white/blanco
Blades white/blanco

Body ABS
Blades ABS
With timer/Con temporizador 1-2-4-8hr
W 22-43-85
RPM 108-162-235
Airflow 192 m3 min/6795 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
320/12.59"	275/10.82"
B	C
160/6.29"	260/10.23"
D	E
60/2.36"	150/5.9"
F	G
1350/53.14"	540/21.25"

∅132 CM	∅52 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	---------------	-----------------	----------------




33446
33446WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate



33447
33447WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-6-10-17-23-30
RPM 95-121-148-177-198-214
Airflow 218,8 m3 min/7730 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636



A	AI
290/11.4"	250/9.8"
B	C
130/5.1"	170/6.7"
D	E
55/2.2"	130/5.1"
F	G
1320/52"	580/22.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SIROS

∅ 132
CM

∅ 52
INCH


> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SMART
FAN
OPTION


SUMMER
WINTER



WITH
PROGRAMMER


INCLINING
ROOF



33804
33804WP *Smart Fan
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-12-19-25-38
RPM 85-108-129-150-180
Airflow 6650 CFM/188m3min
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	AI
250/9.8"	230/9.05"
B	C
80/3.1"	∅20.4/8.03"
D	E
60/2.4"	150/6"
F	G
1320/52"	560/22.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.


Ø132 CM	Ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL
-------------------	--------------------	-------------------------------	--------------------	----------------------------	------------------	-------------------



FAN LARGE / GRANDE

33729
33729WP *Smart Fan
 Body matt white/blanco mate
 Blades matt white/blanco mate

Body Steel/Acero
 Blades ABS
 W 7-10-13-19-25-33
 RPM 95-112-129-146-163-180
 Airflow 125,4 m3 min/4430 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60
 Optional downrod p. 636



A	AI
340/13.4"	300/11.8"
B	C
170/6.7"	165/6.5"
D	E
70/2.7"	130/5.1"
F	G
130/5.2"	570/22.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SAONA

∅ 132
CM

∅ 52
INCH

 > 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SMART
FAN
OPTION

 SUMMER
WINTER


 WITH
PROGRAMMER


 INCLINING
ROOF



33803
33803WP *Smart Fan
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-14-21-38
RPM 85-105-126-155-180
Airflow 188 m3 min 6643 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
100-240/50-60

LED SMD 24W
3000K 990lm CRI>80
Driver 
Diff ABS
DIMMABLE
3000K 1089lm
4000K 2475lm
6000K 1540lm



A	AI
330/12.99"	250/9.84"
B	C
150/5.90"	330/12.99"
D	E
58/2.29"	150/5.90"
F	G
∅1320/51.9"	490/19.29"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

ISLOT

∅132 CM	∅52 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	------------------	--------------------	-------------------




Thanks to MIKMAX

FAN LARGE / GRANDE

33802
33802WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 Diff ABS
 With timer/Con temporizador 1-4-8hr
 W 6-9-15-23-38
 RPM 109-140-168-200-235
 Airflow 185 m3 min/6550 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60



A	A1
280/11"	230/9.1"
B	C
100/3.9"	300/11.8"
D	E
70/2.7"	150/5.9"
F	G
1320/51.9"	520/20.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



RODAS

Ø132 CM	Ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	DIM	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	------------	------------------	--------------------	-------------------




33522
33522WP *Smart Fan
 Body white/white
 Blades pine+white/pino+blanco



33523
33523WP *Smart Fan
 Body dark brown/marrón oscuro
 Blades dark brown/marrón oscuro

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 7-9-12-16-21-26
RPM 130-145-160-178-194-210
Airflow 246 m3 min/6300 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
 100-240/50-60
Optional downrod p. 636

LED SMD 5-20W
 3000K 1200 lm
 CRI>80
 Driver
 Diff Glass/Cristal



A	AI
370/14.5"	250/9.8"
B	C
230/9.1"	310/12.2"
D	E
70/2.7"	160/6.3"
F	G
1320/51.9"	580/22.8"

FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



POROS

Ø132 CM	Ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	DIM	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	------------	------------------	--------------------	-------------------




33524
33524WP *Smart Fan
Body white/blanco
Blades pine/pino

FAN LARGE / GRANDE

Body Steel/Acero
Blades Wood/Madera
With timer/Con temporizador 1-4-8hr
W 7-9-12-15-20-26
RPM 120-132-145-160-174-185
Airflow 240 m3 min/6244 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
 100-240/50-60
Optional downrod p. 636

LED SMD
 5-19W 2700K
 1200lm CRI>80
 Driver
Diff Glass/
 Cristal



A	AI
370/14.6"	280/11"
B	C
160/6.3"	180/7.1"
D	E
70/2.7"	160/6.3"
F	G
1320/51.9"	560/22.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



LANTAU

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17.6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	--------------------------	---------------------------	---------------------------



33370
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33373
Body satin nickel/níquel satinado
Blades pine/pino



33516
Body matt black/negro mate
Blades dark walnut/nogal oscuro




with light/con luz

33518
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

AC LED SMD 15W 3000K 900lm CRI>80
 Diff Opal Glass/Cristal Opal

Body Steel/Acero
Blades Wood/Madera
W 14-30-65
RPM 90-140-180
Airflow 147,56 m3 min/5211 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.521 XL	P.619 S
A 330/13"	A1 320/12.6"
B 165.6.46"	C 160/6.29"
D 70/2.79"	E Ø160/6.3"
F Ø1320/51.9"	G 660/26"



GRID

ø 132 CM	ø 52 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
--------------------	---------------------	-------------------------------	--------------------	----------------------------	------------------	--------------------	-------------------



33341
33341WP *Smart Fan
Body white/blanco
Blades cherry/cerezo



33345
33345WP *Smart Fan
Body black/negro
Blades brown/marrón



with light/con luz


LED SMD 18W 3000K 1500lm CRI>80 Driver Diff ABS

33341-2
33341WP-2 *Smart Fan
Body white/blanco
Blades cherry/cerezo

33345-2
33345WP-2 *Smart Fan
Body black/negro
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-9-17-20-30
RPM 86-135-159-175-197
Airflow 134 m3 min/4802 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
100-240/50-60



A	A I
340/13.38"	290/11.41"
B	C
130/5.18"	190/7.48"
D	E
50/1.96"	140/5.51"
F	G
1320/51.96"	560/22.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NUU

— Estudi Ribaudí



∅ 132 CM	∅ 52 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
--------------------	---------------------	---	--------------------	----------------------------	----------------------	------------------------	-----------------------



33721
33721WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate




with light/con luz

LED SMD 15W 3000K 600lm CRI>80 Driver ✓
Diff Steel+Acrylic/Acero+Acrílico

33722
33722WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-14-21-35
RPM 106-126-147-165-186-212
Airflow 104,58m³ min/3693,43 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60




A	AI
330/12.99"	290/11.41"
B	C
160/6.29"	110/4.33"
D	E
55/2.16"	130/5.12"
F	G
1320/51.96"	600/23.62"





FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ICE

— Estudi Ribaudí 

ø 132 CM	ø 52 INCH	 > 17.6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--------------------	---------------------	---	--	---	---





33460 wireless speaker
Body white/blanco
Blades white+maple/blanco+arce



FAN LARGE / GRANDE

Body Steel/Acero
Blades MDF
W 13-25-55 [33460]
RPM 75-135-180
Airflow 157,52 m3 min/5563 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD 15W 3000K 800lm CRI>80
 Driver 
Diff Opal Glass/Cristal Opal



A	AI
385/15.1"	270/10.6"
B	C
210/8.24"	230/7.68"
D	E
65/2.51"	ø150/5.9"
F	G
ø1320/51.9"	555/21.9"



DISC

— Conillas



<p>∅132 CM</p>	<p>∅52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p> SUMMER WINTER</p>	<p> WITH PROGRAMMER</p>	<p> INCLINING ROOF</p>
---------------------------	----------------------------	---	----------------------------	---------------------------	-----------------------------	----------------------------



33397


Body shiny white/blanco brillo
Blades white+maple/blanco+arce



LIGHT DOWN
22W 962lm




LIGHT UP
11W 396lm



LIGHT UP & DOWN
33W 1351lm

Body Steel/Acero
Blades MDF
With timer/Con temporizador 1-4-8hr
W 6-10-13-23-37
RPM 100-135-160-195-230
Airflow 211,72 m3 min/7477 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

LED SMD 19W 2700K
CRI>80 Driver
Diff Polycarbonate/
Policarbonato



A	AI
460/18.1"	330/13"
B	C
280/11"	∅145/5.7"
D	E
55/2.1"	∅150/5.9"
F	G
∅1320/51.9"	576/22.7"



POLEA

— Conillas 

Ø 132
CM

Ø 52
INCH


> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SMART
FAN
OPTION


SUMMER
WINTER


WITH
PROGRAMMER


INCLINING
ROOF




33724

33724WP *Smart Fan

Body brown+black/marrón+negro

Blades walnut+black/nogal+negro



Body Steel/Acero

Blades Plywood

With timer/Con temporizador 1-4-8hr

W 5-7-10-14-20-33


RPM 86-102-119-131-151-167

Airflow 111,3 m3min/3929CFM

Voltage (V/Hz) 220-240/50-60

Voltage *Smart Fan (V/Hz) 100-240/50-60

Optional downrod p. 636



A	AI
372/14.6"	254/10"
B	C
118/4.6"	228/9"
D	E
56/2.2"	130/5.12"
F	G
1322/52"	547/21"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



WINCH

— Faro Lab



<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17.6-28 M2 190-300 SQ.FT</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>	<p>DIRECT CEILING MOUNTING</p>
---------------------	----------------------	--	-----------------------	-----------------------	--------------------------------



33396

Body dark brown/marrón oscuro

Blades dark brown/marrón oscuro

Body Steel/Acero

Blades MDF

W 15-30-60

RPM 90-145-190

Airflow 151,38 m3 min/5346 CFM



Voltage (V/Hz) 220-240/50

Optional downrod p. 636

2 E27 MAX 15W LED ☒

[17463]

Diff Opal glass/Cristal opal



A	AI
520/20.4"	370/14.5"
B	C
350/13.7"	Ø400/16"
D	E
60/2.4"	Ø130/5.1"
F	G
Ø1320/51.9"	560/22"

A	AI
500/19.7"	330/13"
B	C
350/13.7"	Ø400/16"
D	E
60/2.4"	Ø130/5.1"
F	G
Ø1320/51.9"	560/22"



LUZON

<p>Ø132 CM</p>	<p>Ø52 INCH</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	---------------------	--	-----------------------	-----------------------




33750
Body white/blanco
Blades white/blanco



33751
Body brown/marrón
Blades brown/marrón

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
W 23-42-65
RPM 90-120-155
Airflow 215,73 m3 min/7615 CFM
Voltage (V/Hz) 220-240/50
Downrods (3)
 105mm/3.99" | 152mm/60"
Optional downrod p. 636



A	A1
285/11.2"	235/9.2"
B	C
180/70.8"	Ø160/6.3"
D	E
60/23.6"	Ø140/5.5"
F	G
Ø1320/52"	590/23.2"


SIoux

Ø132 CM	Ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	IP44 OUTDOOR	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	----------------------------	-----------------	------------------	--------------------	-------------------



33770
33770WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164,32 m3 min/5803 CFM
Voltage (V/Hz) 110-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (2) ✓
 127mm/5" | 254mm/10"
Optional downrod p. 636



A	A1
320/12.6"	260/10.2"
B	C
200/78.7"	Ø220/8.6"
D	E
70/27.7"	Ø170/6.7"
F	G
Ø1320/52"	590/23.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

POLARIS

Ø 132 CM	Ø 52 INCH	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
--------------------	---------------------	-------------------------------	--------------------	----------------------------	------------------	--------------------	-------------------




FAN LARGE / GRANDE

33346
33346WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m3 min/4900 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
 100-240/50-60
Optional downrod p. 636

LED SMD 18W
 2700K 1500lm
 CRI>80 Driver
Diff Polycarbonate/
 Policarbonato



A	AI
350/13.7"	275/10.8"
B	C
180/7.1"	170/7"
D	E
50/2"	Ø130/5.1"
F	G
Ø1320/51.9"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TIMOR

Ø132 CM	Ø52 INCH	> 17.6-28 M2 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL
-------------------	--------------------	-------------------------------	------------------	-------------------




33372
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades Plywood
W 17-30-50
RPM 90-130-170
Airflow 134,28 m3 min/4742 CFM
Voltage (V/Hz) 220-240/50

LED SMD 12W 2300K 900lm
 CRI>80 Driver
Diff Opal Acrylic/Acrílico Opal



A	AI
270/10.6"	240/9.4"
B	C
80/3.11"	Ø175/6.88"
D	E
50/1.9"	Ø175/6.9"
F	G
Ø1320/51.9"	570/22.4"

PALK

∅132 CM	∅52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	-------------------------------	--------------------	------------------	-------------------	-------------------




FAN LARGE / GRANDE

33470
Body satin nickel/níquel satinado
Blades maple/arce

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-32
RPM 50-77-104-131-158-185
Airflow 198,22 m3 min/7000 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
Diff Opal Glass/Cristal Opal



A	AI
390/15.3"	325/12.8"
B	C
140/5.51"	∅150/5.9"
D	E
60/2.35"	∅130/5.1"
F	G
∅1320/51.9"	570/22.4"



TONSAY

<p>Ø132 CM</p>	<p>Ø52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT </p>	<p> SUMMER WINTER </p>	<p> REMOTE CONTROL </p>
--------------------	---------------------	---	---	--




33384
Body white/blanco
Blades white+maple/blanco+arce



33385
Body matt nickel/níquel mate
Blades grey+mahogany/gris+caoba




33386
Body dark brown/marrón oscuro
Blades cedar+wenge/cedro+wengué



Body Steel/Acero
Blades Plywood
W 10-24-46
RPM 83-132-180
Airflow 145,63 m3 min/5143 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W LED
 [17463]
 Diff Opal Glass/Cristal Opal



A	AI
305/12"	270/10.6"
B	C
300/11.8"	Ø238/9.34"
D	E
-	Ø190/7.5"
F	G
Ø1320/51.9"	535/20.06"



PEMBA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p> > 17.6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>
----------------------------	-----------------------------	---	----------------------------	---------------------------	----------------------------



33471N
Body white/blanco
Blades white/blanco



33491
Body grey/gris
Blades grey/gris



33492
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 800lm CRI>80 Driver ✓
Diff Polycarbonate/Polycarbonato


33471N-3
Body white/blanco
Blades white/blanco

33491-4
Body grey/gris
Blades grey/gris

33492-5
Body brown/marrón
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
W 3-5-9-14-21-32
RPM 50-76-102-127-157-180
Airflow 191,14 m3 min/6750 CFM
Voltage (V/Hz) 220-240/50-60



A	A1
215/8.46"	190/7.5"
B	C
570/22.4"	180/70.5"
D	E
65/2.51"	Ø170/6.7"
F	G
Ø1320/51.9"	570/22.4"

NIAS

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p> > 17.6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>
----------------------------	-----------------------------	---	----------------------------	---------------------------	----------------------------



33472N
Body satin nickel/níquel satinado
Blades walnut/nogal

with light/con luz


LED SMD 16W 800lm CRI>80
Driver ✓



33472N-6
Body satin nickel/níquel satinado
Blades walnut/nogal
Diff Polycarbonate/Polícarbonato

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195,39 m3 min/6900 CFM
Voltage (V/Hz) 220-240/50-60



A	AI
190/7.5"	155/6.1"
B	C
-	Ø140/5.5"
D	E
-	Ø170/6.9"
F	G
Ø1320/51.9"	630/24.8"

VANU

Ø132 CM	Ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF	DIRECT CEILING MOUNTING
-------------------	--------------------	-------------------------------	------------------	-------------------	-------------------	-------------------------------




FAN LARGE / GRANDE

33314
Body dark brown/marrón oscuro
Blades dark walnut/nogal oscuro

Body Steel/Acero
Blades Plywood
W 14-31-60
RPM 75-120-172
Airflow 163,61 m3 min/5778 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

E27 MAX 15W LED [17463]
Diff Opal Glass/Cristal Opal



A	AI
430/16.9"	300/11.8"
B	C
220/8.63"	240/9.43"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	540/21.2"



ICARIA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17.6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	--------------------------	---------------------------	---------------------------




33700
Body white/blanco
Blades white+maple/blanco+arce



33701
Body aluminium/aluminio
Blades grey+maple/gris+arce



33702
Body brown/marrón
Blades brown+mahogany/marrón+caoba




33705
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble




FAN LARGE / GRANDE

P.615
S



Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 155,62 m3 min/5496 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E27 MAX 15W LED ☒
 [17463]
Diff Opal Glass/Cristal Opal



A	AI
415/16.3"	330/12.9"
B	C
280/11"	Ø270/10.6"
D	E
50/2"	Ø150/5.9"
F	G
Ø1320/51.9"	520/20.5"

IBIZA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17.6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	--------------------------	---------------------------	---------------------------



33284
Body white/blanco
Blades white/blanco




33287
Body satin nickel/níquel satinado
Blades grey+maple/gris+acre



33288
Body rust brown/marrón óxido
Blades mahogany+bleached oak/
caoba+roble emblanquecido

Body Steel/Acero
Blades Plywood
W 16-29-49
RPM 113-162-212
Airflow 149,57 m3 min/5282 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
330/12.9"	270/10.6"
B	C
170/6.9"	175/6.88"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	570/ 22.4"

MALLORCA

<p>∅ 132 CM</p>	<p>∅ 52 INCH</p>	<p> > 17.6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	-----------------------------	---	---------------------------	----------------------------	----------------------------



33292
Body matt nickel/níquel mate
Blades grey+maple/gris+acere




33350
Body white/blanco
Blades white+maple/blanco+acere




33351
Body rust brown/marrón óxido
Blades mahogany+bleached oak/
caoba+roble emblanquecido

FAN LARGE / GRANDE

P.617
S



Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 154,30 m3 min/5449 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
380/15"	330/12.9"
B	C
180/7.05"	250/9.82"
D	E
60/2.35"	∅130/5.1"
F	G
∅1320/51.9"	520/20.4"

CUBA

Ø 132
CM

Ø 52
INCH

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS




33352
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro



33352B NEW
Body antique brass/oro envejecido
Blades brown/marrón

Body Steel/Acero
Blades ABS
W 20-34-65
RPM 73-99-145
Airflow 127,45 m3 min/4501 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗



A	A1
510/20.1"	450/17.7"
B	C
350/13.7"	370/15.5"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	600/23"

CORSO

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> INCLINING ROOF</p>	<p> DIRECT CEILING MOUNTING</p>	<p> CONTROLLED BY CHAINS</p>
----------------------------	-----------------------------	---	---------------------------	----------------------------	---	----------------------------------




FAN LARGE / GRANDE

33274
Body dark brown/marrón oscuro
Blades reddish mahogany+pickled oak/aoba rojizo+roble envejecido



Body Steel/Acero
Blades Plywood
W 23-34-57
RPM 87-135-198
Airflow 161,92 m3min/5718 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

4 E27 MAX 15W LED ⊗ [17463]
Diff Translucent Glass/
 Cristal Translúcido



A	A1
520/20.5"	290/11.4"
B	C
400/15.74"	360/14.17"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	525/20.7"

LOMBOK

Ø 132
CM

Ø 52
INCH

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS



33019

Body dark brown/marrón oscuro

Blades rustic pine/pino rústico

Body Steel/Acero

Blades Wood/Madera

W 14-29-58

RPM 85-135-185

Airflow 123,72 m3 min/4369 CFM


Voltage (V/Hz) 220-240/50

Optional downrod p. 636

Remote control [33929/33937] ⊗

2 E27 MAX 15W LED ⊗ [17443]

Diff Opal glass/Cristal opal



A	A1
500/19.7"	246/9.7"
B	C
330/12.9"	285/11.2"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	541/21.3"

ALOHA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17.6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	--------------------------	---------------------------	---------------------------



33710
Body dark brown/marrón oscuro
Blades walnut+dark walnut/
 nogal+nogal oscuro

with light/con luz

3 E27 MAX 15W LED [17426]




33710-13
 dark brown/marrón oscuro

FAN LARGE / GRANDE

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 15-32-58
RPM 80-125-180
Airflow 128,95 m3 min/4552 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
315/12.4"	285/11.2"
B	C
130/5.1"	240/9.43"
D	E
60/2.36"	130/5.11"
F	G
Ø1320/51.9"	530/20.9"

TABARCA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT </p>	<p> SUMMER WINTER </p>	<p> REMOTE CONTROL </p>	<p> INCLINING ROOF </p>
---------------------	----------------------	---	---	--	--




33752
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33753
Body shiny grey/gris brillo
Blades grey+maple/gris+arce

Body Steel/Acero
Blades Plywood
W 23-34-50
RPM 125-160-200
Airflow 141,95 m3 min/5011 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
 LED [17463]
 Diff Glass/Cristal



A	AI
450/17.72"	330/13"
B	C
300/11.81"	220/8.66"
D	E
60/2.36"	130/5.12"
F	G
1320/52"	540/21.25"

IZARO

Ø 130 CM	Ø 51 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
--------------------	---------------------	---------------------------	--------------------	----------------------------	------------------	--------------------	-------------------




FAN MEDIUM / MEDIANO

33514
33514WP *Smart Fan
 Body shiny white/blanco brillo
 Blades white+mapple/blanco+arce

Body Steel/Acero
 Blades Plywood
 With timer/Con temporizador 1-4-8hr
 W 5-10-16-25-37
 RPM 100-142-165-192-226
 Airflow 190,12 m3 min/6711 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60
 Optional downrod p. 636

LED SMD 15W
 3000K 850lm
 CRI>80 Driver ✓
 Diff Glass/Cristal



A	AI
420/16.53"	270/10.62"
B	C
260/10.23"	230/9.05"
D	E
70/2.75"	150/5.90"
F	G
1300/51.18"	540/21.25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



TYPHOON

— Jordi Busquets



130 CM	51 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	IP44 OUTDOOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---------------------------	--------------------	----------------------------	-----------------	------------------	-------------------	-------------------



33480
33480WP *Smart Fan
Body white/blanco
Blades white/blanco



33489
33489WP *Smart Fan
Body grey/gris
Blades grey/gris



33490
33490WP *Smart Fan
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 900lm CRI>80 Driver ✓
Diff Polycarbonate/Polycarbonato

33480-14
33480WP-14 *Smart Fan
white/blanco


33489-15
33489WP-15 *Smart Fan
grey/gris

33490-16
33490WP-16 *Smart Fan
brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Indoor/Outdoor IP44

Body ABS
Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183,09 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	AI
390/15.3"	370/13.77"
B	C
200/7.87"	200/7.87"
D	E
55/2.1"	130/5.1"
F	G
1300/51.8"	530/20.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



WINCHE
— Conillas 

ø 130 CM	ø 51 INCH	 13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--------------------	---------------------	--	--------------------	----------------------------	---	--	--



33481 Indoor/Outdoor IP44
33481WP *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro



33482
33482WP *Smart Fan
Body chrome/cromado
Blades brown/marrón



with light/con luz


LED SMD 16W 3000K 800lm CRI>80 Driver ✓

33481-7 IP44
33481WP-7 *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro

33482-8
33482WP-8 *Smart Fan
Body chrome/cromado
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
Diff Polycarbonate/Policarbonato
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183,01 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	AI
390/15.3"	355/13.97"
B	C
210/8.26"	190/7.48"
D	E
55/2.1"	ø130/5.11"
F	G
ø1270/50"	530/21.8"

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NEW COPPER
— Conillas 

∅ 128 CM	∅ 50 INCH	 13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--------------------	---------------------	--	--------------------	----------------------------	---	--	--




33451
33451WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



FAN MEDIUM / MEDIANO

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (3) ✓
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	∅160/6.3"
D	E
60/2.3"	∅130/5.1"
F	G
∅1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI ETERFAN

— Conillas

ø128 CM	ø50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL
-------------------	--------------------	---------------------------	--------------------	----------------------------	------------------	----------------



33382
33382WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32020
32020WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32025
32025WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32026
32026WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32027
32027WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32028
32028WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32029
32029WP *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente



32030
32030WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

33382-9
33382WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32026-10
32026WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente

32029-9
32029WP-9 *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

32020-9
32020WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32027-10
32027WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente


32030-10
32030WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

32025-9
32025WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32028-10
32028WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	AI
450/17.7"	420/16.5"
B	C
-	ø160/6.3"
D	E
60/2.3"	ø130/5.1"
F	G
ø1280/50.4"	555/21.8"

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ETERFAN
— Conillas 

ø128 CM	ø50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL
-------------------	--------------------	---------------------------	--------------------	----------------------------	------------------	-------------------



33381
33381WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32000
32000WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32001
32001WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32002
32002WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32003
32003WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32004
32004WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32005
32005WP *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente



32006
32006WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

33381-9
33381WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32002-10
32002WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente

32005-9
32005WP-9 *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

32000-9
32000WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32003-10
32003WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente


32006-10
32006WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

32001-9
32001WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32004-10
32004WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	AI
640/25,2"	630/24,8"
B	C
-	ø160/6,3"
D	E
60/2,3"	ø130/5,1"
F	G
ø1280/50,4"	555/21,8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



JUSTFAN
— Conillas 

Ø 128 CM	Ø 50 INCH	 13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--------------------	---------------------	---	--------------------	----------------------------	---	--	--



33394
33394WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



33395
33395WP *Smart Fan
Body black/negro
Blades walnut/nogal



33398
33398WP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33399
33399WP *Smart Fan
Body copper/cobre
Blades walnut/nogal



32100
32100WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



33417
33417WP *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate



33418
33418WP *Smart Fan
Body copper/cobre
Blades matt black/negro mate



with light/con luz

33394-9
33394WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

33399-10
33399WP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal

33418-10
33418WP-10 *Smart Fan
Body copper/cobre
Blades matt black/negro mate

SMD LED 17W 3000K 600lm CRI>80 Driver  Diff Opal Glass/Cristal Opal


33395-10
33395WP-10 *Smart Fan
Body black/negro
Blades walnut/nogal


32100-10
32100WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

33398-10
33398WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal

33417-10
33417WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (3) 
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	Ø160/6.3"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



DECOFAN

— Conillas



ø128
CM

ø50
INCH

13-17 M2
140-190 SQ.FT

DC
MOTOR

SMART
FAN
OPTION

SUMMER
WINTER

REMOTE
CONTROL



33394D
33394DWP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



33395D
33395DWP *Smart Fan
Body black/negro
Blades walnut/nogal



33398D
33398DWP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33399D
33399DWP *Smart Fan
Body copper/cobre
Blades walnut/nogal



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

33394D-9
33394DWP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente


33395D-10
33395DWP-10 *Smart Fan
Body black/negro
Blades walnut/nogal

33398D-10
33398DWP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal

33399D-10
33399DWP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	AI
450/17.7"	420/16.5"
B	C
-	ø160/6.3"
D	E
60/2.3"	ø130/5.1"
F	G
ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI TUBE

— Conillas 

Ø128
CM

Ø50
INCH

13-17 M2
140-190 SQ.FT

DC
MOTOR

SMART
FAN
OPTION

SUMMER
WINTER

REMOTE
CONTROL



33393
33393WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32038
32038WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32039
32039WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32040
32040WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32041
32041WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32042
32042WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32043
32043WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

33393-9
33393WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32038-9
32038WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32039-9
32039WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32040-10
32040WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente


32041-10
32041WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente

32042-10
32042WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

32043-10
32043WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	Ai
290/11.4"	250/9.8"
B	C
-	Ø160/6.3"
D	E
-	Ø130/5.1"
F	G
Ø1280/50.4"	430/16.9"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



TUBE

— Conillas 

ø128 CM	ø50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	REMOTE CONTROL
-------------------	--------------------	---------------------------	--------------------	----------------------------	------------------	-------------------



33374
33374WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32033
32033WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32034
32034WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32035
32035WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32036
32036WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32037
32037WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32060
32060WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

33374-9
33374WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32033-9
32033WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32034-9
32034WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32035-10
32035WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente


32036-10
32036WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente

32037-10
32037WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

32060-10
32060WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	Ai
450/17.7"	420/16.5"
B	C
-	ø160/6.3"
D	E
-	ø130/5.1"
F	G
ø1280/50.4"	430/16.9"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NASSAU

<p>Ø 128 CM</p>	<p>Ø 50 INCH</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>DC MOTOR</p>	<p>SMART FAN OPTION</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
----------------------------	-----------------------------	-----------------------------------	----------------------------	------------------------------------	--------------------------	---------------------------	---------------------------



33478
33478WP *Smart Fan
Body brown/marrón
Blades brown/marrón



33487
33487WP *Smart Fan
Body white/blanco
Blades white/blanco

Optional downrod/Tijas opcionales




33479
brown/marrón



33488
white/blanco

Body Steel/Acero
Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222,41 m3 min/7851 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



A	AI
400/15.7"	370/14.5"
B	C
170/6.69"	120/4.72"
D	E
60/2.36"	Ø130/5.11"
F	G
Ø1280/50.4"	575/22.6"

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MOLOKAI

Ø125 CM	Ø49 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	---------------------------	--------------------	------------------	-------------------	-------------------



33475
Body matt nickel/níquel mate
Blades dark walnut/nogal oscuro

with light/con luz


LED SMD 18W 3000K 1200lm
CRI>80 Driver



33475-17
dark brown/marrón oscuro

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195,66 m3 min/6910 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	A1
335/13.1"	300/11.8"
B	C
200/8.63"	150/5.90"
D	E
65/2.51"	Ø140/5.51"
F	G
Ø1250/42.9"	600/23.6"

Ø122
CM

Ø48
INCH

13-17 M2
140-190 SQ.FT

REMOTE
CONTROL

INCLINING
ROOF



33607
Body white/blanco
Blades white+maple/blanco+arce




33608
Body matt nickel/níquel mate
Blades matt nickel+mahogany/
níquel mate+caoba

FAN MEDIUM / MEDIANO

Body Steel/Acero
Blades MDF
W 14-30-58
RPM 95-150-200
Airflow 116,2 m3 min/4103 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
Diff Opal Glass/Cristal Opal



A	AI
280/11"	180/7.1"
B	C
150/5.9"	210/8.24"
D	E
65/2.51"	Ø130/5.1"
F	G
Ø1220/48"	495/19.5"



YAKARTA

ø121 CM	ø47 INCH	13-17 M2 140-190 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
-------------------	--------------------	---------------------------	------------------	-------------------	----------------------------	-------------------------




33711
Body antique brass/oro envejecido
Blades dark oak+bleached oak/roble oscuro+roble emblanquecido



33712
Body white/blanco
Blades white+maple/blanco+arce



33713
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro



with light/con luz

3 E27 MAX 15W LED [17463]

33711-11
Body antique brass/oro envejecido
Blades dark oak+bleached oak/roble oscuro+roble emblanquecido


33712-12
Body white/blanco
Blades white+maple/blanco+arce

33713-13
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 14-23-51
RPM 115-150-205
Airflow 94,57 m3 min/3340 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937]

Optional downrod p. 636



A	Ai
350/13.7"	300/11.8"
B	C
130/5.11"	-
D	E
60/2.35"	ø130/5.1"
F	G
ø1210/47.6"	465/18.3"

ECO INDUS

Ø120
CM

Ø47
INCH

13-17 M2
140-190 SQ.FT

WALL
CONTROL


INCLINING
ROOF

EASY
INSTALL




33005
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 16-26-68
RPM 150-225-322
Airflow 189,47 m3 min/6691 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937]



P.534
L

P.627
S



A	Ai
320/12.6"	270/10.6"
B	C
160/6.29"	190/7.5"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1200/47.2"	485/19.1"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

∅120 CM	∅47 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SMART FAN OPTION	SUMMER WINTER	WITH PROGRAMMER
-------------------	--------------------	---------------------------	--------------------	----------------------------	------------------	--------------------




FAN SMALL / PEQUEÑO

33756
33756WP *Smart Fan
 Body matt white/blanco mate
 Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-16-22-32
RPM 103-126-145-166-182-209
Airflow 211,9 m3 min/7484 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED 16W 3000K
 850lm CRI>80
 Driver
Diff
 Opal glass/
 Cristal opal



A	AI
320/12.6"	230/9"
B	C
190/7.5"	155/6.1"
D	E
-	150/5.9"
F	G
∅1200/47.2"	530/20.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI ICARIA

Ø 107 CM	Ø 42 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------	------------------------	------------------	-------------------	-------------------



33695
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble



33696
Body matt nickel/níquel mate
Blades transparent/transparentes



33697
Body rust brown/marrón rústico
Blades mahogany+oak/caoba+roble



33698
Body white/blanco
Blades white+maple/blanco+arce



33699
Body matt nickel/níquel mate
Blades grey+maple/gris+arce




FAN SMALL / PEQUEÑO

P.579
L



Body Steel/Acero
Blades MDF
W 16-24-35
RPM 135-175-210
Airflow 101,09 m3 min/3568 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
Diff Opal Glass/Cristal Opal



A	AI
405/15.9"	270/10.6"
B	C
280/11"	160/6.3"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1070/42"	425/16.7"

FEROE

∅107
CM

∅42
INCH

 < 13 M2
< 140 SQ.FT

 REMOTE
CONTROL

 INCLINING
ROOF




33600
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W10-21-41
RPM 80-145-180
Airflow 64,16 m3 min/2265,7 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
⊗ [17461]
Diff Opal glass/
Cristal opal



A	A1
320/12.6"	210/8.2"
B	C
160/6.3"	200/7.9"
D	E
60/2.3"	∅130/5.1"
F	G
∅1070/42.1"	420/16.5"

MINI MALLORCA

Ø107
CM

Ø42
INCH

 < 13 M2
< 140 SQ.FT

 REMOTE CONTROL

 INCLINING ROOF



33603
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33604
Body matt nickel/níquel mate
Blades grey+black/gris+negro




33605
Body dark brown/marrón oscuro
Blades dark brown+reddish cherry/
marrón oscuro+cerezo rojizo

FAN SMALL / PEQUEÑO

P.581
L



Body Steel/Acero
Blades MDF
W 10-21-41
RPM 80-145-180
Airflow
64,16 m3 min/2265 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
235/9.3"	200/7.9"
B	C
90/3.5"	Ø220/8.6"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1070/42.1"	420/16.5"



MINI LANTAU

<p>Ø 107 CM</p>	<p>Ø 42 INCH</p>	<p>House icon < 13 M2 < 140 SQ.FT</p>	<p>Sun icon SUMMER Snowflake icon WINTER</p>	<p>Remote icon REMOTE CONTROL</p>	<p>Inclining icon INCLINING ROOF</p>
---------------------	----------------------	---	--	---	--



33508
Body matt nickel/níquel mate
Blades walnut/nogal




33509
Body matt nickel/níquel mate
Blades pine/pino



33517
Body black/negro
Blades walnut/nogal

Body Steel/Acero
Blades Wood/Madera
W13-26-55
RPM 105-150-210
Airflow 143,2 m3 min/5055 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.521 XL **P.553** L



A	AI
340/13.38"	300/11.81"
B	C
110/4.33"	150/5.90"
D	E
65/2.56"	150/5.9"
F	G
1070/42.12"	460/18.11"

LISBOA

Ø107
CM

Ø42
INCH

 < 13 M2
< 140 SQ.FT

 SUMMER
WINTER

 INCLINING
ROOF

 DIRECT CEIL-
ING
MOUNTING

 CONTROLLED
BY CHAINS



33102

Body dark brown/marrón oscuro

Blades mahogany+dark walnut/caoba+nogal oscuro



Body Steel/Acero

Blades MDF


W 27-35-47

RPM 130-185-235

Airflow 99,96 m3 min/3530 CFM


Voltage (V/Hz) 220-240/50

Optional downrod p. 636

Remote control [33929/33937] 

3 E27 MAX 15W LED 
[17462]

Diff Translucent Glass/
Cristal Translúcido



A	AI
460/18.1"	240/9.4"
B	C
220/8.63"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1070/42.1"	420/16.5"

KOMODO

<p>Ø 106 CM</p>	<p>Ø 42 INCH</p>	<p>< 13 M2 < 140 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>INCLINING ROOF</p>	<p>CONTROLLED BY CHAINS</p>
---------------------	----------------------	--------------------------------------	--------------------------	---------------------------	---------------------------------




FAN SMALL / PEQUEÑO

33723
Body matt black/negro mate
Blades black+walnut/negro+nogal



Body Steel/Acero
Blades Plywood
W 15-24-46
RPM 146-182-256
Airflow 88,89m3 min/3138,52 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

2 E14 MAX 8W LED [17461]
Diff Steel+glass/Acero+cristal



A	AI
370/14.56"	220/8.66"
B	C
200/7.87"	225/8.85"
D	E
60/2.36"	130/5.12"
F	G
1070/42.04"	450/17.71"

FACTORY

Ø 106
CM

Ø 42
INCH

 < 13 M2
< 140 SQ.FT

 SUMMER
WINTER

 INCLINING
ROOF


 CONTROLLED
BY CHAINS



33611
Body aluminium/aluminio
Blades grey+black/gris+negro



Body Steel/Acero
Blades MDF
W 20-29-42
RPM 80-140-190
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗



A	AI
300/11.8"	157/6.88"
B	C
160/6.29"	170/6.69"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1060/41.7"	420/16.5"

EASY

ø105 CM	ø41 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF	EASY INSTALL
-------------------	--------------------	------------------------	------------------	--------------------	-------------------	-----------------



33415
Body white/blanco
Blades white/blanco




33416
Body grey/gris
Blades grey/gris

FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-3-6-9hr
W11-23-68
RPM 105-185-285
Airflow 159,76 m3 min/5642 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED [17463]
Diff Opal glass/
Cristal opal



A	AI
460/18.1"	320/12.6"
B	C
100/3.93"	210/8.24"
D	E
75/2.91"	ø140/5.5"
F	G
ø1050/41.3"	420/16.6"

OBOE


<p>∅105 CM</p>	<p>∅41 INCH</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
--------------------	---------------------	---------------------------------------	---------------------------	----------------------------	----------------------------



33610
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 85-140-180
Airflow 64,16 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50



A	Ai
360/14.17"	270/10.6"
B	C
220/8.63"	160/6.3"
D	E
60/2.35"	∅130/5.1"
F	G
∅1050/41.34"	420/16.5"

CEBU

∅102 CM	∅40 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
-------------------	--------------------	------------------------	------------------	-------------------	-------------------




FAN SMALL / PEQUEÑO

33606
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 84-140-180
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
 ☒ [17461]
Diff Opal glass/
 Cristal opal



A	A1
410/16.1"	270/10.6"
B	C
300/11.8"	180/7.05"
D	E
60/2.35"	∅140/5.51"
F	G
∅1020/40.2"	420/16.5"

MINI UFO

<p>ø101 CM</p>	<p>ø40 INCH</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>
--------------------	---------------------	---------------------------------------	---------------------------	----------------------------




33454
Body white/blanco
Blades white+maple/blanco+arce



33455
Body matt nickel/níquel mate
Blades grey+maple/gris+arce

Body Steel/Acero
Blades MDF
W 8-18-42
RPM 90-150-200
Airflow 106,92 m3 min/3776 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED [17463]
Diff Opal glass/
 Cristal opal



A	AI
370/14.6"	245/9.6"
B	C
260/10.2"	260/10.2"
D	E
120/4.71"	ø150/5.9"
F	G
ø1015/40"	384/15.1"

MINI INDUS

Ø92 CM	Ø36 INCH	 < 13 M2 < 140 SQ.FT	 WALL CONTROL	 EASY INSTALL
------------------	--------------------	----------------------------	---------------------	---------------------




Thanks to BSB

FAN SMALL / PEQUEÑO

33011
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74,56 m3 min/2633 CFM
Voltage (V/Hz) 220-240/50



P.534 L	P.612 M
A 483/19"	A1 440/17.3"
B 160/6.29"	C Ø120/4.71"
D 120/4.71"	E Ø145/5.7"
F Ø920/36.2"	G 320/12.6"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

CHICAGO

Ø91
CM

Ø36
INCH


< 13 M2
< 140 SQ.FT


REMOTE
CONTROL


INCLINING
ROOF



33703

Body black/negro

Blades walnut/hogal

Body Steel/Acero

Blades MDF

W 15-26-49


RPM 136-192-225

Airflow 96,71 m3 min/3414 CFM

Voltage (V/Hz) 220-240/50

Optional downrod p. 636

E27 MAX 15W LED  [17463]



A	A1
475/18.7"	295/11.6"
B	C
295/11.41"	140/5.51"
D	E
50/1.96"	Ø150/5.9
F	G
Ø915/36"	380/14.96"

MEDITERRÁNEO

<p>ø81 CM</p>	<p>ø32 INCH</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> CONTROLLED BY CHAINS</p>
-------------------	---------------------	---------------------------------------	---------------------------	----------------------------------



33704
Body white/blanco
Blades white+maple/blanco+arce




33706
Body matt nickel/níquel mate
Blades maple+ mahogany/
arce+caoba



FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades MDF
W 14-23-47
RPM 198-232-280
Airflow 85,38 m3 min/3014 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal



A	AI
385/15.2"	290/11.4"
B	C
260/10.2"	190/7.48"
D	E
110/4.3"	ø130/5.11"
F	G
ø815/32.1"	310/12.2"



ø81 CM	ø31 INCH	 < 13 M2 < 140 SQ.FT	DC MOTOR	SMART FAN OPTION	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	--------------------	---	--------------------	----------------------------	---	--	--



33426
33426WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



33425
33425WP *Smart Fan
Body black/negro
Blades walnut/nogal



33428
33428WP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33423
33423WP *Smart Fan
Body copper/cobre
Blades walnut/nogal



33424
33424WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



33429
33429WP *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate



33427
33427WP *Smart Fan
Body copper/cobre
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver  Diff Opal Glass/Cristal Opal

33426-9
33426WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

33425-10
33425WP-10 *Smart Fan
Body black/negro
Blades walnut/nogal

33428-10
33428WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal


33423-10
33423WP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal


33424-10
33424WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

33429-10
33429WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate

33427-10
33427WP-10 *Smart Fan
Body copper/cobre
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 2.8-3.2-4-5-6-7-9
RPM 51-86-122-158-195-235
Airflow 121,69 m3 min/4296 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (2) 
100mm/3.9" | 200mm/7.8"



A	AI
390/15.3"	630/24.8"
B	C
180/7.05"	ø160/6.3"
D	E
55/2.1"	ø130/5.1"
F	G
ø810/31.8"	358/14.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



PALAO

ø81 CM	ø31 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
------------------	--------------------	------------------------	------------------	-------------------	-------------------------------	-------------------------



33179
Body white/blanco
Blades multicolour/multicolor



33180
Body white/blanco
Blades white/blanco



33183
Body matt nickel/níquel mate
Blades maple/arce




33185
Body dark brown/marrón oscuro
Blades mahogany/caoba




33186
Body grey/gris
Blades grey/gris

Body Steel/Acero
Blades MDF
W 24-28-37
RPM 127-192-241
Airflow 92,37 m3 min/3262 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal



A	AI
390/15.3"	260/10.2"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"



A	AI
250/9.8"	160/6.3"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"

VEDRA

∅46
CM

∅18
INCH



< 13 M2
< 140 SQ.FT




WALL
CONTROL


INCLINING
ROOF



33450
Body antique brass/oro envejecido
Blades walnut/hogal

Body Aluminium/Aluminio
Blades MDF
Adjustable/Regulable 90°
W 19-22-34-37
RPM 327-369-495-515
Airflow 58,11 m3 min/2052 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] 



A	A1
540/21.2"	450/17.7"
B	C
-	-
D	E
60/2.35"	∅145/5.7"
F	G
∅460/18.1"	200/7.9"

KEIKI

<p>ø43 CM</p>	<p>ø17 INCH</p>	<p>House icon < 13 M2 < 140 SQ.FT</p>	<p>Sun icon SUMMER Snowflake icon WINTER</p>	<p>Wall icon WALL CONTROL</p>	<p>Roof icon INCLINING ROOF</p>
-------------------	---------------------	---	--	---------------------------------------	---




33715
Body brown/marrón
Blades brown/marrón



33720
Body white/blanco
Blades white/blanco













FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades Plywood
Ceiling & Wall/Apto para techo y pared
Adjustable/Regulable 45°/20°
W 10-19-28
RPM 380-640-890
Airflow 38,61 m3 min/ 1363 CFM
Voltage (V/Hz) 220-240/50








A	A1
505/19.9"	440/17.3"
B	C
-	-
D	E
55/2.1"	ø150/5.11"
F	G
ø430/16.9"	150/5.90"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

OPTIONAL DOWNROD	COLOR	MATERIAL	SIZE
33904	 white/blanco	Steel/Acero	300mm/11,8in
33959	 grey/gris	Steel/Acero	300mm/11,8in
33960	 old gold/oro envejecido	Steel/Acero	300mm/11,8in
33962	 brown/marrón	Steel/Acero	300mm/11,8in
33965	 satin nickel/níquel satinado	Steel/Acero	300mm/11,8in
33944	 white/blanco	Steel/Acero	400mm/15,7in
33948	 matt nickel/níquel mate	Steel/Acero	400mm/15,7in
33954	 white/blanco	Steel/Acero	500mm/19,7in
33957	 old gold/oro envejecido	Steel/Acero	500mm/19,7in
33958	 chrome/cromo	Steel/Acero	500mm/19,7in
33964	 brown/marrón	Steel/Acero	500mm/19,7in
33971	 satin nickel/níquel satinado	Steel/Acero	500mm/19,7in

OPTIONAL DOWNRODS ONLY FOR/ TIJAS OPCIONALES PARA MODELOS VULCANO, TONIC, CENTURY

3R432	 matt nickel/níquel mate	Steel/Acero	1780mm/70,1in
3R433	 white/blanco	Steel/Acero	2000mm/78,7in
3R434	 brown/marrón	Steel/Acero	2000mm/78,7in

REMOTE CONTROLS	BATTERY	FREQUENCY	MATERIAL	INFO
33929	1x9V 	50/60Hz	PVC	- 
33937	4xAAA 	50/60Hz	Body PVC	 


AC WALL CONTROL 3 SPEEDS

33928			ABS	- 
-------	--	--	-----	---


*The wall control is not compatible with the remote control at same time / El regulador de pared no se puede usar al mismo tiempo que el mando a distancia

DC WALL CONTROL 6 SPEEDS *Compatible with/con: GOTLAND/RODAS/HYDRA/SAMOS/POROS

33974				- 
-------	--	--	--	---

CHAIN	SIZE
33907	300mm/11,8in 

Optional accessories
Accesorios opcionales



Smart Bulb

Control your light with  app



All luminaires that can be controlled with our Smart Bulb
are identified with **Smart 17498**

*Todos las luminarias que permiten ser controladas con nuestra bombilla
inteligente están identificadas con **Smart 17498***



It works with WiFi / *Funciona con WiFi*



Compatible with / Compatible con
Alexa, Google assistant & Siri



On/Off

Grouping

Scenes

Animation

Gallery

Intensity







Calendar

Timer

Sunrise
& Sunset















Multiple features / *Múltiples funcionalidades*

A60	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17498	E27	2700	806	≥80	A++	7W	360°	APP	220-240	50/60	25.000	Filament	ø60/2,3" 102/4,5"





LED Module	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	DC Current	Hrs.	*Driver not incl.
	18030	—	2700	930	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18031	—	2700	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18032	—	3000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18033	—	3000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18034	—	4000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18035	—	4000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320























*Suitable for/Apto para FRESH/WET/RADÓN/ARGÓN/NEÓN/GAS *Drivers information on pages 488-491 / Información de Drivers en páginas 488-491




















GU10





















	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17328	GU10	2700	600	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17329	GU10	4000	650	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17330	GU10	3000	540	80	A+	7W	38°	—	220-240	50	25.000	Glass	ø53/1,9" 53/2,1"
	17309	GU10	3000	500	>90	A+	7W	40°	—	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17316	GU10	2700	450	80	A+	8W	38°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17317	GU10	4000	480	80	A+	8W	38°	—	220-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17320	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17321	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17318	GU10	2700	450	80	A+	8W	38°	✓	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17319	GU10	4000	480	80	A+	8W	38°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17324	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17325	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17331	GU10	2700	500	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17332	GU10	4000	520	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"

G45


	17472	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17473	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17474	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17475	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"


C35	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17460	E14	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø35/1,3" 100/4"
G45														
	17461	E14	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 78/3,1"
	17462	E27	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
T45														
	17437	E27	3000	550	80	A++	5W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 72/2,7"
A60														
	17463	E27	2700	800	80	A++	7W	360°	—	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17484	E27	4000	830	80	A++	7W	360°	—	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17485	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17486	E27	4000	950	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17063	E27	2700	640	80	A+	8W	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17064	E27	5000	680	80	A+	8W	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17067	E27	2700	810	80	A+	10W	270°	✓	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 120/4,7"
G95														
	17464	E27	2700	800	80	A++	6W	360°	—	220-240	50/60	25.000	Matt glass	ø95/3,7" 138/5,4"
	17482	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
	17483	E27	4000	950	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
G120														
	17478	E27	2700	1600	80	A+	19W	270°	—	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
	17479	E27	2700	1600	80	A+	19W	270°	✓	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
G125														
	17465	E27	2700	800	80	A++	6W	360°	—	220-240	50/60	25.000	Matt glass	ø125/4,9" 175/6,8"
G45														
	17417	E27	2700	220	80	A++	2W	360°	—	220-240	50/60	25.000	Filament	ø45/1,7" 70/2,7"
A60														
	17420	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø60/2,3" 105/4,7"
ST64														
	17422	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø64/2,5" 146/5,7"
G95														
	17415	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø95/3,7" 138/5,4"
G125														
	17423	E27	2700	460	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø125/4,9" 175/6,8"


T30	Ref	Socket	K	lm	GRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17445	E27	2700	550	80	A+	6W	360°	—	220-240	50/60	25.000	Filament Amber	ø28/1,1" 300/11,8"
C35														
	17427	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø36/1,4" 100/3,9"
G45														
	17413	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7" 78/3,1"
	17414	E27	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
	17493	E27	2200	300	—	A+	4W	360°	✓	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
A60														
	17426	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
	17432	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
ST64														
	17428	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
	17433	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
SP64														
	17409	E27	2000	250	—	A	5W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
G95														
	17429	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø95/3,7" 138/5,3"
G125														
	17434	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
	17425	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
A160														
	17447	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 300/11,8"
BT180														
	17449	E27	2000	400	—	A+	8W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 390/15,3"
G200														
	17448	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø200/7,8" 300/11,8"
A60														
	17496	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Gold	ø60/2,3" 102/4"
G95														
	17271	E27	2700	400	80	A++	4W	180°	—	220-240	50/60	25.000	Mirror	ø95/3,7" 128/5"
T26														
	17446	E14	2700	120	80	A++	1W	360°	—	220-240	50/60	25.000	LED	ø25/0,1" 58/2,3"


	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
R7S														
	17497	JP117	2700	800	80	A++	8W	360°	—	220-240	50/60	25.000	LED	ø13,5/0,5" 118/4,6"
G4														
	17487	G4	3000	180	80	A++	1,6W	360°	—	12 AC	—	25.000	LED	ø10/0,4" 37/1,4"
	17494	G4	3000	90	80	A++	1,5W	360°	—	12 AC	50/60	25.000	LED	ø11/0,5" 33/1,3"
G9														
	17443	G9	2700	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6" 50/1,9"
	17444	G9	4000	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6" 50/1,9"
	17468	G9	2700	350	80	A++	3,5W	360°	✓	220-240	50/60	25.000	—	ø16/0,7" 50/1,9"
	17495	G9	3000	420	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø13/0,5" 58/3,3"
	17466	G9	2700	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7" 60/2,3"
	17467	G9	4000	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7" 60/2,3"
PAR38														
	17399	E27	4000	400	—	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 134/5,2"
	17400	E27	4000	850	80	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 140/5,5"
	17398	E27	3000	810	80	A+	12W	23°	—	100-240	50/60	25.000	IP65	ø120/4,7" 134/5,2"
R63														
	17476	E27	2700	700	80	A+	8W	120°	—	220-240	50/60	25.000	LED	ø63/2,5" 102,5/4"
R80														
	17477	E27	2700	1050	80	A+	12W	120°	—	220-240	50/60	25.000	LED	ø80/3,1" 112/4,4"
JP118														
	17490	R7s	2700	1000	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
	17491	R7s	4000	1050	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
JP78														
	17488	R7s	2700	600	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17489	R7s	4000	650	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17499	R7s	2700	450	80	A++	4W	—	—	220-240	50/60	25.000	LED	ø14/0,5" 78/3,07"
GX53														
	17340	GX53	3000	470	80	A+	6W	—	—	220-240	50/60	25.000	LED	ø76/2,9" 26/1,2"

Items with special discount conditions
 Artículos con condiciones especiales de descuento

LED Bulb GU5.3		SOCKET	P	CRI		DIM	BEAM	FLUX	CCT
PARATHOM MR16									
	97686227	GU5.3	8W	92	40000 h	✓	24°		
	97686230	GU5.3	8W	92	40000 h	✓	24°		
	97686327	GU5.3	8W	92	40000 h	✓	36°		
	97686330	GU5.3	8W	92	40000 h	✓	36°		


LED bulb GU10									
MASTER LED Spot MV									
	97685327	SOCKET GU10	5W	90	25000 h	✓	36°		
	97685330	SOCKET GU10	5W	90	25000 h	✓	36°		
	97264	SOCKET GU10	5W	90	25000 h	✓	60°		
	97404	SOCKET GU10	5W	90	25000 h	✓	60°		
	97273	SOCKET GU10	5.5W	97	40000 h	✓	36°		
	97402	SOCKET GU10	5.5W	97	40000 h	✓	36°		

LED bulb GU10									
PARATHOM GU10									
	97166	SOCKET GU10	6.9W	80	15000 h		36°		
	97291	SOCKET GU10	6.9W	80	15000 h		36°		
	97403	SOCKET GU10	6.9W	80	15000 h		60°		
	97292	SOCKET GU10	6.9W	80	15000 h		60°		


QR111									
PARATHOM QR111									
	97411	SOCKET G53	15W	90	40000 h	✓	24°		
	97412	SOCKET G53	15W	90	40000 h	✓	24°		
	97413	SOCKET G53	15W	90	40000 h	✓	40°		
	97414	SOCKET G53	15W	90	40000 h	✓	40°		

PAR30									
PARATHOM PAR30									
	97687127	E27	10W	90	25000 h	✓	36°		

SORAA

GU10		SOCKET	P	CRI	BEAM	FLUX	CCT	Compatible CCT Shifter	Compat. Linear Louver System
	97691327	SOCKET GU10	7.5W	95	25°			✓	✓
	97691127	SOCKET GU10	7.5W	95	10°			✓	✓
	97691227	SOCKET GU10	7.5W	95	36°			✓	✓
	97691330	SOCKET GU10	7.5W	95	25°			✓	✓
	97691130	SOCKET GU10	7.5W	95	10°			✓	✓
	97691230	SOCKET GU10	7.5W	95	36°			✓	✓


MR16 - GU5.3

	97690127	SOCKET GU5.3	7.5W	95	10°				✓
	97690427	SOCKET GU5.3	7.5W	95	36°				✓
	97690130	SOCKET GU5.3	7.5W	95	10°			✓	✓
	97690430	SOCKET GU5.3	7.5W	95	36°			✓	✓

SNAP System - MR16 & PAR 20

	97691695	CCT Shifter SNAP Lens - 2" Color Filter, 1/2 CTO, 3000K to 2400K						
	97691696	CCT Shifter SNAP Lens - 2" Color Filter, 3/4 CTO, 3000K to 2200K						
	97691697	SNAP Lens - 2" Linear Beam Spreader 10°x25°						
	97691698	SNAP Lens - 2" Linear Beam Spreader 10°x36°						
	97691701	SNAP Lens - 2" Beam Spreader 17°						
	97691702	SNAP Lens - 2" Beam Spreader 25°						
	97691703	SNAP Lens - 2" Beam Spreader 36°						
	97691704	SNAP Lens - 2" Beam Spreader 60°						
	97691699	SNAP Lens - 2" Louver 40°						

QR111 - 12V

		SOCKET	P	CRI	BEAM	FLUX	CCT
	97692327	SOCKET G53	12.5W				
	97692427	SOCKET G53	12.5W				
	97692330	SOCKET G53	12.5W				
	97692430	SOCKET G53	12.5W				

SNAP System - Large Lamps

	97692595	CCT Shifter SNAP Lens - 4" Color Filter, 1/2 CTO, 3000K to 2700K						
	97692596	CCT Shifter SNAP Lens - 4" Color Filter, 3/4 CTO, 3000K to 2200K						
	97692597	SNAP Lens - 4" Linear Beam Spreader 10°x36°						
	97692598	SNAP Lens - 4" Linear Beam Spreader 10°x60°						
	97692601	SNAP Lens - 4" Beam Spreader 17°						
	97692602	SNAP Lens - 4" Beam Spreader 25°						
	97692603	SNAP Lens - 4" Beam Spreader 36°						
	97692604	SNAP Lens - 4" Beam Spreader 60°						
	97692599	SNAP Lens - 4" Louver 40°						

		mA	P	V	units		
FOX 3W	02101001 02101002	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX 5W	02101001 02101002	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX TRIMLESS 3W	02101101 02101102	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX TRIMLESS 5W	02101101 02101102	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX ORIENTABLE 3W	02101301 02101302	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX ORIENTABLE 5W	02101301 02101302	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX 7W	02101501	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
FOX 10W	02101601	500mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
AIM 3W	02100401	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	3-6 units	dali	98310536
				220/240V	3-6 units	casambi	98310538
CLEAR 7W	02100301	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
BOW 3W	02150101	350mA	3W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 10W	02150201	350mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 18W	02150301	350mA	18W	100/240V	only 1 unit	on/off	98310620
				220/240V	only 1 unit	triac	98310321LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
PLAS 1W	63281 63282 63283 63490	350mA	1W	100/240V	only 1 unit	on/off	98310103
				220/240V	2-3 units	triac	98310110LC
				220/240V	5-17 units	dali	98310536
				220/240V	5-17 units	casambi	98310538
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-6 units	dali	98310536
				220/240V	2-6 units	casambi	98310538
WABI 10W	43900		10W	100/240V	only 1 unit	on/off	98310510C
				220/240V	only 1 unit	triac	98310510C
NORD 18W	63290		18W	100/240V	only 1 unit	on/off	98310118LC
				220/240V	only 1 unit	triac	98310118LC
TRAS 4W	71701	24V DC	4W	100/240V	only 1 unit	on/off	98324015U
TRAS 8W	71702	24V DC	8W	100/240V	1-2 units	on/off	98324015U
TRAS 25W	71716/71717	24V DC	25W	100/240V	1-2 units	on/off	98324030
DANG 3W	70446		3W	100/240V	1-2 units	on/off	98324006

		mA	P	V	units		
TROOP 2W	43700 43704	700mA	2W	100/240V	1-3 units	on/off	98310206E
				220/240V	2-4 units	triac	98310210
				220/240V	4-16 units	dali	98310536
				220/240V	4-16 units	casambi	98310538
TROOP 3x2W	43701 43705	700mA	3x2W	100/240V	only 1 unit	on/off	98310206E
				220/240V	2-3 units	triac	98310220LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
TROOP 5x2W	43702 43706 43710	700mA	5x2W	100/240V	2 units	on/off	98310230
				220/240V	1 unit	triac	98310210
				220/240V	1-3units	dali	98310536
				220/240V	1-3units	casambi	98310538
TROOP 10x2W	43703 43707	700mA	10x2W	100/240V	only 1 unit	on/off	98310230
				220/240V	only 1 unit	triac	98310236C
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
CROC 9W	43780	350mA	9W	100/240V	1-2 units	on/off	98310620
				220/240V	1-2 units	triac	98310321LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
CROC 13W	43781	350mA	13W	100/240V	only 1 unit	on/off	98310321
				220/240V	only 1 unit	triac	98310321LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
CROC 19W	43782	350mA	19W	100/240V	only 1 unit	on/off	98310321
				220/240V	only 1 unit	triac	98310321LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
NAIS ORIENTABLE 7W	02111001 02111002		7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
NAIS 7W	02121001 02121002		7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
GRUND 2W	70726 70730 70733 70735	700mA	2W	100/240V	1-2 units	on/off	98310206E
				220/240V	2-4 units	triac	98310210
				220/240V	4-16 units	dali	98310536
				220/240V	4-16 units	casambi	98310538
GRUND 7W	70728 70731 70734 70736	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
GRUND 13W	70729 70732	350mA	13W	100/240V	1-2 units	on/off	98310620
				220/240V	only 1 unit	triac	98310118LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
KANE 3W	70660 70661 70662	24V DC	3W	100/240V	1-2 units	on/off	98324006
				220/240V	1-3 units	triac	98311315
FALLS 6W	71734 71735		6W	100/240V	1-2 units	on/off	98324020U
				220/240V	5-23 units	triac	97397
				220/240V	1-14 units	dali	97308
				220/240V	1-14 units	casambi	98324599
FALLS 12W	71736 71737		12W	100/240V	only 1 unit	on/off	98324020U
				220/240V	2-14 units	triac	97397
				220/240V	1-6 units	dali	97308
				220/240V	1-6 units	casambi	98324599
FALLS ORIENTABLE 8W	71730 71731		8W	100/240V	1-2 units	on/off	98324020U
				220/240V	5-23 units	triac	97397
				220/240V	1-11 units	dali	97308
				220/240V	1-11 units	casambi	98324599
FALLS ORIENTABLE 16W	71732 71733		16W	100/240V	only 1 unit	on/off	98324020U
				220/240V	2-10 units	triac	97397
				220/240V	1-5 units	dali	97308
CROSBY 2W	70453		2W	220/240V	1-5 units	casambi	98324599
				100/240V	1-2 units	on/off	98324006

Shades / Pantallas

Wall lamp / apliques

								
2P0111	2P0112	2P0113	2P0211	2P0212	2P0213	2P0411	2P0412	2P0413
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
								
2P0615	2P0616	2P0617	2P0311	2P0312	2P0313	2P0710		
beige/beige	yellow/amarillo	green/verde	white/blanco	beige/beige	black/negro	rattan		
								

Suspended lamp / suspensiones

					
2P0645	2P0646	2P0647	2P0710	2P0720	2P0730
beige/beige	yellow/amarillo	green/verde	rattan	rattan	rattan
					
2P0141	2P0142	2P0143			
white/blanco	beige/beige	black/negro			
					

Table lamp / sobremesas

								
2P0121	2P0122	2P0123	2P0221	2P0222	2P0223	2P0421	2P0422	2P0423
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$  200/79''	$\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$  200/79''	$\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$  200/79''	$\frac{220/8.6''}{\text{ø}190/7.5''}$  200/79''	$\frac{220/8.6''}{\text{ø}190/7.5''}$  200/79''	$\frac{220/8.6''}{\text{ø}190/7.5''}$  200/79''
								
2P0625	2P0626	2P0627	2P0311	2P0312	2P0313	2P0720		
beige/beige	yellow/amarillo	green/verde	white/blanco	beige/beige	black/negro	rattan		
$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$  200/79''	$\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$  240/94''	$\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$  240/94''	$\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$  240/94''	$\frac{\text{ø}320/12.6''}{\text{ø}270/10.6''}$  210/82''		

Floor lamps / luminarias de suelo

								
2P0131	2P0132	2P0133	2P0231	2P0232	2P0233	2P0431	2P0432	2P0433
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}400/15.7''}{\text{ø}240/9.4''}$  290/114''	$\frac{\text{ø}400/15.7''}{\text{ø}240/9.4''}$  290/114''	$\frac{\text{ø}400/15.7''}{\text{ø}240/9.4''}$  290/114''	$\frac{320/12.6''}{\text{ø}270/10.6''}$  300/118''	$\frac{320/12.6''}{\text{ø}270/10.6''}$  300/118''	$\frac{320/12.6''}{\text{ø}270/10.6''}$  300/118''
								
2P0635	2P0636	2P0637	2P0730					
beige/beige	yellow/amarillo	green/verde	rattan					
$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}400/15.7''}{\text{ø}360/14.1''}$  300/118''	$\frac{\text{ø}450/17.7''}{\text{ø}270/10.6''}$  310/122''					

Structures / Estructuras

ARTIS wall/aplique



68490 bronze/bronce

68491 chrome/cromo


ARTIS wall reader/aplique con lector



68492 bronze/bronce

68493 chrome/cromo

ARTIS wall extensible/aplique extensible



68494 bronze/bronce

68495 chrome/cromo

CONGA/MAMBO/SAMBA wall/aplique



64306 matt white/blanco mate

64307 matt black/negro mate

CONGA/MAMBO/SAMBA wall reader/aplique con lector



64308 matt white/blanco mate

64309 matt black/negro mate

CONGA/MAMBO/SAMBA suspended (turnbuckle)/colgante (tensor)



64314 matt black/negro mate

CONGA/MAMBO/SAMBA suspended/colgante



64315 matt black/negro mate

CONGA/MAMBO/SAMBA table (small)/sobremesa (pequeña)



64316 matt white/blanco mate

64317 matt black/negro mate

CONGA/MAMBO/SAMBA table/sobremesa



64310 matt white/blanco mate

64311 matt black/negro mate

CONGA/MAMBO/SAMBA floor/suelo



64312 matt white/blanco mate

64313 matt black/negro mate

ETERNA wall/aplique



24005 chrome/cromo

ETERNA wall reader/aplique con lector



24006 chrome/cromo (right)

24007 chrome/cromo (left)

ETERNA table/sobremesa



24008 chrome/cromo

FRAME wall/aplique



20170 matt nickel/níquel mate

20171 old gold/oro viejo

FRAME wall reader/aplique con lector



20172 matt nickel/níquel mate

20173 old gold/oro viejo

MONTREAL wall/aplique



24030 white/blanco

24031 chrome/cromo

MONTREAL wall reader/aplique con lector



24032 white/blanco

24033 chrome/cromo (left)

MONTREAL table/sobremesa



24034 white/blanco

24035 chrome/cromo

MONTREAL floor/suelo



24036 white/blanco

24037 chrome/cromo

REM wall/aplique



29680 matt nickel/níquel mate

29681 old gold/oro viejo

REM wall reader/aplique con lector



29682 matt nickel/níquel mate

29683 old gold/oro viejo

REM table/sobremesa



29684 matt nickel/níquel mate

29685 old gold/oro viejo

REM floor/suelo



29686 matt nickel/níquel mate

29687 old gold/oro viejo

RON wall/aplique



64400 dark grey/gris oscuro

Fan light kits / kits de luz ventilación

651

ALOHA



33714 dark brown/marrón oscuro

CIES



33513 white/blanco

GRID



33341K white/blanco

JUSTFAN/ETERFAN/DECOFAN/TUBE



33390 chrome/cromo

33391 black/negro

MOLOKAI



33476 matt nickel/níquel mate

NIAS



33472K matt nickel/níquel mate

PEMBA



33471K white/blanco

33491K grey/gris

33492K brown/marrón

TYPHOON



33483 white/blanco

33489K grey/gris

33490K brown/marrón

WINCHE



33484 black/negro **Indoor/Outdoor IP44**

33486 grey/gris

YAKARTA







33714 dark brown/marrón oscuro


33716 white/blanco

33717 antique brass/oro envejecido


Recessed Drainage / Drenaje empotrables

EN	ES	FR	ITA
<p>Placing sunken lighting in the ground All sunken lights are ready for installing in the ground or in cement. Always ensure that they are not placed in watercourses or depressions in the ground. Position the mounting box surrounded by the fastening material to ensure that it does not tip or fall over. There must be a layer of gravel below and around the mounting box for draining purposes (see drawing). Correct drainage should allow 5 litres of water to be absorbed within 8 minutes. The glass can reach high temperatures, so contact with people and objects should be avoided. We recommend that the outside of the apparatus be cleaned regularly to stop foreign materials from preventing the dissipation of heat which leads to changes in the components and a loss of watertightness. Follow the installation and assembly instructions and maintenance recommendations very carefully.</p>	<p>Colocación del empotrable en el terreno Todos los empotrables están previstos para una instalación en tierra o en cemento. Evite siempre colocarlo en vaguadas o depresiones del terreno. Coloque la caja de empotrar rodeada de material de sujeción para evitar que se incline o se hunda. Por debajo y alrededor de la caja de empotrar debe existir una capa de grava para drenaje (ver dibujo). Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. El cristal puede alcanzar temperaturas elevadas por lo tanto evite el contacto con personas o cosas. Es aconsejable limpiar frecuentemente el exterior del aparato para evitar así que materiales extraños impidan la disipación del calor con la consiguiente alteración de los componentes y pérdida de estanqueidad. Siga detenidamente las instrucciones de instalación y montaje así como las recomendaciones de mantenimiento.</p>	<p>Installation de l'encastable sur le terrain Tous les luminaires encastrables sont prévus pour une installation dans la terre ou le ciment. Évitez toujours de les installer dans des lignes de creux ou des dépressions du terrain. Installer le boîtier d'encastrement avec ses supports afin d'éviter qu'il ne soit incliné ni trop enfoncé. Sous le boîtier d'encastrement et autour de celui-ci, il doit y avoir une couche de gravier pour le drainage (voir dessin). Un drainage correct doit permettre l'absorption de 5 litres d'eau en 8 minutes. Le verre peut atteindre des températures élevées, évitez par conséquent tout contact avec les personnes ou des objets. Il est conseillé de nettoyer fréquemment l'extérieur de l'appareil, afin d'éviter que des corps étrangers n'empêchent la dissipation de la chaleur puis l'altération des composants et la perte d'étanchéité. Suivez attentivement les instructions d'installation et de montage, ainsi que les recommandations de maintenance.</p>	<p>Collocazione dell'incasso nel terreno Tutti gli incassi sono pensati per la collocazione in terra o cemento. Evitare sempre di installarli in zone umide o depressioni del cemento. Installare sempre l'incasso circondato da materiale d'appoggio, per evitare che si inclini o affondi. Sotto ed intorno all'incasso deve sempre esserci sabbia drenante (disegno). Un drenaggio efficace deve permettere l'assorbimento di 5 litri d'acqua in 8 minuti. Il vetro può raggiungere temperature elevate, per tanto evitare il contatto con persone o cose. Si consiglia di pulire frequentemente l'esterno degli apparati per evitare che corpi estranei impidano la dissipazione del calore con conseguente alterazione dei componenti e perdita delle stagnezza. Seguire attentamente le indicazioni di installazione e montaggio, così come le norme di manutenzione.</p>
<p>Condensation To minimise possible condensation inside the device, turn it on for 1 hour without the protective glass, closing it immediately once this time has elapsed.</p>	<p>Condensación Para minimizar la posible condensación de vapor de agua dentro del aparato, debe hacerse funcionar durante 1 hora sin el cristal de protección, transcurrido ese periodo de tiempo, ciérralo inmediatamente.</p>	<p>Condensation Pour minimiser les risques de condensation de la vapeur d'eau intérieur de l'appareil doit être exploité pendant une heure sans le verre de protection, après cette période temps, fermer immédiatement.</p>	<p>Condensazione Per evitare la possibile condensazione di vapore acqueo all'interno dell'apparato, deve porsi in funzione durante una ora senza il cristallo di protezione e poi procedere alla chiusura immediatamente.</p>
<p>BEACONS To ensure the proper conservations of beacons we recommend their installation on a plinth, never directly onto the ground or lawn.</p>	<p>BALIZAS Para una correcta conservación de las balizas, recomendamos su aplicación sobre una pilastra a un nivel superior, y nunca sobre tierras o césped.</p>	<p>BALISES Pour un bon maintenance de balises, nous recommandons son application sur un pilier à un niveau supérieur, et jamais sur terre ou sur l'herbe.</p>	<p>PALETTI Per una corretta conservazione dei paletti raccomandiamo la sua applicazione su di una base ad un livello più alto, mai su terra o erba.</p>
<p> In order to validate the warranty the external connection must have always the protection index (IP) with an equal or a superior value of the IP shown on the lamp.</p>	<p> Para poder hacer uso de la garantía es imprescindible que la conexión externa sea de un índice de protección (IP) igual o superior a la luminaria adquirida.</p>	<p> Pour que la garantie soit valable, il est indispensable que la connexion externe soit d'un indice de protection (IP) égal ou supérieur à celui du luminaire acheté.</p>	<p> Per poter usufruire della garanzia è imprescindibile che la connessione esterna sia di un indice di protezione (IP) uguale o superiore a quello indicato sulla lampada acquistata.</p>

Placing sunken lighting in the ground
Colocación del empotrable en el terreno
Installation de l'encastable sur le terrain
Installazione dell'incasso nel terreno



Minimum drainage measures
Medidas mínimas de drenaje
Mesures de drainage minimum
Misure minime di drenaggio


























Stainless Steel / Acero inoxidable

EN	ES	FR	ITA
<p>Cleaning and maintenance of stainless steel It is advisable to follow the recommendations listed below for the correct maintenance and upkeep of all products manufactured from stainless steel In industrial or coastal areas localized corrosion can be caused by the accumulation of contaminants carried by the air. By using a cloth or duster will insure the elimination of these contaminants. In the case dirt which is more difficult to remove, it is recommended the use of a cleaner which includes phosphoric acid, ensuring that a scrubber or soft nylon brush is used, never use a steel scrubber. It is recommendable to clean stainless steel every 6 to 12 months for average dirt and every 3 months for more severe cases. Especially in the following atmospheric conditions - Marine atmospheres. - Atmospheres which contain a lot of industrial contaminants. - Atmospheric and traffic pollution.</p>	<p>Limpeza y mantenimiento del acero inoxidable Le aconsejamos que siga las siguientes recomendaciones para la conservación y mantenimiento de todos aquellos artículos fabricados en acero inoxidable. En zonas industriales o costeras se pueden producir corrosiones localizadas por acumulaciones de contaminantes llevados por el aire, asegúrese que se eliminan dichos contaminantes utilizando un paño húmedo o una gamuza. En caso de suciedad más difícil le recomendamos que utilice un limpiador que incluya ácido fosfórico siempre con el uso de estropajos o cepillos suaves de nylon, nunca usar estropajos de acero. La frecuencia de limpieza que le recomendamos para una suciedad moderada es de 6-12 meses y de 3 meses cuando es más abundante. Especialmente en ambientes que recojan las siguientes condiciones: - Atmosferas marinas. - Ambientes cargados de contaminantes industriales., - Suciedad atmosférica y del tráfico.</p>	<p>Nettoyage et entretien de l'acier inoxydable Nous vous conseillons de suivre les suggestions pour la conservation et entretien de tous les articles fabriqués en acier inoxydable. Dans les zones industrielles ou proches au littoral, il peut s'y produire des corrosions localisées par l'accumulation de contaminants apportés par l'air, assurez-vous que ces contaminants puissent s'éliminer avec un torchon humide ou une peau de chamois. En cas de saleté plus difficile, nous vous conseillons d'utiliser un nettoyant à base d'acide phosphorique, toujours à utiliser avec des tampons à récurer ou des brosses douces en nylon, ne jamais utiliser de tampons à récurer en acier. La fréquence de nettoyage que nous vous conseillons pour une saleté modérée est de 6 à 12 mois et de 3 mois quand celle-ci est plus abondante. Surtout dans les ambiances avec les conditions suivantes: - Atmosphères marines. - Ambiances chargées de contaminants industriels. - Saleté atmosphérique et de circulation.</p>	<p>Pulizia e manutenzione dell'acciaio inossidabile Consigliamo di seguire le raccomandazioni per la conservazione e manutenzione di tutti quei prodotti fabbricati in acciaio inossidabile. In zone industriali o costiere si possono produrre corrosioni localizzate a causa dei contaminanti presenti nell'aria; suddette corrosioni si possono eliminare utilizzando un panno umido o di camoscio. In caso di sporcizia più difficile raccomandiamo l'utilizzo di acido fosforico come prodotto di pulizia e manutenzione (utilizzando spugnette, panni soffici o spazzole di nylon). La frequenza raccomandata è: 6-12 mesi per una sporcizia moderata, 3 mesi per le più difficili. Ambienti critici: - Atmosfera marina - Ambienti carichi di contaminanti industriali - Atmosfere cittadine con elevato indice di traffico.</p>

EN	ES	FR	ITA	PT	GER
The first digit (IP x...) indicates the protection from solid objects. 0 Non protected. 1 Protected against solid objects bigger than 50 mm. 2 Protected against solid objects bigger than 12 mm. 3 Protected against solid objects bigger than 2,5 mm. 4 Protected against solid objects bigger than 1 mm. 5 Dust protected. 6 Dust tight.	La primera cifra (IP x...) indica la protección del aparato contra la penetración de cuerpos sólidos. 0 No protegido 1 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 50$ mm 2 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 12$ mm 3 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 2,5$ mm 4 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 1$ mm 5 Protegido contra el polvo 6 Totalmente protegido contra el polvo	Le premier chiffre (IP x...) indique le degré de protection des parties contre les corps solides. 0 Pas de protection. 1 Protection contre corps de diamètre supérieur à 50 mm. 2 Protection contre corps de diamètre supérieur à 12 mm. 3 Protection contre corps de diamètre supérieur à 2,5 mm. 4 Protection contre corps de diamètre supérieur à 1 mm. 5 Protection contre dépôts de poussière. 6 Protection contre toute infiltration de poussière.	La prima cifra (IP x...) indica la protezione del sistema contro l'ingresso di corpi solidi. 0 Non protetto 1 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 50$ mm. 2 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 12$ mm. 3 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 2,5$ mm. 4 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 1$ mm. 5 Protetto contro la polvere. 6 Totalmente protetto contro la polvere.	O primeiro dígito (IP x...) indica o grau de protecção contra corpos sólidos. 0 Sem protecção. 1 Protegido contra a penetração de corpos sólidos com $0 > 50$ mm. 2 Protegido contra a penetração de corpos sólidos com $0 > 12$ mm. 3 Protegido contra a penetração de corpos sólidos com $0 > 2,5$ mm. 4 Protegido contra a penetração de corpos sólidos com $0 > 1$ mm. 5 Protegido contra o pó. 6 Totalmente protegido contra o pó.	Die erste Ziffer (IP x...) gibt den Schutz des Apparats gegen das Eindringen von festen Körpern an. 0 Nicht geschützt. 1 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 50$ mm. 2 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 12$ mm. 3 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 2,5$ mm. 4 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 1$ mm. 5 Geschützt gegen Staub. 6 Vollkommen gegen Staub geschützt.
The second digit (IP ..y) indicates protection from moisture. 0 Non protected. 1 Protected against dripping water. 2 Protected against dripping water when tilted up to 15°. 3 Protected against spraying water. 4 Protected against splashing water. 5 Protected against water jets. 6 Protected against heavy seas. 7 Protected against the effects of immersion. 8 Protected against submersion.	La segunda cifra (IP ..y) indica la protección del aparato contra la lluvia. 0 No protegido 1 Protegido contra la caída vertical de gotas de agua 2 Protegido contra la lluvia con un ángulo máx de 15° sobre la vertical 3 Protegido contra la lluvia con un ángulo máx de 60° sobre la vertical 4 Protegido contra salpicaduras y protección del agua 5 Protegido contra chorros de agua 6 Protegido contra potentes chorros de agua 7 Protegido contra inundaciones temporales. 8 Protegido contra inmersiones prolongadas	Le deuxième chiffre (IP ..y) indique le degré de protection contre l'eau. 0 Pas de protection. 1 Protection contre chute verticale de gouttes d'eau. 2 Protection contre chute de gouttes d'eau jusqu'à 15° de la verticale. 3 Protection contre pluie de 0° à 60° de la verticale et ruissellement. 4 Protection contre projections d'eau de toutes les directions. 5 Protection contre jets d'eau de toutes les directions. 6 Protection contre jets d'eau de forte pression et paquets de mer. 7 Protection contre immersion à moins d'un metre de profondeur. 8 Protection contre immersion permanente à plus d'un metre de profondeur.	La seconda cifra (IP ..y) indica la protezione del sistema contro la pioggia. 0 Non protetto 1 Protetto contro la caduta verticale di gocce d'acqua. 2 Protetto contro la pioggia con angolo max. di 15° sulla verticale. 3 Protetto contro la pioggia con angolo max. di 60° sulla verticale. 4 Protetto contro gli spruzzi e l'ingresso di acqua. 5 Protetto contro i getti d'acqua. 6 Protetto contro i getti potenti d'acqua. 7 Protetto contro inondazioni temporanee. 8 Protetto contro le immersioni prolungate.	O segundo dígito (IP ..y) indica o grau de protecao contra po e chuva. 0 Sem protecção. 1 Protegido contra a queda vertical de gotas de água. 2 Protegido contra água em forma de chuva com um angulo max. de 15°. 3 Protegido contra água em forma de chuva com um angulo max. de 60°. 4 Protegido contra projecoes de água. 5 Protegido contra jactos de água em todas as direcções. 6 Protegido contra potentes jactos de água. 7 Protegido contra a imersão temporária. 8 Protegido contra a imersão prolongada.	Die zweite Ziffer (IP ..y) gibt den Schutz des Apparats gegen Regen an. 0 Nicht geschützt. 1 Geschützt gegen vertikal fallende Wassertropfen. 2 Geschützt gegen Regenfall mit einem Winkel von max. 15° über die alemanSenkrechte. 3 Geschützt gegen Regenfall mit einem Winkel von max. 60° über die Senkrechte. 4 Geschützt gegen Spritzer und Schutz gegen Wasser. 5 Geschützt gegen Wasserschauer. 6 Geschützt gegen starke Wasserschauer. 7 Geschützt gegen zeitweilige Überschwemmungen. 8 Geschützt bei länger anhaltendem Eintauchen.
NL	GRK	RUS	CZ	BL	PL
Het eerste cijfer (IP x...) geeft de beschermingsgraad weer van het apparaat tegen het binnendringen van vaste elementen. 0 Biedt geen bescherming 1 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 50$ mm. 2 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 12$ mm. 3 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 2,5$ mm. 4 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 1$ mm. 5 Biedt bescherming tegen stof. 6 Biedt volledige bescherming tegen stof.	Το πρώτο νοῦμερο (IP x...) υποδεικνύει την προστασία της συσκευής κατά της διείσδυσης στερεών αντικειμένων. 0 Χωρίς προστασία 1 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 50$ mm 2 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 12$ mm 3 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 2,5$ mm 4 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 1$ mm 5 Με προστασία κατά της σκόνης 6 Με πλήρη προστασία κατά της σκόνης	Первая цифра (IP x...) указывает на защиту прибора от проникновения твердых тел. 0 Не защищен 1 Защищен от проникновения твердых тел $\varnothing \geq 50$ мм 2 Защищен от проникновения твердых тел $\varnothing \geq 12$ мм 3 Защищен от проникновения твердых тел $\varnothing \geq 2,5$ мм 4 Защищен от проникновения твердых тел $\varnothing \geq 1$ мм 5 Защищен от пыли 6 Полностью защищен от пыли	První číslice (IP x...) označuje stupeň ochrany přístroje proti průniku pevných částic. 0 Nechráněno 1 Chráněno proti průniku pevných částic s $\varnothing \geq 50$ mm 2 Chráněno proti průniku pevných částic s $\varnothing \geq 12$ mm 3 Chráněno proti průniku pevných částic s $\varnothing \geq 2,5$ mm 4 Chráněno proti průniku pevných částic s $\varnothing \geq 1$ mm 5 Chráněno proti prachu 6 Kompletně chráněno proti prachu	Първата цифра (IP x...) означава защита на уреда от попадане на твърди тела. 0 Без защита 1 Защита от попадане на твърди тела с $\varnothing \geq 50$ mm 2 Защита от попадане на твърди тела с $\varnothing \geq 12$ mm 3 Защита от попадане на твърди тела с $\varnothing \geq 2,5$ mm 4 Защита от попадане на твърди тела с $\varnothing \geq 1$ mm 5 ащита от прах 6 Изцяло защитен от прах	Pierwsza cyfra (IP x...) oznacza zabezpieczenie urządzenia przed wnikiem ciał stałych. 0 Niezabezpieczono 1 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 50$ mm 2 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 12$ mm 3 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 2,5$ mm 4 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 1$ mm 5 Zabezpieczono przed pyłem 6 Całkowicie zabezpieczono przed pyłem
Het tweede cijfer (IP ..y) geeft de beschermingsgraad van het apparaat tegen de regen weer. 0 Biedt geen bescherming 1 Biedt bescherming tegen het verticaal neerkomen van waterdruppels. 2 Biedt bescherming tegen regen met een max. hoek van 15° over verticaal. 3 Biedt bescherming tegen regen met een max. hoek van 60° over verticaal. 4 Biedt bescherming tegen spetters en tegen water. 5 Biedt bescherming tegen waterstralen. 6 Biedt bescherming tegen krachtige waterstralen. 7 Biedt bescherming tegen tijdelijke overstromingen. 8 Biedt bescherming tegen langdurige onderdompelingen.	Το δεύτερο νοῦμερο (IP ..y) υποδεικνύει την προστασία της συσκευής κατά της βροχής. 0 Χωρίς προστασία 1 Με προστασία κατά της κάθετης πτώσης σταγόνων νερού 2 Με προστασία κατά της βροχής με μέγιστη γωνία 15° επί κάθετου 4 Με προστασία κατά των πτισλισμάτων και προστασία νερού 5 Με προστασία κατά της ροής νερού 6 Με προστασία κατά της έντονης ροής νερού 7 Με προστασία κατά των παροδικών πλημμυρών 8 Με προστασία κατά της μακρόχρονης βύθισης	Вторая цифра (IP ..y) указывает на защиту прибора от воды. 0 Не защищен 1 Защищен от попадания вертикальных капель воды 2 Защищен от дождевых струй под углом до 15° по вертикали 4 Защищен от брызг и попадания воды 5 Защищен от потоков воды 6 Защищен от сильных потоков воды 7 Защищен от проникновения воды при временном затоплении 8 Защищен от проникновения воды при длительном погружении.	Druhá číslice (IP ..y) označuje ochranu proti vnikání vlhkosti. 0 Bez ochrany. 1 Ochrana před vislel kapající vodou. 2 Ochrana před vodou kapající se sklonem do 15°. 3 Ochrana před vodou dopadající se sklonem 60° (dešti). 4 Ochrana před stříkající vodou. 5 Ochrana před tryskající vodou (tlakovou vodou). 6 Ochrana před intenzivně tryskající vodou. 7 Ochrana při dočasném ponoření. 8 Ochrana při trvalém ponoření.	Втората цифра (IP ..y) указва нивото на защита от влага. 0 не е защитен 1 защитен от капеща вода 2 защитен от капеща вода под наклон до 15° 3 защитен от пръски вода 4 защитен от пръскаща вода 5 защитен от водна струя 6 защитен срещу обилни валежи 7 защитен от ефекта на потапане 8 защитен при потапане във вода	Druga z cyfr kodu (IP ..y) oznacza stopień ochrony przed wilgocią. 0 brak ochrony 1 chronione przed kroplami wody (kapiaćymi pionowo) 2 ochrona przed kroplami wody padającymi pod kątem 15° z każdej strony 3 ochrona przed natryskującą wodą 4 ochrona przed rozbrzyskującą się wodą 5 ochrona przed strumieniami wody 6 ochrona przed dużymi strumieniami wody 7 ochrona przed zanurzeniem krótkotrwałym w wodzie 8 ochrona przed całkowitym zalaniem wodą (zanurzenie niem ciągłym)

Symbology / Simbología

	EN	ES	FR	ITA	PT	GER
	Has a protective earth Class I protection	Con toma de tierra Aisla. clase I	Avec prise de terre Catégorie de protection I	Con messa a terra Isola. tipo I	Com ligação terra Isolamento classe I	Mit Erdung Isolierung der Klasse I
	Reinforced or double insulation (class II protection)	Aislamiento clase II	Isolement de protection (classe de protection II)	Isolamento tipo II	Isolamento (clase II)	Isolierung der Klasse II
	Low voltage protection (class III protection)	Aislamiento clase III	Très basse tension de protection (classe protec. III)	Isolamento tipo III	Isolamento (clase III)	Isolierung der Klasse III (für montage auf)
	Cable	Cable	Câble	Cavo	Cabo	Kabel
	Weight	Peso	Poids	Peso	Peso	Gewicht
	Switch / Double Switch	Interruptor / Doble Interruptor	Interrupteur / Double Interrupteur	Interruttore / Doppio Interruttore	Interruptor / Doble Interruptor	Schalter / Doppelter Schalter
T	Special transformer	Transformador especial	Transformateur spécial	Trasformatore Speciale	Transformador especial	Spezieller transformator
	USB Charger	Cargador USB	Chargeur USB	Caricatore USB	Carregador USB	USB-Ladegerät
	Cut out	Agujero para empotrar	Trou d'encastrement	Foro per incasso	Furo para encastrar	Bohrloch zum Einbauen
	Maximum thickness for luminaire anchoring point	Espesor máximo para punto de anclaje de luminarias	Épaisseur maximale du point d'ancrage du luminaire	Spessore massimo per il punto di ancoraggio dell'apparecchio	Espessura máxima para o ponto de ancoragem da luminária	Maximale Stärke für Leuchtenbefestigungspunkt
	AdjustABLE	OrienTABLE	OrienTABLE	Regolabile	Ajustável	Verstellbar
	Dimmable	Dimable	Réglable	Regolabile	Regulável	Dimmbar
	Spike	Espiga	Pointe	Spuntone	Espigão	Spitze
	Resistance in kg	Resistencia en kg	Résistance en kg	Resistenza in kg	Resistência em kg	Widerstand in kg
IK08	Shock resistance	Resistencia a los golpes	Résistance au choc	Resistenza agli urti	Resistência ao choque	Stoßfestigkeit
	Maintenance steel	Acero de mantenimiento	Acier d'entretien	Acciaio di manutenzione	Manutenção de aço	Wartungsstahl
	Light up / down / up and down	Luz arriba / abajo / arriba y bajo	Lumière de haut / vers les bas / de haut en bas	Luce su / giù / su e giù	Luz para cima / baixo / cima e para baixo	Licht auf / nach unten / auf und ab
	Beam angle	Grados apertura	Grades halo lumineux	Gradi di luce	Notas luz	Light grade
	Remote control	Mando a distancia	Télécommande	Doppia Intensità	Comando à distancia	Vernbedienung
	RECESSED box	Caja empotrar	Boîte encastrée	Incasso box	Recesso box	Einbaugehäuse
RPM	Revolutions per minute	Revoluciones por minuto	Tours/minute	Giri al minuto	Voltas/minuto	Umdrehungen pro Minute
W	Consumption in W, according to the speed of the motor	Consumo en W, según velocidad del motor	Consommation en W, selon la vitesse du moteur	Consumo in W secondo la velocità del motore	Consumo en W, de acordo com a velocidade do motor	Stromverbrauch in W
IPXY	Ingress Protection Marking against dust (X) and water (Y)	Grado de protección ante el polvo (X) y líquidos (Y)	Indice de protection contre la poussière (X) et l'eau (Y)	Protezione dall'ingresso Marcatura contro polvere (X) e acqua (Y)	Proteção de entrada Marcação contra poeira (X) e água (Y)	Schutz gegen Eindringen von Staub (X) und Wasser (Y)
	Passive Infrared sensor (PIR)	Detector de movimiento pasivo (PIR)	Capteur infrarouge passif (PIR)	SENSORE PASSIVO A INFRAROSSI (PIR)	Sensor infravermelho passivo (PIR)	Passiver Infrarot-Sensor (PIR)
	Day / night sensor	Sensor día/noche	Capteur jour / nuit	Sensore giorno / notte	Sensor dia / noite	Tag- / Nachtsensor
	With light / Without light / With and without light	Con luz / Sin luz / Con y sin luz	Avec la lumière / Sans lumière / Avec et sans lumière	Con luce / senza luce / Con e senza luce	Com luz / Sem luz / Com e sem luz	Mit Licht / Ohne Licht / Mit und ohne Licht
	Compliance of incandescent wire regulatory	Cumplimiento de la normativa incandescente de alambre.	Conformité de la réglementation des câbles à incandescence	Conformità del regolamento sui fili ad incandescenza	Conformidade de regulagem de fio incandescente	Einhaltung der Vorschriften für Glühdraht
	Leading & Trailing-edge dimming	Regulación con regulador de corte al inicio y/o al final de fase	Gradation avant et arrière	Dimmer iniziale e finale	Regulação de inclinação e tração	Vorder- & Hinterkantendimmen
SE LV						

NL	GRK	RUS	CZ	BL	PL
Met aardleiding Isolatie klasse I	Με γείωση Μόνωση κλάσης I	С контактом заземления Изоляция класс I	S uzemněním Izolace třídy I	Със заземяване Изоляция клас I	Z uziemieniem Izolacja klasy I
Isolatie klasse II	Μόνωση κλάσης II	Изоляция класс II	Izolace třídy II	Изоляция клас II	Izolacja klasy II
Isolatie klasse III	Μόνωση κλάσης III	Изоляция класс III	Izolace třídy III	Изоляция клас III	Izolacja klasy III
Kabel	Καλώδιο	Кабель	Kabel	Καβελ	Kabel
Gewicht	βάρος	вес	Hmotnost	τεγλο	Waga
Schakelaar / Dubbele Schakelaar	Διακόπτης Διπλός / Διακόπτης	Выключатель / Двойной Выключатель	Vypínač / Dvojité Vypínač	Πρεкъсвач / Двоен Πρεкъсвач	Wyłącznik / Podwójny Wyłącznik
Speciale transformator	Ειδικός Μετασχηματιστής	Специальный Трансформатор	Speciální Transformátor	Специален Трансформатор	Specjalny Transformator
Usb oplader	Φορτιστής USB	USB-зарядное устройство	Nabíječka USB	USB зарядно устройство	Ładowarka USB
Gat om in te bouwen	Οπή για εντοιχισή	Отверстие для встраивания	Otvor k vložení	Μонтажен отвор	Otwór do mocowania
Maximale dikte voor armatuurverankeringspunt	Μέγιστο πάχος για το σημείο αγκύρωσης του φωτιστικού	Максимальная толщина для точки крепления светильника	Maximální tloušťka kotevniho bodu svítidla	Μαξिमална дебелина на точката на закрепване на осветителното тяло	Maksymalna grubość dla punktu kotwienia oprawy
Verstelbare	Ρυθμιζόμενο	Регулируемый	Nastavitelný	Ρегулируеми	Orientacja
Dimbaar	Ροοστάτη	Затемняемый	Stmívatelné	Димιране	Ściemniania
Aar	Ακίδα	колос	Špice	шип	Kolec
Weerstand in kg	Αντίσταση σε kg	Сопротивление в кг	Odolnost v kg	Съпротивление в кг	Odporność w kg
Schokbestendig	Αντοχή σε κραδασμούς	Ударопрочность	Odolnost proti nárazu	Устойчивост на удар	Odporność na uderzenia
Onderhoud staal	Συντήρηση χάλυβα	Стальная сталь	Údržba oceli	Поддържаща стомана	Konserwacja stali
Lichte omhoog / omlaag / boven en beneden	Φωσ εγγραφη / κάτω / εγγραφη και κάτω	Свет вверх / вниз / вверх и вниз	Osvětlit / dolů / nahoru a dolů	Лайт нагоре / надолу / нагоре и надолу	Zapalać się / w górę i w dół
Licht rangen	φωσ βαθμών	Светлые сорта	Světlo třídy	Светлини марки	Lekkie klasy
Dubbele intensiteit	Τηλεχειριστήριο	Дистанционное Управление	Dálkové Ovládání	Дистанционно Управление	Zdalne Sterowanie
RECESSED box	Χωνευτα κουτι	Монтажная коробка	RECESSED box	За вграждане box	Puszka
Omwentelingen per minuut	Στροφές ανά λεπτό	Обороты в минуту	Otáčky za minutu	Обороты в минута	Obroty na minutę
Verbruik in W	Κατανάλωση σε бат, σύμφωνα με την ταχύτητα του μοτέρ	Потребление в Вт, в зависимости от скорости мотора	Spotřeba ve W, dle rychlosti motoru	Spotřeba ve W, dle rychlosti motoru	Zużycie energii w W, w zależności od prędkości silnika
Ingress Protection Markering tegen stof (X) en water (Y)	Προστασία εισχώρησης Σήμανση σκόνης (X) και νερού (Y)	Защита от взлома Маркировка против пыли (X) и воды (Y)	Ochrana proti přehřátí Označení proti prachu (X) a vodě (Y)	Защитна защита срещу прах (X) и вода (Y)	Oznaczenie ochrony przed pyłem (X) i wodą (Y)
Passive infraroodsensor (PIR)	Παθητικός αισθητήρας υπερύθρων (PIR)	Пассивный инфракрасный датчик (PIR)	Pasivní infračervený snímač (PIR)	Пасивен инфрачервен датчик (PIR)	Pasywny czujnik pod- zerwieni (PIR)
Dag / nacht-sensor	Αισθητήρας ημέρας / νύχτας	Датчик день / ночь	Denní / noční snímač	Дневен / нощен сензор	Czujnik dzień / noc
Met licht / Zonder licht / Met en zonder licht	Με φωс / Χωρίς φωс / Με και χωρίς φωс	С подсветкой / Без света / С подсветкой и без света	Se světlem / bez světla / S nebo bez světla	Със светлина / без светлина / С и без светлина	Ze światłem / bez światła / Z światłem i bez niego
Naleving van regelgeving voor gloeilampen	Συμμόρφωση της ρύθμισης συρμάτων πυρακτώσεως	Соблюдение регламентации ламп накаливания	Dodržování předpisů o žárovkách	Съответствие на нормативната уредба с нажежаема жичка	Zgodność z normami dotyc- zącymi żarówek
Voor- en achterraand dimmen	Καμπύλη οδηγού και τελειώματος	Ведущее и заднее диммирование	Přední a koncové stmívání	Водещо и затымняващо затымнение	Przyciemnianie wiodące i końcowe

Materials / *Materiales*

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrílico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Vírdro	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrílico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonat
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polímero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glass
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Téxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриловый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алюминий	Aluminium
Getapete stof	Μαγνητοσκοπημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алюминий	Odlew aluminiowy
Glasvezel	Πολυεστερικες	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υαλί	Стекло	Sklo	Стъкло	Szko
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Pościel
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Opaal acrylaat	Οπαλ ακρυλικό	Опалового акрила	Opalový akrylát	Опал акрил	Opal akryl
Opaal glas	Οπαλ γιαλί	Матовое стекло	Opalové sklo	Млечно стъкло	Szko mleczne
Opaal PMMA	Οπαλ PMMA	PMMA ακριλινες	Opal PMMA	Опал PMMA	Mlecznego PMMA
Opaal polycarbonnat	Οπαλ πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Опал поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Οπαλ PVC	Опал PVC	Opal PVC	Опал PVC	PVC Poliwęglan
Papyrus	Πάπυρος	Папирус	Papyrus	Раругус	Papyrus
Perkament	Περγαμινή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylentereftalát	PET полиэтилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиэтилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиэтилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Ρατταν	ротанг	Ratan	ратан	Rattan
Hars	Ρητινουχο	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστίк Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szklo
Silicone	Σίλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξειδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stali nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Тефлоново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Текстилен	Włókienniczy
Doorschijnend glas	Διαφανές γιαλί	Прозрачные стекла	Translucent stъкло	Průhledné sklo	Przezroczyste szkło
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné polykarbonát	Przezroczyste Poliwęglan
Transparant glas	Διαφανές γιαλί	Прозрачное стекло	Průhledné sklo	Прозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Прозрачное PMMA	Průhledné PMMA	Прозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

General information / Información general

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Price list not valid for Italy and Switzerland.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Tarifa no válida para Italia y Suiza.</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Liste de prix pas valable pour l'Italie et la Suisse.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>Il listino non è valido per l'Italia e la Svizzera.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLuíDO NA LISTA DE PREÇOS</p> <p>Lista de preços não é válido para a Itália e Suíça.</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente.</p> <p>Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Preisliste gilt nicht für Italien und die Schweiz.</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>Voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Tarifa niet geldig voor Italië en Zwitserland.</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιαδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων του παρόντος καταλόγου είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνηνόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Δεν γίνεται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχο τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόδοσης και ταξινόμησης των εμπορευμάτων.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakéhokoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu.</p> <p>Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od SPOLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническата информация, представена в нашият каталог, може да бъде променена с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приети единствено след писмено осведомяване на LOREFAR на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи мие свържете с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно примяне от LOREFAR 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu skłasyfikowania uszkodzenia artykułu.</p>

EN	ES	FR	ITA
<p>Faro Barcelona Technical Laboratory Faro Barcelona has extended the capacity of its Quality Control Department by equipping its laboratory with machinery that can conduct the following tests:</p> <ul style="list-style-type: none"> - IP Tests. - Incandescent thread. - Electric shocks. - Thermal and mechanical resistance. - Impacts. - Consumption and power factors. <p>Thanks to these advances, Faro Barcelona has raised the bar regarding the thoroughness of its tests and ensures that European regulations and standards are complied with fully.</p> <p>Faro collaborates on improvements to the environment With its commitment to efficient light bulbs and its contribution to energy saving and the campaign against global warming. In Faro catalogues, next to the standard-use light bulb given for each item, you will see the recommended bulb, highlighted by this symbol: [LED ref.]</p>	<p>Laboratorio técnico propio de Faro Barcelona Faro Barcelona ha ampliado la capacidad de su Departamento de Control de Calidad, dotando su laboratorio de una maquinaria capaz de hacer los siguientes ensayos:</p> <ul style="list-style-type: none"> - Pruebas de IP. - Hilo incandescente. - Choques eléctricos. - Resistencia térmica y mecánica. - Choques de impacto. - Consumos y factores de potencia. <p>Gracias a estos avances, Faro Barcelona eleva el nivel de rigurosidad en sus ensayos y garantiza el estricto cumplimiento de las normativas y estándares europeos.</p> <p>Faro colabora en la mejora del medio ambiente Apostando por las bombillas eficientes y contribuyendo con el ahorro energético y la lucha contra el calentamiento global. En los catálogos Faro podrá encontrar junto a la bombilla de uso standard de cada artículo cual es la bombilla que recomendamos y lo diferenciamos con este símbolo: [LED ref.]</p>	<p>Laboratoire technique appartenant à Faro Barcelona Faro Barcelona a élargi la capacité de son Département de contrôle qualité, en dotant son laboratoire de machines capables de procéder aux essais suivants:</p> <ul style="list-style-type: none"> - Essais d'IP - Fil incandescent. - Chocs électriques. - Résistance thermique et mécanique. - Chocs d'impact. - Consommations et facteurs de puissance. <p>Grâce à ces avancées, Faro Barcelona élève le niveau de rigueur de ses essais et garantit le strict respect des réglementations et normes européennes.</p> <p>Faro participe à l'amélioration de l'environnement En misant sur des ampoules efficaces, en contribuant aux économies d'énergie et en participant à la lutte contre le réchauffement de la planète. Dans les catalogues Faro, vous trouverez, à côté de l'ampoule standard utilisée pour chaque article, l'ampoule recommandée et identifiée par ce symbole: [LED ref.]</p>	<p>Laboratorio tecnico proprio di Faro Barcelona Faro Barcellona ha ampliato la capacità del suo Dipartimento di Controllo della Qualità, dotando il suo laboratorio di macchinari in grado di realizzare i seguenti test:</p> <ul style="list-style-type: none"> - Prove di IP. - Filo incandescente. - Scariche elettriche. - Resistenza termica e meccanica. - Test di impatto. - Consumi e fattori di potenza. <p>Grazie a questi progressi, Faro Barcelona alza il livello di rigosità nei suoi test e garantisce il rigido rispetto delle normative e degli standard europei.</p> <p>Faro collabora al miglioramento dell'ambiente scommettendo sulle lampadine efficienti e contribuendo al risparmio energetico e alla lotta contro il riscaldamento globale. Nei cataloghi Faro potrete trovare, assieme alla lampadina d'uso standard di ogni articolo, la lampadina di basso consumo consigliata e che si distingue con questo simbolo: [LED rif.]</p>
PT	GER	NL	GRK
<p>Laboratório técnico próprio da Faro Barcelona A Faro Barcelona ampliou a capacidade do seu Departamento de Controlo de Qualidade, dotando o seu laboratório de uma maquinaria capaz de fazer os seguintes ensaios:</p> <ul style="list-style-type: none"> - Testes de IP. - Fio incandescente. - Choques eléctricos. - Resistência térmica e mecânica. - Choques de impacto. - Consumos e factores de potência. <p>Graças a estes avanços, a Faro Barcelona eleva o nível de rigor nos seus ensaios e garante o estrito cumprimento das normas e padrões europeus.</p> <p>A Faro colabora na melhoria do meio ambiente Apostando nas lâmpadas eficientes e contribuindo para a poupança energética e para a luta contra o aquecimento global. Nos catálogos Faro poderá encontrar, junto à lâmpada de uso padrão de cada artigo, a lâmpada recomendada e que se diferencia com este símbolo: [LED ref.]</p>	<p>Eigenes technisches Labor von Faro Barcelona Faro Barcelona hat die Leistungsfähigkeit seiner Qualitätssicherungsabteilung durch die Ausstattung seines Labors mit Einrichtungen für folgende Tests erweitert.</p> <ul style="list-style-type: none"> - IP-Tests. - Thermische und mechanische - Elektroschocks Widerstandskraft - Mechanische Stöße - Verbrauchs- und Leistungsaspekte - Glühfäden <p>Dank dieser Erweiterungen kann Faro Barcelona jetzt seine Produktprüfungen noch wesentlich rigoroser durchführen und eine strikte Erfüllung der europäischen Normen und Standards garantieren.</p> <p>Faro bemüht sich ständig um den Umweltschutz Daher verwenden wir immer mehr effiziente Leuchtmittel und tragen damit zum Einsparen von Energie und zum Kampf gegen die Klimaerwärmung bei. In den Katalogen von Faro finden Sie neben den Standard-Leuchtmitteln für die einzelnen Artikel auch jeweils passende Sparbirnen, die mit folgendem Symbol gekennzeichnet sind: [LED ref.]</p>	<p>Eigen technisch laboratorium van Faro Barcelona Faro Barcelona heeft de capaciteit van haar Afdeling Kwaliteitscontrole uitgebreid met een laboratorium waarin de volgende testen kunnen worden uitgevoerd:</p> <ul style="list-style-type: none"> - Testen van de IP-code - Gloeidraad. - Elektrische schokken. - Thermische en mechanische weerstand. - Schok door impact. - Verbruik en vermogensfactoren. <p>Dankzij deze vooruitgang is er bij Faro Barcelona sprake van een hoger striktheidniveau tijdens het testen en garandeert een strikte naleving van de Europese normen en standaards.</p> <p>Faro werkt mee aan de verbetering van het milieu Middels het gebruik van efficiënte lampen. Zo draagt zij bij aan de energiebesparing en aan de strijd tegen de opwarming van de aarde. In de catalogi van Faro treft u naast de lamp voor standaardgebruik van ieder artikel de aanbevolen lamp met laag verbruik aan die met dit symbool wordt onderscheiden: [LED ref.]</p>	<p>Faro Barcelona Technical Laboratory Η Faro Barcelona έχει διευρύνει τις δυνατότητες του Τμήματος Ελέγχου Ποιότητας, εξοπλίζοντας το εργαστήριό της με μηχανήματα που πραγματοποιούν τα εξής test:</p> <ul style="list-style-type: none"> - Test IP - Νήμα πυρακτώσεως. - Ηλεκτροπληξία. - Θερμική και μηχανική αντοχή. - Κρούση. - Κατανάλωση και παράγοντες ισχύος. <p>Χάρη σε αυτές τις εξελίξεις, η Faro Barcelona αυξάνει το επίπεδο αυστηρότητας στις δοκιμές της και εξασφαλίζει την απόλυτη τήρηση των ευρωπαϊκών κανονισμών και προτύπων.</p> <p>Η Faro συμβάλλει στη βελτίωση του περιβάλλοντος Χρησιμοποιώντας αποδοτικούς λαμπτήρες και συμβάλλοντας στην εξοικονόμηση ενέργειας και την καταπολέμηση της υπερθέρμανσης του πλανήτη. Στους καταλόγους της Faro μπορείτε να βρείτε μαζί με τον συμβατικό λαμπτήρα για κάθε προϊόν, τον συνιστώμενο λαμπτήρα χαμηλής κατανάλωσης που διακρίνεται με αυτό το σύμβολο: [LED αναφ.]</p>
RUS	CZ	BL	PL
<p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP - Механическое и - Поражение электрическим током. - Тепловое сопротивление - Воздействие от столкновения - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Faro заботится об окружающей среде делая ставку на эффективные электрические лампы, позволяющие экономить энергию и бороться с глобальным потеплением. В каталогах Faro можно найти как стандартные лампы различных типоразмеров, так и рекомендуемые энергосберегающие лампы, отмеченные специальным символом: [LED ссы.]</p>	<p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP - Механическое и - Поражение электрическим током. - Тепловое сопротивление - Воздействие от столкновения - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Používáním efektivních žárovek přispívá firma Faro Ke zlepšení životního prostředí, úspově elektrické energie a boji proti globálnímu oteplování. V katalozích Faro naleznete vedle standardní žárovky vhodné pro jednotlivé zboží i doporučenou žárovku s nízkou spotřebou, která je označena tímto symbolem: [LED ref.]</p>	<p>Собствена техническа лаборатория на Faro Barcelona Faro Barcelona разшири капацитета на своя Отдел за контрол на качеството, като обзаведе лабораториите си с оборудване за осъществяване на следните изпитвания:</p> <ul style="list-style-type: none"> - Изпитвания за степен на защита (IP) - Термична и механична - Токови удари.Сустойчивост. - Удари в твърд предмет - Консумирана мощност - Нажежена жичка, и коэффициент на мощността. <p>По този начин Faro Barcelona повишава точността на изпитванията и гарантира стриктно спазване на европейските.</p> <p>Faro съдейства за подобряване на околната среда чрез използване на енергоспестяващи крушки, с което дава своя принос в борбата с глобалното затопляне. В каталозите на Faro всеки продукт може да се използва както със стандартна, така и с енергоспестяваща крушка, която е препоръчителна и е означена със следния символ: [LED спра.]</p>	<p>Laboratorium techniczne należące do Faro Barcelona Firma Faro Barcelona rozszerzyła zakres kompetencji swojego Działu Kontroli Jakości, wyposażając laboratorium w urządzenia wykonujące następujące testy:</p> <ul style="list-style-type: none"> - Próby IP - Włóknno zarzenia. - Porażenia prądem. - Wytrzymałość termiczna i mechaniczna. - Wstrząsy - Zużycie i czynniki mocy. <p>Dzięki tym procedurom firma Faro Barcelona zaostrzyła poziom testów, gwarantując bezwzględne przestrzeganie norm i standardów europejskich.</p> <p>Firma Faro chroni środowisko Stawiając na wydajne żarówki i oszczędność energii, przyczyniając się tym samym do walki z globalnym ociepleniem. Oprócz informacji o standardowych żarówkach, katalogi Faro zawierają zalecenia dotyczące żarówek energooszczędnych wyróżnione tym symbolem: [LED odni.]</p>

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
01000	147	02300101	234	17463	641	20046	98
01001	147	02400101	235	17464	641	20046-3L	88
01003	185	02400102	235	17465	641	20046-5L	88
01004	185	03020402	236	17466	643	20046-7L	88
01005	185	03030101	236	17467	643	20047	98
01006	185	03030102	236	17468	643	20048	98
01007	42	03030103	236	17472	640	20049	196
01009	152	03030201	236	17473	640	20050	98
01014	152	03030202	236	17474	640	20050-3L	88
01015	36	17063	641	17475	640	20050-5L	88
01016	36	17064	641	17476	643	20050-7L	88
01017	36	17067	641	17477	643	20051	98
01025	42	17271	642	17478	641	20060	153
01026	152	17309	640	17479	641	20061	153
01027	152	17316	640	17482	641	20062	153
01040	200	17317	640	17483	641	20065	140
01041	200	17318	640	17484	641	20066	140
01045	149	17319	640	17485	641	20094	128
01046	48	17320	640	17486	641	20095	128
01205	201	17321	640	17487	643	20099	108
01206	201	17324	640	17488	643	20100	112
01207	201	17325	640	17489	643	20101	122
01208	201	17328	640	17490	643	20101 DA	122
01997001	126	17329	640	17491	643	20102	122
01997002	126	17330	640	17492	641	20102DA	122
02100101	240	17331	640	17493	642	20103	122
02100301	234	17332	640	17494	643	20103DA	122
02100401	234	17340	643	17495	643	20104	122
02100501	235	17398	643	17496	642	20104DA	122
02100502	235	17399	643	17497	642	20107	120
02100503	235	17400	643	17498	639	20108	120
02100601	235	17409	642	17499	643	20109	120
02100602	235	17413	642	18030	640	20110	120
02100603	235	17414	642	18031	640	20116	118
02100701	235	17415	641	18032	640	20117	118
02100702	235	17417	641	18033	640	20118	118
02100801	236	17420	641	18034	640	20119	118
02100901	234	17422	641	18035	640	20120	118
02101001	233	17423	641	20021	170	20121	118
02101002	233	17425	642	20022	170	20122	118
02101101	233	17426	642	20023	170	20123	118
02101102	233	17427	642	20024	170	20124	118
02101301	233	17428	642	20025	77	20125	118
02101302	233	17429	642	20026	77	20126	118
02101401	235	17432	642	20029	77	20127	118
02101402	235	17433	642	20030	77	20128	118
02101501	233	17434	642	20031-80	148	20129	118
02101601	233	17437	641	20031-81	148	20130	118
02111001	230	17443	643	20031-88	166	20131	118
02111002	230	17444	643	20032-80	148	20160	93
02121001	230	17445	642	20032-81	148	20160-3L	88
02121002	230	17446	642	20032-88	166	20160-5L	88
02150101	238	17447	642	20033-80	38	20160-7L	88
02150201	238	17448	642	20033-81	38	20161	93
02150301	238	17449	642	20034-80	38	20161-3L	88
02200501	235	17460	641	20034-81	38	20161-5L	88
02200502	235	17461	641	20034-88	73	20161-7L	88
02200503	235	17462	641	20045	196	20164-95	57

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
20164-96	57	24016	178	28212	43	29332	76
20165-95	145	24020-31	59	28370	41	29333	76
20165-96	145	24020-32	59	28371	41	29335	76
20166-95	93	24023-33	59	28373	109	29336	76
20166-96	93	24023-34	59	28374	109	29340	176
20167	144	24030	650	28375	108	29341	176
20168	144	24030-01	156	28375-1L	109	29395	155
20170	650	24030-02	156	28375-2L	109	29396	155
20170-01	164	24031	650	28375-3L	109	29397	111
20170-02	164	24031-01	156	28375-4L	109	29398	53
20170-03	164	24031-02	156	28375-5L	109	29399	52
20171	650	24031-03	156	28376	108	29468	99
20171-01	164	24032	650	28376-1L	109	29565	155
20171-02	164	24032-01	156	28376-2L	109	29566	155
20171-03	164	24032-02	156	28376-3L	109	29567	111
20172	650	24033	650	28376-4L	109	29568	53
20172-01	164	24033-01	156	28376-5L	109	29569	52
20172-02	164	24033-02	156	28378	43	29680	650
20172-03	164	24033-03	156	28379	43	29680-19	165
20173	650	24034	650	28380	44	29680-20	165
20173-01	164	24034-04	64	28382	44	29680-21	165
20173-02	164	24034-05	64	28383	44	29681	650
20173-03	164	24035	650	28385	44	29681-19	165
20300-92	157	24035-04	64	28386	35	29681-20	165
20301-93	157	24035-05	64	28387	40	29681-21	165
20301-94	157	24035-06	64	28388	40	29682	650
20302-92	157	24036	650	28393	125	29682-19	165
20303-93	157	24036-07	65	28394	125	29682-20	165
20303-94	157	24036-08	65	28398	99	29682-21	165
20304-82	66	24037	650	28399	99	29683	650
20305-83	66	24037-07	65	28401	45	29683-19	165
20305-84	66	24037-08	65	28413	175	29683-20	165
20306-85	67	24037-09	65	28414	175	29683-21	165
20307-86	67	24500	92	28415	175	29684	650
20307-87	67	24501	92	29039	220	29684-04	68
20308-89	113	24502	146	29040	220	29684-05	68
20309-90	113	24503	146	29041	220	29684-06	68
20309-91	113	24504	92	29042	220	29685	650
20330	150	24505	92	29043	220	29685-04	68
20331	150	24521	49	29044	220	29685-05	68
20332	150	24522	49	29045	244	29685-06	68
24005	650	24523	34	29047	56	29686	650
24005-10	163	24524	34	29048	56	29686-07	69
24005-11	163	24527	149	29049	56	29686-08	69
24005-12	163	24528	149	29050	56	29686-09	69
24006	650	28209	108	29306	196	29687	650
24006-10	163	28209-1L	109	29307	72	29687-07	69
24006-11	163	28209-2L	109	29309	124	29687-08	69
24006-12	163	28209-3L	109	29310	196	29687-09	69
24007	650	28209-4L	109	29311	72	29690	143
24007-10	163	28209-5L	109	29312	72	29691	86
24007-11	163	28210	108	29313	124	29692D	50
24007-12	163	28210-1L	109	29326	173	29693D	51
24008	650	28210-2L	109	29327	173	29694	91
24008-13	45	28210-3L	109	29328	173	29695	143
24008-14	45	28210-4L	109	29329	173	29696	86
24008-15	45	28210-5L	109	29330	173	29697	50
24015	178	28211	43	29331	173	29698	51

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
29699	91	29955	75	2P0433	648	32027-10	595
29764	80	29958	75	2P0615	648	32027WP	595
29844	154	29959	75	2P0616	648	32027WP-10	595
29845	154	29974	170	2P0617	648	32028	595
29846	54	29975	170	2P0625	648	32028-10	595
29847	54	29976	170	2P0626	648	32028WP	595
29848	110	29977	170	2P0627	648	32028WP-10	595
29849	110	29978	71	2P0635	648	32029	595
29864	124	29979	71	2P0636	648	32029-9	595
29865	124	29980	172	2P0637	648	32029WP	595
29866	74	29981	172	2P0645	648	32029WP-9	595
29867	74	29982	172	2P0646	648	32030	595
29868	74	29983	172	2P0647	648	32030-10	595
29869	74	29984	71	2P0710	648	32030WP	595
29871	244	29985	71	2P0720	648	32030WP-10	595
29872	244	29986	126	2P0730	648	32033	605
29873	220	29987	126	2P0740	648	32033-9	605
29874	220	29988	126	32000	597	32033WP	605
29875	220	29989	126	32000-9	597	32033WP-9	605
29876	220	29991	168	32000WP	597	32034	605
29877	132	29992	168	32000WP-9	597	32034-9	605
29878	132	29993	168	32001	597	32034WP	605
29879	132	29995	166	32001-9	597	32034WP-9	605
29880	132	29996	166	32001WP	597	32035	605
29881	55	29997	73	32001WP-9	597	32035-10	605
29882	55	29998	73	32002	597	32035WP	605
29883	55	2P0111	648	32002-10	597	32035WP-10	605
29884	55	2P0112	648	32002WP	597	32036	605
29886	104	2P0113	648	32002WP-10	597	32036-10	605
29887	104	2P0121	648	32003	597	32036WP	605
29888	202	2P0122	648	32003-10	597	32036WP-10	605
29889	202	2P0123	648	32003WP	597	32037	605
29890	202	2P0131	648	32003WP-10	597	32037-10	605
29891	202	2P0132	648	32004	597	32037WP	605
29894	104	2P0133	648	32004-10	597	32037WP-10	605
29895	104	2P0141	648	32004WP	597	32038	603
29896	244	2P0142	648	32004WP-10	597	32038-9	603
29897	220	2P0143	648	32005	597	32038WP	603
29898	55	2P0211	648	32005-9	597	32038WP-9	603
29899	55	2P0212	648	32005WP	597	32039	603
29935	173	2P0213	648	32005WP-9	597	32039-9	603
29936	173	2P0221	648	32006	597	32039WP	603
29937	75	2P0222	648	32006-10	597	32039WP-9	603
29938	75	2P0223	648	32006WP	597	32040	603
29940	171	2P0231	648	32006WP-10	597	32040-10	603
29941	171	2P0232	648	32020	595	32040WP	603
29942	78	2P0233	648	32020-9	595	32040WP-10	603
29943	78	2P0311	648	32020WP	595	32041	603
29944	125	2P0312	648	32020WP-9	595	32041-10	603
29945	171	2P0313	648	32025	595	32041WP	603
29946	171	2P0411	648	32025-9	595	32041WP-10	603
29947	78	2P0412	648	32025WP	595	32042	603
29948	78	2P0413	648	32025WP-9	595	32042-10	603
29950	173	2P0421	648	32026	595	32042WP	603
29951	173	2P0422	648	32026-10	595	32042WP-10	603
29952	173	2P0423	648	32026WP	595	32043	603
29953	173	2P0431	648	32026WP-10	595	32043-10	603
29954	75	2P0432	648	32027	595	32043WP	603

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
32043WP-10	603	33382WP	595	33423WP-10	631	33480	589
32060	605	33382WP-9	595	33424	631	33480-14	589
32060-10	605	33384	573	33424-10	631	33480WP	589
32060WP	605	33385	573	33424WP	631	33480WP-14	589
32060WP-10	605	33386	573	33424WP-10	631	33481	591
32100	599	33390	651	33425	631	33481-7	591
32100-10	599	33391	651	33425-10	631	33481WP	591
32100WP	599	33393	603	33425WP	631	33481WP-7	591
32100WP-10	599	33393-9	603	33425WP-10	631	33482	591
33001	534	33393WP	603	33426	631	33482-8	591
33002	534	33393WP-9	603	33426-9	631	33482WP	591
33005	612	33394	599	33426WP	631	33482WP-8	591
33011	627	33394-9	599	33426WP-9	631	33483	651
33019	584	33394D	601	33427	631	33484	651
33102	620	33394D-9	601	33427-10	631	33486	651
33110	535	33394DWP	601	33427WP	631	33487	607
33111	535	33394DWP-9	601	33427WP-10	631	33487WP	607
33179	633	33394WP	599	33428	631	33488	607
33180	633	33394WP-9	599	33428-10	631	33489	589
33183	633	33395	599	33428WP	631	33489-15	589
33185	633	33395-10	599	33428WP-10	631	33489K	651
33186	633	33395D	601	33429	631	33489WP	589
33274	583	33395D-10	601	33429-10	631	33489WP-15	589
33284	580	33395DWP	601	33429WP	631	33490	589
33287	580	33395DWP-10	601	33429WP-10	631	33490-16	589
33288	580	33395WP	601	33430	517	33490K	651
33292	581	33395WP-10	601	33430WP	517	33490WP	589
33314	577	33396	565	33432	517	33490WP-16	589
33341	555	33397	561	33432WP	517	33491	575
33341-2	555	33398	599	33446	543	33491-4	575
33341K	651	33398-10	599	33446WP	543	33491K	651
33341WP	555	33398D	601	33447	543	33492	575
33341WP-2	555	33398D-10	601	33447WP	543	33492-5	575
33345	555	33398DWP	601	33450	634	33492K	651
33345-2	555	33398DWP-10	601	33451	593	33494	509
33345WP	555	33398WP	601	33451WP	593	33494WP	509
33345WP-2	555	33398WP-10	601	33454	626	33495	509
33346	569	33399	599	33455	626	33495WP	509
33346WP	569	33399-10	599	33460	559	33496	505
33349	515	33399D-10	601	33461	511	33504	521
33350	581	33399D	601	33462	511	33505	521
33351	581	33399DWP	601	33463	521	33506	533
33352	582	33399DWP-10	601	33464	521	33507	533
33352B	582	33399WP	601	33465	511	33508	619
33363	519	33399WP-10	601	33466	523	33509	619
33370	553	33415	623	33470	571	33511	531
33372	570	33416	623	33471K	651	33511WP	531
33373	553	33417	599	33471N	575	33512	513
33374	605	33417-10	599	33471N-3	575	33512-1	513
33374-9	605	33417WP	599	33472K	651	33512WP	513
33374WP	605	33417WP-10	599	33472N	576	33512WP-1	513
33374WP-9	605	33418	599	33472N-6	576	33513	651
33381	597	33418-10	599	33475	608	33514	587
33381-9	597	33418WP	599	33475-17	608	33514WP	587
33381WP	597	33418WP-10	599	33476	651	33516	553
33381WP-9	597	33423	631	33478	607	33517	619
33382	595	33423-10	631	33478WP	607	33518	553
33382-9	595	33423WP	631	33479	607	33519	531

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
33519WP	531	33724	563	34200	507	41023	180
33522	549	33724WP	563	34200WP	507	41025N	180
33522WP	549	33725	539	34250	503	41026	180
33523	549	33726	539	40062	199	41028	180
33523WP	549	33727	527	40070	198	41029	180
33524	551	33728	527	40076	209	41030	180
33524WP	551	33729	545	40077	139	41031	180
33548	537	33729WP	545	40078	107	41032	180
33548WP	537	33750	567	40085	208	42919	232
33549	528	33751	567	40086	208	42921	230
33549WP	528	33752	586	40087	208	42926	239
33552	529	33753	586	40090	142	42927	239
33552WP	529	33756	613	40091	142	42928	239
33553	525	33756WP	613	40092	142	42929	239
33553WP	525	33770	568	40101	245	42930	239
33554	525	33770WP	568	40110	228	42931	239
33554WP	525	33780	536	40111	228	43056	236
33600	616	33780WP	536	40112	228	43057	236
33603	617	33782	542	40113	228	43059	236
33604	617	33802	547	40114	228	43065	236
33605	617	33802WP	547	40115	228	43396	230
33606	625	33803	546	40116	228	43397	230
33607	609	33803WP	546	40117	228	43398	230
33608	609	33804	544	40118	228	43399	231
33610	624	33804WP	544	40119	228	43400	231
33611	622	33904	636	40120	228	43401	231
33695	615	33907	636	40121	228	43402	231
33696	615	33928	636	40122	229	43403	231
33697	615	33929	636	40123	229	43404	231
33698	615	33937	636	40124	229	43405	231
33699	615	33944	636	40125	229	43406	230
33700	579	33948	636	40126	229	43407	230
33701	579	33954	636	40127	229	43408	230
33702	579	33957	636	40135	189	43409	231
33703	628	33958	636	40136	189	43410	231
33704	629	33959	636	40550	222	43411	231
33705	579	33960	636	40551	222	43412	231
33706	629	33962	636	40552	222	43413	231
33710	585	33964	636	40553	222	43500	221
33710-13	585	33965	636	40554	222	43501	221
33711	611	33971	636	40555	222	43502	221
33711-11	611	33974	636	40556	222	43520	223
33712	611	34000	511	40557	222	43521	223
33712-12	611	34001	511	40559	222	43522	223
33713	611	34002	511	40562	244	43523	223
33713-13	611	34003	523	40563	244	43524	223
33714	651	34004	523	40660	216	43525	223
33715	635	34005	523	40661	216	43526	223
33716	651	34006	511	40662	216	43527	223
33717	651	34007	511	40663	216	43528	223
33718	527	34008	511	40664	216	43529	133
33719	527	34009	511	40665	216	43530	133
33720	635	34010	511	40666	216	43531	133
33721	557	34011	511	40667	216	43532	133
33721WP	557	34100	541	40994	178	43533	133
33722	557	34100WP	541	40996	178	43534	133
33722WP	557	34150	507	41019	178	43535	245
33723	621	34151	509	41020	178	43536	245

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
43700	226	51910	46	62134	131	62803-3L	88
43701	226	51916	46	62135	131	62803-5L	88
43702	226	51917	46	62136	97	62803-7L	88
43703	226	52057	46	62137	97	62804	102
43704	227	52058	46	62138	97	62804-3L	88
43705	227	52059	180	62139	97	62804-5L	88
43706	227	52061	180	62140	131	62804-7L	88
43707	227	52064	46	62141	131	62805	102
43710	226	52065	46	62142	131	62805-3L	88
43720	242	52071	47	62143	131	62805-5L	88
43721	242	53414	46	62144	131	62805-7L	88
43722	218	53415	46	62145	131	62806	102
43723	218	57210	58	62146	131	62807	199
43724	242	57211	58	62147	131	62809	197
43725	242	57212	58	62150	195	62810	197
43726	218	57213	58	62151	195	62819	203
43727	218	57214	58	62152	195	62820	203
43728	219	57215	58	62153	195	62821	203
43729	219	57400	47	62154	195	62822	203
43730	219	57401	47	62155	195	62965	139
43731	219	57402	199	62156	40	62966	139
43732	219	57403	199	62157	40	62968	138
43740	219	60000	198	62161	184	62969	138
43741	219	60004	106	62162	184	62980	139
43742	219	60005	197	62163	184	62981	139
43743	219	61080	207	62164	184	62983	138
43744	219	61081	207	62168	40	62986	207
43745	219	61082	207	62169	40	62987	207
43746	136	61083	207	62170	194	62988	176
43747	136	61084	207	62171	194	63008	211
43748	202	61085	207	62172	194	63009	211
43749	202	61086	207	62300	194	63038	210
43750	202	61087	207	62301	194	63124	135
43751	202	61088	207	62302	194	63125	135
43752	232	62099	168	62303	194	63146	215
43753	232	62100	168	62350	183	63148	210
43754	100	62104	187	62351	183	63156	207
43755	100	62105	191	62352	183	63167	194
43756	100	62108	191	62353	183	63173	204
43757	242	62111	187	62355	188	63174	204
43758	136	62114	187	62360	182	63175	204
43759	202	62115	177	62361	182	63176	204
43760	202	62116	186	62703	181	63177	204
43761	232	62117	186	62704	181	63178	204
43762	218	62118	187	62705	176	63184	206
43780	238	62120	187	62706	176	63199	203
43781	238	62121	187	62707	177	63225	206
43782	238	62122	186	62708	177	63268	134
43900	232	62123	186	62709	177	63269	134
46060	241	62124	186	62710	177	63270	134
50121	198	62125	186	62711	177	63271	134
50122	198	62126	187	62800	102	63272	134
51129	179	62128	187	62801	102	63273	134
51133	179	62129	187	62802	102	63274	134
51134	179	62130	190	62802-3L	88	63275	134
51135	179	62131	190	62802-5L	88	63276	134
51908	46	62132	131	62802-7L	88	63277	134
51909	46	62133	131	62803	102	63278	205

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
63279	205	64097	130	64301	174	64314-44-5L	125
63281	241	64098	94	64302	169	64314-44-7L	125
63282	241	64099	94	64303	169	64314-45	116
63283	241	64128	100	64304	169	64314-45-3L	125
63284	205	64128-3L	88	64305	169	64314-45-5L	125
63285	205	64128-5L	88	64306	650	64314-45-7L	125
63286	240	64128-7L	88	64306-01	160	64314-46	116
63290	240	64133	100	64306-02	160	64314-46-3L	125
63291	139	64133-3L	88	64306-35	161	64314-46-5L	125
63311	206	64133-5L	88	64306-36	161	64314-46-7L	125
63312	206	64133-7L	88	64306-37	161	64314-47	115
63313	224	64135-3L	88	64307	650	64314-47-3L	125
63316	214	64135-5L	88	64307-03	160	64314-47-5L	125
63317	214	64135-7L	88	64307-35	161	64314-47-7L	125
63318	214	64137	100	64307-36	161	64314-48	115
63319	214	64137-3L	88	64307-37	161	64314-48-3L	125
63320	210	64137-5L	88	64307-47	158	64314-48-5L	125
63321	210	64137-7L	88	64307-61	159	64314-48-7L	125
63322	210	64159	103	64308	650	64314-49	115
63323	210	64160	103	64308-01	160	64314-49-3L	125
63393	137	64162	103	64308-02	160	64314-49-5L	125
63394	137	64168	179	64308-35	161	64314-49-7L	125
63395	137	64169	179	64308-36	161	64314-54	117
63397	138	64170	97	64308-37	161	64314-54-3L	125
63398	138	64172	97	64309	650	64314-54-5L	125
63399	139	64174	127	64309-03	160	64314-54-7L	125
63403	138	64182	95	64309-35	161	64314-55	117
63404	138	64183	95	64309-36	161	64314-55-3L	125
63405	138	64184	95	64309-37	161	64314-55-5L	125
63408	137	64185	95	64309-47	158	64314-55-7L	125
63410	137	64186	95	64309-61	159	64314-56	117
63480	206	64187	95	64310	650	64314-56-3L	124
63481	240	64188	139	64310-04	62	64314-56-5L	124
63490	241	64198	135	64310-05	62	64314-56-7L	124
63500	215	64199	135	64310-38	63	64315	650
63501	215	64200	135	64310-39	63	64315-44	116
63502	215	64201	135	64310-40	63	64315-45	116
63503	210	64202	245	64311	650	64315-46	116
63504	209	64203	245	64311-06	62	64315-47	115
63505	209	64204	135	64311-38	63	64315-48	115
63507	212	64205	135	64311-39	63	64315-49	115
63508	212	64206	135	64311-40	63	64315-54	117
63509	212	64207	135	64311-48	60	64315-55	117
63510	208	64210	245	64312	650	64315-56	117
63512	212	64211	245	64312-07	62	64316	650
63513	212	64212	245	64312-08	62	64316-01	62
63514	212	64213	245	64312-41	63	64316-02	62
63600	213	64214	245	64312-42	63	64316-35	63
63601	213	64215	245	64312-43	63	64316-36	63
63602	213	64219	203	64313	650	64316-37	63
63603	213	64222	103	64313-09	62	64317	650
63604	213	64223	103	64313-41	63	64317-03	62
63605	213	64224	103	64313-42	63	64317-35	63
64026	191	64231	126	64313-43	63	64317-36	63
64027	142	64232	126	64313-49	61	64317-37	63
64028	142	64250	95	64314	650	64317-47	60
64030	189	64251	95	64314-44	116	64318	178
64096	130	64300	174	64314-44-3L	125	64319	178

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
64320	104	68461	99	68591-5L	125	70157	323
64321	104	68462	80	68591-7L	125	70158	326
64322	174	68463	80	68592-1L	84	70159	326
64323	174	68488	70	68592-3L	125	70160	322
64400	650	68489	70	68592-5L	125	70161	322
64400-10	167	68490	650	68592-7L	125	70162	373
64400-11	167	68490-01	162	68593-1L	84	70163	373
64400-12	167	68490-02	162	68593-3L	125	70164	373
64500	96	68490-03	162	68593-5L	125	70165	373
64501	96	68491	650	68593-7L	125	70226	324
65071	100	68491-01	162	68594-1L	84	70227	324
65080	100	68491-02	162	68594-3L	125	70245	325
65080-3L	88	68491-03	162	68594-5L	125	70246	325
65080-5L	88	68492	650	68594-7L	125	70260	322
65080-7L	88	68492-01	162	68595-1L	84	70261	323
65081	101	68492-02	162	68595-3L	125	70262	354
65082	101	68492-03	162	68595-5L	125	70263	354
65133	199	68493	650	68595-7L	125	70264	361
65134	100	68493-01	162	68596-1L	84	70265	370
65137	135	68493-02	162	68596-3L	125	70266	370
66191	196	68493-03	162	68596-5L	125	70267	361
66204	107	68494	650	68596-7L	125	70268	361
66205	107	68494-01	162	68597-1L	84	70269	362
66403	192	68494-02	162	68597-3L	125	70270	362
66404	192	68494-03	162	68597-5L	125	70271	375
66405	192	68495	650	68597-7L	125	70272	373
66406	192	68495-01	162	68602	126	70273	373
66407	192	68495-02	162	68604-44	127	70274	373
66408	192	68495-03	162	68604-45	127	70275	373
66409	192	68496	177	68604-46	127	70276	373
66410	192	68497	177	68604-47	127	70277	373
66411	193	68498	177	68604-48	127	70278	373
66412	193	68499	177	68604-49	127	70279	373
66413	193	68500	79	68604-54	127	70280	373
66414	193	68501	79	68604-55	127	70281	373
66415	193	68502	79	68604-56	127	70283	362
66416	193	68503	79	68604-62	127	70284	362
68138	198	68504	174	68604-63	127	70285	367
68139	106	68505	174	68604-64	127	70286	367
68145	100	68506	174	68604-65	127	70287	367
68145-3L	125	68507	174	68604-66	127	70290	334
68145-5L	125	68530	82	68604-67	127	70291	334
68145-7L	125	68531	82	68604-68	127	70292	280
68146	100	68532	174	70025	321	70293	280
68146-3L	125	68533	127	70035	318	70302	379
68146-5L	125	68544	176	70036	318	70303	379
68146-7L	125	68545	83	70037	318	70304	379
68153	106	68546	83	70038	318	70305	379
68283	127	68547	83	70134	372	70306	379
68284	127	68548	127	70135	372	70307	379
68298	136	68549	127	70140	323	70308	379
68317	136	68561	106	70146	375	70309	379
68323	136	68562	106	70147	375	70310	379
68334	47	68563	106	70148	375	70395	370
68417	82	68564	106	70151	326	70396	370
68418	82	68569	106	70154	375	70397	370
68420	176	68591-1L	84	70155	375	70398	370
68423	45	68591-3L	125	70156	323	70399	370

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
70402	374	70663	352	70823	350	71209	312
70403	374	70664	352	70824	366	71212	355
70404	362	70665	350	70825	366	71213	303
70405	360	70666	350	70826	366	71214	303
70406	360	70667	352	70827	350	71215	355
70407	323	70668	352	70828	361	71216	298
70408	366	70682	350	70829	351	71217	298
70409	366	70683	350	70830	365	71222	356
70446	370	70686	362	70831	365	71223	356
70449	381	70687	362	70832	365	71224	290
70450	374	70689	350	70833	374	71225	290
70451	374	70690	332	70834	374	71242	282
70453	376	70696	352	70887	352	71243	282
70455	381	70697	352	70888	360	71244	282
70458N	376	70714	353	70899	359	71253	286
70459N	376	70715	350	70900	374	71254	286
70462N	377	70720	351	70901	374	71256	286
70469	326	70722	332	70906	369	71257	286
70498	263	70726	376	70907	369	71272	354
70499	263	70728	376	70908	369	71273	354
70501	368	70729	376	70909	369	71274	350
70508	368	70730	376	70910	369	71276	359
70525	322	70731	376	70911	369	71277	359
70546	367	70732	376	70912	322	71278	364
70547	367	70733	377	70913	326	71279	337
70564	367	70734	377	70914	261	71282	337
70566N	365	70735	377	70992	348	71285	338
70567N	365	70736	377	70993	306	71286	292
70573	352	70749	364	70996	348	71287	292
70573B	352	70753	304	70997	349	71295	343
70575	332	70754	304	70998	349	71296	343
70576	306	70755	304	70999	349	71297	343
70579	357	70756	304	71049	360	71299	295
70581	323	70761	296	71052	360	71300	295
70582	364	70766	342	71064	360	71301	295
70583	364	70767	296	71095	322	71303	351
70586	380	70768	296	71106	330	71304	351
70587	380	70771	301	71108	330	71305	351
70588	380	70772	301	71110	347	71306	351
70589	380	70773	351	71116	317	71308	359
70591	381	70774	311	71117	317	71309	359
70592N	380	70775	258	71118	317	71352	309
70593N	380	70776	258	71128	347	71353	365
70634	361	70777	258	71129	347	71362L	357
70637	362	70780	345	71138	330	71363	365
70638	375	70781	345	71139	331	71366	365
70644	359	70782	307	71140	347	71367	365
70645	359	70783	307	71141	347	71372	332
70646	359	70784	262	71142	331	71374	332
70647	359	70785	311	71143	331	71383	321
70655	368	70786	260	71194	364	71388	365
70656	368	70799	332	71195	364	71389	321
70657	369	70802	361	71196	364	71390	321
70658	369	70806	332	71198	304	71424	346
70659	369	70811	361	71199	304	71480	372
70660	377	70812	361	71206	302	71481	372
70661	377	70813	361	71207	302	71482	372
70662	377	70821	332	71208	302	71483	381

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
71489N	381	71584-02	252	73150	327	75000C	266
71490	372	71584-03	252	73440	299	75000D	266
71491	372	71584-04	252	73450	299	750001	266
71495	381	71584-05	252	73460	299	750001C	266
71496N	380	71584-06	252	73695	345	750001D	266
71497N	380	71584-07	252	73696	331	750002	266
71498N	380	71584-08	252	74139	338	750002C	266
71499N	380	71606	346	74141	289	750002D	266
71516	354	71607	346	74142	289	75001	299
71517	354	71613	327	74155	288	750010	266
71519	357	71701	378	74156	288	750010C	266
71528	321	71702	378	74261	347	750010D	266
71536	339	71703	378	74400	362	750011	266
71537	339	71716	378	74401	354	750011C	266
71546	320	71717	378	74407	363	750011D	266
71547	320	71730	382	74408	363	750012	266
71548	320	71731	382	74411	309	750012C	266
71549	320	71732	382	74419	366	750012D	266
71556	285	71733	382	74422	284	75002	330
71562	285	71734	383	74423	284	750020	266
71563	285	71735	383	74424	284	750020C	266
71564	285	71736	383	74427C-01	330	750020D	266
71565	263	71737	383	74427C-02	330	750021	266
71569-01	250	71900	358	74427C-03	330	750021C	266
71569-04	250	71901	358	74427C-04	330	750021D	266
71569-05	250	71902	358	74432A-01	344	750022	266
71569-06	250	71903	358	74432A-02	344	750022C	266
71569-07	250	71904	358	74432A-03	344	750022D	266
71569-08	250	71905	358	74432A-04	344	75003	299
71575-01	250	71906	358	74433S-01	299	750100	266
71575-04	250	71907	358	74433S-02	300	750100C	266
71575-05	250	71908	358	74433S-03	300	750100D	266
71575-06	250	71909	358	74433S-04	300	750101	266
71575-07	250	71910	358	74434B-01	299	750101C	266
71575P-01	254	71911	358	74434B-02	300	750101D	266
71575P-03	254	71912	310	74434B-03	300	750102	266
71575P-04	254	71913	310	74434B-04	300	750102C	266
71575P-05	254	71914	261	74435F2-02	314	750102D	266
71575P-06	254	72000	353	74435F2-03	315	750110	266
71575P-07	254	72001	353	74435F2-04	314	750110C	266
71576-01	250	72002	353	74436F3-02	314	750110D	266
71576-04	250	72010	353	74436F3-03	315	750111	266
71576P-03	254	72011	353	74436F3-04	315	750111C	266
71576P-04	254	72092	372	74440	346	750111D	266
71579-02	256	72093	372	74441	294	750112	266
71579C-03	256	72094	372	74442	294	750112C	266
71579C-04	256	72095	372	74444E	312	750112D	266
71579C-05	256	72269	359	74450	354	750120	266
71579C-06	256	72272	354	74451	305	750120C	266
71579C-07	256	72280	353	74452	305	750120D	266
71579C-08	256	72281	353	74453	342	750121	266
71579H-03	256	72298	309	74454	262	750121C	266
71579H-04	256	72310	301	74455	365	750121D	266
71579H-05	256	72311	308	74465	32	750122	266
71579H-06	256	72312	308	74997	299	750122C	266
71579H-07	256	72330	366	74998	345	750122D	266
71579H-08	256	73100	327	75000	345	750200	268
71584-01	252	73111	327	750000	266	750200C	268

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
750200D	268	751002	274	751210C	276	75536	340
750201	268	751002C	274	751210D	276	75537	293
750201C	268	751002D	274	751211	276	75538	293
750201D	268	751010	274	751211C	276	75540	355
750202	268	751010C	274	751211D	276	75541	291
750202C	268	751010D	274	751212	276	75600	297
750202D	268	751011	274	751212C	276	75601	297
750210	268	751011C	274	751212D	276	75602	316
750210C	268	751011D	274	751220	276	75603	296
750210D	268	751012	274	751220C	276	75604	296
750211	268	751012C	274	751220D	276	75605	298
750211C	268	751012D	274	751221	276	75606	298
750211D	268	751020	274	751221C	276	75607	316
750212	268	751020C	274	751221D	276	75608	261
750212C	268	751020D	274	751222	276	75700	342
750212D	268	751021	274	751222C	276	75701	342
750220	268	751021C	274	751222D	276	75750	341
750220C	268	751021D	274	751300	276	75751	341
750220D	268	751022	274	751300C	276	75753	328
750221	268	751022C	274	751300D	276	75754	328
750221C	268	751022D	274	751301	276	75755	341
750221D	268	751100	274	751301C	276	75800	327
750222	268	751100C	274	751301D	276	75801	327
750222C	268	751100D	274	751302	276		
750222D	268	751101	274	751302C	276		
750300	268	751101C	274	751302D	276		
750300C	268	751101D	274	751310	276		
750300D	268	751102	274	751310C	276		
750301	268	751102C	274	751310D	276		
750301C	268	751102D	274	751311	276		
750301D	268	751110	274	751311C	276		
750302	268	751110C	274	751311D	276		
750302C	268	751110D	274	751312	276		
750302D	268	751111	274	751312C	276		
750310	268	751111C	274	751312D	276		
750310C	268	751111D	274	751320	276		
750310D	268	751112	274	751320C	276		
750311	268	751112C	274	751320D	276		
750311C	268	751112D	274	751321	276		
750311D	268	751120	274	751321C	276		
750312	268	751120C	274	751321D	276		
750312C	268	751120D	274	751322	276		
750312D	268	751121	274	751322C	276		
750320	268	751121C	274	751322D	276		
750320C	268	751121D	274	75500	363		
750320D	268	751122	274	75501	363		
750321	268	751122C	274	75502	363		
750321C	268	751122D	274	75503	363		
750321D	268	751200	276	75519	305		
750322	268	751200C	276	75520	305		
750322C	268	751200D	276	75521	301		
750322D	268	751201	276	75522	297		
751000	274	751201C	276	75523	297		
751000C	274	751201D	276	75524	316		
751000D	274	751202	276	75529	340		
751001	274	751202C	276	75531	291		
751001C	274	751202D	276	75532	312		
751001D	274	751210	276	75533	340		

Aday	359	Bow	238	Cocotte	91	Dolme		Fold	169
Agra		Bracket	354	Conga		Suspended/Suspensión	90	Fonovia	116
Bollard/Baliza	304	Bronx	364	Table/Sobremesa	62	Ceiling/Techo	130	Foro	138
Post/Sobremuro	304	Brow	366	Floor/Suelo	62	Domino	224	Fox	233
Aim	234	Bruc	361	Suspended/Suspensión	113	Doro	358	Frame	164
Aina	123	Brume		Surface/Superficie	160	Dragma	357	Fraser	613
Art	96	Ceiling/Techo	139	Conik	203	Drak	366	Fred	352
Balder	326	Surface/Superficie	209	Copper	593	Drum	59	Fresh	235
Banker	47	Brot	286	Corb	189	Eaco	204	Frol	372
Baobab	46	Bu-Oh!		Corso	583	Easy	623	Fuji	32
Bast	280	Post/Sobremuro	303	Cosmos	99	Ebba	232	Fusta	121
Bel	180	Bollard/Baliza	303	Cotton	192	Eco Indus	612	Future	354
Beret		Pole/Farola	312	Cove	206	Edel	381	Gala	209
Bollard/Baliza	297	Surface/Superficie	355	Cráter	95	Edge	215	Galo	370
Pole/Farola	316	Cabo	349	Croc	238	Ele	366	Garten-1	327
Berni		Cadaqués	282	Crosby	376	Elsa	205	Garten-4	327
Table/Sobremesa	76	Cage	260	Cuba	582	Eres	191	Gas	231
Floor/Suelo	76	Canon	365	Curtis Asimetric	377	Esca	372	Geiser	379
Surface/Superficie	173	Cast	288	Dado	346	Essential	176	Gina	
Bic	137	Cat	285	Dakron	332	Estay	353	Bollard/Baliza	309
Black	80	Cebu	625	Dallas	203	Estoril		Surface/Superficie	365
Blind	361	Cela	353	Dang	370	Suspended/Suspensión	331	Gingko	236
Bliss	45	Celia	198	Danka	99	Surface/Superficie	347	Giza	
Block		Century	525	Danubio	213	Eterfan	597	Post/Sobremuro	296
Post/Sobremuro	289	Ceres	346	Dart	373	Eterna		Surface/Superficie	342
Bollard/Baliza	289	Chandra	309	Das		Table/Sobremesa	45	Gotland	543
Surface/Superficie	338	Charlotte	102	Bollard/Baliza	305	Surface/Superficie	163	Goz	332
Blome	168	Cheras	204	Post/Sobremuro	305	Factory	622	Grada	369
Blub's		Chicago	628	Datna		Falcon	236	Grant	368
Bollard/Baliza	300	Cies	513	Bollard/Baliza	294	Falls	382	Grid	555
Post/Sobremuro	300	Claire	98	Post/Sobremuro	294	Fedon	353	Gron	372
Suspended/Suspensión	330	Clara	96	Pole/Farola	312	Feroe	616	Grop	
Surface/Superficie	344	Clauss	354	Surface/Superficie	346	Filter	374	Bollard/Baliza	297
Board	200	Clear	234	Decofan	601	Flin	178	Pole/Farola	316
Boc	177	Cloe	138	Derby	353	Flow	320	Grow	302
Boken	180	Cobo	362	Disc	561	Foc		Gru	46
Bonn	352	Coco	216	Diula	207	Spike/Estaca	326	Grund	376
Borda	349	Cocos	537	Doka	210	Projector/Proyector	323	Guadalupe	

Surface/Superficie	148	Izaro	587	Lago	210	Spot/Foco	220	Magos	150
Table/Sobremesa	38	Janet	135	Lako	358	Track/Carril	244	Magritte	207
Floor/Suelo	38	Jellyfish		Lama	533	Lio	381	Mallorca	581
Guest		Portable/Portátil	34	Lang	98	Liria	207	Malvinas	535
Floor/Suelo	48	Table/Sobremesa	49	Lantau XL	521	Lisboa	620	Mambo	
Surface/Superficie	148	Floor/Suelo	49	Lantau L	553	Lise		Table/Sobremesa	60
Guiza	364	Joy	142	Lao		Suspended/Suspensión	100	Floor/Suelo	61
Half	339	Juliet	180	Table/Sobremesa	56	Surface/Superficie	202	Suspended/Suspensión	110
Halita	96	Justfan XL	517	Floor/Suelo	56	Liso	372	Surface/Superficie	159
Han	147	Justfan M	599	Spot/Foco	220	List	198	Manhattan	505
Handy	175	Justfan S	631	Track/Carril	244	Lit	322	Margot	102
Hanna	174	Kala	364	Laos	210	Liz	96	Marina	
Haru	135	Kale	181	Lass	211	Loa	197	Suspended/Suspensión	102
Hikari	350	Kamen	206	Le Petit	184	Log	361	Surface/Superficie	197
Homs	194	Kane	377	Le Vita		Logar	298	Marlin	
Honey		Kao	139	Table/Sobremesa	50	Logos	139	Suspended/Suspensión	96
Suspended/Suspensión	331	Karl	323	Floor/Suelo	51	Loke	178	Surface/Superficie	199
Surface/Superficie	345	Kasp	261	Suspended/Suspensión	86	Lombok	584	Mask	336
Horus	375	Kauai	507	Surface/Superficie	143	Loop		Mauren	306
Hoshi		Kaula	360	Lead	181	Table/Sobremesa	52	Mediterráneo	629
Portable/Portátil	35	Keenan	367	Led -18	380	Floor/Suelo	52	Mega	137
Table/Sobremesa	40	Keiki	635	Led-18	380	Suspended/Suspensión	107	Meno	542
Hotel		Kera	194	Lena		Surface/Superficie	155	Mila	301
Table/Sobremesa	78	Kerala		Table/Sobremesa	46	Loth	367	Milos	541
Floor/Suelo	78	Portable/Portátil	262	Surface/Superficie	180	Lotus		Mine	
Suspended/Suspensión	121	Surface/Superficie	342	Leser	180	Bollard/Baliza	290	Table/Sobremesa	43
Surface/Superficie	171	Kew	323	Leyte	536	Surface/Superficie	356	Suspended/Suspensión	104
Hudson	197	Khios	503	Liana	102	Lou	98	Mini Carter	374
Hyde	228	Klamp		Linda		Luan	239	Mini Eterfan	595
Hydra	539	Bollard/Baliza	309	Table/Sobremesa	72	Lula	44	Mini Icaria	615
Ibiza	580	Surface/Superficie	363	Floor/Suelo	72	Luna	206	Mini Indus	627
Icaria	579	Klee	140	Suspended/Suspensión	120	Lupe		Mini Lantau	619
Ice	559	Koi	230	Surface/Superficie	196	Table/Sobremesa	73	Mini Mallorca	617
Indo	215	Kombo	84	Ling	361	Floor/Suelo	73	Mini Racing	374
Indus	534	Komodo	621	Link		Surface/Superficie	166	Mini Tube	603
Iris	137	Kubick	350	Table/Sobremesa	55	Lur	350	Mini Ufo	626
Islot	547	Lace	361	Floor/Suelo	55	Luzon	567	Miniproject	321
Ito	47	Lacre	361	Ceiling/Techo	132	Magma	95	Mistu	

Bollard/Baliza	300	Mute	118	Suspended/Suspensión	102	Pixie	178	Track/Carril	244
Pole/Farola	314	Nahir	348	Surface/Superficie	198	Plas	241	Rob	177
Post/Sobremuro	300	Nairobi	365	Nuu	557	Plat	96	Roda	176
Suspended/Suspensión	330	Nais	230	Oboe	624	Plaza	316	Rodas	549
Surface/Superficie	344	Nala		Oki	322	Plim		Ron	167
Mitic		Post/Sobremuro	301	Oko	322	Bollard/Baliza	295	Room	170
Table/Sobremesa	82	Surface/Superficie	351	Olaf	205	Surface/Superficie	343	Rose	97
Floor/Suelo	82	Nanda	298	Olan	362	Plom		Rush	
Surface/Superficie	176	Naos	92	Olot	332	Spike/Estaca	326	Post/Sobremuro	264
Moist	234	Nase	370	Onze	296	Projector/Proyector	322	Bollard/Baliza	264
Mol	351	Nash	203	Ora		Plot	245	Pole/Farola	268
Molokai	608	Nassau	607	Suspended/Suspensión	100	Pluma	93	Saba	
Moma		Nat	375	Surface/Superficie	202	Pol	351	Table/Sobremesa	83
Table/Sobremesa	79	Natron	352	Orleans		Polaris	569	Floor/Suelo	83
Floor/Suelo	79	Natsu	135	Ceiling/Techo	133	Polea	563	Suspended/Suspensión	123
Surface/Superficie	174	Náutica		Spot/Foco	223	Pomo	351	Surface/Superficie	176
Montreal		Pole/Farola	317	Track/Carril	245	Poros	551	Sabana	168
Table/Sobremesa	64	Suspended/Suspensión	330	Orwell	342	Pote	135	Sabi	100
Floor/Suelo	64	Surface/Superficie	347	Oslo	205	Press	183	Sac	196
Surface/Superficie	156	Navi	240	Otto	46	Proa	362	Sahara	176
Mood	153	Naya	304	Oval	359	Project	321	Saigon	
Moon		Negus	352	Ovo	191	Pure	149	Floor/Suelo	250
Bollard/Baliza	299	Neón	231	Palao	633	Quart	357	Portable/Portátil	252
Post/Sobremuro	299	Neu	240	Palk	571	Radón	230	Portable/Portátil	285
Suspended/Suspensión	330	Nias	576	Pals	334	Ram	245	Spike/Estaca	254
Surface/Superficie	344	Nidia	45	Pam	99	Ras	199	Suspended/Suspensión	256
Morea	531	Nido	102	Panay	609	Rel	135	Saigon-In	114
Mou	98	Niko		Papua	80	Relax	210	Salt	381
Móvil	236	Table/Sobremesa	42	Path	368	Rem		Samba	
Moy	142	Surface/Superficie	152	Pauline	108	Table/Sobremesa	68	Table/Sobremesa	63
Muffin		Nilo	214	Pemba	575	Floor/Suelo	68	Floor/Suelo	63
Bollard/Baliza	300	Nisos	519	Pepper	179	Surface/Superficie	165	Suspended/Suspensión	112
Pole/Farola	314	Nit	185	Perla	208	Remake	198	Surface/Superficie	161
Post/Sobremuro	300	Noboru	306	Petra	199	Retro		Sami	180
Suspended/Suspensión	330	Noon	188	Phill	108	Suspended/Suspensión	94	Samos	545
Surface/Superficie	344	Noray	349	Piccola	325	Surface/Superficie	196	Saona	546
Muga	296	Nord	240	Pill	366	Ring		Saura	311
Must	369	Nudos		Pivot	351	Spot/Foco	222	Savoy	

Table/Sobremesa	66	Snow	205	Sweet		Tira	174	Table/Sobremesa	71
Floor/Suelo	66	Sobek	326	Table/Sobremesa	75	Toc		Floor/Suelo	71
Suspended/Suspensión	109	Soleil	311	Floor/Suelo	75	Floor/Suelo	258	Suspended/Suspensión	122
Surface/Superficie	157	Son	239	Surface/Superficie	173	Portable/Portátil	258	Surface/Superficie	172
Screen		Soun	374	Tabarca	586	Surface/Superficie	345	Vic	323
Bollard/Baliza	272	Spark	373	Tacana	360	Tod	239	View	357
Pole/Farola	276	Spy-1	307	Tacos	360	Tola	138	Voila	263
Bollard/Baliza	272	Stan		Taima	365	Toluca	360	Volga	212
Scuba		Suspended/Suspensión	100	Take Away	36	Tom	350	Volta	
Suspended/Suspensión	328	Ceiling/Techo	136	Takua	359	Tom XI	350	Table/Sobremesa	77
Surface/Superficie	341	Surface/Superficie	202	Tamashi	351	Toni	321	Floor/Suelo	77
Sedna	375	Spot/Foco	218	Tami	332	Tonic	529	Surface/Superficie	170
Sera	194	Spot/Foco	219	Tane	359	Tono	327	Vuk	139
Sete	301	Recessed/Empotrable	232	Taro	381	Tonsay	573	Vulcano	528
Seth-28	324	Track/Carril	242	Tasa	332	Toran	323	Wabi	232
Seth-60	324	Stand-Up	58	Task	260	Tou	201	Wally	347
Seven		Steps	363	Tecno-1	381	Tram		Well	189
Suspended/Suspensión	123	Sticker		Tecno-6	381	Bollard/Baliza	291	West	
Ceiling/Techo	136	Bollard/Baliza	291	Tecto	134	Pole/Farola	312	Wet	236
Shadow	308	Surface/Superficie	355	Ted	239	Surface/Superficie	340	Whizz	359
Shelby		Stone	221	Tejo	352	Tras	378	Floor/Suelo	57
Bollard/Baliza	293	Stood		Ten		Tree		Suspended/Suspensión	89
Post/Sobremuro	293	Table/Sobremesa	54	Table/Sobremesa	40	Table/Sobremesa	74	Surface/Superficie	145
Surface/Superficie	340	Floor/Suelo	54	Surface/Superficie	195	Floor/Suelo	74	Wilma	
Show	322	Suspended/Suspensión	106	Tender	128	Suspended/Suspensión	120	Bollard/Baliza	299
Side		Surface/Superficie	154	Tera	206	Troop	226	Post/Sobremuro	299
Suspended/Suspensión	93	Store	374	Terma	211	Tube	605	Suspended/Suspensión	330
Ceiling/Techo	131	Stripe	372	Thana		Twist		Surface/Superficie	345
Signal	240	Studio	179	Table/Sobremesa	82	Post/Sobremuro	292	Winch	
Sioux	568	Suau	187	Floor/Suelo	82	Bollard/Baliza	292	Suspended/Suspensión	103
Slim		Suma	364	Suspended/Suspensión	123	Surface/Superficie	338	Fan/Ventilador	565
Suspended/Suspensión	88	Sun	350	Surface/Superficie	174	Typhoon	589	Winche	591
Surface/Superficie	146	Sunset	362	Thon	362	Uve	370	Wood	365
Slot	318	Surat	301	Tila	182	Vanu	577	Yakarta	611
Smile	190	Suria-12	380	Tilos	523	Vedra	634	Yen	332
Snap		Suria-24	380	Timon	348	Verno	299	Zon	139
Surface/Superficie	199	Suria-3	380	Timor	570	Versus	284		
Table/Sobremesa	47	Sven	134	Tinia	365	Vesper			

The path has already begun, it is a conscious road and there is no turning back. Changing times, unprecedented disruption and sustainability. Step by step we innovate through our designs, products and solutions to contribute to a better world for all.