



# Lighting collection 22/23

nordlux®



# 22/23 Collection

Our mission is to create products you want to bring home. That means that we persistently develop and improve our range of products to provide even greater designs, more exciting functionalities and higher quality at surprisingly low prices.

These high standards are also reflected in the novelties for this year in all product categories, where each category has its significant highlights: The style universe of our Decorative collection ranges from classic designs and contemporary style to new, exciting trends. The keywords are new Nordic design, streamlined minimalism and industrial tendencies with an edge.

We also enhance our close collaboration with skilled, Danish designers for our Outdoor collection, acknowledging that practical and beautiful lighting is just as important outdoors, as it is indoors.

Our Functional products this year are both more practical and beautiful than ever.

We provide functional solutions for all needs and areas of the home in a streamlined, modern design. Because functional lighting should always be a beautiful as well as functional part of the interior design.

We are also significantly expanding our range of Smart products that can be controlled with a smartphone or tablet for full customisation and convenience. A brand-new competitive bulb assortment including both Smart and decorative bulbs are also highlights from Nordlux this season.

We recognize that our products need to fulfil real needs in peoples lives, whether it is a functional one, a decorative one or a convenient one. Every day, we work to fulfil these needs, and we aim to do it while providing excellent value for money.

Ultimately, we want to be able to say that we are lifting people's quality of life with light.

# Table of contents

<b>Indoor catagories</b>		<b>Outdoor catagories</b>	
06	Families	272	Families
116	Pendants	316	Wall Lights
134	Table Lights	342	Ceiling Lights
138	Wall Lights	346	Garden Lights
144	Link System	350	Battery-Powered Lights
160	Ceiling Lights	362	Recessed
194	Batttens	368	Spot Lights
214	Downlights	372	Smart Light
228	Bathroom	376	Accessories
242	LED Strips		
252	Smart Light		
268	Accessories		
380	Bulbs		



## Decorative Families

*Find beautiful pendants for your dining table, practical bedside lamps or the perfect floor lamp.*

**6-115**



## LED Strips

*Create your own light expression anywhere you want - even in narrow places with very little space.*

**246-254**



## Smart Light

*Take full control of your lights with Nordlux Smart. Set the light with remote control, smartphone or tablet.*

**110-124**



## Battery-powered Lights

*Our battery-powered lighting range offers stylish, portable lights that can be placed anywhere you want.*

**346-357**

# *Families*








**NEW** Black 2213603003  
Metal

## CARMEN 45 Pendant by Says Who

**Masterbox** Qty. 2  
**Size** H: 15 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 9 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Scandinavian clean and soft lines  
 Multiple layered shades create a soft, diffused light




**NEW** Black 2213615003  
Metal

## CARMEN Table lamp by Says Who

**Masterbox** Qty. 2  
**Size** H: 43 cm, W: 26 cm, L: 26 cm, Shade Ø: 26 cm,  
 Tube Ø: 1,15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the  
 cable  
**Lightsource** E14 - not included  
 Can not be dimmed

### Features

Scandinavian clean and soft lines  
 Multiple layered shades create a soft, diffused light







**White 45761001**  
Metal



**NEW Black 45761003**  
Metal




**Grey 45761010**  
Metal

## EIK Wall light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 11 cm, W: 15 cm, L: 15 cm, D: 15 cm, Shade Ø: 8,5 cm, Base: Ø 8 cm, Base Ø: 8 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White/Black 200 cm, replaceable. Switch on the base
<b>Lightsource</b>	GU10 - not included Can not be dimmed

**Features**  
Contemporary and simple style  
Tilting and turnable shade  
Can be used on both wall and ceiling



**White 45770101**  
Metal



**NEW Black 45770103**  
Metal




**Grey 45770110**  
Metal

## EIK 2-Spot Spot light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 15 cm, W: 28,5 cm, L: 28,5 cm, D: 15 cm, Shade Ø: 8,5 cm, Base: 26 x 3,7 cm, Tilt angle: 320°
<b>IP Class</b>	IP20, Class 1 (Earth contact)
<b>Canopy</b>	Material: Metal. Dimension: 2,5 cm
<b>Lightsource</b>	GU10 - not included Can be dimmed by choosing a dimmable bulb

**Features**  
Contemporary and simple style  
Tilting and turning shade  
Can be used on both wall and ceiling





**White 45780101**  
Metal



**NEW Black 45780103**  
Metal




**Grey 45780110**  
Metal

## EIK 3-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 15 cm, W: 45 cm, L: 45 cm, D: 15 cm, Shade Ø: 8,5 cm,  
Base: 45 x 3,7 cm, Tilt angle: 320°
- IP Class** IP20, Class 1 (Earth contact)
- Canopy** Color: Grey, Material: Metal. Dimension: 2,5 cm
- Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Tilting and turning shade
- Can be used on both wall and ceiling



**Black 2010903003**  
Metal




**Grey 2010903010**  
Metal

## NOTTI Pendant

- Masterbox** Qty. 6
- Size** H: 12,5 cm, W: 6 cm, L: 6 cm, Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable
- Canopy** Color: Black/White, Material: Plastic. Dimension: 12,2 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Organic shape
- Design your own lamp with a decorative bulb





**Black 2011003003**  
Metal




**Grey 2011003010**  
Metal

## NOTTI 20 Pendant

- Masterbox** Qty. 3
- Size** H: 23,8 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Contemporary and simple style  
Organic shape  
White opal mouth blown glass and matte metal



**NEW** Black 2213073003  
Metal



**NEW** Grey 2213073010  
Metal



**NEW** Green 2213073023  
Metal




**NEW** Terracotta 2213073059  
Metal

## NOTTI 10 Pendant by Says Who

- Masterbox** Qty. 6
- Size** H: 12 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 8,5 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Small, organic and elegantly shaped pendant  
Nordic simplicity  
Matching colour inside to give a soft light  
Hang three or more lamps together in a line or cluster





**Black 2011035003**  
Glass



**Grey 2011035010**  
Glass



**NEW Green 2011035023**  
Glass




**NEW Terracotta 2011035059**  
Glass

## NOTTI Table lamp

- Masterbox** Qty. 3  
**Size** H: 34,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm, Base Ø: 12 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Contemporary and simple style  
 Organic shape  
 White opal mouth blown glass and matte metal



**White 45883001**  
Marble



**Black 45883003**  
Marble




**NEW Brown 45883018**  
Marble

## SIV Pendant

- Masterbox** Qty. 3  
**Size** H: 10 cm, Ø: 6 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** Textile cable: White/Black 270 cm, non replaceable  
**Canopy** Color: White/Black, Material: Metal. Dimension: 8,5 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Nature style  
 Genuine marble in nature's playful colours  
 Create your own design expression with a decorative bulb





**White 45875001**  
Marble



**Black 45875003**  
Marble




**NEW** **Brown 45875018**  
Marble

## SIV Table lamp

- Masterbox** Qty. 3  
**Size** H: 10,3 cm, Ø: 6 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 180 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Nature style  
 Genuine marble in natures playful colours  
 Create your own design expression with a decorative bulb



**NEW** **Black 2213413003**  
Metal




**NEW** **Brass 2213413035**  
Metal

## ALANIS Pendant by Says Who

- Masterbox** Qty. 3  
**Size** H: 15 cm, W: 6 cm, L: 6 cm, Shade Ø: 6 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 200 cm, non replaceable  
**Canopy** Color: White/Black, Material: Plastic. Dimension: 8,5 cm  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Minimalist and streamlined design  
 10-sided profile giving a streamlined, yet soft look  
 Hang three or more lamps together in a line or cluster





**NEW** Black 2213423003  
Metal


**NEW** Brass 2213423035  
Metal

## ALANIS Pendant by Says Who

- Masterbox** Qty. 3  
**Size** H: 15 cm, L: 90 cm, Shade Ø: 6 cm, Tube Ø: 1,5 cm, Tilt angle: 40°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 200 cm, non replaceable  
**Canopy** Color: Brass/Black, Material: Metal. Dimension: 2,5 cm  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Minimalist and streamlined design  
 10-sided profile giving a streamlined, yet soft look  
 Perfect above the dining or kitchen table



**NEW** Black 2213455003  
Metal


**NEW** Brass 2213455035  
Metal

## ALANIS Table lamp by Says Who

- Masterbox** Qty. 3  
**Size** H: 49,5 cm, W: 8 cm, L: 8 cm, Shade Ø: 6 cm, Base Ø: 8 cm, Tilt angle: 40°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 150 cm, non replaceable. Switch on the base  
**Lightsource** GU10 - not included  
 Can not be dimmed

### Features

Minimalist and streamlined design  
 10-sided profile giving a streamlined, yet soft look  
 Slim, simple lines  
 On/off switch on top of lamp head





**NEW** Black 2213441003  
Metal




**NEW** Brass 2213441035  
Metal

## ALANIS Wall light by Says Who

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 15 cm, W: 8,6 cm, L: 8,6 cm, Shade Ø: 6 cm, Base Ø: 8,6 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White/Black 150 cm, replaceable. Switch on the base
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Minimalist and streamlined design  
10-sided profile giving a streamlined, yet soft look  
Use as wall lamp or spot  
On/off switch on top of lamp head



**NEW** White 2112013001  
Metal




**NEW** Black 2112013003  
Metal

## MAGIA 18 Pendant by Says Who

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 24,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White/Black 200 cm, non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Nordic contemporary design  
Mouth blown colour fading glass  
With opal white light diffuser for a soft light (optional)  
Can be used without the diffuser and with a decorative bulb of your own choosing





**NEW** White 2112023001  
Metal/Glass




**NEW** Black 2112023003  
Metal/Glass

## MAGIA 26 Pendant by Says Who

- Masterbox** Qty. 3
- Size** H: 32 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 200 cm, non replaceable
- Canopy** Color: Black/White, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Nordic contemporary design
- Mouth blown colour fading glass
- With opal white light diffuser for a soft light (optional)
- Can be used without the diffuser and with a decorative bulb of your own choosing



**NEW** White 2112035001  
Metal/Glass




**NEW** Black 2112035003  
Metal/Glass

## MAGIA Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 42,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm, Tube Ø: 1,6 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Nordic contemporary design
- Mouth blown colour fading glass
- With opal white light diffuser for a soft light (optional)
- Can be used without the diffuser and with a decorative bulb of your own choosing







**NEW** White 2112044001  
Metal/Glass




**NEW** Black 2112044003  
Metal/Glass

## MAGIA Floor lamp by Says Who

- Masterbox** Qty. 2  
**Size** H: 130,5 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm,  
 Tube Ø: 1,3 cm, Base Ø: 25 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

- Nordic contemporary design
- Mouth blown colour fading glass
- With opal white light diffuser for a soft light (optional)
- Can be used without the diffuser and with a decorative bulb of your own choosing



**NEW** Opal white 2213203001  
Metal/Opal glass

## MILFORD 20 Pendant

- Masterbox** Qty. 3  
**Size** H: 48,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White 200 cm, non replaceable  
**Canopy** Color: White, Material: Plastic. Dimension: 9 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

- Vintage design
- Material mix of brass and "pleated" opal white glass
- Opal white, mouth blown glass
- Provides a soft, diffused light






**NEW** Opal white 2213213001  
Metal/Opal glass

## MILFORD 30 Pendant

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 38 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White 200 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Vintage design  
Material mix of brass and "pleated" opal white glass  
Opal white, mouth blown glass  
Provides a soft, diffused light



Opal white 46573001  
Metal/Opal glass

## MILFORD 20 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 33,5 cm, Shade Ø: 20 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White 300 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 11,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Soft and natural style  
Opal mouth blown glass  
Provides a soft, diffused light




**Opal white 46583001**  
Metal/Opal glass

## MILFORD 30 Pendant

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 23,5 cm, Shade Ø: 30 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White 300 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 11,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Soft and natural style  
Opal mouth blown glass  
Provides a soft, diffused light




**NEW Brass 2213225001**  
Metal/Opal glass

## MILFORD Table lamp

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 48 cm, W: 15 cm, L: 15 cm, Shade Ø: 14 cm, Tube Ø: 1,15 cm, Base Ø: 15 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White 150 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	E27 - not included Can not be dimmed

### Features

Vintage design  
Material mix of brass and "pleated" opal white glass  
Opal white, mouth blown glass  
Provides a soft, diffused light






**Nature 48915001**  
Wood/Opal glass

## MILFORD Table lamp

- Masterbox** Qty. 3  
**Size** H: 21,7 cm, Shade Ø: 20 cm, Base Ø: 11 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Soft and natural style  
 Opal mouth blown glass  
 Provides a soft, diffused light




**Black 48965001**  
Metal/Opal glass

## MILFORD Table lamp

- Masterbox** Qty. 3  
**Size** H: 20 cm, Shade Ø: 20 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Soft and natural style  
 Opal mouth blown glass  
 Provides a soft, diffused light






**White 48924001**  
Metal/Opal glass

## MILFORD Floor lamp

- Masterbox** Qty. 2  
**Size** H: 139,4 cm, Shade Ø: 30 cm, Base Ø: 28 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White 180 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Soft and natural style  
 Opal mouth blown glass  
 Provides a soft, diffused light



**White 39489901**  
Metal



**NEW Grey 39489910**  
Metal




**NEW Copper 39489930**  
Metal

## BRETAGNE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3  
**Size** H: 17 cm, Shade Ø: 38 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** White 200 cm, non replaceable  
**Canopy** Color: White, Material: Metal. Dimension: 7,9 cm  
**Lightsource** G9 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Scandinavian classic design  
 Multiple layered shades create a soft, diffused light  
 White coloured inside for optimal light





**NEW** White 2213485001  
Metal


**NEW** Grey 2213485010  
Metal

## BRETAGNE Table lamp by Kaare Bækgaard

**Masterbox** Qty. 3  
**Size** H: 46 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm, Tube Ø: 1,2 cm, Base Ø: 16 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Grey/White 1.5 cm, non replaceable. Switch on the base  
**Lightsource** G9 - not included  
 Can not be dimmed

### Features

Scandinavian clean and soft lines  
 Multiple layered shades create a soft, diffused light  
 White coloured inside for optimal light  
 On/off rotary switch on lamp foot



**NEW** White 2213494001  
Metal


**NEW** Grey 2213494010  
Metal

## BRETAGNE Floor lamp by Kaare Bækgaard

**Masterbox** Qty. 2  
**Size** H: 150 cm, W: 38 cm, L: 38 cm, Shade Ø: 38 cm, Tube Ø: 1,6 cm, Base Ø: 28 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Grey 1.5 cm, non replaceable. Switch on the cable  
**Lightsource** G9 - Not included  
 Can not be dimmed

### Features

Scandinavian clean and soft lines  
 Multiple layered shades create a soft, diffused light  
 White coloured inside for optimal light  
 On/off floor switch





**NEW** White 2213471001  
Metal


**NEW** Grey 2213471010  
Metal

## BRETAGNE Wall light by Kaare Bækgaard

**Masterbox** Qty. 3  
**Size** H: 18 cm, Shade Ø: 30 cm, Tube Ø: 1,27 cm, Base Ø: 7,5 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 150 cm, non replaceable. Switch on the base  
**Lightsource** G9 - not included  
 Can not be dimmed

### Features

Scandinavian clean and soft lines  
 Multiple layered shades create a soft, diffused light  
 White coloured inside for optimal light  
 On/off rocking switch on top



**NEW** White 2213333001  
Metal



**NEW** Black 2213333003  
Metal



**NEW** Grey 2213333010  
Metal




**NEW** Yellow 2213333026  
Metal

## DIAL 25 Pendant by Says Who

**Masterbox** Qty. 3  
**Size** H: 13,5 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Grey/Yellow/White/Black 200 cm, non replaceable  
**Canopy** Color: White, Material: Plastic. Dimension: 9 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Nordic simplicity with clean lines  
 Decorative uplight effect creating a floating vibe  
 Updated look from the fifties and sixties





**NEW** White 2213353001  
Metal



**NEW** Black 2213353003  
Metal



**NEW** Grey 2213353010  
Metal




**NEW** Yellow 2213353026  
Metal

## DIAL 45 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 17,5 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Grey/White/Yellow/Black 200 cm, non replaceable
- Canopy** Color: White, Material: Plastic. Dimension: 9 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties



**NEW** White 2213385001  
Metal



**NEW** Black 2213385003  
Metal



**NEW** Grey 2213385010  
Metal




**NEW** Yellow 2213385026  
Metal

## DIAL Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 51 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tube Ø: 1,2 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Grey/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties
- Adjustable lamp head for a directional light







**NEW** White 2213394001  
Metal




**NEW** Black 2213394003  
Metal

## DIAL Floor lamp by Says Who

- Masterbox** Qty. 2
- Size** H: 150 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm,  
Tube Ø: 1,6 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties
- Adjustable lamp head for a directional light



**NEW** White 2213371001  
Metal



**NEW** Black 2213371003  
Metal




**NEW** Grey 2213371010  
Metal

## DIAL Wall light by Says Who

- Masterbox** Qty. 3
- Size** H: 40,2 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tube Ø: 1,2 cm,  
Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Grey/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties
- Adjustable lamp head for a directional light
- Slim fixture for wall mounting





**White 48563001**  
Metal




**Black 48563003**  
Metal

## ELLEN 30 Pendant

- Masterbox** Qty. 3
- Size** Shade Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable
- Canopy** Color: Black/White, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Contemporary and simple style  
Creating a soft downlight



**White 48573001**  
Metal




**Black 48573003**  
Metal

## ELLEN 40 Pendant

- Masterbox** Qty. 2
- Size** Shade Ø: 40 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Contemporary and simple style  
Creating a soft downlight





**Black 2112305003**  
Metal/Opal glass




**Brushed steel 2112305032**  
Metal/Opal glass



**Brass 2112305035**  
Metal/Opal glass

## ELLEN 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 41,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm,  
Tube Ø: 1,15 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed



- Features**
- Exclusive and classic style
- Mouth blown glass shade



**White 48555001**  
Metal



**Black 48555003**  
Metal




**NEW Beige 48555009**  
Metal



**Green 48555023**  
Metal

## ELLEN 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm,  
Tube Ø: 1,15 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the base
- Lightsource** E14 - not included  
Can not be dimmed



- Features**
- Contemporary and simple style
- Creating a soft downlight



**White 48584001**  
Metal




**Black 48584003**  
Metal

## ELLEN 40 Floor lamp

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 40 cm, Base Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Creating a soft downlight



**NEW** Black 2213505003  
Metal

## EXPLORE Table lamp

- Masterbox** Qty. 3
- Size** H: 55 cm, W: 23,4 cm, Shade Ø: 5,5 cm, Tube Ø: 1,5 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** GU10 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Adjustable lamp head for a directional light
- Flexible arm for a directional light



**NEW** Black 2213514003  
Metal

## EXPLORE Floor lamp

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 179,4 cm, W: 25,4 cm, Shade Ø: 5,5 cm, Tube Ø: 1,5 cm, Base Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 150 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Contemporary and simple style  
Adjustable lamp heads for a directional light  
Flexible arms for a directional light



White 2113251001  
Metal



Black 2113251003  
Metal



**NEW** Brass 2113251035  
Metal

## EXPLORE Wall light

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 12 cm, W: 8 cm, L: 8 cm, Shade Ø: 5,5 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White/Black 150 cm, replaceable. Switch on the base
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Contemporary and simple style  
Adjustable lamp head for a directional light



**White 2113261001**  
Metal



**Black 2113261003**  
Metal



**NEW** **Brass 2113261035**  
Metal

## EXPLORE Flex Wall light

- Masterbox** Qty. 6
- Size** H: 35 cm, W: 35 cm, L: 35 cm, Shade Ø: 5,5 cm, Tube Ø: 1 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, replaceable. Switch on the base
- Lightsource** GU10 - not included  
Can not be dimmed

### Features

- Contemporary and simple style
- Adjustable lamp head for a directional light
- Flexible arm for a directional light



**White 2113270101**  
Metal



**Black 2113270103**  
Metal



**NEW** **Brass 2113700135**  
Metal

## EXPLORE 3-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 16,4 cm, W: 48 cm, L: 48 cm, Shade Ø: 5,5 cm, Tube Ø: 1,27 cm, Base Ø: 9 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 2,6 cm
- Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Contemporary and simple style
- Adjustable lamp head for a directional light



**NEW** Black 2213083003  
Metal



**NEW** Beige 2213083009  
Metal




**NEW** Green 2213083023  
Metal

## FREYA 35 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 17 cm, W: 35 cm, L: 35 cm, Shade Ø: 35 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 200 cm, non replaceable
- Canopy** Color: Black/White, Material: Plastic. Dimension: 9 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Organically shaped pendant in Nordic design
- Non-visible light source for an indirect light
- Removeable lower shade for easy change of bulb



**NEW** Black 2213115003  
Metal



**NEW** Beige 2213115009  
Metal




**NEW** Green 2213115023  
Metal


## FREYA Table lamp by Says Who

- Masterbox** Qty. 2
- Size** H: 43 cm, W: 31 cm, L: 31 cm, Shade Ø: 25 cm, Tube Ø: 1,15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed

### Features

- Organically shaped table lamp in Nordic design
- Non-visible light source for an indirect light
- Removeable lower shade for easy change of bulb





**NEW** Black 2213124003  
Metal

## FREYA Floor lamp by Says Who

**Masterbox** Qty. 2  
**Size** H: 153 cm, W: 38 cm, L: 38 cm, Shade Ø: 25 cm,  
 Tube Ø: 1,55 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

**Features**  
 Organically shaped floor lamp in Nordic design  
 Non-visible light source for an indirect light  
 Removeable lower shade for easy change of bulb




**NEW** Black 2213101003  
Metal

## FREYA Wall light by Says Who

**Masterbox** Qty. 3  
**Size** H: 26 cm, W: 35 cm, L: 35 cm, Shade Ø: 25 cm,  
 Tube Ø: 1,15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

**Features**  
 Organically shaped wall lamp in Nordic design  
 Non-visible light source for an indirect light  
 Removeable lower shade for easy change of bulb







**Black 48603003**  
Metal/Opal glass




**Brass 48603035**  
Metal/Opal glass

## LILLY 3-Spot Pendant

- Masterbox** Qty. 2
- Size** H: 36,5 cm, W: 32 cm, Shade Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E14 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Glamorous modern style
- Matt white opal mouth blown glass
- Provides a soft, diffused light



**NEW** Grey 2213575010  
Marble




**NEW** Brown 2213575018  
Marble

## LILLY Marble Table lamp

- Masterbox** Qty. 3
- Size** H: 28,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm, Base Ø: 8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed

- Features**
- Contemporary art deco design expression
- Genuine marble in nature's playful colours
- Mouth blown glass and exclusive details
- Marble structure means that not two are alike






**Black 48613003**  
Metal/ Opal glass

## LILLY Floor lamp

- Masterbox** Qty. 2  
**Size** H: 150 cm, Shade Ø: 15 cm, Base Ø: 23 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Glamorous modern style  
 Matt white opal mouth blown glass  
 Provides a soft, diffused light




**Black 48891003**  
Metal/ Opal glass

## LILLY Wall light

- Masterbox** Qty. 6  
**Size** H: 17 cm, Shade Ø: 13 cm, Base: Ø 12 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Glamorous modern style  
 Matt white opal mouth blown glass  
 Provides a soft, diffused light





**NEW** Matt black 2213623003  
Metal

## POP Pendant by Sebastian Holmbäck

**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 21,5 cm, L: 21,5 cm, Shade Ø: 21,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 9 cm  
**Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Contemporary and simple style  
Some glossy, some matt




**NEW** Matt black 2213633003  
Metal

## POP 3-Spot Pendant by Sebastian Holmbäck

**Masterbox** Qty. 2  
**Size** H: 20 cm, W: 100 cm, L: 100 cm, Shade Ø: 21,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 2,7 cm  
**Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Contemporary and simple style  
Matt surface with brass details





**White 45833001**  
Metal



**Black 45833003**  
Metal



**NEW Beige 45833009**  
Metal



**Green 45833023**  
Metal




**Anthracite 45833050**  
Metal

## POP Pendant by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** H: 20 cm, W: 21,5 cm, L: 21,5 cm, Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 11,8 x 9 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Some glossy, some matt



**White 48733001**  
Metal




**Grey 48733011**  
Metal

## POP Rough Pendant by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details





**White 48745001**  
Metal




**Grey 48745011**  
Metal

## POP Rough Table lamp by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** H: 47 cm, Shade Ø: 15 cm, Base Ø: 23 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details



**White 48754001**  
Metal




**Grey 48754011**  
Metal

## POP Rough Floor lamp by Sebastian Holmbäck

- Masterbox** Qty. 2
- Size** H: 145 cm, Shade Ø: 15 cm, Base Ø: 15 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details





**NEW** **Matt black 2213641003**  
Metal




**NEW** **Beige 45841009**  
Metal

## POP Wall light by Sebastian Holmbäck

**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 19 cm, L: 19 cm, Shade Ø: 15,5 cm,  
 Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Contemporary and simple style  
 Some glossy, some matt  
 Adjustable lamp head for a directional light



**White 45841001**  
Metal



**Black 45841003**  
Metal



**Green 45841023**  
Metal




**Anthracite 45841050**  
Metal

## POP Wall light by Sebastian Holmbäck

**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 19 cm, L: 19 cm, D: 19 cm, Shade Ø: 15,5 cm,  
 Tube Ø: 1,3 cm, Base: Ø 11 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 180 cm, replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Contemporary and simple style  
 Some glossy, some matt  
 Adjustable lamp head for a directional light






**NEW** Galvanized 2213023031  
Metal

## Porter 9 Pendant by Says Who

**Masterbox** Qty. 3  
**Size** H: 19 cm, W: 9 cm, L: 9 cm, Shade Ø: 9 cm, Tilt angle: 25°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Galvanized, Material: Metal. Dimension: 2 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Rough and industrial galvanized expression  
 Adjustable lamp head  
 Hang three or more lamps together in a line or cluster  
 Galvanized inside




**NEW** Galvanized 2213033031  
Metal

## Porter 21 Pendant by Says Who

**Masterbox** Qty. 3  
**Size** H: 24 cm, W: 21 cm, L: 21 cm, Shade Ø: 21 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Galvanized, Material: Metal. Dimension: 2 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Rough and industrial galvanized expression  
 Decorative grid covering the opening  
 Galvanized inside






**NEW** Galvanized 2213043031  
Metal

## Porter 40 Pendant by Says Who

**Masterbox** Qty. 2  
**Size** H: 30 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Galvanized, Material: Metal. Dimension: 2 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Rough and industrial galvanized expression  
 Decorative grid covering the opening  
 Galvanized inside




**NEW** Galvanized 2213051031  
Metal

## Porter Wall light by Says Who

**Masterbox** Qty. 3  
**Size** H: 17 cm, W: 20 cm, L: 20 cm, Shade Ø: 9 cm, Tilt angle: 80°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the cable  
**Canopy** . Dimension: 2 cm  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

Rough and industrial galvanized expression  
 Adjustable lamp head for a directional light  
 Can both be used as wall lamp and spot  
 Galvanized inside








**NEW** Galvanized 2213062031  
Metal

## Porter Clamp lamp by Says Who

**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 17 cm, L: 17 cm, Shade Ø: 9 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

Rough and industrial galvanized expression  
 Adjustable lamp head for a directional light  
 Moveable lamp that can be fixed on e.g. a shelf  
 No need for fixed mounting  
 Galvanized inside




**NEW** Galvanized 2213010131  
Metal

## Porter 3-Spot Spot light by Says Who

**Masterbox** Qty. 3  
**Size** H: 26 cm, W: 76 cm, L: 76 cm, Shade Ø: 9 cm, Tube Ø: 9,8 cm,  
 Tilt angle: 80°  
**IP Class** IP20, Class 2 (Double isolated)  
**Canopy** Color: Galvanized, Material: Metal. Dimension: 2 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Rough and industrial galvanized expression  
 Adjustable lamp head for a directional light  
 Can be placed both on ceiling and wall  
 Galvanized inside





**Black 2010803003**  
Metal

### Moodmaker™ Step Dimming




## CLYDE Pendant

- Masterbox** Qty. 2
- Size** H: 22,25 cm, W: 8,5 cm, L: 89,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12,5 cm
- Lightsource** LED Module - 4X5WSMD, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Rotatable arms for creating your own style and directions
- 5 year LED guarantee



**Black 2010813003**  
Metal

### Moodmaker™ Step Dimming




## CLYDE Pendant

- Masterbox** Qty. 2
- Size** H: 9,3 cm, W: 8,5 cm, L: 115 cm
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 35 x 9 cm
- Lightsource** LED Module - 4X5WSMD, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features


- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- 5 year LED guarantee





**NEW** Black 2213543003  
Metal

### Moodmaker™ Step Dimming




## CLYDE Pendant

- Masterbox** Qty. 6
- Size** H: 17,5 cm, W: 8,5 cm, L: 8,5 cm, Shade Ø: 8,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9 cm
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality


### Features

- Scandinavian minimalistic design
- 3-step Moodmaker™ dimming with memory function
- Hight light output (350 lumen)
- 5 year LED guarantee



Black 2010835003  
Metal

### Moodmaker™ Step Dimming




## CLYDE Table lamp

- Masterbox** Qty. 3
- Size** H: 40,7 cm, W: 15 cm, L: 25,5 cm, Shade Ø: 8,5 cm, Tube Ø: 1,15 cm, Tilt angle: 130°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee





**Black 2010844003**  
Metal

### Moodmaker™ Step Dimming




## CLYDE Floor lamp

- Masterbox** Qty. 2
- Size** H: 138 cm, W: 23 cm, L: 26,6 cm, Shade Ø: 8,5 cm, Tube Ø: 1,6 cm, Base Ø: 23 cm, Tilt angle: 130°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 2X5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee



**Black 2010821003**  
Metal

### Moodmaker™ Step Dimming




## CLYDE Wall light

- Masterbox** Qty. 3
- Size** H: 10 cm, W: 10 cm, D: 13,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, replaceable. Switch on the cable
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee






**NEW** Black 2213530103  
Metal

### Moodmaker™ Step Dimming



## CLYDE 4-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 10 cm, W: 115 cm, L: 115 cm, Shade Ø: 8,5 cm, Tube Ø: 1,25 cm
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 2,5 cm
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality



### Features

- Scandinavian minimalistic design
- 3-step Moodmaker™ dimming with memory function
- Hight light output (350 lumen per lamp head)
- 5 year LED guarantee




Black 2112053003  
Metal

Brass 2112053035  
Metal

## PACO Pendant

- Masterbox** Qty. 6
- Size** H: 17,3 cm, W: 4,2 cm, L: 4,2 cm, Tube Ø: 0,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,5 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb




### Features

- Minimalist and modern style
- Create your own design expression with a decorative bulb
- Hang 3 or more lamps together in a line or cluster



**Black 2112063003**  
Metal




**Brass 2112063035**  
Metal

## PACO 3-Spot Pendant

- Masterbox** Qty. 3
- Size** H: 17,3 cm, W: 18,1 cm, L: 4,2 cm, Tube Ø: 0,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black/Brass, Material: Metal. Dimension: 22,6 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Minimalist and modern style  
Create your own design expression with a decorative bulb




**Black 2112085003**  
Metal

## PACO Table lamp

- Masterbox** Qty. 4
- Size** H: 55 cm, W: 18 cm, L: 18 cm, Tube Ø: 1,13 cm, Base Ø: 18 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

**Features**  
Minimalist and modern style  
Create your own design expression with a decorative bulb






**Black 2112094003**  
Metal

## PACO Floor lamp

- Masterbox** Qty. 3  
**Size** H: 155 cm, W: 30 cm, L: 30 cm, Tube Ø: 1,53 cm, Base Ø: 30 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Minimalist and modern style  
 Create your own design expression with a decorative bulb




**Black 2112071003**  
Metal

## PACO Wall light

- Masterbox** Qty. 3  
**Size** H: 16 cm, W: 9 cm, L: 17,5 cm, D: 17,5 cm, Tube Ø: 1,13 cm, Base Ø: 9 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Minimalist and modern style  
 Create your own design expression with a decorative bulb






**NEW** Black 2213273003  
Metal

## PACO 5-Spot Spot light

**Masterbox** Qty. 3  
**Size** H: 11,5 cm, W: 80 cm, L: 80 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Metal. Dimension: 2,5 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Minimalistic and industrial design expression  
 Create your own design expression with a decorative bulb  
 Perfect above the dining or kitchen table



**Black 2010603003**  
Metal



**Brushed steel 2010603032**  
Metal



**NEW** **Dark grey steel 2010603051**  
Metal

### Moodmaker™ Step Dimming



**Step 1**  
100%



**Step 2**  
50%




**Step 3**  
20%

## LILT Pendant by Says Who

**Masterbox** Qty. 3  
**Size** H: 10,2 cm, W: 115 cm, L: 115 cm, D: 4,3 cm, Shade Ø: 3,7 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 205 cm, non replaceable. Switch on the base  
**Canopy** Color: Black, Material: Metal. Dimension: 9 x 2,5 cm  
**Lightsource** LED Module - 27W LED, 2000 Lumen, 2700 Kelvin, 30000 Hours,  
 RA 80, Beamangle 120°  
 Has built-in dimmable light source with Moodmaker™ functionality

### Features

Scandinavian minimalistic design  
 Moodmaker™ 3-step dimmable from wall switch  
 Perfect above a long dining table or kitchen island  
 Rough surface and decorative fittings  
 Easy adjustment for wires  
 3 year LED guarantee







**NEW** Black 2113053003  
Metal




**NEW** Brass 2113053035  
Metal

## GLOOM Pendant

- Masterbox** Qty. 4
- Size** H: 36 cm, W: 74 cm, L: 4,3 cm, Shade Ø: 4,3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black/Brass, Material: Metal. Dimension: 10 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern interpretation of the classic chandelier
- Rotatable arms
- Create your own design expression with a decorative bulb




**NEW** Nature 2213133014  
Wood

## ASTI 30 Pendant

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Natural and soft design bringing nature inside
- Wooden structure creates beautiful light and shadow play
- Create your own design expression with a decorative bulb
- Increased number of slats for elegant effect
- Elegant chrome socket






**NEW** Nature 2213143014  
Wood

## ASTI 50 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 25 cm, W: 50 cm, L: 50 cm, Shade Ø: 50 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White 200 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Natural and soft design bringing nature inside  
Wooden structure creates beautiful light and shadow play  
Create your own design expression with a decorative bulb  
Increased number of slats for elegant effect  
Elegant chrome socket




**NEW** Clear 2213173000  
Metal/Glass

## TORINA 20 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 10,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 200 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Vintage design  
Light and retro design expression  
Create your own design expression with a decorative bulb  
Hang three or more lamps together in a line or cluster






**NEW** Clear 2213183000  
Metal/Glass

## TORINA 25 Pendant

**Masterbox** Qty. 3  
**Size** H: 11,5 cm, W: 24 cm, L: 24 cm, Shade Ø: 24 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 200 cm, non replaceable  
**Canopy** Color: White, Material: Plastic. Dimension: 9 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Vintage design  
 Light and retro design expression  
 Create your own design expression with a decorative bulb  
 Hang three or more lamps together in a line or cluster



**NEW** White 2213253201  
Paper




**NEW** Grey 2213253250  
Paper

## VILLO 60 Pendant

**Masterbox** Qty. 12  
**Size** H: 24 cm, W: 60 cm, L: 60 cm, Shade Ø: 60 cm  
**Cable** Whitenon replaceable  
**Lightsource**

### Features

Natural and soft feeling bringing nature inside  
 Light and retro design expression  
 Provides a soft, diffused light  
 Excluding suspension bracket, cable and canopy






**NEW** Black 2213303003  
Metal

## BERONI 35 Pendant by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 33 cm, W: 35 cm, L: 35 cm, Shade Ø: 35 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 200 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 8,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Minimalistic, yet industrial expression  
Create your own design expression with a decorative bulb  
Elegant finish connecting shade to socket




**NEW** Black 2213313003  
Metal

## BERONI 40 Pendant by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 33 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 200 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 8,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Minimalistic, yet industrial expression  
Create your own design expression with a decorative bulb  
Elegant finish connecting shade to socket





**NEW** Black 2213323003  
Metal

## BERONI 45 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 43 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 8,7 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Minimalistic, yet industrial expression  
Create your own design expression with a decorative bulb  
Elegant finish connecting shade to socket



**NEW** Black 2213155003  
Wood




**NEW** Nature 2213155014  
Wood

## GROA Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 26 cm, L: 26 cm, Shade Ø: 26 cm, Base Ø: 19 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

Natural and soft design bringing nature inside  
Wooden structure creates beautiful light and shadow play  
Create your own design expression with a decorative bulb  
Knock-down packing for easy self-assembly





Light grey 48905011  
Glass/Concrete



**NEW** Clear 48905014  
Glass/Wood



**NEW** Anthracite 48905050  
Glass/Concrete


## CHRISTINA 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 30 cm, W: 19,5 cm, L: 19,5 cm, Shade Ø: 19,5 cm, Base Ø: 13 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

Industrial style

Design your own lamp with a decorative bulb



White 0100001  
Plastic



**NEW** Black 2212003003  
Plastic

## PEND Accessories

- Masterbox** Qty. 12
- Size** L: 200 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm,
- Canopy** Color: Black, Material: Plastic
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Accessory for pendant

Includes socket, spiral cable and canopy



**Brushed steel 2113171032**  
Metal

## **AVENUE** Wall light

**Masterbox** Qty. 6  
**Size** H: 8 cm, W: 8 cm, L: 8 cm, Shade Ø: 3,6 cm, Tilt angle: 90°  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** Black 150 cm, replaceable. Switch on the cable  
**Lightsource** GU10 - not included  
Can not be dimmed

**Features**  
Industrial style  
Tilting and turning shade



**Brushed steel 2113180132**  
Metal

## **AVENUE 2-Rail** Spot light

**Masterbox** Qty. 3  
**Size** H: 10 cm, W: 38 cm, L: 38 cm, Tilt angle: 90°  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy** Material: Metal. Dimension: 2,5 cm  
**Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Industrial style  
Tilting and turning shade



**Brushed steel 2113190132**  
Metal

## **AVENUE 3-Rail** Spot light

**Masterbox** Qty. 3  
**Size** H: 10 cm, W: 56,5 cm, L: 56,5 cm, Tilt angle: 90°  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy** Material: Metal. Dimension: 2,5 cm  
**Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Industrial style  
Tilting and turning shade



**Brushed steel 2113200132**  
Metal

## **AVENUE 3-Rondel** Spot light

**Masterbox** Qty. 3  
**Size** H: 8 cm, W: 25 cm, L: 25 cm, Shade Ø: 3,6 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy** Material: Metal. Dimension: 2,5 cm  
**Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

**Features**  
Industrial style  
Tilting and turning shade





**Brushed steel 2113210132**  
Metal

## AVENUE 6-Rail Spot light

**Masterbox** Qty. 2  
**Size** H: 15,5 cm, W: 119 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Industrial style  
Tilting and turning shade




**Black 19874003**  
Metal

## BREAK Floor lamp

**Masterbox** Qty. 2  
**Size** H: 158 cm, Shade Ø: 44 cm, Tube Ø: 2 cm, Base Ø: 25,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
Can not be dimmed

### Features

Classic style  
Fabric shade  
Adjustable arm for a directional light






**Black 19861003**  
Metal

## **BREAK** Wall light

- Masterbox** Qty. 3  
**Size** H: 34 cm, W: 29 cm, D: 53 cm, Shade Ø: 29 cm,  
 Tube Ø: 1,2 cm, Base: Ø 12 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 170 cm, replaceable. Switch on the fixture  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Classic style  
 Fabric shade  
 Adjustable arm for a directional light



**Brushed steel 2113221032**  
Metal

## **CHICAGO** Wall light

- Masterbox** Qty. 3  
**Size** H: 10,5 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 8 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** Black 150 cm, non replaceable  
**Canopy** . Dimension: 8 x 2,5 cm  
**Lightsource** GU10 - not included  
 Can not be dimmed

- Features**  
 #NUM!



**Brushed steel 2113230132**  
Metal

## **CHICAGO 2-Spot** Spot light

**Masterbox** Qty. 3  
**Size** H: 16 cm, W: 35 cm, L: 35 cm, Shade Ø: 8 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy** . Dimension: 10 x 2,5 cm  
**Lightsources** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### **Features**

Contemporary style  
Tilting and turning shade



**Brushed steel 2113240132**  
Metal

## **CHICAGO 4-Spot** Spot light

**Masterbox** Qty. 3  
**Size** H: 16 cm, W: 64 cm, L: 64 cm, Shade Ø: 8 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy** . Dimension: 12 x 2,5 cm  
**Lightsources** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### **Features**

Contemporary style  
Tilting and turning shade




**Black 2112890003**  
Metal/Opal glass

## COLE 2-Spot Wall light

- Masterbox** Qty. 3  
**Size** H: 17,6 cm, W: 28,5 cm, L: 21,3 cm, D: 21,3 cm, Shade Ø: 8 cm,  
 Base Ø: 0 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the fixture  
**Canopy** . Dimension: 9,5 cm  
**Lightsources** E14 - not included  
 Can not be dimmed

### Features

- Minimalist and classic design
- Opal glass shade
- Adjustable lamp head for a directional light
- Separate on/off switch on base
- Ideal for bed light




**Black 2112991003**  
Metal/Opal glass

## COLE Wall light

- Masterbox** Qty. 3  
**Size** H: 15,3 cm, W: 9,5 cm, L: 19 cm, D: 19 cm, Shade Ø: 8 cm,  
 Base Ø: 9,5 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the fixture  
**Lightsources** E14 - not included  
 Can not be dimmed

### Features

- Minimalist and classic design
- Opal glass shade
- Adjustable lamp head for a directional light
- Ideal for bed light






**Black 2112910003**  
Metal/Opal glass

## COLE 3-Spot Spot light

**Masterbox** Qty. 3  
**Size** H: 17,6 cm, W: 48,5 cm, L: 21,3 cm, D: 21,3 cm, Shade Ø: 8 cm,  
 Base Ø: 9 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Canopy** Color: Black, Material: Metal. Dimension: 9,5 cm  
**Lightsource** E14 - not included  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Minimalist and classic design  
 Opal glass shade  
 Adjustable lamp head for a directional light




**Black 2112950003**  
Metal/Opal glass

## COLE 5-Spot Spot light

**Masterbox** Qty. 3  
**Size** H: 18,6 cm, W: 87 cm, L: 24,2 cm, D: 24,2 cm, Shade Ø: 8 cm,  
 Base Ø: 11 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Canopy** Color: Black, Material: Metal. Dimension: 11 cm  
**Lightsource** E14 - not included  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Minimalist and classic design  
 Opal glass shade  
 Adjustable lamp head for a directional light






**White 49801001**  
Metal

## FRIDA Wall light

- Masterbox** Qty. 6  
**Size** H: 11,5 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base: 8,5 x 8,5 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 150 cm, replaceable. Switch on the cable  
**Lightsource** GU10 - not included  
 Can not be dimmed

- Features**  
 Contemporary and simple style  
 Adjustable lamp head for a directional light




**White 49810101**  
Metal

## FRIDA 2-Spot Spot light

- Masterbox** Qty. 3  
**Size** W: 8 cm, L: 29 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base: 29 x 6 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Contemporary and simple style  
 Adjustable lamp head for a directional light  
 Can be used on both wall and ceiling






**White 49820101**  
Metal

## FRIDA 4-Spot Spot light

**Masterbox** Qty. 3  
**Size** W: 23 cm, L: 23 cm, D: 11,5 cm, Shade Ø: 5,1 cm,  
 Base: 20 x 20 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Contemporary and simple style  
 Adjustable lamp head for a directional light




**Black/Brass 2011053003**  
Metal

## GALLOWAY Pendant

**Masterbox** Qty. 6  
**Size** H: 16,8 cm, W: 5,5 cm, L: 5,5 cm, Ø: 5.5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 12,2 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Art deco style  
 Design your own luminaire with a decorative bulb  
 Beautiful brass details






**Black/Brass 2011075003**  
Metal

## GALLOWAY Table lamp

- Masterbox** Qty. 6  
**Size** H: 17,5 cm, W: 10 cm, L: 10 cm, Shade Ø: 5,5 cm, Base Ø: 10 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

- Art deco style
- Design your own luminaire with a decorative bulb
- Beautiful brass details



**Clear 46483000**  
Glass



**Amber 46483027**  
Glass




**Smoked 46483047**  
Glass

## HOLLYWOOD Pendant

- Masterbox** Qty. 3  
**Size** Shade Ø: 10,8 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 300 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 11 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

- Glamorous art deco style
- Diamond pattern that reflects light in an exciting way
- Hang 3 lamps together in a line or cluster







**Clear 46645000**  
Glass



**Amber 46645027**  
Glass




**Smoked 46645047**  
Glass

## HOLLYWOOD Table lamp

- Masterbox** Qty. 3
- Size** H: 12,8 cm, Ø: 10.8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 180 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Glamorous art deco style
- Diamond pattern that reflects light in an exciting way
- Create your own design expression with a decorative bulb



**Black/Brass 50101003**  
Metal

## LOTUS Wall light

- Masterbox** Qty. 6
- Size** H: 14 cm, D: 16 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm, Tilt angle: 150°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed

- Features**
- Industrial style
- Adjustable lamp head for a directional light
- Black silk matt finish and polished brass details



**Black/Brass 50110103**  
Metal

## LOTUS 2-Spot Spot light

**Masterbox** Qty. 3  
**Size** L: 37 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,  
Tilt angle: 150°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White  
**Lightsource** E14 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Industrial style  
Adjustable lamp head for a directional light  
Black silk matt finish and polished brass details



**Black/Brass 50120103**  
Metal

## LOTUS 3-Spot Spot light

**Masterbox** Qty. 3  
**Size** L: 58 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,  
Tilt angle: 150°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White  
**Lightsource** E14 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Industrial style  
Adjustable lamp head for a directional light  
Black silk matt finish and polished brass details



**Black/Brass 50130103**  
Metal

## LOTUS 4-Spot Spot light

**Masterbox** Qty. 3  
**Size** L: 78 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,  
 Tilt angle: 150°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White  
**Lightsource** E14 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Industrial style  
 Adjustable lamp head for a directional light  
 Black silk matt finish and polished brass details



**White 75531001**  
Metal



**Black 75531003**  
Metal


## MENTO Wall light



**Masterbox** Qty. 6  
**Size** H: 30 cm, W: 5 cm, D: 19 cm, Shade Ø: 3,5 cm, Base: 2 x 12 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 180 cm, replaceable. Switch on the fixture  
**Lightsource** LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 30000 Hours,  
 RA 80, Beamangle 60°  
 Can not be dimmed

### Features

Minimalistic functional style  
 Flexible arm for a directional light  
 5 year LED guarantee





**White 75582001**  
Metal




**Black 75582003**  
Metal

## MENTO Clamp lamp

- Masterbox** Qty. 6
- Size** H: 40 cm, W: 6,5 cm, Shade Ø: 3,5 cm
- IP Class** IP20, Class 3 (12V)
- Cable** Black/White 180 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 60°  
Can not be dimmed

- Features**
- Minimalistic functional style
- Clamp for fasten on shelf or other edge
- Flexible arm for a directional light
- 5 year LED guarantee



**White 2010763001**  
Metal/Plastic



**Grey 2010763010**  
Metal/Plastic


### Moodmaker™ Step Dimming



## PISO Pendant

- Masterbox** Qty. 3
- Size** H: 17,15 cm, W: 36,5 cm, L: 36,5 cm, Shade Ø: 36,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Grey 200 cm, non replaceable
- Canopy** Color: White/Grey, Material: Metal. Dimension: 12,5 cm
- Lightsource** LED Module - 21W  
LED, 1600 Lumen, 2200-2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Scandinavian minimalistic design
- Moodmaker™ built-in dim-to-warm technology operated from dimmer switch
- Provides a soft, diffused light





**White 2010756001**  
Metal/Plastic



**Grey 2010756010**  
Metal/Plastic

### Moodmaker™ Step Dimming




## PISO Ceiling light

- Masterbox** Qty. 3
- Size** Shade Ø: 36,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Grey
- Lightsources** LED Module - 22W  
LED, 1600 Lumen, 2200-2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Has built-in dimmable light source with Moodmaker™  
functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ built-in dim-to-warm technology operated from dimmer switch
- Provides a soft, diffused light





**White 48635001**  
Metal




**Black 48635003**  
Metal

## ALEXANDER 16 Table lamp

- Masterbox** Qty. 2
- Size** H: 54 cm, Shade Ø: 16 cm, Base Ø: 18 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, non replaceable. Switch on the base
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Contemporary and simple style
- Adjustable lamp head for a directional light



**White 48654001**  
Metal




**Black 48654003**  
Metal

## ALEXANDER 16 Floor lamp

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 16 cm, Base Ø: 25 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, non replaceable. Switch on the fixture
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Contemporary and simple style
- Adjustable lamp head for a directional light





**White 48621001**  
Metal




**Black 48621003**  
Metal

## ALEXANDER 16 Wall light

- Masterbox** Qty. 2  
**Size** H: 30 cm, D: 37 cm, Shade Ø: 16 cm, Base: Ø 12 cm, Tilt angle: 30°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 150 cm, replaceable. Switch on the base  
**Lightsource** E27 - not included  
Can not be dimmed

- Features**  
Contemporary and simple style  
Adjustable lamp head for a directional light






**Black 2112765003**  
Aluminium

## BEND Table lamp by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 45,5 cm, W: 15 cm, L: 27,3 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 15 cm, Tilt angle: 60°
<b>IP Class</b>	IP20, Class 3 (12V)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
<b>Lightsource</b>	LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110° Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- USB port for charging your phone or other device
- 5 year LED guarantee




**Black 2112774003**  
Aluminium

## BEND Single Floor lamp by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 135 cm, W: 25 cm, L: 36,8 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°
<b>IP Class</b>	IP20, Class 3 (12V)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
<b>Lightsource</b>	LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110° Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee








**Black 2112784003**  
Aluminium

## BEND Double Floor lamp by Says Who

- Masterbox** Qty. 2  
**Size** H: 135 cm, W: 25 cm, L: 53 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°  
**IP Class** IP20, Class 3 (12V)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture  
**Lightsource** LED Module - 2x5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110°  
 Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee




**Black 2112751003**  
Aluminium

## BEND Wall light by Says Who

- Masterbox** Qty. 3  
**Size** H: 21 cm, W: 12 cm, L: 31,8 cm, D: 31,8 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 11 cm, Tilt angle: 90°  
**IP Class** IP20, Class 3 (12V)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture  
**Lightsource** LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110°  
 Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee






**Brass 2010203035**  
Metal

## CERA Pendant by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** W: 36 cm, L: 36 cm, Shade Ø: 36 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Contemporary art deco style  
Brass adds cosiness and warmth to the interior




**Brass 2010225035**  
Metal

## CERA Table lamp by Kaare Bækgaard

- Masterbox** Qty. 3
- Size** H: 47 cm, Shade Ø: 24 cm, Tube Ø: 1,6 cm, Base Ø: 18 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed

### Features

Contemporary art deco style  
Brass adds cosiness and warmth to the interior






**Brass 2010244035**  
Metal

## CERA Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2  
**Size** H: 140 cm, Shade Ø: 36 cm, Tube Ø: 1,9 cm, Base Ø: 24 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

Contemporary art deco style  
 Brass adds cosiness and warmth to the interior



**White 73065001**  
Metal




**Black 73065003**  
Metal

## CYCLONE Table lamp

- Masterbox** Qty. 3  
**Size** H: 33 cm, Shade Ø: 11 cm, Tube Ø: 1,4 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 155 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

### Features

Contemporary classic style  
 Flexible arms for a directional light





**White 72991001**  
Metal




**Black 72991003**  
Metal

## CYCLONE Wall light

- Masterbox** Qty. 6  
**Size** H: 37 cm, W: 12,5 cm, D: 37 cm, Shade Ø: 11 cm,  
 Tube Ø: 1,1 cm, Base: Ø 12,5 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** Black/White. Switch on the fixture  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Contemporary classic style  
 Flexible arms for a directional light  
 Supplied without cable



**White 73072001**  
Metal




**Black 73072003**  
Metal

## CYCLONE Clamp lamp

- Masterbox** Qty. 3  
**Size** H: 27 cm, Shade Ø: 11 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 200 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Contemporary classic style  
 Clamp for fasten on shelf or other edge  
 Flexible arms for a directional light






**Beige 2112115001**  
Metal

## FLEUR 15 Table lamp by Says Who

- Masterbox** Qty. 3  
**Size** H: 49 cm, W: 20 cm, L: 38,4 cm, Shade Ø: 15,3 cm,  
 Tube Ø: 1,25 cm, Base Ø: 20 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 150 cm, non replaceable. Switch on the fixture  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Vintage design  
 Elegant brass details  
 On/off rocking switch  
 Adjustable lamp head for a directional light




**Beige 2112124001**  
Metal

## FLEUR 24 Floor lamp by Says Who

- Masterbox** Qty. 2  
**Size** H: 148 cm, W: 26,5 cm, L: 61,2 cm, Shade Ø: 23,4 cm,  
 Tube Ø: 1,6 cm, Base Ø: 26,5 cm, Tilt angle: 64°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 150 cm, non replaceable. Switch on the fixture  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Vintage design  
 Elegant brass details  
 On/off rocking switch  
 Adjustable lamp head for a directional light






**Beige 2112101001**  
Metal

## FLEUR 15 Wall light by Says Who

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 26,4 cm, W: 15,3 cm, L: 21,2 cm, D: 21,2 cm, Shade Ø: 15,3 cm, Tube Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 35°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 150 cm, replaceable. Switch on the fixture
<b>Lightsource</b>	E14 - not included Can not be dimmed

### Features

- Vintage design
- Elegant brass details
- On/off rocking switch
- Adjustable lamp head for a directional light




**Brass 2010553035**  
Metal/Opal Glass

## GRANT 15 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 29 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 200 cm, non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E14 - not included Can be dimmed by choosing a dimmable bulb

### Features

- Glamorous modern style
- Decorative brass canopy
- Provides a soft, diffused light
- Matt white opal mouth blown glass






**Brass 2010563035**  
Metal/Opal Glass

## GRANT 25 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 40 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 200 cm, non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Glamorous modern style  
Decorative brass canopy  
Provides a soft, diffused light  
Matt white opal mouth blown glass




**Brass 2010573035**  
Metal/Opal Glass

## GRANT 35 Pendant

<b>Masterbox</b>	Qty. 2
<b>Size</b>	W: 35 cm, L: 35 cm, Shade Ø: 35 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 200 cm, non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Glamorous modern style  
Decorative brass canopy  
Provides a soft, diffused light  
Matt white opal mouth blown glass





**Black 2010583003**  
Metal/Opal Glass




**Brass 2010583035**  
Metal/Opal Glass

## GRANT 3-Spot Pendant

- Masterbox** Qty. 3  
**Size** H: 29,23 cm, W: 14,5 cm, L: 69,3 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Canopy** Color: Black/Brass, Material: Metal. Dimension: 12 cm  
**Lightsource** E14 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

- Glamorous modern style
- Three glass domes that emit a soft light
- Provides a soft, diffused light
- Matt white opal mouth blown glass



**Black 46635003**  
Metal/Opal Glass




**Brass 46635025**  
Metal/Opal Glass

## GRANT Table lamp

- Masterbox** Qty. 3  
**Size** H: 41 cm, Shade Ø: 14,5 cm, Base Ø: 20 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 180 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

### Features

- Glamorous modern style
- Matt white opal mouth blown glass
- Provides a soft, diffused light







**Black 47091003**  
Metal/Opal Glass




**Brass 47091025**  
Metal/Opal Glass

## GRANT Wall light

- Masterbox** Qty. 3
- Size** H: 16,4 cm, D: 20,7 cm, Shade Ø: 14,5 cm, Base: Ø 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 200 cm, replaceable. Switch on the cable
- Lightsource** E14 - not included  
Can not be dimmed

### Features

- Art deco style
- Matt white opal mouth blown glass
- Provides a soft, diffused light




**Black 2010303003**  
Metal

## JOSEFINE 7-Spot Pendant

- Masterbox** Qty. 3
- Size** H: 4,4 cm, W: 91 cm, L: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 30,2 x 9 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Industrial style
- Industrial expression with raw, masculine tubes
- New interpretation of a traditional chandelier
- Design your own lamp expression with beautiful decorative bulbs






**Matt black 48933003**  
Metal

## JOSEFINE Pendant

- Masterbox** Qty. 2
- Size** H: 79 cm, W: 55 cm, L: 55 cm, Shade Ø: 4,2 cm, Tube Ø: 1,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Industrial style
- Industrial expression with raw, masculine tubes
- New interpretation of a traditional chandelier
- Design your own lamp expression with beautiful decorative bulbs
- Rotatable arms for creating your own style and directions




**Matt black 48955003**  
Metal

## JOSEFINE Table lamp

- Masterbox** Qty. 3
- Size** H: 44 cm, Shade Ø: 4,2 cm, Tube Ø: 0,8 cm, Base Ø: 14 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included  
Can not be dimmed

### Features

- Industrial style
- Industrial expression with raw, masculine tubes
- Elegant table decoration
- Design your own lamp expression with beautiful decorative bulbs






**Matt black 48941003**  
Metal

## JOSEFINE Wall light

- Masterbox** Qty. 3  
**Size** H: 36,18 cm, W: 22,15 cm, L: 22,15 cm, D: 10 cm,  
 Shade Ø: 4 cm, Tube Ø: 0,93 cm, Base: Ø 8 cm, Base Ø: 8 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Industrial style  
 Industrial expression with raw, masculine tubes  
 Elegant wall decoration  
 Design your own lamp expression with beautiful decorative bulbs




**Grey 2010673047**  
Glass

## ORBIFORM Pendant by Kaare Bækgaard

- Masterbox** Qty. 3  
**Size** H: 21,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 200 cm, non replaceable  
**Canopy** Color: Brass, Material: Metal. Dimension: 12 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Glamorous art deco design  
 A beautiful mix of brass and smoked glass  
 Diamond pattern that reflects light in an exciting way  
 Hang 3 lamps together in a line or cluster






**Brass 2010693047**  
Glass

## ORBIFORM 3-Spot Pendant by Kaare Bækgaard

**Masterbox** Qty. 3  
**Size** H: 15,2 cm, W: 15 cm, L: 71 cm, Shade Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 200 cm, non replaceable  
**Canopy** Color: Brass, Material: Metal. Dimension: 70 x 5 cm  
**Lightsource** E14 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Glamorous art deco design  
 A beautiful mix of brass and smoked glass  
 Diamond pattern that reflects light in an exciting way  
 Perfect match for the long dining table or kitchen island




**Brass 2010715047**  
Glass

## ORBIFORM Table lamp by Kaare Bækgaard

**Masterbox** Qty. 3  
**Size** H: 46,8 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm,  
 Tube Ø: 1,15 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the  
 cable  
**Lightsource** E27 - not included  
 Can not be dimmed

### Features

Glamorous art deco design  
 A beautiful mix of brass and smoked glass  
 Diamond pattern that reflects light in an exciting way  
 Elegant table decoration






**Brass 2010656047**  
Glass

## ORBIFORM Ceiling light by Kaare Bækgaard

- Masterbox** Qty. 3  
**Size** H: 25,3 cm, Shade Ø: 23 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Canopy** Color: Brass, Material: Metal. Dimension: 15 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Glamorous art deco design  
 A beautiful mix of brass and smoked glass  
 Diamond pattern that reflects light in an exciting way  
 Perfect for the entrance hall




**Black 2010353003**  
Metal

## PINE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3  
**Size** H: 31 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 12,5 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Soft industrial design  
 Beautiful light effect with holes in the shade  
 Elegant mix of matt metal and brass details  
 Hang 3 or more lamps together in a line or cluster






**Black 2010405003**  
Metal

## PINE Table lamp by Kaare Bækgaard

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 47 cm, W: 15 cm, L: 21 cm, Shade Ø: 13,5 cm, Tube Ø: 1,53 cm, Base Ø: 15 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 150 cm, non replaceable. Switch on the fixture
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Soft industrial design  
Beautiful light effect with holes in the shade  
Elegant mix of matt metal and brass details  
On/off Switch in brass on the top of the shade




**Black 2010381003**  
Metal

## PINE Wall light by Kaare Bækgaard

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 13,5 cm, W: 19,5 cm, L: 13,5 cm, Shade Ø: 13,5 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 150 cm, replaceable. Switch on the fixture
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Soft industrial design  
Beautiful light effect with holes in the shade  
Elegant mix of matt metal and brass details  
On/off Switch in brass on the top of the shade





**White 72695001**  
Metal




**Black 72695003**  
Metal

## VANILA Table lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 44 cm, Shade Ø: 14,5 cm, Tube Ø: 1 cm, Base Ø: 18 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable. Switch on the fixture
- Lightsources** E14 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Suitable for the office, living room, and bedroom



**White 72704001**  
Metal




**Black 72704003**  
Metal

## VANILA Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 129 cm, Shade Ø: 14,5 cm, Tube Ø: 1,5 cm, Base Ø: 24 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Clear/Black 210 cm, non replaceable. Switch on the fixture
- Lightsources** E14 - not included  
Can not be dimmed

- Features**
- Contemporary and simple style
- Suitable for the office, living room, and bedroom





**White 72711001**  
Metal


**Black 72711003**  
Metal

## VANILA Wall light by Kaare Bækgaard

- Masterbox** Qty. 3  
**Size** H: 17 cm, W: 14,5 cm, D: 28,5 cm, Shade Ø: 14,5 cm, Base: Ø 9.5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/Clear 210 cm, replaceable. Switch on the fixture  
**Lightsources** E14 - not included  
 Can not be dimmed

### Features

Contemporary and simple style  
 Suitable for the office, living room, and bedroom




**Black 2010863001**  
Metal/Opal glass

## VERONA Pendant

- Masterbox** Qty. 3  
**Size** H: 18,8 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 200 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 12,2 cm  
**Lightsources** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

Contemporary classic style  
 Matt mouth blown opal glass that emits a soft light








**Black 2010875001**  
Metal/Opal glass

## VERONA Table lamp

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 40 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm, Tube Ø: 1,15 cm, Base Ø: 15 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
<b>Lightsource</b>	E27 - not included Can not be dimmed

### Features

Contemporary classic style  
Matt mouth blown opal glass that emits a soft light  
Elegant on/off string on the socket




**Black 2010884001**  
Metal/Opal glass

## VERONA Floor lamp

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 150 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm, Tube Ø: 1,55 cm, Base Ø: 30 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
<b>Lightsource</b>	E27 - not included Can not be dimmed

### Features

Contemporary classic style  
Mouth blown opal glass that emits a soft light  
Elegant on/off string on the socket






**Anthracite 48783003**  
Metal

## ADRIAN 16 Pendant

- Masterbox** Qty. 6
- Size** H: 24 cm, W: 16 cm, L: 16 cm, Shade Ø: 16 cm, Tilt angle: 180°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 x 7 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Tilting and turning shade




**Anthracite 48793003**  
Metal

## ADRIAN 25 Pendant

- Masterbox** Qty. 3
- Size** H: 36 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tilt angle: 180°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 x 7 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Tilting and turning shade






**Anthracite 48815003**  
Metal

## ADRIAN 12 Table lamp

- Masterbox** Qty. 3
- Size** H: 46,5 cm, W: 29,5 cm, L: 29,5 cm, Shade Ø: 12,5 cm,  
Tube Ø: 43 cm, Base Ø: 16,5 cm, Tilt angle: 120°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the base
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Industrial style
- Tilting and turning shade




**Anthracite 48824003**  
Metal

## ADRIAN Floor lamp

- Masterbox** Qty. 2
- Size** H: 143 cm, W: 38 cm, L: 38 cm, Shade Ø: 12,5 cm,  
Tube Ø: 114 cm, Base Ø: 23 cm, Tilt angle: 45°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 180 cm, non replaceable. Switch on the base
- Lightsource** E27 - not included  
Can not be dimmed

- Features**
- Industrial style
- Flexible arm to direct light where needed






**Anthracite 48801003**  
Metal

## ADRIAN Wall light

- Masterbox** Qty. 3  
**Size** H: 20,2 cm, W: 20 cm, L: 20 cm, D: 17 cm, Shade Ø: 12,5 cm, Base: Ø 10 cm, Tilt angle: 120°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 150 cm, replaceable. Switch on the base  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Industrial style  
 Tilting and turning shade




**White 47303001**  
Metal/Opal glass

**Black 47303047**  
Metal/Glass

## ALTON 23 Pendant

- Masterbox** Qty. 3  
**Size** H: 43 cm, Shade Ø: 23 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** Textile cable: White/Black 300 cm, non replaceable  
**Canopy** Color: White/Black, Material: Metal. Dimension: 12 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Contemporary art deco style  
 Mouth blown glass and exclusive details  
 Optional top in brass and black included





**White 47313001**  
Metal/Opal glass




**Black 47313047**  
Metal/Glass

## ALTON 25 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 33 cm, Shade Ø: 25 cm
<b>IP Class</b>	IP20, Class 1 (Earth contact)
<b>Cable</b>	Textile cable: Black/White 300 cm, non replaceable
<b>Canopy</b>	Color: Black/White, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Contemporary art deco style  
Mouth blown glass and exclusive details  
Optional top in brass and black included



**White 48973001**  
Metal/Opal glass




**Black 48973047**  
Metal/Glass

## ALTON 35 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 30 cm, Shade Ø: 35 cm
<b>IP Class</b>	IP20, Class 1 (Earth contact)
<b>Cable</b>	Textile cable: White/Black 300 cm, non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Contemporary art deco style  
Mouth blown glass and exclusive details  
Optional top in brass and black included





**Brass 47645001**  
Metal/Opal glass




**Black 47645047**  
Metal/Glass

## ALTON 20 Table lamp

- Masterbox** Qty. 3  
**Size** H: 29 cm, Shade Ø: 20 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Contemporary art deco style  
 Mouth blown glass and exclusive details



**Brass 2010514001**  
Metal/Opal glass




**Black 2010514047**  
Metal/Glass

## ALTON 27,5 Floor lamp

- Masterbox** Qty. 2  
**Size** H: 150 cm, Shade Ø: 27,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Contemporary art deco style  
 Mouth blown glass and exclusive details





**Brass 2010506001**  
Metal/Opal glass




**Black 2010506047**  
Metal/Glass

## ALTON 27,5 Ceiling light

- Masterbox** Qty. 3
- Size** H: 24 cm, Shade Ø: 27,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black non replaceable
- Canopy** Color: Brass/Black, Material: Metal. Dimension: 12,6 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Contemporary art deco style  
Mouth blown glass and exclusive details



**Black 2010103003**  
Metal

### Moodmaker™ Step Dimming




## BALANCE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3
- Size** Shade Ø: 42 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** LED Module - 17,5W LED, 1700 Lumen, 2700 Kelvin, 30000 Hours,  
RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

Scandinavian minimalistic design  
Moodmaker™ 3-step dimmable on wall switch  
With acrylic diffuser  
5 year LED guarantee





**Black 2010145003**  
Metal


### Moodmaker™ Step Dimming



## BALANCE Table lamp by Kaare Bækgaard


- Masterbox** Qty. 2
- Size** H: 49,5 cm, W: 30 cm, Shade Ø: 30 cm, Tube Ø: 1,35 cm, Base Ø: 18,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 17,5W LED, 1200 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on socket switch
- Interchangeable decorative top in black & brass
- With acrylic diffuser
- 5 year LED guarantee



**Black 2010164003**  
Metal


### Moodmaker™ Step Dimming



## BALANCE Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 42 cm, Tube Ø: 1,55 cm, Base Ø: 26 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 17,5W LED, 1700 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on socket switch
- Interchangeable decorative top in black & brass
- With acrylic diffuser
- 5 year LED guarantee








**Black 2010121003**  
Metal

### Moodmaker™ Step Dimming




## BALANCE Wall light by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 31 cm, W: 30 cm, D: 50 cm, Shade Ø: 30 cm, Tube Ø: 1,3 cm, Tilt angle: 136°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 17,5W LED, 1200 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°  
Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on cable switch
- Adjustable up/down and to both sides
- With acrylic diffuser
- 5 year LED guarantee



**Black 2010953003**  
Metal/Opal glass




**Brass 2010953035**  
Metal/Opal glass

## CONTINA 3-Spot Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 41,3 cm, W: 10 cm, L: 90 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 200 cm,
- Canopy** Color: Black, Material: Metal. Dimension: 40 x 5 cm
- Lightsource** G9 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Contemporary art deco style
- Matt white opal mouth blown glass
- Three lamp heads that emits a practical light





**Black 2113153003**  
Metal/Opal glass



**Brass 2113153035**  
Metal/Opal glass

## CONTINA Pendant by Says Who

- Masterbox** Qty. 4
- Size** H: 23 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm, Base Ø: 12 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 200 cm, non replaceable
- Canopy** Color: Brass/Black, Material: Metal. Dimension: 12 cm
- Lightsource** G9 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

Contemporary art deco style  
Matt white opal mouth blown glass  
Provides a soft, diffused light



**Black 2010985003**  
GlassMetal/Opal glass




**Brass 2010985035**  
Metal/Opal glass

## CONTINA Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 48,5 cm, W: 15 cm, L: 27 cm, Shade Ø: 10 cm,  
Tube Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 130°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** G9 - not included  
Can not be dimmed

### Features

Contemporary art deco style  
Matt white opal mouth blown glass  
Adjustable lamp shade to both sides and up/down





**Black 2010994003**  
Metal/Opal glass




**Brass 2010994035**  
Metal/Opal glass

## CONTINA Floor lamp by Says Who

- Masterbox** Qty. 2  
**Size** H: 139,5 cm, W: 25 cm, L: 35,5 cm, Shade Ø: 10 cm,  
 Tube Ø: 1,35 cm, Base Ø: 25 cm, Tilt angle: 140°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on  
 the cable  
**Lightsource** G9 - not included  
 Can not be dimmed

### Features

- Contemporary art deco style  
 Matt white opal mouth blown glass  
 Adjustable lamp shade to both sides and up/down



**Black 2010971003**  
Metal/Opal glass




**Brass 2010971035**  
Metal/Opal glass

## CONTINA Wall light by Says Who

- Masterbox** Qty. 3  
**Size** H: 37,2 cm, W: 12,5 cm, L: 73,6 cm, Shade Ø: 10 cm, Base  
 Ø: 12 cm, Tilt angle: 165°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White/Black 150 cm, replaceable. Switch on the  
 cable  
**Lightsource** G9 - not included  
 Can not be dimmed

### Features

- Contemporary art deco style  
 Matt white opal mouth blown glass  
 Adjustable joints for perfect placement  
 Can be used on both wall and ceiling





**White 2112353001**  
Textile/Metal




**Beige 2112353009**  
Textile/Metal

## DICTE 40 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 33,7 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**  
Soft and natural design  
Handtied pleated cotton shade



**White 2112373001**  
Textile/Metal




**Beige 2112373009**  
Textile/Metal

## DICTE 53 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 29 cm, W: 53 cm, L: 53 cm, Shade Ø: 53 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**  
Soft and natural design  
Handtied pleated cotton shade





**White 2112405001**  
Textile/Metal




**Beige 2112405009**  
Textile/Metal

## DICTE Table lamp by Says Who

- Masterbox** Qty. 3  
**Size** H: 42,5 cm, W: 21 cm, L: 21 cm, Shade Ø: 21 cm,  
 Tube Ø: 1,15 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

- Features**  
 Soft and natural design  
 Handtied pleated cotton shade



**White 2112414001**  
Textile/Metal




**Beige 2112414009**  
Textile/Metal

## DICTE Floor lamp by Says Who

- Masterbox** Qty. 1  
**Size** H: 180 cm, W: 53 cm, L: 103,5 cm, Shade Ø: 53 cm,  
 Tube Ø: 2,2 cm, Base Ø: 38 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Soft and natural design  
 Handtied pleated cotton shade





**White 2112391001**  
Textile/Metal





**Beige 2112391009**  
Textile/Metal

## DICTE Wall light by Says Who

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 37,5 cm, W: 21 cm, L: 24 cm, Shade Ø: 21 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 150 cm, replaceable. Switch on the fixture
<b>Lightsource</b>	E14 - not included Can not be dimmed

### Features

- Soft and natural design
- Handtied pleated cotton
- Multifunctional bedside lamp with USB port for charging your phone or other device
- Small shelf for storage
- USB plug placed underneath the shelf




**Black 2112803003**  
Metal/Opal glass

## MOLLI Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 18,7 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 200 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 12,2 cm
<b>Lightsource</b>	E14 - not included Can be dimmed by choosing a dimmable bulb

### Features

- Minimalist and classic design
- Oblique, opal glass shade
- Set of 2 pcs.






**Black 2112825003**  
Metal/Opal glass

## MOLLI Table lamp

**Masterbox** Qty. 3  
**Size** H: 46 cm, W: 15 cm, L: 16,7 cm, Shade Ø: 10 cm,  
 Tube Ø: 1,27 cm, Base Ø: 15 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the fixture  
**Lightsource** E14 - not included  
 Can not be dimmed

### Features

Minimalist and classic design  
 Oblique, opal glass shade  
 Adjustable lamp head for a directional light




**Black 2112834003**  
Metal/Opal glass

## MOLLI Floor lamp

**Masterbox** Qty. 2  
**Size** H: 156,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 10 cm,  
 Tube Ø: 1,53 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the cable  
**Lightsource** E14 - not included  
 Can not be dimmed

### Features

Minimalist and classic design  
 Oblique, opal glass shade  
 Adjustable lamp head for a directional light






**Black 2112844003**  
Metal/Opal glass

## MOLLI Double Floor lamp

**Masterbox** Qty. 2  
**Size** H: 166,4 cm, W: 25,4 cm, L: 25,4 cm, Shade Ø: 10 cm,  
 Tube Ø: 1,53 cm, Base Ø: 25,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, non replaceable. Switch on the fixture  
**Lightsource** E14 - not included  
 Can not be dimmed

**Features**  
 Minimalist and classic design  
 Oblique, opal glass shade  
 Adjustable lamp head for a directional light




**Black 2112811003**  
Metal/Opal glass

## MOLLI Wall light

**Masterbox** Qty. 3  
**Size** H: 22,5 cm, W: 11 cm, L: 16,8 cm, D: 16,8 cm, Shade Ø: 10 cm,  
 Base Ø: 11 cm, Tilt angle: 90°  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 150 cm, replaceable. Switch on the fixture  
**Lightsource** E14 - not included  
 Can not be dimmed

**Features**  
 Minimalist and classic design  
 Oblique, opal glass shade  
 Adjustable lamp head for a directional light







**White 63233001**  
Metal/Opal glass



**Black 63233003**  
Metal



**Chrome 63233033**  
Metal/Opal glass

## RAY 2-Kit Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 16,5 cm, Shade Ø: 12 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear/Black 180 cm, non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic. Dimension: 7,2 cm
<b>Lightsource</b>	E14 - not included Can be dimmed by choosing a dimmable bulb

### Features

Classic and stylish design  
Create your own look with either brass or chrome ring (replaceable) on black lamp



**Black 63201003**  
Metal




**Chrome 63201033**  
Metal/Opal glass

## RAY Table lamp

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 46 cm, D: 22 cm, Shade Ø: 12 cm, Tube Ø: 1,2 cm, Base Ø: 15 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black/Clear 180 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	E14 - not included Can not be dimmed

### Features

Classic and stylish design  
Create your own look with either brass or chrome ring (replaceable) on black lamp





**Black 63214003**  
Metal



**Chrome 63214033**  
Metal/Opal glass

## RAY Single Floor lamp

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 155 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear/Black 180 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	E14 - not included Can not be dimmed

### Features

Classic and stylish design  
Create your own look with either brass or chrome ring (replaceable) on black lamp



**Black 63224003**  
Metal



**Chrome 63224033**  
Metal/Opal glass

## RAY Double Floor lamp

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 155 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 180 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	E14 - not included Can not be dimmed

### Features

Classic and stylish design  
Create your own look with either brass or chrome ring (replaceable) on black lamp



**Black 72224003**  
Metal




**Chrome 72224033**  
Metal/Opal glass

## RAY 2-Spot Floor lamp

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 164 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 28 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear/Black 180 cm, non replaceable. Switch on the fixture
<b>Lightsources</b>	E14 - not included Can not be dimmed

### Features

Classic and stylish design  
Dim the light by rotating the switch  
Create your own look with either brass or chrome ring (replaceable) on black lamp



**Black 63191003**  
Metal




**Chrome 63191033**  
Metal/Opal glass

## RAY Wall light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 20 cm, D: 23 cm, Shade Ø: 12 cm, Tube Ø: 1,2 cm, Base: Ø 11 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear/Black 180 cm, replaceable. Switch on the fixture
<b>Lightsources</b>	E14 - not included Can not be dimmed

### Features

Classic and stylish design  
Suitable for bedside light  
Create your own look with either brass or chrome ring (replaceable) on black lamp






**Black 2112603003**  
Wood/Metal

## THEO Pendant by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 16 cm, W: 12,5 cm, L: 92,6 cm, Shade Ø: 12,5 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 200 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Metal. Dimension: 50 x 4 cm
<b>Lightsource</b>	GU10 - not included Can be dimmed by choosing a dimmable bulb

### Features

Soft natural design  
Elegant mix of wood and metal




**Black 2112645003**  
Wood/Metal

## THEO Table lamp by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 42,7 cm, W: 15 cm, L: 33 cm, Shade Ø: 12,5 cm, Tube Ø: 1,9 cm, Base Ø: 15 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the cable
<b>Lightsource</b>	GU10 - not included Can not be dimmed

### Features

Soft natural design  
Elegant mix of wood and metal  
Adjustable lamp head for a directional light






**Black 2112654003**  
Wood/Metal

## THEO Floor lamp by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 130,5 cm, W: 25 cm, L: 53,6 cm, Shade Ø: 12,5 cm, Tube Ø: 2,2 cm, Base Ø: 25 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 150 cm, non replaceable. Switch on the cable
<b>Lightsources</b>	GU10 - not included Can not be dimmed

### Features

Soft natural design  
Elegant mix of wood and metal  
Adjustable lamp head for a directional light




**Black 2112631003**  
Wood/Metal

## THEO Wall light by Says Who

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 13 cm, W: 13 cm, L: 20,7 cm, D: 20,7 cm, Shade Ø: 12,5 cm, Base Ø: 13 cm, Tilt angle: 90°
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 150 cm, replaceable. Switch on the fixture
<b>Lightsources</b>	GU10 - not included Can not be dimmed

### Features

Soft natural design  
Elegant mix of wood and metal  
Adjustable lamp head for a directional light






**Black 46553003**  
Metal

## ASLAK Pendant

**Masterbox** Qty. 3  
**Size** H: 24,5 cm, Shade Ø: 20 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 300 cm, non replaceable  
**Canopy** Color: Black, Material: Plastic. Dimension: 11,7 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Industrial style  
 Same color inside as outside




**Black 46685003**  
Metal

## ASLAK Table lamp

**Masterbox** Qty. 3  
**Size** H: 48 cm, Shade Ø: 15 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 180 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Industrial style  
 Tilting and turning shade  
 Same color inside as outside






**Black 46724003**  
Metal

## ASLAK Floor lamp

**Masterbox** Qty. 3  
**Size** H: 140 cm, Shade Ø: 23 cm, Base Ø: 15 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

**Features**  
 Industrial style  
 Tilting and turning shade  
 Same color inside as outside



**White 45721001**  
Metal




**Black 45721003**  
Metal

## ASLAK Wall light

**Masterbox** Qty. 3  
**Size** H: 10,5 cm, D: 18,5 cm, Shade Ø: 8 cm, Base: Ø 8 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 200 cm, replaceable. Switch on the cable  
**Lightsource** GU10 - not included  
 Can not be dimmed

**Features**  
 Industrial style  
 Tilting and turning shade  
 Same color inside as outside





**White 45730101**  
Metal




**Black 45730103**  
Metal

## ASLAK 2-Spot Spot light

- Masterbox** Qty. 3  
**Size** L: 32,5 cm, D: 20 cm, Shade Ø: 8 cm, Base: Ø 9 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Industrial style  
 Tilting and turning shade  
 Same color inside as outside  
 Can be used on both wall and ceiling



**White 45740101**  
Metal




**Black 45740103**  
Metal

## ASLAK 3-Spot Spot light

- Masterbox** Qty. 3  
**Size** L: 56,5 cm, D: 20 cm, Shade Ø: 8 cm, Base: Ø 9 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Industrial style  
 Tilting and turning shade  
 Same color inside as outside  
 Can be used on both wall and ceiling







White 2112213001  
Metal




Black 2112213003  
Metal

### Moodmaker™ Step Dimming



## OMARI Pendant

- Masterbox** Qty. 3
- Size** H: 20 cm, W: 12 cm, L: 12 cm, Shade Ø: 3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** LED Module - 3,2W  
LED, 60W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



White 2112245001  
Metal




Black 2112245003  
Metal

### Moodmaker™ Step Dimming



## OMARI Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 10 cm, L: 15,5 cm, Shade Ø: 3 cm, Tube Ø: 1,15 cm, Base Ø: 10 cm, Tilt angle: 90°
- IP Class** IP20, Class 3 (12V)
- Cable** White/Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ Touch dimmable on base
- 5 year LED guarantee




White 2112254001  
Metal



Black 2112254003  
Metal


**Moodmaker™ Step Dimming**



**OMARI** Floor lamp



- Masterbox** Qty. 2
- Size** H: 141 cm, W: 20 cm, L: 20,6 cm, Shade Ø: 3 cm, Tube Ø: 1,55 cm, Base Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 3 (12V)
- Cable** Black/White 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 2x3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ Touch dimmable on fixture
- 5 year LED guarantee



White 2112231001  
Metal



Black 2112231003  
Metal


**Moodmaker™ Step Dimming**



**OMARI** Wall light



- Masterbox** Qty. 4
- Size** H: 12 cm, W: 7 cm, L: 12 cm, D: 12 cm, Shade Ø: 3 cm, Base Ø: 12 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 150 cm, replaceable. Switch on the fixture
- Lightsource** LED Module - 3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ ouch dimmable on base
- 5 year LED guarantee



**White 2112193001**  
Metal

**Black 2112193003**  
Metal


### Moodmaker™ Step Dimming



## OMARI 3-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 12 cm, W: 78 cm, L: 78 cm, Shade Ø: 37,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black/White, Material: Metal. Dimension: 78 x 2,6 cm
- Lightsource** LED Module - 3x3,2W  
LED, 360W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



**White 2112203001**  
Metal

**Black 2112203003**  
Metal


### Moodmaker™ Step Dimming



## OMARI 5-Spot Spot light

- Masterbox** Qty. 2
- Size** H: 12 cm, W: 118 cm, L: 118 cm, Shade Ø: 37,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: White/Black, Material: Metal. Dimension: 118 x 2,6 cm
- Lightsource** LED Module - 5X3,2W  
LED, 560W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 41°  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



# *Pendants*







**White 2010013001**  
Porcelain



**Grey 2010013010**  
Porcelain



**Terracotta 2010013059**  
Porcelain

## HANG Pendant

- Masterbox** Qty. 6
- Size** Shade Ø: 5,2 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Natural design
- Porcelain with nice graphic pattern
- Natural earthy colors
- Design your own lamp with a decorative bulb




**Black 2010453003**  
Metal/Wood

## TILO Pendant

- Masterbox** Qty. 6
- Size** Shade Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Natural Scandinavian simplicity
- Natural mix of ash wood and matte metal
- Emits a precise downward light
- Removeable wood top






**Black 2010473003**  
Metal/Wood

## TILO 3-Spot Pendant

- Masterbox** Qty. 3
- Size** W: 22 cm, L: 6 cm, Shade Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 22,6 cm
- Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Natural Scandinavian simplicity
- Natural mix of ash wood and matte metal
- Emits a precise downward light




**Black 2010483003**  
Metal/Wood

## TILO 5-Spot Pendant

- Masterbox** Qty. 2
- Size** W: 6 cm, L: 80,6 cm, Shade Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 80,6 cm
- Lightsource** GU10 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Natural Scandinavian simplicity
- Natural mix of ash wood and matte metal
- Emits a precise downward light






**Clear 2010783001**  
Metal/Glass

## JELLY Pendant

- Masterbox** Qty. 2  
**Size** H: 22,8 cm, W: 39 cm, L: 39 cm, Shade Ø: 39 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: White 200 cm, non replaceable  
**Canopy** Color: Brass, Material: Metal. Dimension: 12,5 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

- Art deco and classic style
- Easy adjustment of the wire in canopy
- Opal inner shade, that creates a nice soft light
- Brass decoration top and canopy



**Black 2112153003**  
Metal/Glass




**Brass 2112153035**  
Metal/Opal glass

## IVONA 4-Spot Pendant by Says Who

- Masterbox** Qty. 2  
**Size** H: 41,5 cm, W: 54,2 cm, L: 54,2 cm, Shade Ø: 20 cm, Base Ø: 12 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black/White 200 cm, non replaceable  
**Canopy** Color: Black/Brass, Material: Metal. Dimension: 12 cm  
**Lightsource** E27 - not included  
 Can be dimmed by choosing a dimmable bulb

### Features

- Modern interpretation of the classic chandelier
- Mouth blown glass
- Emits a beautiful light from the glass balls for a modern and extravagant style







**Black 2112163003**  
Metal/Glass




**Brass 2112163035**  
Metal/Opal glass

## IVONA 6-Spot Pendant by Says Who

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 44,5 cm, W: 62 cm, L: 62 cm, Shade Ø: 20 cm, Base Ø: 12 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White/Black 200 cm, non replaceable
<b>Canopy</b>	Color: Brass/Black, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Modern interpretation of the classic chandelier  
Mouth blown glass  
Emits a beautiful light from the glass balls for a modern and extravagant style



**Opal white 2112703001**  
Metal/Opal glass



**Amber 2112703027**  
Metal/Glass




**Grey 2112703047**  
Metal/Glass

## UMA 18 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 30,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm
<b>IP Class</b>	IP20, Class 1 (Earth contact)
<b>Cable</b>	Textile cable: Black/Gold 200 cm, non replaceable
<b>Canopy</b>	Color: Black/Gold, Material: Metal. Dimension: 12 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Modern and decorative design  
Mouth blown glass shade  
Characteristic twisted fabric cable





**Opal white 2112723001**  
Metal/Opal Glass



**Amber 2112723027**  
Metal/Glass




**Grey 2112723047**  
Metal/Glass

## UMA 23 Pendant

- Masterbox** Qty. 3
- Size** H: 39,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
- IP Class** IP20, Class 1 (Earth contact)
- Cable** Textile cable: Black/Gold 200 cm, non replaceable
- Canopy** Color: Black/Gold, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern and decorative design
- Mouth blown glass shade
- Characteristic twisted fabric cable



**Opal white 2112733001**  
Metal/Opal glass



**Amber 2112733027**  
Metal/Glass




**Grey 2112733047**  
Metal/Glass

## UMA 30 Pendant

- Masterbox** Qty. 3
- Size** H: 46,5 cm, W: 29 cm, L: 29 cm, Shade Ø: 29 cm
- IP Class** IP20, Class 1 (Earth contact)
- Cable** Textile cable: Gold/Black 200 cm, non replaceable
- Canopy** Color: Gold/Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern and decorative design
- Mouth blown glass shade
- Characteristic twisted fabric cable





**Black 2113003003**  
Plastic



**Aluminium 2113003029**  
Plastic

### Moodmaker™ Step Dimming



**Step 1**  
20%/100%

**Step 2**  
10%/50%

**Step 3**  
100%/off

## SKYLAR Pendant

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 4,2 cm, W: 115 cm, L: 3,8 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 205 cm, non replaceable
<b>Canopy</b>	Color: Grey/Black, Material: Metal. Dimension: 48 x 9 x 2,8 cm
<b>Lightsource</b>	LED Module - 25W LED, 2600 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Beamangle 120° Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Minimalist and industrial design
- Very high light output -2600 lumen
- Moodmaker™ 3-step dimmable on wall switch
- Memory function remembers your last dimmer setting
- 5 year LED guarantee




**Opal white 39553001**  
Opal glass/Metal

## CAFE 15 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 29 cm, Shade Ø: 15 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear 180 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 12,5 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

- Glamorous modern style
- Provides a soft, diffused light
- Brushed steel top and tube
- Matt white opal mouth blown glass






**Opal white 39563001**  
Opal glass/Metal

## CAFE 20 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 33 cm, Shade Ø: 20 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear 180 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 7,9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Glamorous modern style  
Provides a soft, diffused light  
Brushed steel top and tube  
Matt white opal mouth blown glass




**Opal white 39573001**  
Opal glass/Metal

## CAFE 25 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 38 cm, Shade Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear 180 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 7,9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Glamorous modern style  
Provides a soft, diffused light  
Brushed steel top and tube  
Matt white opal mouth blown glass






**Opal white 39583001**  
Opal glass/Metal

## CAFE 30 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 44 cm, Shade Ø: 30 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Clear 180 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 7,9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Glamorous modern style  
Provides a soft, diffused light  
Brushed steel top and tube  
Matt white opal mouth blown glass




**Black 45643003**  
Metal

## AUD Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 11,9 cm, Ø: 6.5 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 300 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 10,6 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Contemporary and simple style  
Design your own lamp with a decorative bulb





**Opal white 45703001**  
Glass




**Grey 45703047**  
Glass

## EMBLA Pendant

- Masterbox** Qty. 3
- Size** H: 30,5 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 300 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Soft contemporary style
- Mouth blown glass shade




**Black 45713003**  
Metal

## TRUDE Pendant

- Masterbox** Qty. 3
- Size** H: 22,5 cm, Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 300 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style





**Clear 45823000**  
Glass




**Amber 45823027**  
Glass

## DIAS Pendant

- Masterbox** Qty. 3
- Size** H: 21,5 cm, Shade Ø: 18,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 300 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Industrial style
- Mouth blown glass
- Design your own luminaire with a decorative bulb




**Black 46423003**  
Wood

## TRIBECA 24 Pendant by Bønnelycke MDD

- Masterbox** Qty. 3
- Size** Shade Ø: 24 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 300 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,7 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### Features

- Nature style
- Wooden structure creates beautiful shadow play
- Create your own design expression with a decorative bulb





**Black 46433003**  
Wood

## TRIBECA 38 Pendant by Bønnelycke MDD

<b>Masterbox</b>	Qty. 3
<b>Size</b>	Shade Ø: 38 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 300 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 11,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb


### Features

Nature style

Wooden structure creates beautiful shadow play

Create your own design expression with a decorative bulb

Experience the wooden structure of the beautiful poplar veneer



**Opal white 73153010**  
Metal/Opal glass


## READ 14 Pendant by Kaare Bækgaard

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 18 cm, Shade Ø: 14 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 180 cm, non replaceable
<b>Canopy</b>	Color: Chrome, Material: Metal. Dimension: 9 cm
<b>Lightsource</b>	E14 - not included Can be dimmed by choosing a dimmable bulb

### Features

Soft classic design

Glossy white glass shade








**Opal white 73163010**  
Metal/Opal glass

## READ 20 Pendant by Kaare Bækgaard

<b>Masterbox</b>	Qty. 3
<b>Size</b>	Shade Ø: 20 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 180 cm, non replaceable
<b>Canopy</b>	Color: Chrome, Material: Metal. Dimension: 9 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Soft classic design  
Glossy white glass shade




**White 76633001**  
Metal

## ANNIVERSARY Pendant by Bønnelycke MDD

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 16 cm, Shade Ø: 35 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 210 cm, non replaceable
<b>Canopy</b>	Color: White, Material: Plastic. Dimension: 11,7 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Contemporary and industrial style





**Black 84800003**  
Metal



**Brass 84800025**  
Metal




**Copper 84800030**  
Metal

## AVRA Pendant

- Masterbox** Qty. 3
- Size** H: 10,2 cm, Ø: 5.1 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9,2 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Design your own luminaire with a decorative bulb




**Black 84813003**  
Metal

## LYNE Pendant

- Masterbox** Qty. 3
- Size** H: 20 cm, Shade Ø: 29 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 250 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Adjustable lamp head for a directional light
- Black silk matt finish and polished brass details






**Nature 84823014**  
Wood

## CHINO 25 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 23 cm, Shade Ø: 25 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 250 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 11,8 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Nature style  
Wooden structure creates beautiful shadow play  
Create your own design expression with a decorative bulb  
Experience the wooden structure of the beautiful poplar veneer  
Knock-down packing for easy self-assembly




**Nature 84833014**  
Wood

## CHINO 30 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 26 cm, Shade Ø: 30 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 250 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 11,8 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Nature style  
Wooden structure creates beautiful shadow play  
Create your own design expression with a decorative bulb  
Experience the wooden structure of the beautiful poplar veneer  
Knock-down packing for easy self-assembly





**Nature 84843014**  
Wood

## CHINO 40 Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 34 cm, Shade Ø: 40 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Black 250 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 11,8 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features


Nature style

Wooden structure creates beautiful shadow play

Create your own design expression with a decorative bulb

Experience the wooden structure of the beautiful poplar veneer

Knock-down packing for easy self-assembly



**Black 84863003**  
Metal

## TEES Pendant


<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 34 cm, Shade Ø: 29 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: Black 250 cm, non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic. Dimension: 11,8 cm
<b>Lightsource</b>	E27 - not included Can be dimmed by choosing a dimmable bulb

### Features

Industrial style

Metal grid creating beautiful shadow play

Create your own design expression with a decorative bulb





White 14094801  
Paper



White 14094001  
Paper




White 14093501  
Paper

## RISO Pendant

**Masterbox** Qty. 12  
**Size** Shade Ø: 35/40/48 cm

**Features**  
Nature style  
Provides a soft, diffused light  
Excluding suspension bracket, cable and canopy



# *Table lamps*







**Black 2010925003**  
Metal/Opal glass




**Grey 2010925010**  
Metal/Opal glass

## TIME Table lamp by Says Who

- Masterbox** Qty. 3  
**Size** H: 34 cm, W: 26,7 cm, L: 26,7 cm, Shade Ø: 26,7 cm, Base Ø: 12,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture  
**Lightsources** E27 - not included  
 Can not be dimmed

- Features**  
 Scandinavian contemporary style  
 Upward and downward light  
 Mix of matte metal and opal glass  
 On/off touch function on the base



**Black 46605003**  
Metal




**Brass 46605025**  
Metal

## DEAN Table lamp by Bønnelycke MDD

- Masterbox** Qty. 3  
**Size** H: 15 cm, Base Ø: 13 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 180 cm, non replaceable. Switch on the cable  
**Lightsources** E27 - not included  
 Can not be dimmed

- Features**  
 Contemporary and simple style  
 Design your own luminaire with a decorative bulb








**Black 84593103**  
Metal

## DOVER Table lamp

- Masterbox** Qty. 3
- Size** H: 36,5 cm, Shade Ø: 10,5 cm, Base Ø: 14,3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 160 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 5.4W  
LED, 340 Lumen, 3000 Kelvin, 20000 Hours, RA 80,  
Beamangle 100°  
Can not be dimmed

- Features**
- Contemporary functional style
- Flexible arms for a directional light
- Turnable lamp head
- 5 year LED guarantee



**White 2112001001**  
Metal



**Black 2112001003**  
Metal




**Green 2112001023**  
Metal

## CODY Wall light by Says Who

- Masterbox** Qty. 3
- Size** H: 42,9 cm, W: 20 cm, L: 20 cm, D: 20 cm, Shade Ø: 6 cm,  
Tube Ø: 1,13 cm, Base Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** GU10 - not included  
Can not be dimmed

- Features**
- Compact and minimalist design
- Multifunctional bedside lamp
- USB port for charging your phone or other device
- Small shelf for storage
- Adjustable lamp head for a directional light



# *Wall lamps*







**White 2112551001**  
Metal




**Black 2112551003**  
Metal

## ROOMI Wall light by Says Who

- Masterbox** Qty. 2  
**Size** H: 28,2 cm, W: 24,8 cm, L: 16,5 cm, D: 16,5 cm, Shade Ø: 5,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 150 cm, non replaceable. Switch on the fixture  
**Lightsource** GU10 - not included  
 Can not be dimmed

- Features**  
 Minimalist functional design  
 Multifunctional bedside lamp  
 Small shelf for storage  
 Adjustable lamp head for a directional light  
 USB port for charging your phone or other device



**Black 320130**  
Aluminium



**White 320131**  
Aluminium

## DROP Wall light

- Masterbox** Qty. 3  
**Size** D: 51,7 cm, Shade Ø: 3,5 cm, Base: Ø 5,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 180 cm, non replaceable. Switch on the fixture  
**Lightsource** LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 20000 Hours, RA 80, Beamangle 120°  
 Can not be dimmed

- Features**  
 Contemporary functional style  
 Flexible arms for a directional light  
 5 year LED guarantee




**White 47051001**  
Metal

**Black 47051003**  
Metal

## LARGO Wall light

- Masterbox** Qty. 3  
**Size** H: 18 cm, D: 26 cm, Shade Ø: 12 cm, Base: Ø 10 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 180 cm, replaceable. Switch on the fixture  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Industrial style  
 Tilting and turning shade



**White 47131001**  
Plastic


**Black 47131003**  
Plastic

## MASON Wall light



- Masterbox** Qty. 3  
**Size** H: 56 cm, D: 35 cm, Shade Ø: 10 cm, Base: 7 x 14,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black/White 180 cm, non replaceable. Switch on the fixture  
**Lightsource** LED Module - 5W LED, 1600 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°  
 Has built-in dimmable light source for wall dimmer

- Features**  
 Minimalistic functional style  
 Moodmaker™ 3-step dimmable on base  
 USB port for charging your phone or other device  
 5 year LED guarantee





**White 47141001**  
Metal




**Black 47141003**  
Metal

## TEXAS Wall light

- Masterbox** Qty. 3  
**Size** H: 18 cm, W: 13 cm, D: 20 cm, Shade Ø: 12,5 cm, Base: Ø 12,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White/Black 180 cm, replaceable. Switch on the fixture  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Contemporary and simple style  
 Adjustable lamp head for a directional light




**Silver 59372029**  
Metal

## PHOTO Clamp lamp

- Masterbox** Qty. 6  
**Size** H: 16 cm, D: 29 cm, Shade Ø: 9,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** Black 200 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - not included  
 Can not be dimmed

- Features**  
 Industrial style  
 Clamp for fasten on shelf or other edge  
 Adjustable lamp head for a directional light





**White 3001601**  
Plastic

## **TRIO** Ceiling light

**Masterbox** Qty. 6  
**Size** Shade Ø: 45 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** White 200 cm. Switch on the cable  
**Lightsource** E27 - not included  
Can be dimmed by choosing a dimmable bulb

### **Features**

Classic style  
Can be used on both wall and ceiling

# *Link System*










**White 79029901**  
Plastic/Metal

**Black 79029903**  
Plastic/Metal

## Link Connector turnable Track Light

**Masterbox** Qty. 6  
**Size** W: 3,5 cm, L: 12 cm, D: 1,8 cm,  
**IP Class** IP20, Class 1 (Earth contact)

**Features**  
 Connector for rails, without power supply  
 Adjustable 0-100 degrees both right and left




**White 79039901**  
Plastic/Metal

**Black 79039903**  
Plastic/Metal

## Link Adapter side Track Light

**Masterbox** Qty. 3  
**Size** W: 3,5 cm, L: 11,4 cm, D: 1,8 cm,  
**IP Class** IP20, Class 1 (Earth contact)

**Features**  
 Opposite adaptor for rails, with power supply






**White 79049901**  
Plastic/Metal

**Black 79049903**  
Plastic/Metal

## Link Adapter center Track Light

**Masterbox** Qty. 3  
**Size** W: 3,5 cm, L: 9,5 cm, D: 1,8 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Canopy**

**Features**  
Central adaptor for rails, with power supply




**White 79059901**  
Plastic/Metal

**Black 79059903**  
Plastic/Metal

## Link Connector Track Light

**Masterbox** Qty. 6  
**Size** W: 3,5 cm, L: 6,5 cm, D: 1,8 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 690W

**Features**  
Discrete connector between 2 rails





**White 79069901**  
Plastic/Metal




**Black 79069903**  
Plastic/Metal

## Link Pendant Adapter Track Light

**Masterbox** Qty. 6  
**Size** W: 3,5 cm, L: 8 cm, D: 5,5 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 115W

**Features**  
 Adaptor for any pendant, to be connected in the rail  
 Removable hook



**White 79079901**  
Metal/Plastic




**Black 79079903**  
Metal/Plastic

## Link 1M Track Light

**Masterbox** Qty. 3  
**Size** W: 3,5 cm, L: 107 cm, D: 1,8 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 690W

**Features**  
 Adaptor included





**Matt white 2110589901**  
Metal/Plastic

**Matt black 2110589903**  
Metal/Plastic

## Link 1,8M Track Light

**Masterbox** Qty. 3  
**Size** H: 1,8 cm, W: 3,5 cm, L: 180 cm,

**Features**  
Adaptor included




**White 79089901**  
Metal/Plastic

**Black 79089903**  
Metal/Plastic

## Link 2m Track Light

**Masterbox** Qty. 3  
**Size** W: 3,5 cm, L: 207 cm, D: 2 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 690W

**Features**  
Adaptor included






**White 86069901**  
Plastic/Metal

**Black 86069903**  
Plastic/Metal

## Link T-Connector left Track Light

**Masterbox** Qty. 6  
**Size** H: 1,8 cm, W: 10,3 cm, L: 17,2 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 660W

**Features**  
Connector for rails, without power supply




**White 86079901**  
Plastic/Metal

**Black 86079903**  
Plastic/Metal

## Link X-Connector Track Light

**Masterbox** Qty. 6  
**Size** H: 1,8 cm, W: 17,2 cm, L: 17,2 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 660W

**Features**  
Connector for rails, without power supply







**White 86059901**  
Plastic/Metal

**Black 86059903**  
Plastic/Metal

## Link T-Connector right Track Light

**Masterbox** Qty. 6  
**Size** H: 1,8 cm, W: 10,3 cm, L: 17,2 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** Max. 660W

**Features**  
Connector for rails, without power supply



**Black 2210309003**  
Plastic

**White 2210309001**  
Plastic

## Link Cover Track Light

**Masterbox** Qty. 12  
**Size** H: 0,7 cm, W: 100 cm, L: 100 cm,

**Features**  
Cover to hide Link rail  
Plastic that can be cut to adapt to needed lengths



**Matt white 2213550101**  
Metal/Plastic



**Black 2213550103**  
Metal/Plastic


**Moodmaker™ Step Dimming**



**Clyde Link** Track Light 

- Masterbox** Qty. 6
- Size** H: 10,5 cm, W: 8,5 cm, L: 8,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 2700K Kelvin, 25000 Hours,  
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Fits the Nordlux Link system
- 3-step Moodmaker™ dimming on your regular wall switch




**White 2112859901**  
Metal/Glass

**Cole Link** Track Light

- Masterbox** Qty. 3
- Size** H: 19,5 cm, L: 17,6 cm, Shade Ø: 8 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** E14 - not included, Max. 40W,  
Can be dimmed by choosing a dimmable bulb

- Features**
- Ideally suited for combination with Nordlux Smart







**Matt white 2110609901**  
Metal/Plastic




**Matt black 2110609903**  
Metal/Plastic

## Diskie Link Track Light

- Masterbox** Qty. 3
- Size** H: 14 cm, Shade Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 750 Lumen, 3000 Kelvin, 20000 Hours, RA 90, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- LED integrated AC SMD 7W
- Dimmable
- RA90 natural light
- 5 year LED guarantee



**White 86189901**  
Metal/Plastic




**Black 86189903**  
Metal/Plastic

## Explor Link Track Light

- Masterbox** Qty. 6
- Size** D: 28,5 cm, Shade Ø: 5,5 cm, Tilt angle: 180°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 7W  
Yes, can be dimmed by choosing a dimmable bulb

- Features**
- Ideally suited for combination with Nordlux Smart





**Matt white 2112229901**  
Metal/Plastic



**Black 2112229903**  
Metal/Plastic


### Moodmaker™ Step Dimming



## Omari Link Track Light

- Masterbox** Qty. 4
- Size** H: 17 cm, W: 3,4 cm, L: 3,4 cm, Shade Ø: 3,20 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 3,2W  
LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°, Cannot be dimmed

- Features**
- Fits the Nordlux Link system
- Minimalist and streamlined design
- 3-step Moodmaker™ dimming on your regular wall switch
- Adjustable lamp head for a directional light



**Matt white 2110619901**  
Metal/Plastic



**Matt black 2110619903**  
Metal/Plastic

## Open Link Track Light

- Masterbox** Qty. 3
- Size** H: 13,4 cm, L: 8,1 cm, Ø: 4,2 cm, Tilt angle: 90°
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 60W  
Can be dimmed by choosing a dimmable bulb

- Features**
- Spot head can be positioned straight down
- Especially designed for LED decorative bulbs




**White 2110639901**  
Metal/Plastic

**Black 2110639903**  
Metal/Plastic

## Rondie Link Spot Track Light

- Masterbox** Qty. 3  
**Size** H: 15,2 cm, W: 6 cm, L: 9,3 cm, Shade Ø: 6 cm, Tilt angle: 90°  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** GU10 - not included, Max. 35W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Inside frosted glass for special effect  
 Choose your bulb for colour, beam angle and lumen




**White 2110649901**  
Metal/Plastic

**Black 2110649903**  
Metal/Plastic

## Rondie Link Pendant Track Light

- Masterbox** Qty. 3  
**Size** H: 215,2 cm, W: 6 cm, L: 9,3 cm, Shade Ø: 6 cm,  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** White/Black 200 cm, non replaceable  
**Lightsource** GU10 - not included, Max. 35W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Inside frosted glass for special effect  
 Choose your bulb for colour, beam angle and lumen  
 Fabric wire (two metres)  
 Wire can be shortened to any desired length





**White 86109901**  
Metal/Plastic



**Black 86109903**  
Metal/Plastic

## Single Link Track Light

- Masterbox** Qty. 6  
**Size** L: 8 cm, D: 14,5 cm, Shade Ø: 8,5 cm, Tilt angle: 180°  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsources** GU10 - not included, Max. 35W,  
Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart




**White 86119901**  
Metal/Plastic

## Frøya Link Track Light

- Masterbox** Qty. 3  
**Size** L: 10,9 cm, D: 8,8 cm, Shade Ø: 3,6 cm, Tilt angle: 180°  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** GU10 - not included, Max. 50W,  
Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart





**Matt white 2110629901**  
Metal/Plastic




**Matt black 2110629903**  
Metal/Plastic

## Koniekel Link Track Light

- Masterbox** Qty. 3  
**Size** H: 17,13 cm, W: 10,37 cm, L: 8 cm, Shade Ø: 6 cm, Tilt angle: 90°  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** GU10 - not included, Max. 50W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Including two reflectors, metal and glass  
 Choose your bulb for colour, beam angle and lumen  
 Including smoked transparent glass



**White 71669901**  
Metal/Plastic



**Black 71669903**  
Metal/Plastic

## MIB 6 Link Track Light by Bønnelycke MDD

- Masterbox** Qty. 3  
**Size** H: 32 cm, Shade Ø: 6 cm, Tube Ø: 1 cm, Tilt angle: 180°  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included, Max. 8W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Ideally suited for combination with Nordlux Smart



**White 86129901**  
Metal/Plastic




**Black 86129903**  
Metal/Plastic

## Munin Link Track Light

- Masterbox** Qty. 3  
**Size** H: 11,6 cm, L: 8 cm, D: 13,6 cm, Shade Ø: 6,1 cm, 180°  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included, Max. 35W,  
Can be dimmed by choosing a dimmable bulb

**Features**  
Ideally suited for combination with Nordlux Smart





# *Ceiling light*










**White 47206001**  
Plastic/Metal

**Grey 47206010**  
Plastic/Metal

## ALTUS Ceiling light

- Masterbox** Qty. 3
- Size** H: 9 cm, Ø: 29,8 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** LED Module - 13W LED,  
Max. 4W, 850 Lumen, 2700 Kelvin, 20000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

- Features**  
5 year LED guarantee




**White 25316101**  
Metal/Glass

**Brushed steel 25316132**  
Metal/Glass

## ANCONA Maxi Ceiling light

- Masterbox** Qty. 3
- Size** H: 8 cm, Shade Ø: 31,5 cm,
- IP Class** IP44-43, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 2X40W,  
Can be dimmed by choosing a dimmable bulb

- Features**  
Ideally suited for combination with Nordlux Smart






**White 45356001**  
Metal/Plastic

## ASK 28 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 9,5 cm, Shade Ø: 28 cm,  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 12W LED, 1050 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
Suitable for humid areas (IP44)  
Matt diffusor  
5 year LED guarantee




**White 45376001**  
Metal/Plastic

## ASK 36 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 10,5 cm, Shade Ø: 36 cm,  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 18W LED, 1450 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
Suitable for humid areas (IP44)  
Matt diffusor  
5 year LED guarantee






**White 45386501**  
Metal/Plastic

## ASK 36 Sensor Ceiling light

**Masterbox** Qty. 3  
**Size** D: 10,5 cm, Shade Ø: 36 cm,  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 18W LED, 1450 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Motion sensor (lux, time and radius)  
Suitable for humid areas (IP44)  
Matt diffusor  
5 year LED guarantee




**White 45396001**  
Metal/Plastic


## ASK 41 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 11,5 cm, Shade Ø: 41 cm,  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 32W LED, 3000 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features


Suitable for humid areas (IP44)  
Matt diffusor  
5 year LED guarantee





White 2110496101  
Plastic

### Moodmaker™ Step Dimming




## Harlow Step Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, W: 30 cm, L: 59,5 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsources** LED Module - 22W, 2400 Lumen, 2700K Kelvin, 25000 Hours,  
 RA 80, Has built-in dimmable light source with  
 Moodmaker™ functionality

### Features

3-step Moodmaker™ dimming by your regular wall switch  
 Suitable for humid areas (IP54)  
 Ultra-thin design with backlight effect  
 Parallel, easy push-in connection  
 5 year LED guarantee




White 47560101  
Plastic

## LEROY 2700K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 3,7 cm, Ø: 22 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 15W LED, 1260 Lumen, 2700 Kelvin,  
 30000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

### Features

Matt diffusor  
 5 year LED guarantee






**White 47680101**  
Plastic

## LEROY 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** D: 3,7 cm, Ø: 22 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 15W LED, 1400 Lumen, 4000 Kelvin,  
30000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

**Features**  
Matt diffusor  
5 year LED guarantee




**White 2015156101**  
Metal/Plastic

## MONTONE 18 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 7,5 cm, Ø: 18 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsources** LED Module - 5W LED, 500 Lumen, 2700 Kelvin,  
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
DOB: Driver-on-Board LED technology  
Suitable for humid areas (IP44)  
5 year LED guarantee






**White 2015176101**  
Metal/Plastic

## MONTONE 25 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 8 cm, Ø: 25 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 8W LED, 800 Lumen, 2700 Kelvin,  
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

DOB: Driver-on-Board LED technology  
Suitable for humid areas (IP44)  
5 year LED guarantee




**White 2015196101**  
Metal/Plastic

## MONTONE 30 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 9,5 cm, Ø: 30 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 10W LED, 1000 Lumen, 2700 Kelvin,  
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

DOB: Driver-on-Board LED technology  
Suitable for humid areas (IP44)  
5 year LED guarantee






White 45606001  
Metal/Plastic

## MÁNI 25 Ceiling light

**Masterbox** Qty. 6  
**Size** H: 9,5 cm, Shade Ø: 25,5 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** LED Module - 12W LED, 700 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 118°, Cannot be dimmed

**Features**  
Matt diffusor  
5 year LED guarantee




White 45616001  
Metal/Plastic

## MÁNI 32 Ceiling light

**Masterbox** Qty. 6  
**Size** H: 10,5 cm, Ø: 32,5 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** LED Module - 18W LED, 1000 Lumen, 3000 Kelvin,  
30000 Hours, RA 80, Beamangle 118°, Cannot be dimmed

**Features**  
Matt diffusor  
5 year LED guarantee







**White 2015356101**  
Plastic/Aluminium


**Black 2015356103**  
Plastic/Aluminium

## NOXY Ceiling light

**Masterbox** Qty. 3  
**Size** H: 5 cm, Ø: 35 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsources** LED Module - 17W LED, 1650 Lumen, 3000-4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch  
Night light (100 lumen)  
Two detachable rings included  
Easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
4000K

**Step 2**  
3000K

**Step 3**  
20% 3000K



**White 47276001**  
Plastic

**Black 47276003**  
Plastic

## OJA 29 IP20 2700K Step-Dim Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 2700K Kelvin, 25000 Hours, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
100%

**Step 2**  
50%

**Step 3**  
20%





White 47156001  
Plastic

Black 47156003  
Plastic

## OJA 29 IP20 4000K Step-Dim Ceiling light




**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 14W, 1700 Lumen, 4000K Kelvin,  
25000 Hours, Has built-in dimmable light source with  
Moodmaker™ functionality

### Features

3-step Moodmaker™ dimming by your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee


### Moodmaker™ Step Dimming



Step 1  
100%

Step 2  
50%

Step 3  
20%



White 47286001  
Plastic

Black 47286003  
Plastic

## OJA 42 IP20 2700K Step-Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 22W LED, 2100 Lumen, 2700K Kelvin,  
25000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source with  
Moodmaker™ functionality

### Features

3-step Moodmaker™ dimming by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



Step 1  
100%

Step 2  
50%

Step 3  
20%






White 47166001  
Plastic

Black 2210016103  
Plastic

### Moodmaker™ Step Dimming



Step 1  
100%

Step 2  
50%


Step 3  
20%

## OJA 42 IP20 4000K Step-Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 19W LED, 2200 Lumen, 4000K Kelvin,  
25000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source with  
Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming on your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee




White 47246001  
Plastic

## OJA 24 IP20 2700K Ceiling light



**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 24,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 15W LED, 1250 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
Ultra-thin design  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee






White 47946001  
Plastic

## OJA 24 IP20 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 24,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 15W LED, 1250 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

3-step Moodmaker™ dimming by your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee




White 47256001  
Plastic

## OJA 29 IP20 2700K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 18W LED, 1600 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Ultra-thin design  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee






White 47956001  
Plastic

## OJA 29 IP20 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 14,5W LED, 1700 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

3-step Moodmaker™ dimming by your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee




White 50036101  
Plastic

## OJA 29 IP54 2700K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 18W LED, 1600 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Ultra-thin design  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee






White 47266001  
Plastic

## OJA 42 IP20 2700K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 22W LED, 2100 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Ultra-thin design  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee




White 47966001  
Plastic

## OJA 42 IP20 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 19W LED, 2200 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

3-step Moodmaker™ dimming on your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee






White 50046101  
Plastic

## OJA 29 IP54 2700K Dim Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29.4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 17W LED, 1600 Lumen, 2700 Kelvin,  
30000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable by wall dimmer  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee




White 50216101  
Plastic/Metal

## OJA 29 IP54 4000K Dim Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29.4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 17W LED, 1700 Lumen, 4000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable by wall dimmer  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee





White 50056101  
Plastic


## OJA 42 IP54 2700K Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 24W LED, 2150 Lumen, 2700 Kelvin,  
30000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable by wall dimmer  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee



White 50226101  
Plastic/Metal


## OJA 42 IP54 4000K Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 24W LED, 2400 Lumen, 4000 Kelvin,  
30000 Hours, RA 80, Beamangle 120°,  
Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable by wall dimmer  
Backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee







**White 50066101**  
Plastic/Metal



**Black 50066103**  
Plastic/Metal


## OJA 60 IP20 2700K Step-Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 3,2 cm, Ø: 60 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** LED Module - 38W LED, 3200 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
100%

**Step 2**  
50%

**Step 3**  
20%



**White 50236101**  
Plastic/Metal

## OJA 60 IP20 4000K Step-Dim Ceiling light



**Masterbox** Qty. 3  
**Size** H: 3,2 cm, Ø: 60 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** LED Module - 38W LED, 3400 Lumen, 2700K Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming by your regular wall switch  
Ultra-thin design  
Backlight effect  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
100%

**Step 2**  
50%

**Step 3**  
20%





**White 2015016101**  
Plastic

**Brushed Nickel 2015016155**  
Plastic

## OJA 29 IP20 3000/4000K Ceiling light




**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 14,5W  
 LED, 1600 Lumen, 3000-4000 Kelvin, 30000 Hours, RA 80,  
 Beamangle 120°,  
 Has built-in dimmable light source with  
 Moodmaker™ functionality


### Features

3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch  
 Night light with backlight effect  
 Easy twist lock connection and easy installation  
 5 year LED guarantee

### Moodmaker™ Step Dimming




**Step 1**  
4000K



**Step 2**  
3000K



**Step 3**  
20% 3000K



**Black 2015026103**  
Plastic

**Chrome 2015026133**  
Plastic

## OJA 29 IP54 3000/4000K Ceiling light




**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 14,5W  
 LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80,  
 Beamangle 120°,  
 Has built-in dimmable light source with  
 Moodmaker™ functionality


### Features

3-step Moodmaker™ (3000K/4000 kelvin) by your regular wall switch  
 Night light with backlight effect  
 Easy twist lock connection and easy installation  
 5 year LED guarantee

### Moodmaker™ Step Dimming




**Step 1**  
4000K



**Step 2**  
3000K



**Step 3**  
20% 3000K





**White 2015106101**  
Plastic

**Brushed Nickel 2015106155**  
Plastic

## OJA 42 IP20 3000/4000K Ceiling light




**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 19W LED, 2100 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality


### Features

3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee

### Moodmaker™ Step Dimming




**Step 1**  
4000K



**Step 2**  
3000K



**Step 3**  
20% 3000K



**Black 2015116103**  
Plastic

**Chrome 2015116133**  
Plastic

## OJA 42 IP54 3000/4000K Ceiling light




**Masterbox** Qty. 3  
**Size** H: 2,5 cm, Ø: 43 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 19W LED, 2100 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality


### Features

3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee

### Moodmaker™ Step Dimming




**Step 1**  
4000K




**Step 2**  
3000K



**Step 3**  
20% 3000K





**White 2015056101**  
Plastic

**Brushed Nickel 2015056155**  
Plastic


## OJA 29 Square IP20 3000/4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 14,5W  
LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80,  
Beamangle 120°,  
Has built-in dimmable light source  
with Moodmaker™ functionality

### Features

3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
4000K

**Step 2**  
3000K

**Step 3**  
20% 3000K



**Black 2015066103**  
Plastic

**Chrome 2015066133**  
Plastic

## OJA 29 Square IP54 3000/4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,5 cm, Ø: 30 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 14,5W LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours,  
RA 80, Beamangle 120°,  
Has built-in dimmable light source with  
Moodmaker™ functionality

### Features

3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch  
Night light with backlight effect  
Easy twist lock connection and easy installation  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
4000K

**Step 2**  
3000K

**Step 3**  
20% 3000K






White 2110456101  
Plastic

## OJA 29 IP54 2700K Sensor Ceiling light

**Masterbox** Qty. 3  
**Size** H: 3,8 cm, Ø: 29,4 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module 1600 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Microwave sensor with on/off pre-programmed LUX  
Suitable for humid areas (IP54)  
Ultra-thin design with backlight effect  
Adjustable time and range radius  
Parallel, easy push-in connection  
5 year LED guarantee




White 2110476101  
Plastic

## OJA 42 IP54 2700K Sensor Ceiling light

**Masterbox** Qty. 3  
**Size** H: 3,8 cm, W: 42,4 cm, L: 42,4 cm, Ø: 42,4 cm,  
**IP Class** IP54, Class 2 (Double isolated)  
**Canopy**  
**Lightsource** LED Module 2100 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, No, cannot be dimmed

### Features

Microwave sensor with on/off pre-programmed LUX  
Suitable for humid areas (IP54)  
Ultra-thin design with backlight effect  
Adjustable time and range radius  
Parallel, easy push-in connection  
5 year LED guarantee





**White 25416001**  
Metal/Glass




**Brushed steel 25416032**  
Metal/Glass

## Spinner Ceiling light

- Masterbox** Qty. 3
- Size** H: 7 cm, Ø: 28 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 60W  
Can be dimmed by choosing a dimmable bulb

**Features**  
Ideally suited for combination with Nordlux Smart




**White 25326001**  
Glass/Metal

## STANDARD Ceiling light

- Masterbox** Qty. 3
- Size** H: 7,5 cm, Ø: 25 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 60W,  
Can be dimmed by choosing a dimmable bulb

**Features**  
Ideally suited for combination with Nordlux Smart







**Chrome 2015376101**  
Plastic/Aluminium

## THEROS Ceiling light

**Masterbox** Qty. 3  
**Size** H: 5 cm, Ø: 35 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 17W LED, 1650 Lumen, 3000/4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
 3-Step Moodmaker™ 3000K/4000K+night light by switch  
 Back Night Light Function 100lm memory  
 Easy Twist installation  
 5 year LED guarantee

### Moodmaker™ Step Dimming




**White 25576000**  
Glass/Metal

## UFO Ceiling light

**Masterbox** Qty. 3  
**Size** D: 10,5 cm, Ø: 22,5 cm  
**IP Class** IP44-43, Class 1 (Earth contact)  
**Lightsource** E27 - not included, Max. 40W, Can be dimmed by choosing a dimmable bulb

**Features**  
 Ideally suited for combination with Nordlux Smart  
 Ideally suited for bathroom zone 2 IP44






**White 25626001**  
Glass/Metal

## UFO Maxi Ceiling light

**Masterbox** Qty. 3  
**Size** H: 11 cm, Ø: 29,5 cm,  
**IP Class** IP44-43, Class 1 (Earth contact)  
**Lightsource** E27 - not included, Max. 2X40W,  
Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart  
Ideally suited for bathroom zone 2 IP44




**White 2210216001**  
Plastic

## VIC 22 3000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4 cm, Ø: 22 cm  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsource** LED Module - 18W, 1600 Lumen, 3000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation








White 2210246001  
Plastic

## VIC 22 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4 cm, Ø: 22 cm  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsource** LED Module - 18W, 1800 Lumen, 4000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation




White 2210226001  
Plastic

## VIC 29 3000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4 cm, Ø: 29 cm  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsource** LED Module - 24W, 2100 Lumen, 3000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation






White 2210256001  
Plastic

## VIC 29 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4 cm, Shade Ø: 29 cm  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsource** LED Module - 24W, 2400 Lumen, 4000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation




White 2210236001  
Plastic

## VIC 35 3000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4,3 cm, Ø: 35 cm,  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsource** LED Module - 36W, 3200 Lumen, 3000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation






White 2210266001  
Plastic

## VIC 35 4000K Ceiling light

**Masterbox** Qty. 3  
**Size** H: 4,3 cm, Ø: 35 cm  
**IP Class** IP40, Class 2 (Double isolated)  
**Cable** Plastic white 15 cm, non replaceable  
**Lightsources** LED Module - 36W, 4000K Kelvin,  
Cannot be dimmed

### Features

Integrated LED with high lumen output  
Easy installation  
Slim design (4,5 cm)






**Matt white 2110400101**  
Aluminium/Metal

**Matt black 2110400103**  
Aluminium/Metal

## ETHAN 1-Spot Surface downlight

- Masterbox** Qty. 3  
**Size** H: 11,99 cm, W: 10,5 cm, L: 10,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included, Max. 50W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Interconnectable on two sides  
 Two reflector colours included




**Matt white 2110410101**  
Aluminium/Metal

**Matt black 2110410103**  
Aluminium/Metal

## ETHAN 2-Spot Surface downlight

- Masterbox** Qty. 3  
**Size** H: 11,99 cm, W: 10,5 cm, L: 21,6 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - not included, Max. 50W,  
 Can be dimmed by choosing a dimmable bulb

- Features**  
 Interconnectable on two sides  
 Fits the Scandinavian electro boxes  
 Two reflector colours included





**Matt white 2110430101**  
Aluminium/Metal


**Matt black 2110430103**  
Aluminium/Metal

## ETHAN 4-Spot Surface downlight

- Masterbox** Qty. 3
- Size** H: 11,99 cm, W: 21,6 cm, L: 21,6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 50W,  
Can be dimmed by choosing a dimmable bulb

### Features

- Interconnectable on two sides
- Two reflector colours included



**White/White 47540101**  
Metal/Plastic

**White/Steel 47540132**  
Metal/Plastic

**Black/Steel 47540103**  
Metal/Plastic

### Moodmaker™ Step Dimming



**Step 1**  
All on

**Step 2**  
Center 50%


**Step 3**  
Ring on

## FALLON Surface downlight

- Masterbox** Qty. 3
- Size** H: 6 cm, Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 8,5W LED, 500 Lumen, 2700 Kelvin,  
20000 Hours, RA 80, Beamangle 110°  
Has built-in dimmable light source with  
Moodmaker™ functionality

### Features

- 3-step Moodmaker™ dimming by your regular wall switch
- Parallel connection possible
- External connector block included
- 5 year LED guarantee





**White/White 47550101**  
Metal/Plastic



**White/Steel 47550132**  
Metal/Plastic




**Black/Steel 47550103**  
Metal/Plastic

### Moodmaker™ Step Dimming



**Step 1**  
All on



**Step 2**  
Center 50%




**Step 3**  
Ring on

## FALLON Long Surface downlight



**Masterbox** Qty. 3  
**Size** D: 12 cm, Ø: 10 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 8.5W LED, 500 Lumen, 2700 Kelvin,  
20000 Hours, RA 80, Beamangle 110°, Has built-in  
dimmable light source with Moodmaker™ functionality

**Features**  
3-step Moodmaker™ dimming by your regular wall switch  
Parallel connection possible  
External connector block included  
5 year LED guarantee



**White 2015450101**  
Plastic




**Black 2015450103**  
Plastic




**Brushed Nickel 2015450155**  
Plastic

### Moodmaker™ Step Dimming



**Step 1**  
4000K



**Step 2**  
3000K




**Step 3**  
20% 3000K

## KITCHENIO 1-Kit Surface downlight



**Masterbox** Qty. 3  
**Size** H: 2,1 cm, Ø: 6,4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 2W LED, 170 Lumen, 3000/4000 Kelvin,  
25000 Hours, RA 80, Beamangle 110°, Has built-in  
dimmable light source with Moodmaker™ functionality

**Features**  
2-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch  
Parallel connection possible  
Recessed and surface mounting possible  
Cable included (60 cm)  
5 year LED guarantee






**White 2015460101**  
Plastic

**Black 2015460103**  
Plastic


**Brushed Nickel 2015460155**  
Plastic



## KITCHENIO 3-Kit Surface downlight

**Masterbox** Qty. 3  
**Size** H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, D: 2,1 cm, Ø: 6.4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 2W  
 LED, 170 Lumen, 3000-4000 Kelvin, 25000 Hours, RA 80,  
 Beamangle 110°, Yes, has built-in dimmable light source with  
 Moodmaker™ functionality

**Features**  
 2-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch  
 Parallel connection possible  
 Recessed and surface mounting possible  
 Cable included (60 cm)  
 5 year LED guarantee




**Chrome 76730001**  
Plastic

## LISMORE 4-Kit Surface downlight

**Masterbox** Qty. 3  
**Size** H: 0,86 cm, Ø: 6 cm  
**IP Class** IP20, Class 3 (12V)  
**Cable** White 150 cm, On the cable  
**Lightsource** LED Module - 4X0.7W LED, 75 Lumen, 3000 Kelvin,  
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
 Ideally suited for under cabinet lighting  
 Cable 1,5m included  
 Inline on/off switch  
 5 year LED guarantee





Mounted directly into insulation



Build in height 1,1 cm



Cutout Ø 6,2 cm



**Aluminium 79440029**  
Plastic/Metal

## CAMBIO 3-Kit Surface downlight

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 1,1 cm, Ø: 6.5 cm
<b>IP Class</b>	IP20-23, Class 3 (12V)
<b>Cable</b>	White 200 cm, Switch: On the cable
<b>Lightsource</b>	LED Module - 3X2W LED, 150 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 90°, Cannot be dimmed

### Features

- Ideally suited for under cabinet lighting
- Can be mounted directly into insulation
- Connector block included
- Recessed and surface mounting
- 5 year LED guarantee







# *Battens*







White 47826101  
Plastic

## ARLINGTON 60 Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 3,2 cm, L: 61 cm, D: 4,5 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 12W LED, 1000 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

### Features

Ideally suited for under cabinet lighting  
5 year LED guarantee



White 47836101  
Plastic

## ARLINGTON 120 Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 3,2 cm, L: 121 cm, D: 4,5 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 21W LED, 1900 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

### Features

Ideally suited for under cabinet lighting  
5 year LED guarantee



**White 47846101**  
Plastic

## **ARLINGTON 150** Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 3,2 cm, L: 151 cm, D: 4,5 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 25W LED, 2200 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

### **Features**

Ideally suited for under cabinet lighting  
5 year LED guarantee



**White 2110016101**  
Plastic

## **BITY 40 3000K** Batten Light Fitting

**Masterbox** Qty. 6  
**Size** H: 2,3 cm, L: 40 cm, D: 5,8 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 6W LED, 530 Lumen, 3000 Kelvin, 25000 Hours,  
RA 80, Beamangle 110°, Cannot be dimmed

### **Features**

On/off by hand movement (motion sensor)  
Installation brackets included  
Rear cable entry  
5 year LED guarantee



**White 2110026101**  
Plastic

## **BITY 55 4000K** Batten Light Fitting

**Masterbox** Qty. 4  
**Size** H: 2,3 cm, L: 55 cm, D: 5,8 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 8,2W LED, 780 Lumen, 3000 Kelvin,  
25000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

### **Features**

On/off by hand movement (motion sensor)  
Installation brackets included  
Rear cable entry  
5 year LED guarantee




**White 47416101**  
Plastic

## **LATONA 5W** Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 5W LED, 420 Lumen, 3000/4000 Kelvin,  
25000 Hours, RA 80, Beamangle 130°, Has built-in  
dimmable light source with Moodmaker™ functionality

### **Features**

2-step Moodmaker™ 3000K/4000K by switch on body  
Ideally suited for under cabinet lighting  
Parallel connection possible  
Connection cable included  
Extendable by connecting multiple rails  
5 year LED guarantee






**White 47426101**  
Plastic

## LATONA 9W Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 9W LED, 730 Lumen, 3000/4000 Kelvin,  
25000 Hours, RA 80, Beamangle 130°, Has built-in  
dimmable light source with Moodmaker™ functionality

### Features

2-step Moodmaker™ 3000K/4000K by switch on body  
Ideally suited for under cabinet lighting  
Parallel connection possible  
Connection cable included  
Extendable by connecting multiple rails  
5 year LED guarantee




**White 47436101**  
Plastic

## LATONA 12W Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 12W LED, 1050 Lumen, 3000/4000 Kelvin,  
25000 Hours, RA 80, Beamangle 130°, Has built-in  
dimmable light source with Moodmaker™ functionality

### Features

2-step Moodmaker™ 3000K/4000K by switch on body  
Ideally suited for under cabinet lighting  
Parallel connection possible  
Connection cable included  
Extendable by connecting multiple rails  
5 year LED guarantee





White 47716101  
Plastic


## OAKLAND 60 Single Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 6,3 cm, W: 6,3 cm, L: 63,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 12W LED, 1250 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee



White 47726101  
Plastic


## OAKLAND 60 Double Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 6,5 cm, W: 8,3 cm, L: 63,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 23W LED, 2400 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee







White 47736101  
Plastic


## OAKLAND 120 Single Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 6,3 cm, W: 6,3 cm, L: 123,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 23W LED, 2400 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee



White 47746101  
Plastic


## OAKLAND 120 Double Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 6,5 cm, W: 8,3 cm, L: 123,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 43W LED, 4400 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee





**White 47756101**  
Plastic

## **OAKLAND 150 Single** Batten Light Fitting

**Masterbox** Qty. 6  
**Size** H: 6,3 cm, W: 6,3 cm, L: 153,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 29W LED, 3150 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### **Features**

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee



**White 47766101**  
Plastic

## **OAKLAND 150 Double** Batten Light Fitting

**Masterbox** Qty. 6  
**Size** H: 6,5 cm, W: 8,3 cm, L: 153,2 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 61W LED, 6300 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### **Features**

Upgraded generation - lumen uplift  
Parallel connection possible  
Twist lock - Easy connect  
Centred wiring - new higher brackets cable lead  
IP65 - In and outdoor use  
5 year LED guarantee




White 47776101  
Plastic

## RENTON 30 2700K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Switch** On the fixture  
**Lightsource** LED Module - 5W LED, 420 Lumen, 2700 Kelvin, 35000 Hours,  
RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
5 year LED guarantee




White 47786101  
Plastic

## RENTON 55 2700K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Switch** On the fixture  
**Lightsource** LED Module - 9W LED, 840 Lumen, 2700 Kelvin,  
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee






White 47796101  
Plastic

## RENTON 90 2700K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsource** LED Module - 12W LED, 1200 Lumen, 2700 Kelvin,  
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee




White 47806101  
Plastic

## RENTON 110 2700K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 111,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsource** LED Module - 15W LED, 1450 Lumen, 2700 Kelvin,  
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee






White 47816101  
Plastic

## RENTON 150 2700K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 151,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsource** LED Module - 20W LED, 1500 Lumen, 2700 Kelvin,  
25000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee




White 2111016101  
Plastic

## RENTON 30 4000K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Switch** On the fixture  
**Lightsource** LED Module, 4000 Kelvin, 35000 Hours, RA 80,  
Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
5 year LED guarantee





White 2111026101  
Plastic


## RENTON 55 4000K Batten Light Fitting



**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Switch** On the fixture  
**Lightsources** LED Module, 4000 Kelvin,  
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee



White 2111036101  
Plastic


## RENTON 90 4000K Batten Light Fitting



**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsources** LED Module, 4000 Kelvin, 35000 Hours, RA 80,  
Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee






White 2111046101  
Plastic

## RENTON 110 4000K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 111,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsource** LED Module, 4000 Kelvin, 35000 Hours, RA 80,  
Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee




White 2111056101  
Plastic

## RENTON 150 4000K Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 2,4 cm, L: 151,2 cm, D: 3,4 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Cable** On the fixture  
**Lightsource** LED Module, 4000 Kelvin, 25000 Hours, RA 80,  
Beamangle 130°, Cannot be dimmed

### Features

Parallel connection possible  
Ideally suited for under cabinet lighting  
Connection cable included  
Switch on body  
Extendable by connecting multiple rails  
5 year LED guarantee






**White 47856101**  
Plastic/Metal

## TRENTON Batten Light Fitting

**Masterbox** Qty. 3  
**Size** H: 5 cm, W: 16 cm, L: 60 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsource** LED Module - 23W LED, 1900 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
Ultra-flat design  
5 year LED guarantee




**Grey 49646110**  
Plastic

## WESTPORT 60 Single Batten Light Fitting

**Masterbox** Qty. 6  
**Size** W: 5,4 cm, L: 55,8 cm, D: 5,4 cm,  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 11W LED, 1050 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

**Features**  
IP65 - In and outdoor use  
5 year LED guarantee







Grey 49656110  
Plastic


## WESTPORT 60 Double Batten Light Fitting



**Masterbox** Qty. 6  
**Size** W: 5,4 cm, L: 55,8 cm, D: 5,4 cm,  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 23W LED, 2100 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

IP65 - In and outdoor use  
5 year LED guarantee



Grey 49666110  
Plastic


## WESTPORT 120 Single Batten Light Fitting



**Masterbox** Qty. 6  
**Size** W: 5,4 cm, L: 115,8 cm, D: 5,4 cm,  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 23W LED, 2160 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

IP65 - In and outdoor use  
5 year LED guarantee





Grey 49676110  
Plastic

## WESTPORT 120 Double Batten Light Fitting



**Masterbox** Qty. 6  
**Size** W: 5,4 cm, L: 115,8 cm, D: 5,4 cm,  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsources** LED Module - 43W LED, 4400 Lumen, 4000 Kelvin,  
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

### Features

IP65 - In and outdoor use  
5 year LED guarantee



Grey 27386101  
Plastic


## WORKS IP65 1x9W LED Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 9 cm, W: 8,5 cm, L: 66 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max. 10W, Incl. 9W T8 LED, 850 Lumen, 4000 Kelvin,  
15000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

### Features

Parallel connection possible  
IP65 - In and outdoor use  
Easy Connect





Grey 27396101  
Plastic


## WORKS IP65 1x18W LED Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 9 cm, W: 8,5 cm, L: 126,6 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max 20W, Incl. 18W  
T8 LED, 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

### Features

Parallel connection possible  
IP65 - In and outdoor use  
Easy Connect



Grey 27586101  
Plastic


## WORKS IP65 2x9W LED Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 9 cm, W: 11,8 cm, L: 66 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max. 2x10W, incl. 2x9W  
T8 LED, 850 Lumen, 4000 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

### Features

Parallel connection possible  
In- and outdoor use (IP65)  
Easy Connect





Grey 27596101  
Plastic


## WORKS IP65 2x18W LED Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 9 cm, W: 11,8 cm, L: 127 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max. 2x18W, Incl. 2x18W T8 LED,  
3300 Lumen, 4000 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

### Features

Parallel connection possible  
IP65 - In and outdoor use  
Easy Connect



Grey 2111076101  
Plastic

## WORKS IP65 1x24 Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 7,3 cm, L: 155,3 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max. 24W, Incl. 24W T8 LED,  
2112 Lumen, 4000 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

### Features

Parallel connection possible  
IP65 - In and outdoor use  
Easy Connect



**Grey 2111086101**  
Plastic

## **WORKS IP65 2x24** Batten Light Fitting



**Masterbox** Qty. 6  
**Size** H: 7,3 cm, L: 155,3 cm,  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsources** G13, Max. 2x24W, Incl. 2x24W T8 LED,  
4220 Lumen, 4000 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°, Cannot be dimmed

### **Features**

Parallel connection possible  
IP65 - In and outdoor use  
Easy Connect

# *Downlight*







**White 2110350101**  
Plastic

**Black 2110350103**  
Plastic



Build in height  
7,8 cm



Cutout Ø  
7,3-8,3 cm

**Moodmaker™ Step Dimming**




**Step 1**  
All on



**Step 2**  
Center 50%





**Step 3**  
Ring on

**ALEC** Downlight 

- Masterbox** Qty. 3
- Size** H: 5,8 cm, Ø: 9,5 cm
- IP Class** IP20-44, Class 2 (Double isolated)
- Lightsource** LED Module - 6,1W LED, 480 Lumen, 3000 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- 3-Step Moodmaker™ dimmer 100%-50% + outer ring
  - IP44 protected for water splashing in all directions
  - Flexible cut-out size from 73 mm to 83 mm (adaptor)
  - Built-in connector block, memory and reset function
  - Easy screwless push-in connections (no tooling)
  - Parallel connection up to 15 pcs.



**White 84950001**  
Plastic



Parallel connection



Build in height  
6 cm



Mounted directly into insulation





Cutout Ø  
7 cm

**BIRLA** Downlight 

- Masterbox** Qty. 6
- Size** H: 5,75 cm, Ø: 9,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 6W LED, 600 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 90°, Has built-in dimmable light source for wall dimmer


- Features**
- Can be mounted directly into insulation
  - Parallel connection possible
  - 5 year LED guarantee







**White 47500101**  
Plastic



**Moodmaker™ Step Dimming**



**Step 1**  
All on



**Step 2**  
Center on





**Step 3**  
Ring on

**CLYDE 8 2700K** Downlight 


- Masterbox** Qty. 3
- Size** H: 3,5, Ø: 8,2 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

**Features**

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee



**White 47650101**  
Plastic



**Moodmaker™ Step Dimming**



**Step 1**  
All on



**Step 2**  
Center on





**Step 3**  
Ring on

**CLYDE 8 4000K** Downlight 

- Masterbox** Qty. 3
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 5W LED, 400 Lumen, 4000 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

**Features**

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee





**White 47510101**  
Plastic

## CLYDE 15 2700K Downlight

**Masterbox** Qty. 3  
**Size** H: 3,3 cm, Ø: 14,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 12W LED, 800 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

### Features

3-Step Moodmaker™ dimmer both/inner/outer rings  
 Parallel connection possible  
 Connector block included  
 Memory & reset function  
 5 year LED guarantee



Parallel connection



Build in height 5 cm



Cutout Ø 13 cm

### Moodmaker™ Step Dimming





Step 1  
All on



Step 2  
Center on



Step 3  
Ring on



**White 47660101**  
Plastic

## CLYDE 15 4000K Downlight

**Masterbox** Qty. 3  
**Size** 3.314.5513  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 12W LED, 900 Lumen, 4000 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

### Features

3-Step Moodmaker™ dimmer both/inner/outer rings  
 Parallel connection possible  
 Connector block included  
 Memory & reset function  
 5 year LED guarantee



Parallel connection



Build in height 5 cm



Cutout Ø 13 cm

### Moodmaker™ Step Dimming





Step 1  
All on



Step 2  
Center on



Step 3  
Ring on





**White 49400101**  
Plastic/Metal



**Nickel 49400155**  
Plastic/Metal



Parallel connection



Build in height  
6,8 cm




Cutout Ø  
7,2 cm

## DORADO 3-Kit IP20 2700K Downlight

**Masterbox** Qty. 3  
**Size** H: 5,4 cm, Ø: 8,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsources** LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable 0-100% by wall dimmer excl.  
 Parallel connection possible  
 Connector block included  
 5 year LED guarantee



**White 49430101**  
Plastic/Metal



**Nickel 49430155**  
Plastic/Metal



Parallel connection



Build in height  
4,6 cm




Cutout Ø  
7,2 cm

## DORADO 1-Kit IP65 2700K Downlight

**Masterbox** Qty. 3  
**Size** H: 3,6 cm, Ø: 8,5 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsources** LED Module - 5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source for wall dimmer

### Features

Stepless dimmable 0-100% by wall dimmer excl.  
 Ideally suited for bathroom zone 1-2 (IP65)  
 Parallel connection possible  
 Connector block included  
 5 year LED guarantee





**White 49410101**  
Plastic/Metal



**Nickel 49410155**  
Plastic/Metal



Parallel connection



Build in height  
4,6 cm




Cutout Ø  
7,2 cm

## DORADO 3-Kit IP65 2700K Downlight

**Masterbox** Qty. 3  
**Size** H: 3,6 cm, Ø: 8,5 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source for wall dimmer

### Features

Ideally suited for bathroom zone 1-2 (IP65)  
Stepless dimmable 0-100% by wall dimmer excl.  
Parallel connection possible  
Connector block included  
5 year LED guarantee



**White 47520101**  
Plastic



Parallel connection



Build in height  
5 cm



Cutout Ø  
6,5 cm

### Moodmaker™ Step Dimming



**Step 1**  
All on



**Step 2**  
Center on




**Step 3**  
Ring on

## ELKTON 8 Downlight

**Masterbox** Qty. 3  
**Size** H: 4,2 cm, Ø: 8,2 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 5,5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

### Features

3-Step Moodmaker™ dimmer both/inner/outer rings  
Parallel connection possible  
Connector block included  
Memory & reset function  
5 year LED guarantee





**White 47530101**  
Plastic



Parallel connection



Build in height  
5 cm



Cutout Ø  
13 cm

**Moodmaker™ Step Dimming**



Step 1  
All on



Step 2  
Center on




Step 3  
Ring on

**ELKTON 14** Downlight 

**Masterbox** Qty. 3  
**Size** H: 3,8 cm, Ø: 14,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 12W LED, 800 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

**Features**

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee



**White 47580101**  
Plastic/Metal



**Black 47580103**  
Plastic/Metal



**Brushed steel 47580132**  
Plastic/Metal



Parallel connection



Build in height  
6,8 cm




Cutout Ø  
7,2 cm

**FREMONT 3-Kit** Downlight 

**Masterbox** Qty. 3  
**Size** H: 5,4 cm, Ø: 8,5 cm  
**IP Class** IP23, Class 2 (Double isolated)  
**Lightsource** LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

**Features**

- Stepless dimmable 0-100% by wall dimmer excl.
- Parallel connection possible
- 5 year LED guarantee





**White 71810101**  
Plastic/Metal

**Brushed steel 71810132**  
Plastic/Metal



Parallel connection



Build in height 6,5 cm



Mounted directly into insulation




Cutout Ø 7,6 cm

## MIXIT Pro Downlight

- Masterbox** Qty. 3
- Size** H: 7,2 cm, Ø: 8,5 cm
- IP Class** IP23, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,  
Can be dimmed by choosing a dimmable bulb

### Features

- Ideally suited for combination with Nordlux Smart
- Can be mounted directly into insulation
- Parallel connection possible
- Connector block included



**Brushed steel 71820132**  
Plastic/Metal



Parallel connection



Build in height 14 cm



Mounted directly into insulation




Cutout Ø 7,6 cm

## MIXIT PRO Downlight

- Masterbox** Qty. 3
- Size** H: 13,5 Ø: 8,5 cm
- IP Class** IP23, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,  
Can be dimmed by choosing a dimmable bulb

### Features

- Ideally suited for combination with Nordlux Smart
- Can be mounted directly into insulation
- Parallel connection possible
- Connector block included





Build in height  
10,5 cm





Cutout Ø  
6,8 cm

**White 49270101**  
Plastic

**Nickel 49270155**  
Plastic

## OCTANS 3-Kit 4000K Downlight

**Masterbox** Qty. 3  
**Size** H: 9 cm, Ø: 8,5 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** GU10 - 3X4,8W LED,  
 Max. 7,5W LED, 380 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 36°, Cannot be dimmed





**White 84650001**  
Metal

**Brushed steel 84650032**  
Metal

## RECESS 3-Kit Downlight

**Masterbox** Qty. 3  
**Size** 7.958.15157.525  
**IP Class** IP23, Class 2 (Double isolated)  
**Cable** Black 200 cm, replaceable  
**Lightsource** GU10 - 3X3WCOB,  
 Max. 3X35W175 Lumen, 3000 Kelvin, 25000 Hours, RA 80,  
 Beamangle 38°, No, cannot be dimmed

**Features**  
 Parallel connection possible  
 Cable 2,0m included





**White 84960001**  
Plastic



**Black 84960003**  
Plastic



Parallel connection



Build in height  
7 cm



Mounted directly  
into insulation





Cutout  
6,8 cm

## ROAR Downlight

<b>Masterbox</b>	Qty. 6
<b>Size</b>	4.48.576.830
<b>IP Class</b>	IP23, Class 2 (Double isolated)
<b>Cable</b>	White 20 cm, replaceable
<b>Lightsource</b>	LED Module - 6,5W LED, 550 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 40°, Has built-in dimmable light source for wall dimmer

### Features

- Parallel connection possible
- Can be mounted directly into insulation
- 5 year LED guarantee



**White 2110370101**  
Plastic/Metal



**Nickel 2110370155**  
Plastic/Metal



Parallel connection



Build in height  
4 cm





Cutout Ø  
7,2 cm

## SIEGE Downlight

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 4,5 cm, Ø: 8,5 cm
<b>IP Class</b>	IP65, Class 2 (Double isolated)
<b>Lightsource</b>	LED Module - 4,7W LED, 345 Lumen, 3000 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Cannot be dimmed

### Features

- Downlighter for mounting directly into insulation
- Water resistant (IP65) (water jets from any angle)
- Parallel connection possible (up to 15 downlighters)
- External connector block/driver included
- Easy screwless push-in connections (no tooling)
- 5 year LED guarantee







Parallel connection



Build in height 5,2 cm



Cutout Ø 7,2 cm

**White 2110360101**  
Plastic/Metal



**Black 2110360103**  
Plastic/Metal

## STAKE Downlight

- Masterbox** Qty. 3
- Size** H: 5,3 cm, Ø: 8,8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsources** LED Module - 6,1W LED, 450 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

### Features

- Anti-glare, eye friendly design
- Parallel connection possible (up to 15 downlighters)
- External connector block/driver included
- Stepless dimmable (external dimmer)
- Easy screwless push-in connections (no tooling)
- 5 year LED guarantee



Parallel connection



Cutout Ø 5,5 cm


**White 49570101**  
Plastic/Metal

**Nickel 49570155**  
Plastic/Metal

### Moodmaker™ Step Dimming



Step 1  
2700K




Step 2  
4000K


## TIAKI Downlight

- Masterbox** Qty. 3
- Size** H: 4,5 cm, Ø: 8,5 cm
- IP Class** IP65, Class 2 (Double isolated)
- Lightsources** LED Module - 8,6W, 345 Lumen, 2700/4000 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source with Moodmaker™ functionality

### Features

- 2-step Moodmaker™ 2700K345lm/4000K600lm-switch
- Ideally suited for bathroom zone 1-2 (IP65)
- Parallel connection possible
- Memory & reset function
- Connector block included
- 5 year LED guarantee







**Galvanized 20299931\***  
Metal

## TIP Downlight

**Masterbox** Qty. 3  
**Size** H: 15 cm, Ø: 8 cm  
**IP Class** IP23, Class 2 (Double isolated)  
**Lightsources** GU10 - not included, Max. 35W,  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Parallel connection possible  
 15 year anti corrosion guarantee




**White 54540101**  
Metal

**Brushed steel 54540132**  
Metal

## TRITON 3-Kit Downlight

**Masterbox** Qty. 6  
**Size** H: 15 cm, Ø: 9 cm  
**IP Class** IP23, Class 2 (Double isolated)  
**Lightsources** GU10 - not included, Max. 3x35W,  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Parallel connection possible





# *Bathroom*







**White 2015301001**  
Plastic



**Chrome 2015301033**  
Plastic

**Moodmaker™ Step Dimming**




**Step 1**  
All on

**Step 2**  
Night light

**HELVA Night** Wall light 

- Masterbox** Qty. 3
- Size** H: 26,9 cm, W: 5,7 cm, D: 10,5 cm
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** LED Module - 6.8W LED, 600 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- 2-step Moodmaker™ function
- Night light (60 lumen)
- 5 year LED guarantee



**White 2015311001**  
Plastic





**Black 2015311003**  
Plastic

**HELVA Double Basic** Wall light 

- Masterbox** Qty. 3
- Size** H: 10,6 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm,
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** LED Module - 9W LED, 900 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Cannot be dimmed

- Features**
- Cabinet bracket included
- Vertical/horizontal installation possible
- 5 year LED guarantee





**Chrome 2015321033** Plastic  
**Brushed Nickel 2015321055** Plastic

**Moodmaker™ Step Dimming**




**Step 1**  
4000K

**Step 2**  
3000K

**HELVA Double** Wall light

**Masterbox** Qty. 3  
**Size** L: 42,5 cm, W: 5,7 cm, D: 10,5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 9,5W LED, 900 Lumen, 3000/4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
 2-step Moodmaker™ function  
 Stepless touch dimmer  
 Cabinet bracket included  
 Vertical/horizontal installation possible  
 5 year LED guarantee



**White 2015391001**  
Plastic/Glass

**Black 2015391003**  
Plastic/Glass

**Chrome 2015391033**  
Plastic/Glass

**Moodmaker™ Step Dimming**



**Step 1**  
100%


**Step 2**  
50%


**Step 3**  
20%

**HESTER** Wall light


**Masterbox** Qty. 3  
**Size** H: 25,5 cm, W: 9,25 cm, L: 20 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 9,5W LED, 900 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

**Features**  
 3-Step Moodmaker™ by wall switch: 100%-50%-20%  
 Night Light 60lm memory  
 Tempered frosted cut glass  
 Memory + reset option  
 5 year LED guarantee





**White c**  
Aluminium/Plastic



**Chrome 2015401033**  
Aluminium/Plastic




**Brushed Nickel 2015401055**  
Aluminium/Plastic

## OTIS 40 Wall light

**Masterbox** Qty. 3  
**Size** H: 7,5 cm, W: 14,6 cm, L: 40 cm, D: 7,5 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 14W LED, 1300 Lumen, 3000 Kelvin,  
 25000 Hours, RA 90, Has built-in dimmable light source with  
 Moodmaker™ functionality

### Features

2-step Moodmaker™ by wall switch: 100%-night light  
 Night Light Function 20lm memory  
 Cabinet bracket included  
 Adjustable - rotating reflector/telescopic depth  
 Vertical/horizontal installation possible  
 5 year LED guarantee



**White 2015411001**  
Aluminium/Plastic



**Chrome 2015411033**  
Aluminium/Plastic




**Brushed Nickel 2015411055**  
Aluminium/Plastic

## OTIS 60 Wall light

**Masterbox** Qty. 3  
**Size** H: 7,5 cm, W: 14,6 cm, L: 60 cm, D: 7,5 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 17W  
 LED, 1650 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Yes,  
 has built-in dimmable light source with Moodmaker™  
 functionality

### Features

2-step Moodmaker™ by wall switch: 100%-night light  
 Night Light Function 35lm memory  
 Cabinet bracket included  
 Adjustable - rotating reflector/telescopic depth  
 Vertical/horizontal installation possible  
 5 year LED guarantee







**White 78511001**  
Metal/Plastic




**Brushed steel 78511032**  
Metal/Plastic

## IP S4 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
- Size** D: 11 cm, Ø: 10 cm, Ø 9,820
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,  
Can be dimmed by choosing a dimmable bulb

**Features**  
Ideally suited for combination with Nordlux Smart  
Also ideal to install in other indoor rooms




**White 78521001**  
Metal/Plastic

## IP S5 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
- Size** H: 11 cm, D: 15 cm, Ø: 10 cm
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED  
Can be dimmed by choosing a dimmable bulb

**Features**  
Ideally suited for combination with Nordlux Smart  
Also ideal to install in other indoor rooms





**White 78531001**  
Metal/Plastic




**Brushed steel 78531032**  
Metal/Plastic

## IP S6 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3  
**Size** H: 18 cm, D: 19 cm, Shade Ø: 12,1 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** GU10 - not included, Max. 8W SMD LED,  
 Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart  
 Adjustable reflector  
 Also ideal to install in other indoor rooms  
 Ideally suited as bed lamp



**White 83051001**  
Metal/Plastic




**Chrome 83051033**  
Metal/Plastic

## IP S12 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3  
**Size** H: 9 cm, W: 8,5 cm, D: 10,5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 5W LED, 400 Lumen, 3000 Kelvin,  
 20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

### Features

Adjustable reflector  
 Also ideal to install in other indoor rooms  
 5 year LED guarantee







**White 83061001**  
Metal/Plastic

**Brushed steel 83061032**  
Metal/Plastic

## IP S13 40 Bathroom lighting by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** L: 40,3 cm, D: 11,8 cm, Ø9  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 5.6W LED, 406 Lumen, 3000 Kelvin,  
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
 Adjustable reflector  
 Also ideal to install as picture light  
 5 year LED guarantee




**White 83071001**  
Metal/Plastic

**Brushed steel 83071032**  
Metal/Plastic

## IP S13 60 Bathroom lighting by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** L: 60,3 cm, D: 11,8 cm, Ø9  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 6.3W LED, 443 Lumen, 3000 Kelvin,  
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

**Features**  
 Adjustable reflector  
 Also ideal to install as picture light  
 5 year LED guarantee





**White 2110660101**  
Metal/Plastic



**Black 2110660103**  
Metal/Plastic

## LANDON 8 Bathroom lighting



**Masterbox** Qty. 3  
**Size** H: 8,2 cm, W: 12,5 cm, L: 12,5 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 6,5W  
 LED, 600 Lumen, 2700 Kelvin, 20000 Hours, RA 80,  
 Beamangle 110°, Has built-in dimmable light source with  
 Moodmaker™ functionality

**Features**  
 3-step Moodmaker™ dimming on inner and outer light ring (incl. night light)  
 IP44-lid protected water splashing all directions  
 Extra lid for mounting on hook included (IP20)  
 Easy screwless push-in connection that requires no tooling  
 5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
All on

**Step 2**  
Center 50%

**Step 3**  
Ring on



**White 2110670101**  
Metal/Plastic



**Black 2110670103**  
Metal/Plastic

## LANDON 14 Bathroom lighting



**Masterbox** Qty. 3  
**Size** H: 14 cm, W: 12,5 cm, L: 12,5 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 6,5W  
 LED, 600 Lumen, 2700 Kelvin, 20000 Hours, RA 80,  
 Beamangle 110°, Has built-in dimmable light source with  
 Moodmaker™ functionality

**Features**  
 3-step Moodmaker™ dimming on inner and outer light ring (incl. night light)  
 IP44-lid protected water splashing all directions  
 Extra lid for mounting on hook included (IP20)  
 Built-in connector block, memory and reset function  
 Easy screwless push-in connection that requires no tooling  
 5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
All on

**Step 2**  
Center 50%

**Step 3**  
Ring on





**Chrome 62329933**  
Metal/Glass



**Black 62329903**  
Metal/Glass

## MARINA Bathroom lighting by KB

**Masterbox** Qty. 3  
**Size** H: 15 cm, W: 8,6 cm, D: 14 cm, Shade Ø: 5,5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** G9 - not included, Max. 40W,  
 Can be dimmed by choosing a dimmable bulb

**Features**  
 Manually blown sandblasted glass



**White 2110701001**  
Metal/Plastic




**Black 2110701003**  
Metal/Plastic

## MARLEE Bathroom lighting



**Masterbox** Qty. 3  
**Size** H: 3,8 cm, W: 13,6 cm, L: 50 cm,  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module, 800 Lumen, 3000 Kelvin, 25000 Hours,  
 RA 90, Beamangle 120°, No, cannot be dimmed

**Features**  
 Incl. three different installation possibilities  
 Can be mounted on a wall, on a mirror or on a cabinet  
 IP44 protected for water splashing in all directions  
 RA90 natural light and 800 lumen  
 5 year LED guarantee






White 2110711001  
Plastic/Aluminium

## SJAVER Bathroom lighting

- Masterbox** Qty. 3
- Size** H: 7 cm, W: 5,6 cm, L: 60 cm,
- IP Class** IP44, Class 1 (Earth contact)
- Cable** White 35 cm, non replaceable On the fixture
- Lightsource** LED Module - 15W LED, 1200 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 90, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

### Features

- Moodmaker™ Scene Select 3000K/4000K body switch
- IP44 protected for water splashing in all directions
- Lifetime 30.000 hours
- Including EU plug and on/off switch
- 5 year LED guarantee




White 2110726101  
Plastic

## SÖLLER 12 Bathroom lighting

- Masterbox** Qty. 3
- Size** H: 2,5 cm, D: 2,5 cm, Ø: 12.9 cm, 4.510
- IP Class** IP20-44, Class 2 (Double isolated)
- Lightsource** LED Module - 7,5W LED, 600 Lumen, 4000/3000 Kelvin, 20000 Hours, RA 80, Beamangle 110°, Yes, has built-in dimmable light source with Moodmaker™ functionality

### Features

- Moodmaker™ Scene Select 3000K/4000K and night light
- IP44 protected for water splashing in all directions
- Can be recessed as well as surface mounted
- Can be recessed mounted from Ø95-115 mm
- With memory and reset function
- 5 year LED guarantee



Build in height  
4,5 cm




Cutout Ø  
10 cm

### Moodmaker™ Step Dimming



Step 1  
4000K



Step 2  
3000K



Step 3  
20% 3000K




Build in height  
4,5 cm



Cutout Ø  
15 cm

White 2110736101  
Plastic

#### Moodmaker™ Step Dimming




## SOLLER 17 Bathroom lighting



**Masterbox** Qty. 3  
**Size** H: 2,5 cm, D: 2,5 cm, Ø: 17.9 cm, 4.515  
**IP Class** IP20-44, Class 2 (Double isolated)  
**Lightsource** LED Module - 9,5W  
LED, 1000 Lumen, 4000/3000 Kelvin, 20000 Hours, RA 80,  
Beamangle 110°, Has built-in dimmable light source with  
Moodmaker™ functionality

#### Features

Moodmaker™ Scene Select 3000K/4000K and night light  
IP44 protected for water splashing in all directions  
Can be recessed as well as surface mounted  
Can be recessed mounted from Ø95-155 mm  
With memory and reset function  
5 year LED guarantee




Build in height  
4,5 cm



Cutout Ø  
20 cm

White 2110746101  
Plastic

#### Moodmaker™ Step Dimming




## SOLLER 22 Bathroom lighting



**Masterbox** Qty. 3  
**Size** H: 2,5 cm, D: 2,5 cm, Ø: 23,4 cm  
**IP Class** IP20-44, Class 2 (Double isolated)  
**Lightsource** LED Module - 14W LED, 1600 Lumen, 4000/3000 Kelvin,  
20000 Hours, RA 80, Beamangle 110°,  
Has built-in dimmable light source with  
Moodmaker™ functionality

#### Features

Moodmaker™ Scene Select 3000K/4000K and night light  
IP44 protected for water splashing in all directions  
Can be recessed as well as surface mounted  
Can be recessed mounted from Ø95-200 mm  
With memory and reset function  
5 year LED guarantee






**Brushed steel 17131032**  
Glass/Metal

## TANG Single Bathroom lighting

- Masterbox** Qty. 3  
**Size** H: 18,5 cm, W: 6 cm, D: 9,5 cm, Shade Ø: 6 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E14 - not included, Max. 40W,  
 Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart  
 Manually blown frosted glass  
 5 year LED guarantee



**Chrome 17141029**  
Glass/Metal




**Brushed steel 17141032**  
Glass/Metal

## TANG Double Bathroom lighting

- Masterbox** Qty. 3  
**Size** H: 6 cm, W: 31 cm, D: 9,5 cm, Shade Ø: 6 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E14 - not included, Max. 2X25W  
 Can be dimmed by choosing a dimmable bulb

### Features

Ideally suited for combination with Nordlux Smart  
 Manually blown frosted glass  
 Vertical/horizontal installation possible  
 5 year LED guarantee







# *LED strip*








**White 47970000**  
Silicone/Plastic

## LED STRIP 3M LED strip

**Masterbox** Qty. 6  
**Size** H: 0,7 cm, W: 1 cm, L: 300 cm,  
**IP Class** IP23, Class 3 (12V)  
**Cable** White 120 cm,  
**Lightsource** LED Module RGB, 30000 Hours, Beamangle 120°,  
 Has built-in dimmable light source with button or touch

### Features

Stepless dimmable 0-100% by remote control (incl.)  
 RGB by remote control (incl.)  
 Cable 1,2m included  
 5 year LED guarantee




**White 47980000**  
Silicone/Plastic

## LED STRIP 5M LED strip

**Masterbox** Qty. 6  
**Size** H: 0,2 cm, W: 0,8 cm, L: 500 cm,  
**IP Class** IP23, Class 3 (12V)  
**Cable** White 120 cm,  
**Lightsource** LED Module, 900 Lumen, 2700 Kelvin, 30000 Hours,  
 Beamangle 120°, Cannot be dimmed

### Features

Cable 1,2m included  
 5 year LED guarantee





White 2210329901  
Silicone/Plastic

## LED STRIP 3M Basic LED strip

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 0,15 cm, W: 300 cm, L: 300 cm,
<b>IP Class</b>	IP20, Class 3 (12V)
<b>Cable</b>	Plastic, White 120 cm, non replaceable
<b>Lightsource</b>	LED Module, 2700 Kelvin, 35000 Hours, Cannot be dimmed

### Features

Easy to install - adhesive tape on strip  
Multi-purpose use



White 2210319901  
Silicone/Plastic

## LED STRIP 5M Basic LED strip

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 0,15 cm, W: 500 cm, L: 500 cm,
<b>IP Class</b>	IP20, Class 3 (12V)
<b>Cable</b>	Plastic, White 120 cm, non replaceable
<b>Lightsource</b>	LED Module, 2700 Kelvin, 35000 Hours, Cannot be dimmed

### Features

Easy to install - adhesive tape on strip  
Multi-purpose use



**White 2210339901**  
Silicone/Plastic

## LED STRIP 10M Basic LED strip

**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 1000 cm, L: 1000 cm,  
**IP Class** IP20, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module 2700 Kelvin, 35000 Hours,  
 Cannot be dimmed

### Features

Easy to install - adhesive tape on strip  
 Multi-purpose use



**White 2210359901**  
Silicone/Plastic

## LED STRIP 3M 2700-6000K LED strip

**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 300 cm, L: 300 cm,  
**IP Class** IP44, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module, 2700-6000K Kelvin, 35000 Hours,  
 Has built-in dimmable light source with button or touch

### Features

Adjustable and dimmable white light (2700K-6000K)  
 Remote control included  
 Suitable for humid areas (IP44)  
 Easy to install - adhesive tape on strip



**White 2210369901**  
Silicone/Plastic

## LED STRIP 5M 2700-6000K LED strip



**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 500 cm, L: 500 cm,  
**IP Class** IP44, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module, 2700-6000K Kelvin, 35000 Hours,  
 Has built-in dimmable light source with button or touch

### Features

Adjustable and dimmable white light (2700K-6000K)  
 Remote control included  
 Suitable for humid areas (IP44)  
 Easy to install - adhesive tape on strip



**White 2210379901**  
Silicone/Plastic

## LED STRIP 10M 2700-6000K LED strip



**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 1000 cm, L: 1000 cm,  
**IP Class** IP44, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module, 2700-6000K Kelvin, 35000 Hours,  
 Has built-in dimmable light source with button or touch

### Features

Adjustable and dimmable white light (2700K-6000K)  
 Remote control included  
 Suitable for humid areas (IP44)  
 Easy to install - adhesive tape on strip



**White 2210399901**  
Silicone/Plastic

## LED STRIP 3M RGB Music LED strip

**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 300 cm, L: 300 cm,  
**IP Class** IP44, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module, 35000 Hours, Has built-in dimmable light source with button or touch

### Features

Adjustable light in white and colour  
 Disco mode makes the light flash to the beat of the music  
 Remote control included  
 Easy to install - adhesive tape on strip



**White 2210409901**  
Silicone/Plastic

## LED STRIP 5M RGB Music LED strip

**Masterbox** Qty. 6  
**Size** H: 0,15 cm, W: 500 cm, L: 500 cm,  
**IP Class** IP44, Class 3 (12V)  
**Cable** Plastic, White 120 cm, non replaceable  
**Lightsource** LED Module, 35000 Hours, Has built-in dimmable light source with button or touch

### Features

Adjustable light in white and colour  
 Disco mode makes the light flash to the beat of the music  
 Remote control included  
 Easy to install - adhesive tape on strip





**White 12351101**  
Plastic

## **TRAFO** Accessories

**Masterbox** Qty. 3  
**Size** H: 2,8 cm, W: 3,8 cm, L: 11,2 cm,  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** Max. 20-105W



**Grey 76859999**  
Plastic

## **SPOTBOX** Miscellaneous

**Masterbox** Qty. 12  
**Size** H: 15 cm, W: 19 cm, L: 19 cm,



**White 531556**  
Plastic

## **DIMMER 35-500W** Accessories

**Masterbox** Qty. 12  
**Size** H: 8,5 cm, W: 8,5 cm,



# *Smart light*







**NEW** White 2210439901  
Copper

## LED STRIP 3M Smart Color Track Light

**Masterbox** Qty. 6  
**Size** H: 0,3 cm, W: 1 cm, L: 300 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** White 120 cm, non replaceable  
**Lightsources** LED Module, 2200-6500 Kelvin, 35000 Hours  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Control light through Nordlux Smart app  
Adjustable light in white and colour  
Suitable for humid areas (IP65)



**NEW** White 2210449901  
Copper

## Smart Color Track Light

**Masterbox** Qty. 6  
**Size** H: 0,3 cm, W: 1 cm, L: 1000 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** White 120 cm, non replaceable  
**Lightsources** LED Module, 2200-6500 Kelvin, 35000 Hours  
Built-in dimmable light source with Nordlux Smart functionality

### Features

More than 16 million colours  
IP65 water resistant (water jets from any angle)



**NEW** White 2110840101  
Plastic




**NEW** Black 2110840103  
Plastic

## LandonSmar Ceiling light

**Masterbox** Qty. 3  
**Size** H: 8,2 cm, Ø: 12.5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 110°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for dim and for inner and outside ring  
Smart use of CCT 2700-6500K  
IP44-lid protected water splashing all directions  
Incl. extra lid for mounting on NO/SW hook (IP20)  
Built-in connector block, memory and reset function  
Easy screwless connection



**NEW** White 2110850101  
Plastic




**NEW** Black 2110850103  
Plastic

## LandonSmar Long Ceiling light

**Masterbox** Qty. 3  
**Size** H: 14 cm, Ø: 12.5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 110°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for dim and for inner and outside ring  
Smart use of CCT 2700-6500K  
IP44-lid protected water splashing all directions  
Incl. extra lid for mounting on NO/SW hook (IP20)  
Built-in connector block, memory and reset function  
Easy screwless connection





White 2015036101  
Metal


**NEW** Black 2015036103  
Metal

## Oja Smart 29 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 29.4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 15W  
LED, 1600 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Built-in dimmable light source with Nordlux Smart  
functionality

### Features

Ultra-slim ceiling panel light  
Bluetooth connection to Nordlux Smart Light  
Adjustable kelvin and lumen output



White 2015136101  
Metal


**NEW** Black 2015136103  
Metal

## Oja Smart 42 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm, Ø: 42.4 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** LED Module - 20W  
LED, 2300 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Built-in dimmable light source with Nordlux Smart  
functionality

### Features

Ultra-slim ceiling panel light  
Bluetooth connection to Nordlux Smart Light  
Adjustable kelvin and lumen output







White 2015146101  
Metal



**NEW** Black 2015146103  
Metal

## Oja Smart 60 Ceiling light

**Masterbox** Qty. 3  
**Size** H: 3,2 cm, Ø: 60 cm, D: 60 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Lightsources** LED Module - 30W  
LED, 3500 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Built-in dimmable light source with Nordlux Smart  
functionality

### Features

Ultra-slim ceiling panel light  
Bluetooth connection to Nordlux Smart Light  
Adjustable kelvin and lumen output




**NEW** White 2110806101  
Plastic

## Harlow Smart RGB Ceiling light

**Masterbox** Qty. 3  
**Size** H: 2,3 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsources** LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for dim, white or colour  
IP54 protected against dust and water splashing  
Ultra-thin design with back light effect  
Parallel, easy push-in connection and side entry  
5 year LED guarantee





**NEW** White 2110826101  
Plastic

**NEW** Black 2110826103  
Plastic

## Liva Smart Color Ceiling light

**Masterbox** Qty. 3  
**Size** H: 3,2 cm, Ø: 36 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** LED Module - 21W LED, 2100 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for dim, white or colour  
Smart use for direct light and outer ring  
IP44 protected for water splashing all directions  
Create ambiance by only lighting side light in colour  
5 year LED guarantee



**NEW** White 2110886101  
Metal

## Djav Smart Color Ceiling light

**Masterbox** Qty. 3  
**Size** H: 9 cm, D: 40 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, Beamangle 120°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for light and music (also Bluetooth)  
Smart use of CCT 2700-6500K  
IP44 protected for water splashing all directions  
Built-in connector block, memory and reset function  
Easy screwless connection  
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

**White 2110900101**  
Metal

**Black 2110900103**  
Metal



**Brushed Nickel 2110900155**  
Metal

## Don Smart Color Downlight

**Masterbox** Qty. 3  
**Size** H: 5,4 cm, Ø: 8.5 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 4,7W LED, 320 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beamangle 60°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Smart use for dim, white or colour  
Water resistant (IP65) (water jets from any angle)  
Parallel connection up to 15 pcs.  
Memory and reset function  
Easy screwless push-in connections (no tooling)  
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

**NEW** **White 2210500001**  
Metal


**NEW** **Black 2210500003**  
Metal

## Don Smart Color Downlight

**Masterbox** Qty. 3  
**Size** H: 5,4 cm, Ø: 8.5 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 4,7W LED, 320 Lumen, 2200-6500 Kelvin, 20000 Hours, Beamangle 60°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

Adjust brightness, warmth and colour of the light  
IP65 water resistant (water jets from any angle)  
Parallel connection up to 15 pcs.  
External driver connector, memory and reset function  
Easy screwless push-in connection that requires no tooling  
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

**White 2015650101**  
Metal

**Black 2015650103**  
Metal



**Brushed Nickel 2015650155**  
Metal

## Dorado Smart Downlight

**Masterbox** Qty. 6  
**Size** H: 7 cm, Ø: 8.5 cm  
**IP Class** IP65, Class 2 (Double isolated)  
**Lightsource** LED Module - 4,7W  
 LED, 360 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80,  
 Beamangle 36°  
 Built-in dimmable light source with Nordlux Smart  
 functionality

### Features

IP 65 protection for both outdoor and bathroom use  
 Bluetooth connection to Nordlux Smart Light  
 Adjustable kelvin and lumen output







**NEW** Frosted 2270042201  
Plastic

## Smart B22 Color Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,8 cm, Ø: 6 cm  
**Lightsources** B22, 806 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
More than 16 million colours  
Cool to warm white light  
Dimmable  
Personalised and pre-set moods



**NEW** Frosted 2270052701  
Plastic

## Smart E27 Color Light Bulb

**Masterbox** Qty. 5  
**Size** H: 10,9 cm, Ø: 6 cm  
**Lightsources** E27, 806 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
More than 16 million colours  
Cool to warm white light  
Dimmable  
Personalised and pre-set moods



**NEW** Frosted 2270002700  
Plastic

## Smart E27 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,9 cm, Ø: 6 cm  
**Lightsources** E27, 806 Lumen, 2200-6500 Kelvin, 25000 Hours, Beamangle 240°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Cool to warm white light  
Dimmable  
Access to full Smart options  
Longer lifetime  
Higher heat resistance



**NEW** Clear 2270012700  
Glass

## Smart E27 Light Bulb

**Masterbox** Qty. 5  
**Size** H: 10,4 cm, Ø: 6 cm  
**Lightsources** E27, 600 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 360°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Cool to warm white light  
Dimmable  
Access to full Smart options



Clear 2070082700



Opal white 2070092701

## Smart E27 A60 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Lightsource** E27, 600 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Full 360° beam angle

## Smart E27 A60 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Lightsource** E27, 560 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Milky surface that covers electronics  
Full 360° beam angle



**NEW** White 2170142701  
Plastic



**NEW** Frosted 2270022701  
Plastic

## Smart E27 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,9 cm, Ø: 6 cm  
**Lightsource** E27, 60W, 806 Lumen

**Features**  
Dimmable, warm white light (2700 kelvin)  
Access to full Smart options

## Smart E27 Light Bulb

**Masterbox** Qty. 5  
**Size** H: 10,9 cm, Ø: 6 cm  
**Lightsource** E27, 900 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Cool to warm white light  
Dimmable  
Access to full Smart options



Clear 2170031000



Clear 2070031000

## Smart GU10 Outdoor Light Bulb



**Masterbox** Qty. 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10 - 4,2W LED, 345 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beamangle 36°  
 Built-in dimmable light source with Nordlux Smart functionality

**Features**  
 Extra-long lifetime  
 Higher heat resistance  
 Well suited for outdoor use

## Smart GU10 Light Bulb



**Masterbox** Qty. 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
 Built-in dimmable light source with Nordlux Smart functionality

**Features**  
 55 mm compact height  
 Exclusive glass finish  
 Adjustable kelvin and lumen output



**NEW** White 2170151001  
Plastic



**NEW** Clear 2270031000  
Plastic

## Smart GU10 Light Bulb



**Masterbox** Qty. 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10, 55W, 380 Lumen

**Features**  
 Dimmable, warm white light (2700 kelvin)  
 Access to full Smart options

## SmartGU10 Light Bulb

**Masterbox** Qty. 5  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10, 420 Lumen, 2200-6500K Kelvin, 15000 Hours, Beamangle 36°  
 Built-in dimmable light source with Nordlux Smart functionality

**Features**  
 Cool to warm white light  
 Dimmable  
 Access to full Smart options





**NEW** White 2270061000  
Plastic



Opal white 2070041000

## Smart GU10 Color Light Bulb

**Masterbox** Qty. 5  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 100°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
More than 16 million colours  
Cool to warm white light  
Dimmable  
Personalised and pre-set moods

## Smart GU10 2-kit Light Bulb

**Masterbox** Qty. 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Lightsource** GU10, 4.8W, 420 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
55 mm compact height  
Dual pack  
Adjustable kelvin and lumen output



Opal white 2170062701



**NEW** White 2170171401  
Plastic

## Smart E27 G45 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 8 cm, Ø: 4,5 cm  
**Lightsource** E27, 560 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
Built-in dimmable light source with Nordlux Smart functionality

**Features**  
Compact size - 45 mm globe  
Cool to warm white light

## Smart E14 Light Bulb

**Masterbox** Qty. 6  
**Size** H: 10,7 cm, Ø: 3.5 cm  
**Lightsource** E14, 34W, 380 Lumen

**Features**  
Dimmable, warm white light (2700 kelvin)  
Access to full Smart options



**White 1507070**  
Plastic

## Smart Wifi Bridge

**Masterbox** Qty. 6  
**Size** H: 1,8 cm, W: 6,6 cm, L: 6,6 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** White 120 cm. Switch on the base  
**Lightsource** NA Kelvin  
Can not be dimmed

### Features

Connects Bluetooth Mesh to Wi-Fi  
Opens up for advanced functionalities  
Compact size



**NEW** **White 2170220001**  
Plastic

## Smart Dual-Wifi Bridge

**Masterbox** Qty. 6  
**Size** H: 1,8 cm, W: 6,6 cm, L: 6,6 cm  
**IP Class** IP20, Class 1 (Earth contact)  
**Cable** White 120 cm,  
**Lightsource** LED Module  
Can not be dimmed

### Features

Works with both 2.4 and 5.0GHz Wi-Fi  
Creates more options for your Smart lighting at home



**White 2015700001**  
Plastic

## Smart Remote control

**Masterbox** Qty. 6  
**Size** H: 6,7 cm, W: 1,46 cm, L: 12 cm  
**IP Class** IP20, Class 3 (12V)  
**Lightsource** Can not be dimmed

### Features

Twist-lock for easy mounting of smart bulbs  
Bluetooth connection to Nordlux Smart Light



**NEW** White 2170010001  
Plastic

## Smart EU Plug

**Masterbox** Qty. 3  
**Size** H: 7,2 cm, W: 5,2 cm, L: 10 cm, D: 8,2 cm  
**IP Class** IP20, Class 2 (Double isolated)  
**Lightsource** 25000 Hours  
Can not be dimmed

### Features

Connects electronics to Nordlux Smart set-up  
Remote on/off  
Tracking of power consumption

# *Accessories*







**White 0140001**  
Plastic

## **SPIR** Accessories

<b>Masterbox</b>	Qty. 1
<b>Size</b>	L: 137 cm, Ø: 9 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	White 120 cm,
<b>Canopy</b>	Color: White, Material: Plastic
<b>Lightsource</b>	E27 - not included

### **Features**

Accessory for pendant  
Includes socket, spiral cable and canopy



**White 73059901**  
Textile



**Black 73059903**  
Textile

## **STOF** Accessories

<b>Masterbox</b>	Qty. 6
<b>Size</b>	L: 400 cm
<b>IP Class</b>	IP20, Class 2 (Double isolated)
<b>Cable</b>	Textile cable: White/Black 400 cm,

### **Features**

0,75 mm<sup>2</sup>.  
Max. weight: 2,25 kg



**Brushed steel 0130032**  
Plastic

## **FIXIT** Accessories

**Masterbox** Qty. 12  
**Size** H: 4,9 cm, Ø: 1.8 cm

*Outdoor  
families*










**NEW** White 2218171001  
Aluminium



**NEW** Black 2218171003  
Aluminium



**NEW** Sanded 2218171008  
Aluminium




Parallel connection


## PONTIO 15 Wall light by Says Who

**Masterbox** Qty. 3  
**Size** H: 19 cm, W: 15 cm, L: 15 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Architectural design  
Parallel connection possible  
Elegant compact size



**NEW** White 2218191001  
Aluminium



**NEW** Black 2218191003  
Aluminium



**NEW** Sanded 2218191008  
Aluminium




Parallel connection

## PONTIO 27 Wall light by Says Who

**Masterbox** Qty. 3  
**Size** H: 19 cm, W: 27 cm, L: 27 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Architectural design  
Parallel connection possible  
Double sockets for extra light output  
Space for house number or resident text





**NEW** White 2218208001  
Aluminium


**NEW** Black 2218208003  
Aluminium

**NEW** Sanded 2218208008  
Aluminium

## PONTIO Garden light by Says Who

**Masterbox** Qty. 3  
**Size** H: 85 cm, W: 15 cm, L: 15 cm, Tube Ø: 103 cm, Base Ø: 14,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Architectural design  
Parallel connection possible  
Fits our base unit for easy installation in ground



**Galvanized 21769931\***  
Metal

## SCORPIUS Maxi Garden light

**Masterbox** Qty. 3  
**Size** H: 100 cm, W: 26 cm, Tube Ø: 3,2 cm  
**IP Class** IP33, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Pole for mounting Scorpius luminaire  
1 meter high



\*15 year guarantee on corrosion



**White 21651001**  
Metal

**Black 21651003**  
Metal

**Copper 21651030\***  
Copper

**Galvanized 21651031\***  
Galvanized steel

**NEW** **Sanded 21651008**  
Plastic

## SCORPIUS Wall light

**Masterbox** Qty. 6  
**Size** H: 10 cm, W: 20 cm, L: 20 cm, D: 10 cm  
**IP Class** IP33, Class 1 (Earth contact)  
**Lightsource** E14 - Not included

**Features**  
Timeless design  
Build-in parallel connection



\*15 year guarantee on corrosion



**White 21751001**  
Metal

**Black 21751003**  
Metal

**Copper 21751030\***  
Copper

**Galvanized 21751031\***  
Galvanized steel

**NEW** **Sanded 21751008**  
Metal

## SCORPIUS Maxi Wall light

**Masterbox** Qty. 3  
**Size** H: 14 cm, W: 27 cm, L: 27 cm, D: 14,5 cm  
**IP Class** IP33, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Timeless design  
Build-in parallel connection



**NEW** Black 2118011003  
Aluminium



**NEW** Aluminium 2118011010  
Aluminium




**NEW** Brown Metallic 2118011061  
Aluminium

## ALUDRA Wall light by Jacob Jensen Design

**Masterbox** Qty. 3  
**Size** H: 16,8 cm, D: 17,4 cm, Shade Ø: 12,4 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsources** E27 - Not included

**Features**  
Small, compact design  
Beautiful light and shadow effect  
Parallel connection possible



**NEW** Black 2118006003  
Aluminium



**NEW** Aluminium 2118006010  
Aluminium




**NEW** Brown Metallic 2118006061  
Aluminium

## ALUDRA Ceiling light by Jacob Jensen Design

**Masterbox** Qty. 3  
**Size** H: 18,8 cm, Shade Ø: 12,4 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsources** E27 - Not included

**Features**  
Small, compact design  
Beautiful light and shadow effect





**NEW** Black 2118028003  
Aluminium



**NEW** Aluminium 2118028010  
Aluminium



**NEW** Brown Metallic 2118028061  
Aluminium




Parallel connection

## ALUDRA 45 Garden light by Jacob Jensen Design

**Masterbox** Qty. 3  
**Size** H: 45 cm, Shade Ø: 12,4 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Beautiful light and shadow effect  
Parallel connection possible  
Easy to install with the included base  
Small, compact design




**NEW** Black 2118038003  
Aluminium



**NEW** Aluminium 2118038010  
Aluminium



**NEW** Brown Metallic 2118038061  
Aluminium





Parallel connection

## ALUDRA 95 Garden light by Jacob Jensen Design

**Masterbox** Qty. 3  
**Size** H: 95 cm, Shade Ø: 12,4 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Beautiful light and shadow effect  
Parallel connection possible  
Easy to install with the included base





**NEW** White 2218053001  
Aluminium

**NEW** Black 2218053003  
Aluminium


**NEW** Sanded 2218053008  
Aluminium

## COUPAR Pendant by Says Who

- Masterbox** Qty. 3
- Size** H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm
- IP Class** IP54, Class 2 (Double isolated)
- Cable** Black 300 cm, non replaceable
- Canopy** Color: White/Sanded/Black, Material: Metal.  
Dimension: 2,7 cm
- Lightsource** E27 - Not included

### Features

- Durable, powder coated metal
- Ripped diffuser creates a pleasant light
- Parallel connection possible



**NEW** White 2218075001  
Aluminium

**NEW** Black 2218075003  
Aluminium


**NEW** Sanded 2218075008  
Aluminium

## COUPAR Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm
- IP Class** IP54, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - Not included

### Features

- Durable, powder coated metal
- Ripped diffuser creates a pleasant light





**NEW** White 2218061001  
Aluminium



**NEW** Black 2218061003  
Aluminium



**NEW** Sanded 2218061008  
Aluminium




Parallel connection

## COUPAR Wall light by Says Who

**Masterbox** Qty. 3  
**Size** H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Durable, powder coated metal  
Ripped diffuser creates a pleasant light  
Parallel connection possible



**NEW** White 2218088001  
Aluminium



**NEW** Black 2218088003  
Aluminium



**NEW** Sanded 2218088008  
Aluminium




Parallel connection

## COUPAR Garden light by Says Who

**Masterbox** Qty. 3  
**Size** H: 80 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 13 cm,  
Tube Ø: 5 cm, Base Ø: 14,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Durable, powder coated metal  
Ripped diffuser creates a pleasant light  
Parallel connection possible







\*15 year guarantee on corrosion


**NEW** Galvanized 2218273031\*  
Galvanized steel

**NEW** Brass 2218273035\*  
Brass

## LINTON Pendant by Says Who

**Masterbox** Qty. 3  
**Size** H: 25,4 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Cable** Black 250 cm, non replaceable  
**Canopy** Color: Galvanized/Brass, Material: Galvanized steel.  
 Dimension: 2,6 cm  
**Lightsource** E27 - Not included

**Features**  
 Durable materials well-suited for harsh weather  
 Ripped diffuser creates a pleasant light



\*15 year guarantee on corrosion


**NEW** Galvanized 2218295031\*  
Galvanized steel

**NEW** Brass 2218295035\*  
Brass

## LINTON Table lamp by Says Who

**Masterbox** Qty. 3  
**Size** H: 32,5 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm, Tube Ø: 6 cm,  
 Base Ø: 9,9 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Cable** Black 250 cm, non replaceable. Switch on the cable  
**Lightsource** E27 - Not included

**Features**  
 Durable materials well-suited for harsh weather  
 Ripped diffuser creates a pleasant light





**NEW** Galvanized 2218281031\*  
Galvanized steel



**NEW** Brass 2218281035\*  
Brass




\*15 year guarantee on corrosion

## LINTON Wall light by Says Who

- Masterbox** Qty. 3  
**Size** H: 29,8 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm, Tube Ø: 6 cm, Base Ø: 9,8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

### Features

Durable materials well-suited for harsh weather  
 Ripped diffuser creates a pleasant light



**NEW** Galvanized 2218308031\*  
Galvanized steel



**NEW** Brass 2218308035\*  
Brass




\*15 year guarantee on corrosion

## LINTON Garden light by Says Who

- Masterbox** Qty. 3  
**Size** H: 79,9 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 9,9 cm, Tube Ø: 8,9 cm, Base Ø: 14,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

### Features

Durable materials well-suited for harsh weather  
 Ripped diffuser creates a pleasant light





**Black 2118061003**  
Metal



**NEW Sanded 2118061008**  
Metal



**Galvanized 2118061031\***  
Galvanized steel



Parallel connection




\*15 year guarantee on corrosion

## KURNOS 20 Wall light

**Masterbox** Qty. 3  
**Size** H: 18,2 cm, D: 25,6 cm, Shade Ø: 20 cm, Base: 9.8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E14 - Not included

**Features**  
Parallel connection possible  
Only one visible screw



**Black 2118071003**  
Metal



**NEW Sanded 2118071008**  
Metal



**Galvanized 2118071031\***  
Galvanized steel



Parallel connection




\*15 year guarantee on corrosion

## KURNOS 35 Wall light

**Masterbox** Qty. 2  
**Size** H: 23,7 cm, D: 38,6 cm, Shade Ø: 35 cm, Base: 9.8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Parallel connection possible  
Only one visible screw





**Black 2118121003**  
Metal/Plastic



**NEW Galvanized 2118121031**  
Galvanized steel/Plastic



**Brass 2118121035\***  
Brass/Plastic



Parallel connection




\*15 year guarantee on corrosion

## CROSS 20 Wall light by MB

**Masterbox** Qty. 3  
**Size** D: 10,4 cm, Ø: 20.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E14 - Not included

**Features**  
Classic and modern design  
Like a piece of jewellery for your house

Parallel connection possible



**Black 2118131003**  
Metal/Plastic



**NEW Galvanized 2118131031**  
Galvanized steel/Plastic



**Brass 2118131035\***  
Brass/Plastic



Parallel connection




\*15 year guarantee on corrosion

## CROSS 25 Wall light by MB

**Masterbox** Qty. 3  
**Size** D: 13 cm, Ø: 26 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Classic and modern design  
Like a piece of jewellery for your house

Parallel connection possible





**Black 2118211003**  
Metal/Glass



**NEW Sanded 2118211008**  
Metal/Glass



**Grey 2118211050**  
Metal/Glass




Parallel connection

## HEKA Wall light

**Masterbox** Qty. 3  
**Size** H: 21,6 cm, D: 13,8 cm, Shade Ø: 10,6 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Compact and modern design  
Parallel connection possible



**NEW Black 2218221003**  
Metal



**NEW Rusty 2218221009**  
Metal



**NEW Anthracite 2218221050**  
Metal




Parallel connection

## NICO Square 22 Wall light

**Masterbox** Qty. 3  
**Size** H: 23,5 cm, W: 8 cm, L: 8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Lights both up and down  
Easy installation  
Parallel connection possible





**NEW** Black 2218231003  
Metal



**NEW** Rusty 2218231009  
Metal



**NEW** Anthracite 2218231050  
Metal




Parallel connection

## NICO Round 22 Wall light

**Masterbox** Qty. 3  
**Size** H: 23,5 cm, W: 7,7 cm, L: 7,7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

### Features

Lights both up and down  
Easy installation  
Parallel connection possible




**NEW** Black 2218251003  
Plastic

## OLIVER Square Wall light

**Masterbox** Qty. 3  
**Size** H: 17,5 cm, W: 17,5 cm, L: 17,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80

### Features

Versatile wall light  
Replaceable covers change the look (two included)  
Backlight effect  
High lumen output  
Entry for cables outside on wall  
5 year LED guarantee






**NEW** Black 2218261003  
Plastic

## OLIVER Round Wall light

**Masterbox** Qty. 3  
**Size** W: 19,5 cm, L: 19,5 cm, Ø: 19,5 cm, Shade Ø: 19,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsources** LED Module, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80

### Features

Versatile wall light  
 Replaceable covers change the look (two included)  
 Backlight effect  
 High lumen output  
 Entry for cables outside on wall  
 5 year LED guarantee



**White 46801001**  
Metal/Glass



**Black 46801003**  
Metal/Glass




**NEW** Sanded 46801008  
Metal/Glass

## FRONT Single Wall light by Sebastian Holmbäck

**Masterbox** Qty. 3  
**Size** H: 15,6 cm, W: 11,8 cm, D: 17 cm, Shade Ø: 11,8 cm,  
 Base: 9.1 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsources** GU10 - Not included

### Features

Designed for both outdoor and bathroom use  
 Build-in parallel connection





**White 84081001**  
Metal/Plastic


**Black 84081003**  
Metal/Plastic

## FRONT 26 Wall light by Hombäck Nordentoft

**Masterbox** Qty. 3  
**Size** H: 6,8 cm, W: 26 cm, D: 6,8 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 8W LED, 650 Lumen, 3000 Kelvin, 25000 Hours, RA 80

### Features

5 year LED guarantee  
Designed for both outdoor and bathroom use  
Build-in parallel connection



**White 84091001**  
Metal/Plastic


**Black 84091003**  
Metal/Plastic

## FRONT 36 Wall light by Hombäck Nordentoft

**Masterbox** Qty. 3  
**Size** H: 6,8 cm, W: 36 cm, D: 6,8 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 12W LED, 850 Lumen, 3000 Kelvin, 25000 Hours, RA 80

### Features

5 year LED guarantee  
Designed for both outdoor and bathroom use  
Build-in parallel connection







**Black 84141003**  
Metal/Glass




**NEW** **Sanded 84141008**  
Metal/Glass

## ROLD Round Wall light

- Masterbox** Qty. 3
- Size** H: 16 cm, W: 9 cm, D: 5,5 cm, Base: 8 x 14,3 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 2X5W  
LED, 375 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 125°

- Features**
- 5 year LED guarantee
  - Build-in parallel connection
  - Both up- and down-light



**Black 84151003**  
Metal/Glass




**NEW** **Sanded 84151008**  
Metal/Glass

## ROLD Flat Wall light

- Masterbox** Qty. 3
- Size** H: 16 cm, W: 9 cm, D: 5,5 cm, Base: 8 x 14,3 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 2X5W  
LED, 375 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 125°

- Features**
- 5 year LED guarantee
  - Build-in parallel connection
  - Both up- and down-light





\*15 year guarantee  
on corrosion



**Galvanized 10600619\***  
Galvanized steel/Plastic



**Copper 10600625\***  
Copper/Plastic

## VENØ Wall light

**Masterbox** Qty. 3  
**Size** H: 26 cm, D: 40 cm, Shade Ø: 35 cm, Base: 11.7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Galvanized 10600719\***  
Galvanized steel/Plastic



**Copper 10600725\***  
Copper/Plastic



\*15 year guarantee  
on corrosion


## VENØ Garden light

**Masterbox** Qty. 3  
**Size** H: 93 cm, Shade Ø: 35 cm, Tube Ø: 5 cm, Base Ø: 14,5 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Can be mounted on Nordlux base unit



\*15 year guarantee  
on corrosion




**Galvanized 74481031\***  
Galvanized steel

## AGGER Wall light

**Masterbox** Qty. 3  
**Size** H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base: 11 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



\*15 year guarantee  
on corrosion




**Galvanized 74501031\***  
Galvanized steel/Glass

## AGGER Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base: 11 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Build-in daylight and motion sensor





\*15 year guarantee on corrosion


**Galvanized 74528031\***  
Galvanized steel/Glass

## AGGER Garden light

**Masterbox** Qty. 3  
**Size** H: 83 cm, Shade Ø: 26 cm, Tube Ø: 3,8 cm, Base Ø: 15 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

### Features

Build-in parallel connection  
 Can be mounted on Nordlux base unit



\*15 year guarantee on corrosion




**Galvanized 10600219\***  
Galvanized steel/Glass

## AMALIENBORG Wall light

**Masterbox** Qty. 3  
**Size** H: 26 cm, D: 37,5 cm, Shade Ø: 32,5 cm, Base: 11.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

### Features

Build-in parallel connection





  
\*15 year guarantee  
on corrosion


**Galvanized 10600319\***  
Galvanized steel/Glass

## AMALIENBORG Garden light

**Masterbox** Qty. 3  
**Size** H: 92 cm, Shade Ø: 32,5 cm, Tube Ø: 5 cm, Base Ø: 15 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

### Features

Build-in parallel connection  
Can be mounted on Nordlux base unit



**Black 211811003**  
Metal/Plastic



**Galvanized 211811031**  
Galvanized steel/Plastic

  
\*15 year guarantee  
on corrosion

## ARKI 35 Wall light by Bønnelycke MDD

**Masterbox** Qty. 2  
**Size** H: 27,6 cm, D: 40,7 cm, Shade Ø: 35 cm, Base Ø: 11,6 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

### Features


Oversize architectural luminaire



**Black 75181003\***  
Metal/Plastic



**Galvanized 75181031\***  
Galvanized steel/Plastic



Parallel connection



\*15 year guarantee on corrosion

## ARKI 20 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 20 cm, D: 26 cm, Shade Ø: 20 cm, Base: 11.6 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Parallel connection possible



**Black 2118108003**  
Metal/Plastic



**Galvanized 2118108031**  
Galvanized steel/Plastic



\*15 year guarantee on corrosion

## ARKI 100 Garden light by Bønnelycke MDD

**Masterbox** Qty. 2  
**Size** H: 100 cm, D: 32,5 cm, Shade Ø: 20 cm, Base Ø: 14,6 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Classic, architectural design




**Black 45501003**  
Plastic

## BIRK Double Wall light

**Masterbox** Qty. 3  
**Size** H: 23,5 cm, D: 15,5 cm, Ø: 9 cm, Tube Ø: 3 cm, Base: 11 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection




**Black 45521003**  
Plastic

## BIRK Single Wall light

**Masterbox** Qty. 3  
**Size** H: 17,2 cm, D: 15,5 cm, Ø: 9 cm, Tube Ø: 3 cm, Base: 11 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection






**Black 45518003**  
Plastic

## BIRK Garden light

**Masterbox** Qty. 3  
**Size** H: 80 cm, Ø: 9 cm, Base Ø: 13,2 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
 Build-in parallel connection  
 Can be mounted on Nordlux base unit



**Black 25011003\***  
Metal/Glass



**Copper 25011030\***  
Copper/Glass



**Galvanized 25011031\***  
Galvanized steel/Glass




**Stainless steel 25011034**  
Stainless steel/Glass



## BLOKHUS Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
 Build-in parallel connection







**Black 25031003\***  
Metal/glass



**Copper 25031030\***  
Copper/Glass



**Galvanized 25031031\***  
Galvanized/Glass



**Stainless steel 25031034**  
Stainless steel/Glass




\*15 year guarantee  
on corrosion

## BLOKHUS Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Build-in daylight and motion sensor



**Galvanized 25051031\***  
Galvanized steel/Glass





\*15 year guarantee  
on corrosion

## BLOKHUS Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection





\*15 year guarantee on corrosion

**Copper 25078030\***  
Copper/Glass


**Galvanized 25078031\***  
Galvanized/Glass

**Stainless steel 25078034**  
Stainless steel/Glass

## BLOKHUS Garden light

**Masterbox** Qty. 3  
**Size** H: 92 cm, Shade Ø: 22 cm, Tube Ø: 3,5 cm, Base Ø: 15 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Can be mounted on Nordlux base unit




**Black 74371003**  
Aluminium/Glass

## CARDIFF Up Wall light

**Masterbox** Qty. 3  
**Size** H: 40 cm, W: 22,5 cm, D: 27 cm, Base: 12,5 x 20 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Romantic design






**Black 74381003**  
Aluminium/Glass

## CARDIFF Down Wall light

**Masterbox** Qty. 3  
**Size** H: 40 cm, W: 21 cm, D: 27 cm, Base: 12,5 x 20 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Romantic design




**Black 74398003**  
Aluminium/Glass

## CARDIFF Garden light

**Masterbox** Qty. 3  
**Size** H: 100 cm, W: 21 cm, Shade Ø: 22 cm, Tube Ø: 4 cm, Base Ø: 15 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Romantic design  
Build-in parallel connection






**Black 45321003**  
Aluminium/Plastic

## ELM Single Wall light

**Masterbox** Qty. 3  
**Size** H: 18 cm, W: 11 cm, D: 15,5 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
 Build-in parallel connection




**Black 45331003**  
Aluminium/Plastic

## ELM Double Wall light

**Masterbox** Qty. 3  
**Size** H: 23,4 cm, W: 9 cm, D: 13 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
 Build-in parallel connection






**Black 45348003**  
Aluminium/Plastic

## ELM Garden light

**Masterbox** Qty. 3  
**Size** H: 80 cm, W: 13 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Black 874023**  
Metal/Plastic



**White 874031**  
Metal/Plastic



**Anthracite 874063**  
Metal/Plastic



**Aluminium 874093**  
Metal/Plastic

## FOCUS Double Wall light

**Masterbox** Qty. 3  
**Size** H: 23,5 cm, W: 11 cm, D: 11 cm, Base: 15 x 11 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection

**\*Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



**Black 874123**  
Metal/Plastic



**White 874131**  
Metal/Plastic



**Anthracite 874163**  
Metal/Plastic



**Aluminium 874193**  
Metal/Plastic

## **FOCUS Single** Wall light

**Masterbox** Qty. 3  
**Size** H: 15 cm, W: 11 cm, D: 11 cm, Base: 15 x 11 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection

**\*Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



**Black 874523**  
Metal/Plastic



**Anthracite 874563**  
Metal/**\*Only for sale in Scandinavia,**

## **FOCUS Mini** Garden light

**Masterbox** Qty. 2  
**Size** H: 40 cm, Ø: 10 cm, Base Ø: 16 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**\*Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



**Black 874823**  
Metal/Plastic



**Anthracite 874863**  
Metal/Plastic

## FOCUS Garden light

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 65 cm, Ø: 10 cm, Base Ø: 16 cm
<b>IP Class</b>	IP44, Class 1 (Earth contact)
<b>Lightsource</b>	E27 - Not included

\*Only for sale in Scandinavia, Estonia, Letvia & Lithuania



**Galvanized 77509931\***  
Galvanized steel



\*15 year guarantee  
on corrosion

## FUSE Accessories by Bønnelycke MDD

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 35 cm, Tube Ø: 2 cm, Base Ø: 35 cm
<b>Lightsource</b>	

### Features

Transforms Fuse into an outdoor floor lamp

Designed by Bønnelycke MDD

Made for Fuse garden light 77518031



\*15 year guarantee on corrosion


**Galvanized 77518031\***  
Galvanized steel

## FUSE Garden light by Bønnelycke MDD

**Masterbox** Qty. 1  
**Size** H: 165 cm, Shade Ø: 35 cm, Tube Ø: 2,5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Cable** Black 500 cm,  
**Lightsource** E27 - Not included

### Features

Spear for effortless placement  
 Mesh light and shadow effect  
 Designed by Bønnelycke MDD



**Galvanized 77479931\***  
Galvanized steel/Plastic



**Corten 77479938\***  
Corten/Plastic



Parallel connection




\*15 year guarantee on corrosion

## HELIX Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 32,5 cm, D: 14 cm, Shade Ø: 8 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

### Features

Parallel connection possible







**Galvanized 77499931\***  
Galvanized steel/Plastic



**Corten 77499938\***  
Corten/Plastic



Parallel  
connection



\*15 year guarantee  
on corrosion

## **HELIX** Garden light by Bønnelycke MDD

<b>Masterbox</b>	Qty. 2
<b>Size</b>	H: 80 cm, Ø: 15 cm, Tube Ø: 8 cm
<b>IP Class</b>	IP44, Class 2 (Double isolated)
<b>Lightsource</b>	GU10 - Not included

### **Features**

Parallel connection possible  
Can be mounted on Nordlux base unit




**Rusty 72805009**  
Metal/Glass

## LUXEMBOURG Pendant

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 24 cm, Shade Ø: 27,5 cm, Base: 11 cm
<b>IP Class</b>	IP33, Class 2 (Double isolated)
<b>Cable</b>	Black 110 cm, non replaceable
<b>Canopy</b>	Color: Rusty, Material: Metal. Dimension: 10,9 cm
<b>Lightsource</b>	E27 - Not included

### Features

Natural rusty brown surface  
Including canopy in same material  
Build-in parallel connection



\*15 year guarantee on corrosion




**Galvanized 22661031\***  
Galvanized steel/Glass

## LUXEMBOURG Sensor Wall light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 27 cm, D: 47 cm, Shade Ø: 27 cm, Base: 11.5 cm
<b>IP Class</b>	IP54, Class 1 (Earth contact)
<b>Lightsource</b>	E27 - Not included

### Features

Build-in daylight and motion sensor  
Build-in parallel connection





**Black 22671003**  
Metal/Glass



**Rusty 22671009**  
Metal/Glass



**Copper 22671030\***  
Copper/Glass




**Galvanized 22671031\***  
Galvanized steel/Glass

  
\*15 year guarantee  
on corrosion

## LUXEMBOURG Wall light

**Masterbox** Qty. 3  
**Size** H: 27 cm, D: 39 cm, Shade Ø: 26 cm, Base: 11.5 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Black 71411003**  
Metal/Glass




**Galvanized 71411031\***  
Galvanized steel/Glass

  
\*15 year guarantee  
on corrosion

## LØNSTRUP 32 Wall light

**Masterbox** Qty. 3  
**Size** H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Tube Ø: 1,9 cm, Base: 10.8 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection






\*15 year guarantee on corrosion

**Galvanized 71412031\***  
Galvanized steel/Glass

## LØNSTRUP 32 Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Tube Ø: 1,9 cm, Base: 10.8 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsources** E27 - Not included

**Features**  
 Build-in parallel connection  
 Build-in daylight and motion sensor



**Black 71431003**  
Metal/Glass



**Galvanized 71431031\***  
Galvanized steel/Glass




\*15 year guarantee on corrosion

## LØNSTRUP 22 Wall light

**Masterbox** Qty. 3  
**Size** H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Tube Ø: 1,9 cm, Base: 9.4 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsources** E27 - Not included

**Features**  
 Build-in parallel connection






\*15 year guarantee on corrosion

**Galvanized 71432031\***  
Galvanized steel/Glass

## LØNSTRUP 22 Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Tube Ø: 1,9 cm, Base: 9.4 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Black 71428003**  
Metal/Glass

**Galvanized 71428031\***  
Galvanized steel/Glass




\*15 year guarantee on corrosion

## LØNSTRUP 32 Garden light

**Masterbox** Qty. 3  
**Size** H: 116 cm, Shade Ø: 32 cm, Tube Ø: 5 cm, Base Ø: 15 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Can be mounted on Nordlux base unit






**Black 2118141003**  
Plastic

## RICA Round Wall light EXEMPT

**Masterbox** Qty. 3  
**Size** H: 12 cm, D: 18,2 cm, Shade Ø: 15 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 480 Lumen, 3000 Kelvin, 30000 Hours, RA 80

### Features

Solar charged  
Motion sensor turns light on  
5 year LED guarantee




**Black 2118161003**  
Plastic

## RICA Square Wall light EXEMPT

**Masterbox** Qty. 3  
**Size** H: 12 cm, W: 18 cm, D: 12,8 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 450 Lumen, 3000 Kelvin, 30000 Hours, RA 80

### Features

Solar charged  
Motion sensor turns light on  
5 year LED guarantee





**Black 2118158003**  
Plastic


## RICA Round Garden light

EXEMPT

**Masterbox** Qty. 3  
**Size** H: 60 cm, D: 19,5 cm, Shade Ø: 15 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 480 Lumen, 3000 Kelvin, 30000 Hours, RA 80

### Features

Solar charged  
Motion sensor turns light on  
Easy to install with the included spike  
5 year LED guarantee



**Black 2118178003**  
Plastic


## RICA Square Garden light

EXEMPT

**Masterbox** Qty. 3  
**Size** H: 60 cm, W: 15 cm, D: 14 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 450 Lumen, 3000 Kelvin, 30000 Hours, RA 80

### Features

Solar charged  
Motion sensor turns light on  
Easy to install with the included spike  
5 year LED guarantee





**White 25091001**  
Metal/Glass



**Black 25091003**  
Metal/Glass



**Galvanized 25091031\***  
Galvanized steel/Glass



**Stainless steel 25091034**  
Stainless steel/Glass




\*15 year guarantee on corrosion

## VEJERS Up Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Black 25101003**  
Metal/Glass



**Galvanized 25101031\***  
Galvanized steel/Glass




\*15 year guarantee on corrosion

## VEJERS Up Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Build-in daylight and motion sensor







\*15 year guarantee  
on corrosion




**Galvanized 74461031\***  
Galvanized steel/Glass

## VEJERS Down Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection




**Black 74471003**  
Metal/Glass

## VEJERS Down Wall light

**Masterbox** Qty. 3  
**Size** H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection





**Black 25118003**  
Metal/Glass



**Galvanized 25118031\***  
Galvanized steel/Glass



**Stainless steel 25118034**  
Stainless steel/Glass




\*15 year guarantee on corrosion

## VEJERS Garden light

**Masterbox** Qty. 3  
**Size** H: 92 cm, Shade Ø: 22 cm, Tube Ø: 3,5 cm, Base Ø: 15 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Can be mounted on Nordlux base unit



**Galvanized 25168031\***  
Galvanized steel/Glass




\*15 year guarantee on corrosion

## VEJERS Garden light

**Masterbox** Qty. 2  
**Size** H: 215 cm, Shade Ø: 39 cm, Tube Ø: 7,4 cm, Base Ø: 15 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection  
Adjustable from 130 to 200 cm hight  
Can be mounted on Nordlux base unit





*Outdoor  
wall lamps*








**White 17051001**  
Plactic/Glass

**Black 17051003**  
Plastic/Glass

## SKOT Wall light

**Masterbox** Qty. 4  
**Size** W: 10 cm, L: 18 cm, D: 11 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
 Build-in parallel connection



**White 2019041001**  
Aluminium

**Black 2019041003**  
Aluminium

**Copper 2019041030\***  
Copper

**Galvanized 2019041031\***  
Galvanized steel

**Brass 2019041035\***  
Brass

**Corten 2019041038\***  
Corten

## FOLD 10 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 14,8 cm, W: 10,5 cm, D: 5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 2X3,5W  
 LED, 250 Lumen, 3000 Kelvin, 30000 Hours, RA 0,  
 Beamangle 205°

**Features**  
 3 light effects included  
 Both up- and down-light  
 Built-in parallel connection  
 Designed by Bønnelycke MDD  
 Designed for both outdoor and bathroom use  
 5 year LED guarantee



\*15 year guarantee  
on corrosion



**White 2019051001**  
Aluminium



**Black 2019051003**  
Aluminium



**Copper 2019051030\***  
Copper



**Galvanized 2019051031\***  
Galvanized steel



**Brass 2019051035\***  
Brass



**Corten 2019051038\***  
Corten

## FOLD 15 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 21 cm, W: 14,8 cm, D: 5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 2X3,5W  
LED, 200 Lumen, 3000 Kelvin, 30000 Hours, RA 0,  
Beamangle 205°



\*15 year guarantee  
on corrosion

### Features

3 light effects included  
Both up- and down-light  
Built-in parallel connection  
Designed by Bønnelycke MDD  
Designed for both outdoor and bathroom use  
5 year LED guarantee




**Black 46901003**  
Metal/Glass

## DALTON Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 29,6 cm, W: 20 cm, D: 24,8 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

### Features

Build-in parallel connection





**White 2019061001**  
Aluminium



**Black 2019061003**  
Aluminium



**Grey 2019061010**  
Aluminium

## TURN Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** W: 15 cm, L: 15 cm, D: 8,3 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 13W LED, 800 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

**Features**  
360° turnable shade  
Built-in parallel connection  
Dimmable with wall dimmer  
Designed for both outdoor and bathroom use  
5 year LED guarantee



**White 2019131001**  
Metal



**Black 2019131003**  
Metal




**Grey 2019131010**  
Metal

## ALERIA Wall light

**Masterbox** Qty. 3  
**Size** H: 10,7 cm, W: 11,5 cm, D: 14,7 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Modern and compact design  
Designed for both outdoor and bathroom use






**Black 872723**  
Metal/Glass

## NENE Wall light

**Masterbox** Qty. 3  
**Size** H: 6,4 cm, W: 14 cm, D: 8,85 cm, Base: 5,5 x 13 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 6W LED, 480 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 42°

**Features**  
 5 year LED guarantee  
 Both up- and down-light  
 Parallel connection possible




**Copper 24981030\***  
Copper/Glass

**Galvanized 24981031\***  
Galvanized steel/Glass

## NIBE Wall light

**Masterbox** Qty. 6  
**Size** H: 24 cm, D: 34 cm, Shade Ø: 27,5 cm, Base: 10.8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
 Compact elegant design  
 Build-in parallel connection






**White 2019161001**  
Plastic

**Black 2019161003**  
Plastic

## CUBA ENERGY ROUND Wall light

- Masterbox** Qty. 3
- Size** Ø: 17.5 cm, Shade Ø: 16,3 cm
- IP Class** IP54, Class 2 (Double isolated)
- Lightsource** LED Module - 6,5W  
LED, 700 Lumen, 3000 Kelvin, 30000 Hours, RA 80,  
Beamangle 120°

- Features**
- High light output (700 lumen)
- Designed for both wall and ceiling mounting
- 5 year LED guarantee




**White 2019171001**  
Plastic

**Black 2019171003**  
Plastic

## CUBA BRIGHT ROUND Wall light

- Masterbox** Qty. 3
- Size** Ø: 17.5 cm, Shade Ø: 16,3 cm
- IP Class** IP54, Class 2 (Double isolated)
- Lightsource** LED Module - 14W  
LED, 1600 Lumen, 3000 Kelvin, 30000 Hours, RA 80,  
Beamangle 120°

- Features**
- Very high light output (1600 lumen)
- Designed for both wall and ceiling mounting
- 5 year LED guarantee






**White 2019181001**  
Plastic

**Black 2019181003**  
Plastic

## CUBA ENERGY OVAL Wall light

**Masterbox** Qty. 3  
**Size** H: 20,5 cm, L: 10 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsources** LED Module - 6,5W  
LED, 700 Lumen, 3000 Kelvin, 30000 Hours, RA 80,  
Beamangle 120°

**Features**  
High light output (700 lumen)  
Designed for both wall and ceiling mounting  
5 year LED guarantee




**White 2019191001**  
Plastic


**Black 2019191003**  
Plastic

## CUBA BRIGHT OVAL Wall light

**Masterbox** Qty. 3  
**Size** H: 20,5 cm, L: 10 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsources** LED Module - 14W  
LED, 1600 Lumen, 3000 Kelvin, 30000 Hours, RA 80,  
Beamangle 120°

**Features**  
Very high light output (1600 lumen)  
Designed for both wall and ceiling mounting  
5 year LED guarantee





Parallel connection



\*15 year guarantee on corrosion


**Black 2118041003**  
Metal/Plastic

**Galvanized 2118041031**  
Galvanized steel/Plastic

## BASTIA 24 Wall light

**Masterbox** Qty. 3  
**Size** H: 17,6 cm, D: 27,6 cm, Shade Ø: 24 cm, Base: 9.8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsources** E14 - Not included

**Features**  
Parallel connection possible  
Only one visible screw



Parallel connection



\*15 year guarantee on corrosion


**Black 2118051003**  
Metal/Plastic

**Galvanized 2118051031**  
Galvanized steel/Plastic

## BASTIA 35 Wall light

**Masterbox** Qty. 2  
**Size** H: 24,3 cm, D: 38,6 cm, Shade Ø: 35 cm, Base: 9.8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsources** E27 - Not included

**Features**  
Parallel connection possible  
Only one visible screw





Parallel connection



**White 2118181001**  
Aluminium/Glass


**Black 2118181003**  
Aluminium/Glass

## KINVER 26 Wall light

**Masterbox** Qty. 3  
**Size** H: 9 cm, W: 26 cm, D: 3,3 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 10W LED, 990 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

### Features

Super slim design  
High light output (990 lumen)  
Parallel connection possible  
5 year LED guarantee




**Black 2118221003**  
Plastic

## Agena Wall light

**Masterbox** Qty. 3  
**Size** H: 9 cm, L: 22 cm, D: 12,7 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 400 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 0°

### Features

Solar charged  
Motion sensor turns light on  
5 year LED guarantee






**Black 2118231003**  
Plastic

**ALYA** Wall light EXEMPT

**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 9 cm, D: 20,5 cm  
**IP Class** IP44, Class 3 (12V)  
**Lightsource** SolarLed - 5W LED, 400 Lumen, 3000 Kelvin, 30000 Hours, RA 80

**Features**  
 Solar charged  
 Motion sensor turns light on  
 5 year LED guarantee



**Black 21269903**  
Metal/Glass




**Copper 21269930\***  
Copper/Glass



**TIN Single** Wall light

**Masterbox** Qty. 3  
**Size** H: 12 cm, D: 11,5 cm, Ø: 6 cm, Base: 3.1 x 9.3 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
 Down-light





**Black 21279903**  
Metal/Glass



**Copper 21279930\***  
Copper/Glass



**Stainless steel 21279134**  
Stainless steel/Glass




\*15 year guarantee  
on corrosion

## TIN Double Wall light

**Masterbox** Qty. 3  
**Size** H: 17 cm, D: 11 cm, Ø: 6 cm, Base: 3,6 x 9,8 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Both up- and down-light



**Stainless steel 21279934**  
Stainless steel/Glass

## TIN Double Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 22 cm, D: 10,5 cm, Ø: 6 cm, Base: 5,9 x 15,2 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Both up- and down-light



**White 21509901**  
Metal/Glass



**Black 21509903**  
Metal/Glass



**Aluminium 21509929**  
Metal/Glass

## TIN Maxi Wall light

**Masterbox** Qty. 3  
**Size** H: 10,5 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 4,3 x 7,4 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Down-light



**Black 21509103**  
Metal/Glass



**Aluminium 21509129**  
Metal/Glass

## TIN Maxi Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 16 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 6,6 x 16 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in daylight and motion sensor





**White 21519901**  
Metal/Glass



**Black 21519903**  
Metal/Glass



**Aluminium 21519929**  
Metal/Glass




**Stainless steel 21519934**  
Stainless steel/Glass

## TIN Maxi Double Wall light

**Masterbox** Qty. 3  
**Size** H: 19 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 4 x 7 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Down-light



**Black 21519103**  
Metal/Glass



**Aluminium 21519129**  
Metal/Glass

## TIN Maxi Double Sensor Wall light

**Masterbox** Qty. 3  
**Size** H: 22 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 7,3 x 16 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in daylight and motion sensor




\*15 year guarantee on corrosion

**Galvanized 21841031\***  
Galvanized steel/Plastic

## MALTE Wall light

**Masterbox** Qty. 3  
**Size** D: 9,5 cm, Ø: 24 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



\*15 year guarantee on corrosion




**Galvanized 21861031\***  
Galvanized steel/Plastic

## MALTE Wall light

**Masterbox** Qty. 3  
**Size** D: 9,5 cm, Ø: 24 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection






\*15 year guarantee on corrosion

**Galvanized 24111031\***  
Galvanized steel/Glass

## VIRUM Wall light

**Masterbox** Qty. 3  
**Size** H: 22 cm, D: 38 cm, Shade Ø: 32 cm, Base: 10.5 cm  
**IP Class** IP44, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection



**Copper 24381030\***  
Copper/Plastic



**Galvanized 24381031\***  
Galvanized steel/Plastic




\*15 year guarantee on corrosion

## PHOENIX Wall light

**Masterbox** Qty. 2  
**Size** H: 22 cm, D: 42,5 cm, Shade Ø: 39 cm, Base: 11.7 cm  
**IP Class** IP54, Class 2 (Double isolated)  
**Lightsource** E27 - Not included

**Features**  
Huge 42,5 cm shade  
Build-in parallel connection






**Black 45471003**  
Aluminium/Plastic

## ARN Single Wall light

**Masterbox** Qty. 3  
**Size** H: 17,5 cm, W: 10,5 cm, D: 11 cm, Base: 9 x 12 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection




**Black 45481003**  
Aluminium/Plastic

## ARN Double Wall light

**Masterbox** Qty. 3  
**Size** H: 22,5 cm, W: 10,5 cm, D: 11 cm, Base: 9 x 12 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Build-in parallel connection






**Black 46821003**  
Aluminium/Plastic

## MARINA Flatline Wall light by NKaare Bækgaard



**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 13,5 cm, D: 18 cm, Base: 8,8 x 8,9 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 10W LED, 750 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

**Features**  
5 year LED guarantee  
Build-in parallel connection




**Black 46831003**  
Aluminium/Plastic

## MARINA Sensor Wall light by NKaare Bækgaard



**Masterbox** Qty. 3  
**Size** H: 20 cm, W: 13,5 cm, D: 18 cm, Base: 8,8 x 8,9 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 10W LED, 750 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

**Features**  
5 year LED guarantee  
Build-in parallel connection  
Movement sensor build-in





**Brass 49021035\***  
Brass/Glass



**Nickel 49021055\***  
Metal/Glass





\*15 year guarantee on corrosion


## POLPERRO Wall light

**Masterbox** Qty. 3  
**Size** D: 9,3 cm, Ø: 19.5 cm, Shade Ø: 18 cm, Base: 12 cm  
**IP Class** IP64, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
 Maritime robust design  
 Build-in parallel connection



**Brass 49031035\***  
Brass/Glass



**Nickel 49031055\***  
Metal/Glass




\*15 year guarantee on corrosion

## HELFORD Wall light

**Masterbox** Qty. 3  
**Size** W: 12,5 cm, L: 19 cm, D: 11 cm  
**IP Class** IP64, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
 Maritime robust design






**Black 49041003**  
Aluminium/Plastic

**NESTOR** Wall light 

- Masterbox** Qty. 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 550 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°

- Features**
- 5 year LED guarantee
  - Build-in parallel connection




**Black 49051503**  
Aluminium/Plastic

**NESTOR Sensor** Wall light 

- Masterbox** Qty. 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 550 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°

- Features**
- Build-in daylight and motion sensor
  - 5 year LED guarantee
  - Build-in parallel connection





**White 49701001**  
Aluminium



**Black 49701003**  
Aluminium



**Grey 49701010**  
Aluminium



**Galvanized 49701031\***  
Galvanized steel



**Stainless steel 49701034**  
Stainless steel




**Brass 49701035\***  
Brass

## CANTO 2 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 10,4 cm, W: 8,7 cm, D: 10 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 2x6W  
LED, 500 Lumen, 2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°

**Features**  
3 light effects included  
Both up- and down-light  
Build-in parallel connection  
5 year LED guarantee



\*15 year guarantee  
on corrosion



**White 49721001**  
Aluminium



**Black 49721003**  
Aluminium



**Grey 49721010**  
Aluminium



**Galvanized 49721031\***  
Galvanized steel



**Stainless steel 49721034**  
Stainless steel




**Brass 49721035\***  
Brass

## CANTO Maxi 2 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 17 cm, W: 8,7 cm, D: 10 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Both up- and down-light  
Build-in parallel connection



\*15 year guarantee  
on corrosion





**White 49711001**  
Aluminium



**Black 49711003**  
Aluminium



**Grey 49711010**  
Aluminium



**Galvanized 49711031\***  
Galvanized steel



**Stainless steel 49711034**  
Stainless steel


## CANTO Kubi 2 Wall light by Bønnelycke MDD



**Masterbox** Qty. 3  
**Size** H: 10,4 cm, W: 8,7 cm, D: 10 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** LED Module - 2x6W  
LED, 500 Lumen, 2700 Kelvin, 25000 Hours, RA 80,  
Beamangle 120°

### Features

3 light effects included  
Both up- and down-light  
Build-in parallel connection  
5 year LED guarantee



\*15 year guarantee  
on corrosion



**White 49731001**  
Aluminium



**Black 49731003**  
Aluminium



**Grey 49731010**  
Aluminium




**Galvanized 49731031\***  
Galvanized steel

## CANTO Maxi kubi 2 Wall light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 17 cm, W: 8,7 cm, D: 10 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

### Features

Both up- and down-light  
Build-in parallel connection



\*15 year guarantee  
on corrosion




**Black 76391003**  
Aluminium/Plastic

## BELL Wall light

**Masterbox** Qty. 3  
**Size** H: 15 cm, D: 24,5 cm, Shade Ø: 20 cm, Base: 9.5 x 6 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
 Build-in parallel connection



**White 84181001**  
Metal/Glass




**Black 84181003**  
Metal/Glass


## KINVER 18 Wall light



**Masterbox** Qty. 3  
**Size** H: 9 cm, W: 17,5 cm, D: 3 cm, Base: 14,5 x 5,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 8,5W  
 LED, 700 Lumen, 3000 Kelvin, 25000 Hours, RA 80,  
 Beamangle 120°

**Features**  
 Super slim design  
 Lights both up and down  
 5 year LED guarantee





**Black 2019071003**  
Aluminium

## ASBOL Kubi Wall light

**Masterbox** Qty. 6  
**Size** H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base: 5,5 x 14 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsources** LED Module - Inkl. 2X6,5W  
LED, 350 Lumen, 3000 Kelvin, 20000 Hours, RA 80,  
Beamangle 120°

**Features**  
3 light effects included  
High 2x350 lumen output  
5 year LED guarantee  
Built-in parallel connection  
5 year LED guarantee




**Black 84971003**  
Aluminium/Glass

## ASBOL Round Wall light

**Masterbox** Qty. 6  
**Size** H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base: 5,5 x 14 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsources** LED Module - Inkl. 2X6,5W  
LED, 350 Lumen, 3000 Kelvin, 20000 Hours, RA 80,  
Beamangle 120°

**Features**  
3 light effects included  
High 2x350 lumen output  
5 year LED guarantee  
Built-in parallel connection  
5 year LED guarantee






**Black 46971003**  
Aluminium/Plastic

## AKRON 17 Wall light

**Masterbox** Qty. 3  
**Size** H: 10,7 cm, W: 17,5 cm, D: 5,2 cm, Base: 14,5 x 5,5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 2x6W  
LED, 460 Lumen, 3000 Kelvin, 20000 Hours, RA 80,  
Beamangle 120°

**Features**  
5 year LED guarantee




**Black 46951003**  
Aluminium/Plastic

## ARTEGO Square Wall light

**Masterbox** Qty. 3  
**Size** H: 15 cm, W: 15 cm, D: 5 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 8W LED, 484 Lumen, 3000 Kelvin, 20000 Hours,  
RA 81, Beamangle 120°

**Features**  
5 year LED guarantee  
Build-in parallel connection






**Black 46941003**  
Aluminium/Plastic

## ARTEGO Round Wall light

**Masterbox** Qty. 3  
**Size** D: 5 cm, Shade Ø: 15 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 8W LED, 468 Lumen, 3000 Kelvin, 20000 Hours, RA 82, Beamangle 120°

**Features**  
5 year LED guarantee  
Build-in parallel connection



# *Ceiling light*








**Black 77636003**  
Aluminium/Plastic

## Desi 22 Ceiling light

**Masterbox** Qty. 3  
**Size** Ø: 22.3 cm, D: 7 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection




**Black 77646003**  
Aluminium/Plastic

## Desi 28 Ceiling light

**Masterbox** Qty. 3  
**Size** Ø: 27.5 cm, D: 8 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** E27 - Not included

**Features**  
Build-in parallel connection








**Black 84136003**  
Metal/Plastic

## TETON Ceiling light

**Masterbox** Qty. 3  
**Size** Shade Ø: 20,2 cm  
**IP Class** IP54, Class 1 (Earth contact)  
**Lightsource** LED Module - 12W LED, 590 Lumen, 3000 Kelvin, 30000 Hours, RA 80

**Features**  
5 year LED guarantee  
Build-in parallel connection



# *Garden light*








**Black 2118268003**  
Aluminium/Plastic

## NAMA 50 Garden light EXEMPT

**Masterbox** Qty. 2  
**Size** H: 50 cm, Shade Ø: 17 cm, Tube Ø: 6,5 cm, Tilt angle: 10°  
**IP Class** IP54, Class 3 (12V)  
**Lightsource** SolarLed - 1W LED, 65 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 87°

### Features

Solar charged  
Night light and motion sensor turns full light on  
360 degree light output  
Easy to install with the included spike  
5 year LED guarantee




**Black 2118278003**  
Aluminium/Plastic

## NAMA 90 Garden light EXEMPT

**Masterbox** Qty. 2  
**Size** H: 90 cm, Shade Ø: 17 cm, Tube Ø: 6,5 cm, Tilt angle: 10°  
**IP Class** IP54, Class 3 (12V)  
**Lightsource** SolarLed - 1W LED, 65 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 87°

### Features

Solar charged  
Night light and motion sensor turns full light on  
360 degree light output  
Easy to install with the included spike  
5 year LED guarantee






**Anthracite 49018050**  
Aluminium

## **CONCORDIA** Garden light by Bønnelycke MDD

**Masterbox** Qty. 3  
**Size** H: 100 cm, Ø: 15 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
1 meter high  
Can be mounted on Nordlux base unit



# *Battery light*







White 2018103003  
Plastic/Metal

## SPONGE Pendant Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 55,4 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Tube Ø: 2,3 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features

- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- Space saving pendant
- 5 year LED guarantee



White 2018128003  
Plastic/Metal

## SPONGE Spike Battery light by Says Who


**Masterbox** Qty. 3  
**Size** H: 51,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Tube Ø: 2,3 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features


- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- Spike included for easy placement
- 5 year LED guarantee

352

### Moodmaker™ Step Dimming




### Moodmaker™ Step Dimming







**White 2018135003**  
Plastic/Metal

**SPONGE 20** Battery light by Says Who 

- Masterbox** Qty. 3
- Size** H: 21,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Tube Ø: 2,3 cm
- IP Class** IP65, Class 3 (12V)
- Cable** Black 150 cm. Switch on the fixture
- Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°


**Features**

- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- 5 year LED guarantee

**Moodmaker™ Step Dimming**



**White 2018145003**  
Plastic/Metal



**SPONGE To Go** Battery light by Says Who 

- Masterbox** Qty. 3
- Size** H: 27,7 cm, W: 22,5 cm, L: 22,5 cm, Ø: 22.5 cm, Tube Ø: 1 cm, Base Ø: 13,5 cm
- IP Class** IP65, Class 3 (12V)
- Cable** Black 150 cm. Switch on the fixture
- Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

**Features**

- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- Handle for easy bring along
- 5 year LED guarantee

**Moodmaker™ Step Dimming**





White 2018154003  
Plastic/Metal

## SPONGE 34 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 126 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Tube Ø: 2,3 cm, Base Ø: 28,5 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features

Long life battery  
Durable materials  
High lumen output with 3-step dimming  
Water resistant (IP65)  
Warm white LED 2700 Kelvin  
Big size and 450 Lumen  
5 year LED guarantee

### Moodmaker™ Step Dimming



White 2018165003  
Plastic/Metal



## SPONGE 34 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 40,5 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Tube Ø: 2,3 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features

Long life battery  
Durable materials  
High lumen output with 3-step dimming  
Water resistant (IP65)  
Warm white LED 2700 Kelvin  
Big size and 450 Lumen  
5 year LED guarantee  
354

### Moodmaker™ Step Dimming






**NEW** Nature(brown) 2118085062  
Bamboo/Plastic

**BOB** Battery light by Says Who EXEMPT

- Masterbox** Qty. 2  
**Size** H: 39,6 cm, W: 29,4 cm, L: 31,8 cm, Shade Ø: 29,4 cm, Base Ø: 18 cm  
**IP Class** IP44, Class 3 (12V)  
**Cable** Black 100 cm. Switch on the fixture  
**Lightsource** SolarLed - 4W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 240°

**Features**

- Solar charged
- High light output (300 lumen)
- Turns on automatically when darkness falls
- 30 cm high (suitable for Kettle spike and tripod)
- 5 year LED guarantee




**NEW** Nature(brown) 2118095062  
Bamboo/Plastic

**LEO** Battery light by Says Who EXEMPT

- Masterbox** Qty. 2  
**Size** H: 30 cm, Ø: 29.9 cm, Shade Ø: 29,9 cm, Base Ø: 18 cm  
**IP Class** IP44, Class 3 (12V)  
**Cable** Black 100 cm. Switch on the base  
**Canopy** . Dimension: A cm  
**Lightsource** SolarLed - 4W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 240°

**Features**

- Solar charged
- High light output (300 lumen)
- Turns on automatically when darkness falls
- 30 cm high (suitable for Kettle spike and tripod)
- 5 year LED guarantee





White 2118245001  
Metal



Black 2118245003  
Metal



**NEW** Sanded 2118245008  
Metal

## ARA Battery light




- Masterbox** Qty. 3
- Size** H: 29,2 cm, Shade Ø: 19,7 cm
- IP Class** IP54, Class 3 (12V)
- Cable** White 100 cm. Switch on the base
- Lightsource** LED Module - 2W LED, 190 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 125°

### Features

- Battery powered
- 3-step Moodmaker™ function
- Up to 80 hours of battery life
- 5 year LED guarantee


### Moodmaker™ Step Dimming



Step 1  
100%

Step 2  
50%

Step 3  
20%



White 2218013001  
Plastic

## BRING 12 Battery light by DTA




- Masterbox** Qty. 3
- Size** H: 26 cm, Ø: 12 cm, Shade Ø: 12 cm
- IP Class** IP44, Class 3 (12V)
- Cable** Black 100 cm. Switch on the base
- Lightsource** LED Module, 70 Lumen, 2700 Kelvin, 25000 Hours, RA 83

### Features


- Easy to bring everywhere (battery powered)
- Made from recycled materials
- Water resistant (IP65)
- Just tap to turn on/off
- USB cable for charging included
- Long battery life
- 5 year LED guarantee

### Moodmaker™ Step Dimming



Step 1  
100%

Step 2  
30%





**NEW** Red 2218105002  
Metal/Plastic

**NEW** Black 2218105003  
Metal/Plastic

**NEW** Blue 2218105006  
Metal/Plastic


## JIM Battery light by Says Who EXEMPT

**Masterbox** Qty. 4  
**Size** H: 30,3 cm, Ø: 28 cm, Shade Ø: 16 cm, Base Ø: 14 cm  
**IP Class** IP54, Class 3 (12V)  
**Cable** White 100 cm. Switch on the base  
**Lightsource** LED Module, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80

### Features

Easy to bring everywhere (battery powered)  
High lumen output (300 lumen)  
3-step Moodmaker™  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
100%

**Step 2**  
50%

**Step 3**  
20%



**NEW** Grey 2218105010  
Metal/Plastic

**NEW** Green 2218105023  
Metal/Plastic

**NEW** Orange 2218105027  
Metal/Plastic


## JIM Battery light by Says Who EXEMPT

**Masterbox** Qty. 4  
**Size** H: 30,3 cm, Ø: 28 cm, Shade Ø: 16 cm, Base Ø: 14 cm  
**IP Class** IP54, Class 3 (12V)  
**Cable** White 100 cm. Switch on the base  
**Lightsource** LED Module, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80

### Features

Easy to bring everywhere (battery powered)  
High lumen output (300 lumen)  
3-step Moodmaker™  
5 year LED guarantee


### Moodmaker™ Step Dimming



**Step 1**  
100%

**Step 2**  
50%

**Step 3**  
20%





\*15 year guarantee on corrosion


**NEW** Galvanized 2218325031\*  
Galvanized steel/Plastic

**NEW** Brass 2218325035\*  
Brass/Plastic

## TEMPLE 30 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 22,2 cm, W: 22,6 cm, L: 22,6 cm, Shade Ø: 22,6 cm, Base Ø: 13,8 cm  
**IP Class** IP54, Class 3 (12V)  
**Cable** Black 100 cm. Switch on the base  
**Lightsource** LED Module, 106 Lumen, 3000 Kelvin, RA 80

**Features**  
 Durable materials well-suited for harsh weather  
 Solar charged  
 Turns on automatically when darkness falls



\*15 year guarantee on corrosion


**NEW** Galvanized 2218335031\*  
Galvanized steel/Plastic

**NEW** Brass 2218335035\*  
Brass/Plastic

## TEMPLE 35 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 30,4 cm, W: 31,3 cm, L: 31,3 cm, Shade Ø: 31,3 cm, Base Ø: 19 cm  
**IP Class** IP54, Class 3 (12V)  
**Cable** Black 100 cm. Switch on the base  
**Lightsource** LED Module, 138 Lumen, 3000 Kelvin, RA 80

**Features**  
 Durable materials well-suited for harsh weather  
 Solar charged  
 Turns on automatically when darkness falls





White 2018003003  
Plastic



## KETTLE 22 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 19,6 cm, Ø: 22 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features

Long life battery  
Durable materials  
High lumen output with 3-step dimming  
Water resistant (IP65)  
Warm white LED 2700 Kelvin  
Easy twist mount accessories for placement  
5 year LED guarantee

### Moodmaker™ Step Dimming



White 2018013003  
Plastic

## KETTLE 36 Battery light by Says Who

**Masterbox** Qty. 3  
**Size** H: 30,8 cm, Ø: 36 cm  
**IP Class** IP65, Class 3 (12V)  
**Cable** Black 150 cm. Switch on the fixture  
**Lightsource** LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

### Features

Long life battery  
Durable materials  
High lumen output with 3-step dimming  
Water resistant (IP65)  
Warm white LED 2700 Kelvin  
Easy twist mount accessories for placement  
5 year LED guarantee

### Moodmaker™ Step Dimming





**Black 2018035003**  
Metal




**Nature(brown) 2018035014**  
Wood

## KETTLE Tripod 31 Accessories by Says Who

**Masterbox** Qty. 3  
**Size** H: 33,8 cm, W: 17,9 cm, L: 15,7 cm, Tube Ø: 1,6 cm  
**Lightsource**

**Features**  
Easy twist mount accessory for Kettle luminaire  
Tripod turns it into table or low floor lamp



**Black 2018044003**  
Metal




**Nature(brown) 2018044014**  
Wood

## KETTLE Tripod 110 Accessories by Says Who

**Masterbox** Qty. 3  
**Size** H: 103,9 cm, W: 36,7 cm, L: 32 cm, Tube Ø: 1,6 cm  
**Lightsource**

**Features**  
Easy twist mount accessory for Kettle luminaire  
High tripod turns it into floor lamp







**Black 2018028003**  
Metal

## **KETTLE Spike** Accessories by Says Who

**Masterbox** Qty. 3  
**Size** H: 51,6 cm, W: 5,8 cm, L: 5,8 cm, Tube Ø: 1,8 cm

**Features**  
Easy twist mount accessory for Kettle luminaire  
Metal spike



*Recessed*







Built-in height 3 cm




Cutout Ø 2,5 cm

Stainless steel 45420034  
Plastic/stainless steel

## UNE 6-Kit Recessed light EXEMPT

**Masterbox** Qty. 3  
**Size** H: 2,5 cm, Ø: 3.7 cm, Build in height: 2,5 cm, Build in Ø: 3,7 cm, Built-in height 3 cm, Cutout Ø 2,5 cm  
**IP Class** IP67, Class 3 (12V)  
**Cable** Black 500 cm,  
**Lightsource** LED Module - 6X0. 6W  
 LED, 20 Lumen, 3000 Kelvin, 30000 Hours, RA 65, Beamangle 120°

**Features**  
5 year LED guarantee




Cutout Ø 9 cm

Stainless steel 83830034  
Metal/Glass

## PATO Round Recessed light

**Masterbox** Qty. 3  
**Size** H: 12 cm, Ø: 11 cm, Build in height: 12 cm, Build in Ø: 11 cm, Cutout Ø 9 cm  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Suited for a GU10 bulb






**Stainless steel 83840034**  
Metal/Glass

## PATO Square Recessed light

**Masterbox** Qty. 3  
**Size** H: 12 cm, W: 11 cm, L: 11 cm, Build in height: 12 cm, Cutout Ø 9 cm  
**IP Class** IP65, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Suited for a GU10 bulb




**Stainless steel 96409934**  
Stainless steel/Plastic

## TILOS 1-Kit Recessed light

**Masterbox** Qty. 3  
**Size** H: 14,1 cm, Ø: 10.5 cm  
**IP Class** IP67, Class 2 (Double isolated)  
**Lightsource** GU10 - Not included

**Features**  
Parallel connection possible  
Retrofit GU 10 bulb







**Stainless steel 96439934**  
Stainless steel/Glass

## TILOS 3-Kit Recessed light

**Masterbox** Qty. 3  
**Size** H: 13,5 cm, Ø: 10.5 cm  
**IP Class** IP67, Class 2 (Double isolated)  
**Lightsource** GU10 - Not included

**Features**  
 Parallel connection possible  
 Retrofit GU 10 bulb




**NEW** **Stainless steel 2218400034**  
Stainless steel

## ANDOR Round Recessed light

**Masterbox** Qty. 3  
**Size** H: 14,8 cm, W: 11 cm, L: 11 cm  
**IP Class** IP67, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
 Ground recessed spotlight perfect for the driveway, walkway or garden  
 Suited for a GU10 bulb  
 Parallel connection possible






**NEW** Stainless steel 2218410034  
Stainless steel

## ANDOR Square Recessed light

**Masterbox** Qty. 3  
**Size** H: 14,8 cm, W: 11 cm, L: 11 cm  
**IP Class** IP67, Class 1 (Earth contact)  
**Lightsource** GU10 - Not included

**Features**  
Ground recessed spotlight perfect for the driveway, walkway or garden  
Suited for a GU10 bulb  
Parallel connection possible



# *Spot light*










**Black 20789903**  
Aluminium/Glass

## SPOTLIGHT GU10 Spot light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 38 cm, D: 14 cm, Ø: 10 cm
<b>IP Class</b>	IP54, Class 1 (Earth contact)
<b>Cable</b>	Black 180 cm, non replaceable
<b>Lightsource</b>	GU10 - Not included

### Features

Suitable for GU10 bulb  
Fixed 1,5 meter cable




**Stainless steel 77029934**  
Stainless steel

## TAURUS Spot light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 31 cm, Ø: 10 cm
<b>IP Class</b>	IP54, Class 1 (Earth contact)
<b>Cable</b>	Black 150 cm, non replaceable
<b>Lightsource</b>	GU10 - Not included

### Features

Suitable for GU10 bulb  
Fixed 1,5 meter cable






**Black 83698003**  
Aluminium

## **MONO** Spot light

**Masterbox** Qty. 3  
**Size** H: 57,7 cm, Shade Ø: 7 cm  
**IP Class** IP44, Class 1 (Earth contact)  
**Cable** Black 170 cm, non replaceable  
**Lightsource** GU10 - Not included

**Features**  
Cable with plug included



*Outdoor  
Smart Light*







**Black 2019001003**  
Plastic

**Grey 2019001010**  
Plastic

## Arcus Smart Wall light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 10 cm, W: 20 cm, D: 10 cm
<b>IP Class</b>	IP54, Class 1 (Earth contact)
<b>Lightsources</b>	LED Module - 9,5W LED, 440 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 147.6° Built-in dimmable light source with Nordlux Smart functionality

### Features

- Dual light LED
- Bluetooth connection to Nordlux Smart Light
- Can be controlled by wireless Nordlux Smart Sensor
- Built-in parallel connection
- Indication light
- 5 year LED guarantee



**Black 2019016003**  
Plastic

**Grey 2019016010**  
Plastic

## Ava Smart Ceiling light

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 20 cm, D: 6.8 cm
<b>IP Class</b>	IP54, Class 1 (Earth contact)
<b>Lightsources</b>	LED Module - 9,5W LED, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 159.2° Built-in dimmable light source with Nordlux Smart functionality

### Features

- Dual light LED
- Bluetooth connection to Nordlux Smart Light
- Can be controlled by wireless Nordlux Smart Sensor
- Optional cover cap for wall use included
- Indication light
- Designed for both ceiling and wall mounting
- 5 year LED guarantee



**White 2118201001**  
Plastic



**Black 2118201003**  
Plastic




Parallel connection

## GripSmart Wall light by MB

- Masterbox** Qty. 3
- Size** H: 18 cm, W: 15 cm, D: 9,7 cm
- IP Class** IP54, Class 1 (Earth contact)
- Lightsource** LED Module - 10W LED, 830 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°  
Built-in dimmable light source with Nordlux Smart functionality

### Features

- Like a piece of jewellery for your house
- Built-in Nordlux Smart LED
- Cool to warm white light (2200-6500 kelvin)
- Dimmable through app
- Parallel connection possible
- 5 year LED guarantee



**White 49091001**  
Plastic




**Black 49091003**  
Plastic

## Sensor Smart Sensor

- Masterbox** Qty. 6
- Size** H: 7,6 cm, W: 4,5 cm, L: 7,6 cm, D: 4,5 cm, Tilt angle: 100°
- IP Class** IP54, Class 3 (12V)
- Lightsource** Can not be dimmed

### Features

- Easy installation without the use of cables
- Daylight and motion sensor in one unit
- IP safe for both outdoor and bathroom use
- Bracket included for tilted or corner positioning
- Battery lifetime +400 days
- Can control up to 50 lights via Bluetooth



# *Accessories*









**Galvanized 22039931\***  
Galvanized steel

## **BASE** Accessories

**Masterbox** Qty. 3  
**Size** H: 50 cm, Ø: 15 cm, Tube Ø: 5 cm  
**Lightsource**

**Features**  
Universal base for Nordlux garden poles



**Sandblasted 2440888**  
Glass



**Clear 2440999**  
Glass

## **STALDGLAS** Accessories

**Masterbox** Qty. 3  
**Size** H: 16 cm, Ø: 9.5 cm  
**Lightsource** - Not included



**Black 2444999**  
Plastic

## **STALDGLAS** Accessories

**Masterbox** Qty. 12  
**Size** Ø: 9.5 cm  
**Lightsource**

# *Bulbs*





1800K



EXEMPT

Smoked  
2080032747



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



EXEMPT

Goldcolor  
2080042758



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Deco Dim | Light Bulb | Smoked

**Masterbox** Qty. 6  
**Size** H: 10,8 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.5W  
 (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 A60 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 11,2 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 2.3W  
 (), 65 Lumen, 1800 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

2500K



A F

Goldcolor  
2080012758



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

2200K



A G

Goldcolor  
2080022758



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.2W  
 (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** F

## E27 A60 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 10,8 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.9W  
 (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** G

2700K

Frosted  
5197001023Lightsource  
Ø: 6 cm,Beamangle  
200°,15000  
Hours,

Not dimmable

2700K

Frosted  
5197001021Lightsource  
Ø: 6 cm,Beamangle  
200°,15000  
Hours,

Not dimmable

## E27 A60 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 11,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 13.3W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E27 A60 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 11,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 13.3W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K

Frosted  
5171013521Lightsource  
Ø: 6 cm,Beamangle  
240°,15000  
Hours,

Not dimmable

2700K

Frosted  
5171013323Lightsource  
Ø: 6 cm,Beamangle  
240°,15000  
Hours,

Not dimmable

## E27 A60 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.6W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 A60 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.8W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5181001321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5181000321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 7.8W  
 (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** D

## E27 A60 | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 6.8W  
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

2700K



Frosted  
5171013523



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

4000K



White  
5191001821



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 3-kit | Light Bulb | Frosted

**Masterbox** Qty. 5  
**Size** H: 10,9 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 8.6W  
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 240°  
 Can not be dimmed, 220-240 Volt

**Energy class** F

## E27 A60 | Light Bulb | White

**Masterbox** Qty. 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 6.8W  
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E



4000K

White  
5191002021Lightsource  
Ø: 6 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

2700K

White  
5181023121Lightsource  
Ø: 6 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 A60 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.2W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

2700K

Clear  
5181000921Lightsource  
Ø: 6 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

4000K

Frosted  
5181014923Lightsource  
Ø: 6 cm,Beamangle  
240°,15000  
Hours,

Not dimmable

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 A60 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.8W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 240°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

2700K



White  
5181023321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5181021521



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	E

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K



Frosted  
5171013723



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

2700K



White  
5181020921



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 9.6W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K



Frosted  
5161009021



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

4000K



Clear  
5181003321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 6.8W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2400K



Yellow  
5181014521



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

2700K



Clear  
5181003621



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Yellow

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.9W (35W), 396 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	G

## E27 A60 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.2W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	E

2700K



Frosted  
5171013321



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

2700K



White  
5181021121



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.8W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Frosted  
5171013721



Lightsource  
Ø: 6 cm,



Beamangle  
240°,



15000  
Hours,



Not dimmable

4000K



Clear  
5181011021



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 9.6W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.8W (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

2700K



Clear  
5181000121



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5181021321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K



Clear  
5181006521



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5181001323



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.8W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	D

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.8W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D

4000K



Clear  
5181010321



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5211022721



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 A60 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt D



White  
5211028021



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5181021323



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	D

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



Clear  
5181003323



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable



Clear  
5211027921



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 6.8W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E27 A60 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (105W), 1620 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	D

4000K



Clear  
5181011221



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable



White  
5191002023



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.8W (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	D

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K



Clear  
5181000323



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



White  
5191001823



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 3-Kit | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 6.8W  
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

## E27 A60 | Light Bulb | White

**Masterbox** Qty. 5  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 6.8W  
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

2700K



Clear  
5181000923



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5181011023



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W  
 (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

## E27 A60 | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 10,4 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 7.8W  
 (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** D



4000K



White  
5191001721



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



White  
5181023721



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 A60 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

2700K



White  
5181021523



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5181010323



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K

Frosted  
5181015523Lightsource  
Ø: 6 cm,Beamangle  
240°,15000  
Hours,

Not dimmable

2700K

Clear  
5211020921Lightsource  
Ø: 6 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

## E27 A60 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,9 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.6W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 240°
<b>Energy class</b>	F

## E27 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	D

4000K

White  
5211033021Lightsource  
Ø: 6 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

Clear  
5221030121Lightsource  
Ø: 6 cm,Beamangle  
360°,30000  
Hours,

Not dimmable

## E27 | Light Bulb | White


<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	D

## E27 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.3W (41W), 485 Lumen, E27 Kelvin, 30000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	A



Clear  
5221030321



2700K



Frosted  
5172003923



## E27 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,4 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (62W), 840 Lumen, E27 Kelvin, 30000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	A

## E27 G45 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.7W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

1800K




Goldcolor  
2080282758



2700K



White  
5182001921



## E27 A165 Deco | Light Bulb | Goldcolor

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 30,3 cm, Ø: 16.8 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 3.5W ( ), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	Exempt

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

4000K



Clear  
5192006521



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5182014321



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 5.9W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2400K



Yellow  
5182003421



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

2700K



Clear  
5192001921



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Yellow

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,4 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.9W (22W), 215 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 225°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 5.9W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

2700K



Clear  
5182015821



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182001121



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsources</b>	E27, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsources</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



White  
5182015521



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5192002321



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsources</b>	E27, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsources</b>	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Frosted  
5172014023



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5172014421



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

## E27 G45 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 8,4 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 G45 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,4 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5182000321



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5182014721



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K

Frosted  
5172014423Lightsource  
Ø: 4.5 cm,Beamangle  
225°,15000  
Hours,

Not dimmable

2700K

Frosted  
5172014021Lightsource  
Ø: 4.5 cm,Beamangle  
225°,15000  
Hours,

Not dimmable

## E27 G45 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 8,4 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 G45 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,4 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K

Frosted  
5172003921Lightsource  
Ø: 4.5 cm,Beamangle  
200°,15000  
Hours,

Not dimmable

4000K

White  
5192006821Lightsource  
Ø: 4.5 cm,Beamangle  
360°,15000  
Hours,

Not dimmable

## E27 G45 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7.7W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 6.8W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

4000K



Clear  
5182003721



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5182016521



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (26W), 270 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



White  
5192003521



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182006321



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 G45 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt E



2500K



Goldcolor  
2080152758



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



Goldcolor  
2080202758



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G45 | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** F

## E27 G95 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 14,4 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 3.5W (15W), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

2500K



Goldcolor  
2080172758



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



Smoked  
2080192747



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G95 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 13,7 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** F


## E27 G95 Deco Dim | Light Bulb | Smoked

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.5W (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

2200K




Goldcolor  
2080182758



2700K



Clear  
5216000121



## E27 G95 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.9W (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** G

## E27 G95 Dim | Light Bulb | Clear


**Masterbox** Qty. 3  
**Size** H: 13,7 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** D

2700K




White  
5196000721



2700K



White  
5216000121



## E27 G95 Dim | Light Bulb | White

**Masterbox** Qty. 6  
**Size** H: 13,7 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** E

## E27 G95 Dim | Light Bulb | White

**Masterbox** Qty. 3  
**Size** H: 13,7 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** D

2500K



Goldcolor  
2080212758



Lightsource  
Ø: 12.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5196002821



Lightsource  
Ø: 12.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G120 Deco Dim | Light Bulb | Gold

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 17,2 cm, Ø: 12.4 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

## E27 G120 | Light Bulb | White

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 17,2 cm, Ø: 12.4 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D

2700K



Clear  
5196002021



Lightsource  
Ø: 12.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



Smoked  
2080232747



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G120 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 17,2 cm, Ø: 12.4 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D

## E27 G125 Deco Dim | Light Bulb | Smoked

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 17,8 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.5W (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	Exempt

2200K



Goldcolor  
2080222758



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Goldcolor  
2080292758



Lightsource  
Ø: 20 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G125 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 3  
**Size** H: 17,8 cm, Ø: 12.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.9W (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** G

## E27 G200 Deco | Light Bulb | Gold

**Masterbox** Qty. 3  
**Size** H: 28,3 cm, Ø: 20 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** F

1800K



Goldcolor  
2080242758



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



Smoked  
2080302747



Lightsource  
Ø: 20 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 G125 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 3  
**Size** H: 16,4 cm, Ø: 12.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 3.5W (120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

## E27 G200 Deco | Light Bulb | Smoked

**Masterbox** Qty. 3  
**Size** H: 28,3 cm, Ø: 20 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 8.5W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

1800K



EXEMPT

Smoked  
2290102747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Goldcolor  
2290092758



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** Exempt

## E27 | Light Bulb | Goldc

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** Exempt

1800K



EXEMPT

Goldcolor  
2290062758



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Smoked  
2290072747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Gold

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** Exempt

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** Exempt

1800K



EXEMPT

Goldcolor  
2290072758



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Smoked  
2290062747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Gold

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

1800K



EXEMPT

Smoked  
2290092747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Smoked  
2290082747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

1800K



EXEMPT

Goldcolor  
2290102748



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Goldcolor  
2290082758



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Gold

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 | Light Bulb | Gold

**Masterbox** Qty. 12  
**Size** H: 18,5 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

1800K



EXEMPT

Smoked  
2290052747



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

1800K



EXEMPT

Goldcolor  
2290052758



Lightsource  
Ø: 3 cm,



Beamangle  
360°,



15000  
Hours,



Dimmable

## E27 | Light Bulb | Smoked

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 | Light Bulb | Gold

**Masterbox** Qty. 12  
**Size** H: 12,6 cm, Ø: 3 cm  
**Type** Light Bulb  
**Lightsource** E27,  
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,  
 RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

2200K



Goldcolor  
2080132758



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Goldcolor  
2080252758



Lightsource  
Ø: 6.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 T45 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 11 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.9W (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** G

## E27 T65 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 3  
**Size** H: 27 cm, Ø: 6.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** F

1800K



Goldcolor  
2080142758



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

3000K



Clear  
502016092105



Lightsource  
Ø: 6.35 cm,



Beamangle  
30°,



15000  
Hours,



Not dimmable

## E27 T45 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 11,2 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 3.5W (120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

## E27 Par20 Dim | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 8,9 cm, Ø: 6.35 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 7W (75W), 500 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 30°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** G



2700K



Clear  
5194002021



Lightsource  
Ø: 6.3 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

2700K



White  
5183016521



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 R63 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6.3 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 3.3W (40W), 207 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

## E27 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Clear  
5194002621



Lightsource  
Ø: 8 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

2700K



Clear  
5183000321



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 R80 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 11 cm, Ø: 8 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4.4W (60W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## E27 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



White  
5183016121



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



Smoked  
2080272747



Lightsource  
Ø: 16 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 Ps160 Deco | Light Bulb | Smoked

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 29 cm, Ø: 16 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 8.5W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt Exempt

2700K



Clear  
5183001721



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Goldcolor  
2080262758



Lightsource  
Ø: 16 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E27 Ps160 Deco | Light Bulb | Gold

<b>Masterbox</b>	Qty. 3
<b>Size</b>	H: 29 cm, Ø: 16 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt F

1800K



EXEMPT

Goldcolor  
2080082758



Lightsource  
Ø: 6.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



EXEMPT

Smoked  
2080072747



Lightsource  
Ø: 6.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 St64 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 14,2 cm, Ø: 6.4 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 3.5W  
 (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

## E27 St64 Deco Dim | Light Bulb | Smoked

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 6.4 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.5W  
 (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** Exempt

2200K



A+ G

Goldcolor  
2080062758



Lightsource  
Ø: 6.4 cm,



Beamangle  
360°,




15000  
Hours,



Not dimmable

2500K



A+ F

Goldcolor  
2080052758



Lightsource  
Ø: 6.4 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E27 St64 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 6.4 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.9W  
 (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** G

## E27 St64 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 6.4 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.2W  
 (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt  
**Energy class** F

2200K



Smoked  
1426070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2000K



Amber  
1438070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 G120 | Light Bulb | Smoked

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 18 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W ( ), 140 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	G

## Avra E27 G125 | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 1.5W (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	G

2200K



Amber  
1422070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Smoked  
1427070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 G125 | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	G

## Avra E27 G125 | Light Bulb | Smoked

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	G

2200K



Clear  
1441070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2000K



Amber  
1439070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 G125 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 1.5W (16W), 150 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	F

## Avra E27 G125 | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 1.5W (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	F

2200K



Smoked  
1429070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Clear  
1421070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 G125 | Light Bulb | Smoked

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 18 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	G

## Avra E27 G125 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,5 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	G

2200K



Clear  
1423070



Lightsource  
Ø: 10 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2200K



Amber  
1430070



Lightsource  
Ø: 10 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 Diamond | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 14,5 cm, Ø: 10 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

## Avra E27 Nut | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,8 cm, Ø: 10 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

2200K



Amber  
1428070



Lightsource  
Ø: 12.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2000K



Amber  
1440070



Lightsource  
Ø: 10 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Avra E27 G130 | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,7 cm, Ø: 12.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

## Avra E27 Nut | Light Bulb | Amber

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 17,8 cm, Ø: 10 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E27, Wattage: 1.5W (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

1800K



EXEMPT

Black  
2020070201



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



EXEMPT

Black  
2020070202



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Umami E27 G95 | Light Bulb | Black

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W (18W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

## Umami E27 G95 | Light Bulb | Black

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W (19W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

1800K



EXEMPT

Matt gold  
2020070203



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



EXEMPT

Matt gold  
2020070204



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Umami E27 G95 | Light Bulb | Matt Gold

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W (80 Lumen), 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

## Umami E27 G95 | Light Bulb | Matt Gold

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W (19W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt  
**Energy class** Exempt

1800K



EXEMPT

Silver  
2020070205



Lightsource  
Ø: 9.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

1800K



EXEMPT

Black  
2020070207



Lightsource  
Ø: 20 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Umami E27 G95 | Light Bulb | Silver

**Masterbox** Qty. 6  
**Size** H: 14 cm, Ø: 9.5 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

## Umami E27 G200 | Light Bulb | Black

**Masterbox** Qty. 3  
**Size** H: 28 cm, Ø: 20 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 5W (28W), 300 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

1800K



EXEMPT

Black  
2020070206



Lightsource  
Ø: 20 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2500K



A  
↑  
G F

Goldcolor  
2080161458



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## Umami E27 G200 | Light Bulb | Black

**Masterbox** Qty. 3  
**Size** H: 28 cm, Ø: 20 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 5W (17W), 160 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** Exempt

## E14 G45 Deco Dim | Light Bulb | Gold

**Masterbox** Qty. 6  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360°  
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

**Energy class** F



2700K



Frosted  
5172013921



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

2700K



White  
5182014121



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Clear  
5182000121



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182000921



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Frosted  
5172014323



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

2700K



White  
5182001721



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K



White  
5182014521



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182015721



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

4000K



Clear  
5182007821



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



White  
5192003321



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2400K



Yellow  
5182003321



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5172013923



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | Yellow

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.9W (22W), 215 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 225°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt G

## E14 G45 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

4000K



Clear  
5182007823



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



White  
5192007221



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 4W  
 (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

## E14 G45 | Light Bulb | White

**Masterbox** Qty. 6  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 6.8W  
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

4000K



White  
5192003323



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182000123



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | White

**Masterbox** Qty. 5  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 4W  
 (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

## E14 G45 | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 7,9 cm, Ø: 4.5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 4W  
 (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
 Beamangle 360°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

2700K



White  
5182014523



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5172014321



Lightsource  
Ø: 4.5 cm,



Beamangle  
225°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 G45 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 8,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



White  
5192002121



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5187000321



Lightsource  
Ø: 2.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 G45 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,9 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E


## E14 T25 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 8
<b>Size</b>	H: 8,5 cm, Ø: 2.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2700K




Clear  
5187000121



2200K



Goldcolor  
2080121458



## E14 T25 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 8
<b>Size</b>	H: 8,5 cm, Ø: 2.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E


## E14 C35 Deco Dim | Light Bulb | Gold

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 12,3 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 3W (21W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	G

2200K




Clear  
5167003521



2500K



Goldcolor  
2080111458



## E14 T25 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 8
<b>Size</b>	H: 5,7 cm, Ø: 2.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 1.1W (), 100 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E14 C35 Deco Dim | Light Bulb | Gold

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 12,3 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

2500K



Goldcolor  
2080091458



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5183001521



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 Deco Dim | Light Bulb | Gold

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

2200K



Goldcolor  
2080101458



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5183017921



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 Deco Dim | Light Bulb | Gold

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 3W (21W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	G

## E14 C35 Dim | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	E

4000K



White  
5193003221



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5173018923



Lightsource  
Ø: 3.5 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 C35 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Frosted  
5173018921



Lightsource  
Ø: 3.5 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

4000K



Clear  
5183005321



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E



2700K



White  
5183015921



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5283018821



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 5.9W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D

2700K



Clear  
5183000121



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5173019323



Lightsource  
Ø: 3.5 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 C35 3-kit | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5183014021



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Frosted  
5173019321



Lightsource  
Ø: 3.5 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 C35 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

2700K



White  
5183002921



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5193002421



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



White  
5193006021



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5183005421



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 6.8W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 C35 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

2700K



White  
5183016321



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5183001523



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



White  
5193002821



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5183016323



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (25W), 250 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 C35 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

4000K



Clear  
5183018821



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5283018721



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 2.1W (26W), 270 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

## E14 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,7 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	E14, Wattage: 5.9W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D

2700K



White  
5181021421



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5181010723



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## B22 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 6.8W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



White  
5181021621



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5181000421



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 A60 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E


## B22 A60 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



Clear  
5181010721



Lightsource  
Ø: 6 cm,  
Beamangle  
360°,  
15000  
Hours,  
Not dimmable

2700K



Clear  
5181000423



Lightsource  
Ø: 6 cm,  
Beamangle  
360°,  
15000  
Hours,  
Not dimmable

### B22 A60 | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 10,2 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** B22, Wattage: 6.8W  
(63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
Beamangle 360°  
Can not be dimmed, 220-240 Volt  
**Energy class** E

### B22 A60 | Light Bulb | Clear

**Masterbox** Qty. 5  
**Size** H: 10,2 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** B22, Wattage: 6.8W  
(60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
Beamangle 360°  
Can not be dimmed, 220-240 Volt  
**Energy class** E

4000K



White  
5191002121




Lightsource  
Ø: 6 cm,  
Beamangle  
360°,  
15000  
Hours,  
Not dimmable

2700K



Clear  
5181001021



Lightsource  
Ø: 6 cm,  
Beamangle  
360°,  
15000  
Hours,  
Not dimmable

### B22 A60 | Light Bulb | White

**Masterbox** Qty. 6  
**Size** H: 10,2 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** B22, Wattage: 6.8W  
(60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,  
Beamangle 360°  
Can not be dimmed, 220-240 Volt  
**Energy class** E

### B22 A60 | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 10,2 cm, Ø: 6 cm  
**Type** Light Bulb  
**Lightsource** B22, Wattage: 4W  
(40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80,  
Beamangle 360°  
Can not be dimmed, 220-240 Volt  
**Energy class** E

2700K



Clear  
5211027423



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable



White  
5211029821



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

## B22 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (100W), 1521 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

2700K



Clear  
5211027421



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

4000K



Clear  
5211029723



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

## B22 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (105W), 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

2700K



White  
5211027621



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182000421



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°, 220-240 Volt
<b>Energy class</b>	D

## B22 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

4000K



Clear  
5211029721



Lightsource  
Ø: 6 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5182001221



Lightsource  
Ø: 4.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 10,2 cm, Ø: 6 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 11W (105W), 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt D

## B22 G45 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 7,7 cm, Ø: 4.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E



2700K



Clear  
5183000421



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



White  
5183016621



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

## B22 C35 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,3 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## B22 B22 | Light Bulb | White

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,3 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

2700K



Clear  
5183001821



Lightsource  
Ø: 3.5 cm,



Beamangle  
360°,



15000  
Hours,



Not dimmable

2700K



Clear  
5184002821



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## B22 C35 | Light Bulb | Clear





<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 9,3 cm, Ø: 3.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt E

## Gu10 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 6.2W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt F



Clear  
5184003621

-  Lightsource  
Ø: 5 cm,
-  Beamangle  
36°,
-  15000  
Hours,
-  Not dimmable

2700K



Clear  
5174008521

-  Lightsource  
Ø: 5 cm,
-  Beamangle  
36°,
-  15000  
Hours,
-  Not dimmable

## Gu10 | Light Bulb | Clear

- Masterbox** Qty. 6
- Size** H: 5,5 cm, Ø: 5 cm
- Type** Light Bulb
- Lightsource** GU10, Wattage: 4.7W (50W), 345 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 36°  
Can not be dimmed, 220-240 Volt
- Energy class** F





## Gu10 | Light Bulb | Clear

- Masterbox** Qty. 6
- Size** H: 5,5 cm, Ø: 5 cm
- Type** Light Bulb
- Lightsource** GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
Can not be dimmed, 220-240 Volt
- Energy class** F

2700K







Clear  
5174008923

-  Lightsource  
Ø: 5 cm,
-  Beamangle  
36°,
-  15000  
Hours,
-  Not dimmable

2700K



Clear  
5174008621

-  Lightsource  
Ø: 5 cm,
-  Beamangle  
36°,
-  15000  
Hours,
-  Not dimmable

## Gu10 3-Kit | Light Bulb | Clear

- Masterbox** Qty. 5
- Size** H: 5,5 cm, Ø: 5 cm
- Type** Light Bulb
- Lightsource** GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
Can not be dimmed, 220-240 Volt
- Energy class** F

## Gu10 | Light Bulb | Clear

- Masterbox** Qty. 6
- Size** H: 5,5 cm, Ø: 5 cm
- Type** Light Bulb
- Lightsource** GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
Can not be dimmed, 220-240 Volt
- Energy class** F

2700K



Clear  
5174008823



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

2700K



Clear  
5174008623



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 3-Kit | Light Bulb | Clear

<b>Masterbox</b>	Qty. 15
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 15
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

4000K



Clear  
5164005623



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

4000K



Clear  
5184003623



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.9W (64W), 450 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.7W (50W), 345 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

2700K



Clear  
5164003223



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

4000K



Clear  
5164005421



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.9W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## Gu10 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.7W (50W), 345 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Has built-in dimmable light source for wall dimmer, 220-240 Volt F

2700K



Clear  
5164003221



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable



Clear  
5164005621



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.9W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
<b>Energy class</b>	Can not be dimmed, 220-240 Volt F

## Gu10 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.9W (64W), 450 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 36° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5164003723



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

2700K



Clear  
5174008523



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 3-Kit Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 15
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

## Gu10 3-Kit | Light Bulb | Clear

<b>Masterbox</b>	Qty. 15
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5164003721



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable



White  
5214008423



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## Gu10 Dim | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

## Gu10 | Light Bulb | White

<b>Masterbox</b>	Qty. 5
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	GU10, Wattage: 6.7W (75W), 540 Lumen, 2700K Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
<b>Energy class</b>	F

2700K



Clear  
5195000621



Lightsource  
Ø: 1 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

3000K



Clear  
5155101521



Lightsource  
Ø: 1 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

## G4 | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 4 cm, Ø: 1 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G4, Wattage: 1.7W (18W), 180 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
<b>Energy class</b>	F

## G4 Stick | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 3,8 cm, Ø: 1 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G4, Wattage: 1.4W (15W), 136 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
<b>Energy class</b>	F

3000K



Clear  
5155101523



Lightsource  
Ø: 1 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

3000K



Frosted  
5195000321



Lightsource  
Ø: 1.8 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable

## G4 Stick | Light Bulb | Clear

<b>Masterbox</b>	Qty. 16
<b>Size</b>	H: 3,8 cm, Ø: 1 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G4, Wattage: 1.4W (15W), 136 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
<b>Energy class</b>	F

## G9 | Light Bulb | Frosted

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 5,6 cm, Ø: 1.8 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G9, Wattage: 3.3W (), 370 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E

3000K



Clear  
5195000221



Lightsource  
Ø: 1.8 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable



Clear  
5194001821



Lightsource  
Ø: 5 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## G9 | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 5,6 cm, Ø: 1.8 cm  
**Type** Light Bulb  
**Lightsource** G9, Wattage: 3.3W  
 (), 400 Lumen, 3000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 300°  
 Can not be dimmed, 220-240 Volt

**Energy class** E

## R50 Dim | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 8,2 cm, Ø: 5 cm  
**Type** Light Bulb  
**Lightsource** E14, Wattage: 3W (46W), 250 Lumen, 2700K  
 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** F

3000K



Clear  
5185000321



Lightsource  
Ø: 1.8 cm,



Beamangle  
300°,



15000  
Hours,



Not dimmable



Clear  
5194002421



Lightsource  
Ø: 6.3 cm,



Beamangle  
36°,



15000  
Hours,



Not dimmable

## G9 Dim | Light Bulb | Clear




**Masterbox** Qty. 6  
**Size** H: 5,6 cm, Ø: 1.8 cm  
**Type** Light Bulb  
**Lightsource** G9, Wattage: 3.5W  
 (), 350 Lumen, 3000 Kelvin, 15000 Hours, RA 80,  
 Beamangle 300°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** D

## R63 Dim | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 10,2 cm, Ø: 6.3 cm  
**Type** Light Bulb  
**Lightsource** E27, Wattage: 4.2W (60W), 345 Lumen, 2700K  
 Kelvin, 15000 Hours, RA 80, Beamangle 36°  
 Has built-in dimmable light source for wall  
 dimmer, 220-240 Volt

**Energy class** F






## T8 | Light Bulb | White

<b>Masterbox</b>	Qty. 12
<b>Size</b>	Ø: 2.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	T8, () Can not be dimmed, 230 Volt
<b>Energy class</b>	G

## G13F | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 151,3 cm, Ø: 2.8 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G13, Wattage: 22W (), 2750 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	E







## T8 | Light Bulb | White

<b>Masterbox</b>	Qty. 12
<b>Size</b>	Ø: 2.5 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	T8, () Can not be dimmed, 230 Volt
<b>Energy class</b>	F

## G13F | Light Bulb | Clear

<b>Masterbox</b>	Qty. 6
<b>Size</b>	H: 121,2 cm, Ø: 2.8 cm
<b>Type</b>	Light Bulb
<b>Lightsource</b>	G13, Wattage: 16W (), 2250 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230° Can not be dimmed, 220-240 Volt
<b>Energy class</b>	D









### G13F | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 60,3 cm, Ø: 2.8 cm  
**Type** Light Bulb  
**Lightsource** G13, Wattage: 9W (), 1150 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°  
 Can not be dimmed, 220-240 Volt  
**Energy class** E

### G13F | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 151,3 cm, Ø: 2.8 cm  
**Type** Light Bulb  
**Lightsource** G13, Wattage: 22W (), 2750 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°  
 Can not be dimmed, 220-240 Volt  
**Energy class** E



### G13F | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 121,2 cm, Ø: 2.8 cm  
**Type** Light Bulb  
**Lightsource** G13, Wattage: 16W (), 2250 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°  
 Can not be dimmed, 220-240 Volt  
**Energy class** D

### G13F | Light Bulb | Clear

**Masterbox** Qty. 6  
**Size** H: 60,3 cm, Ø: 2.8 cm  
**Type** Light Bulb  
**Lightsource** G13, Wattage: 9W (), 1150 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230°  
 Can not be dimmed, 220-240 Volt  
**Energy class** E



*Product  
index*

Model	Number	Material	Color	Type	EAN	Energy class	Page
Adrian 12	48815003	Metal/Plastic	Anthracite	Table lamp	5701581462380		91
Adrian 16	48783003	Metal/Plastic	Anthracite	Pendant	5701581461789		90
Adrian	48801003	Metal/Plastic	Anthracite	Wall light	5701581462182		92
Adrian 25	48793003	Metal/Plastic	Anthracite	Pendant	5701581461987		90
Adrian	48824003	Metal/Plastic	Anthracite	Floor lamp	5701581462588		91
Agena	2118221003	Plastic	Black	Wall light	5704924004964	Exempt	325
Agger	74481031	Galvanized steel/Glass	Galvanized	Wall light	5701581210776		291
Agger	74528031	Galvanized steel/Glass	Galvanized	Garden light	5701581211179		292
Agger Sensor	74501031	Galvanized steel/Glass	Galvanized	Wall light	5701581210974		291
Akron 17	46971003	Aluminium/Plastic	Black	Wall light	5701581410480	E	340
Alanis	2213455003	Metal	Black	Table lamp	5704924012150		14
Alanis	2213423035	Metal	Brass	Pendant	5704924012129		14
Alanis	2213413035	Metal/Plastic	Brass	Pendant	5704924012105		13
Alanis	2213441035	Metal/Metal	Brass	Wall light	5704924012143		15
Alanis	2213423003	Metal	Black	Pendant	5704924012112		14
Alanis	2213455035	Metal	Brass	Table lamp	5704924012167		14
Alanis	2213441003	Metal/Metal	Black	Wall light	5704924012136		15
Alanis	2213413003	Metal/Plastic	Black	Pendant	5704924012099		13
Alec	2110350103	Plastic/Plastic	Black	Downlight	5704924006968	F	216
Alec	2110350101	Plastic/Plastic	White	Downlight	5704924006951	F	216
Aleria	2019131001	Metal	White	Wall light	5704924004742		320
Aleria	2019131010	Metal	Grey	Wall light	5704924000737		320
Aleria	2019131003	Metal	Black	Wall light	5704924000720		320
Alexander 16	48654001	Metal/Plastic	White	Floor lamp	5701581459687		70
Alexander 16	48621001	Metal/Plastic	White	Wall light	5701581459281		71
Alexander 16	48621003	Metal/Plastic	Black	Wall light	5701581459380		71
Alexander 16	48635003	Metal/Plastic	Black	Table lamp	5701581459588		70
Alexander 16	48654003	Metal/Plastic	Black	Floor lamp	5701581459786		70
Alexander 16	48635001	Metal/Plastic	White	Table lamp	5701581459489		70
Alton 25	47313047	Glass/Metal	Black	Pendant	5701581452688		93
Alton 27,5	2010506001	Glass/Metal	Brass	Ceiling light	5704924001062		95
Alton 23	47303001	Glass/Metal	White	Pendant	5701581413788		92
Alton 20	47645001	Glass/Metal	Brass	Table lamp	5701581416987		94
Alton 27,5	2010514047	Metal/Glass	Black	Floor lamp	5704924001093		94

Model	Number	Material	Color	Type	EAN	Energy class	Page
Alton 35	48973001	Glass/Metal	White	Pendant	5704924000355		93
Alton 25	47313001	Glass/Metal	White	Pendant	5701581413887		93
Alton 20	47645047	Glass/Metal	Black	Table lamp	5701581452886		94
Alton 27,5	2010514001	Metal/Glass	Brass	Floor lamp	5704924001086		94
Alton 35	48973047	Glass/Metal	Black	Pendant	5701581488588		93
Alton 27,5	2010506047	Glass/Metal	Black	Ceiling light	5704924001079		95
Alton 23	47303047	Glass/Metal	Black	Pendant	5701581452589		92
Altus	47206001	Plastic/Metal	White	Ceiling light	5701581412682	E	162
Altus	47206010	Plastic/Metal	Grey	Ceiling light	5701581412781	E	162
Aludra	2118006010	Aluminium/Plastic	Aluminium	Ceiling light	5704924004445		277
Aludra	2118011010	Aluminium/Plastic	Aluminium	Wall light	5704924004414		277
Aludra	2118006061	Aluminium/Plastic	Brown Metallic	Ceiling light	5704924004438		277
Aludra	2118011003	Aluminium/Plastic	Black	Wall light	5704924004391		277
Aludra 95	2118038010	Aluminium/Plastic	Aluminium	Garden light	5704924004506		278
Aludra	2118011061	Aluminium/Plastic	Brown Metallic	Wall light	5704924004407		277
Aludra 95	2118038061	Aluminium/Plastic	Brown Metallic	Garden light	5704924004490		278
Aludra 95	2118038003	Aluminium/Plastic	Black	Garden light	5704924004483		278
Aludra 45	2118028061	Aluminium/Plastic	Brown Metallic	Garden light	5704924004469		278
Aludra 45	2118028003	Aluminium/Plastic	Black	Garden light	5704924004452		278
Aludra	2118006003	Aluminium/Plastic	Black	Ceiling light	5704924004421		277
Aludra 45	2118028010	Aluminium/Plastic	Aluminium	Garden light	5704924004476		278
Alya	2118231003	Plastic	Black	Wall light	5704924004971	Exempt	326
Amal	10600319	Galvanized steel/Plastic	Galvanized	Garden light	5702376003191		293
Amal	10600219	Galvanized steel/Plastic	Galvanized	Wall light	5702376002194		292
Ancona Maxi	25316101	Metal/Glass	White	Ceiling light	5701581278479		162
Ancona Maxi	25316132	Metal/Glass	Brushed steel	Ceiling light	5701581277274		162
Andor Square	2218410034	Aluminium/StainlessSteel	Stainless steel	Recessed light	5704924012495		367
Andor Round	2218400034	Aluminium/StainlessSteel	Stainless steel	Recessed light	5704924012488		366
Anniver	76633001	Metal	White	Pendant	5701581231986		129
Ara	2118245001	Aluminium/Plastic	White	Battery light	5704924004995	Exempt	356
Ara	2118245003	Aluminium/Plastic	Black	Battery light	5704924004988	Exempt	356
Ara	2118245008	Aluminium/Plastic	Sanded	Battery light	5704924010507	Exempt	356
Arcussmart	2019001003	Aluminium/Plastic	Black	Wall light	5704924000478	D	374
Arcussmart	2019001010	Aluminium/Plastic	Grey	Wall light	5704924000775	D	374

Model	Number	Material	Color	Type	EAN	Energy class	Page
Arki 20	75181031	Galvanized steel/Plastic	Galvanized	Wall light	5701581280274		294
Arki 20	75181003	Metal/Plastic	Black	Wall light	5701581280175		294
Arki 100	2118108031	Metal/Plastic	Galvanized	Garden light	5704924004698		294
Arki 35	2118111031	Metal/Plastic	Galvanized	Wall light	5704924004674		293
Arki 100	2118108003	Metal/Plastic	Black	Garden light	5704924004681		294
Arki 35	2118111003	Metal/Plastic	Black	Wall light	5704924004667		293
Arlington 150	47846101	Plastic	White	Batten Light Fitting	5701581418486	E	197
Arlington 120	47836101	Plastic	White	Batten Light Fitting	5701581418387	E	196
Arlington 60	47826101	Plastic	White	Batten Light Fitting	5701581418288	F	196
Arn Double	45481003	Aluminium/Plastic	Black	Wall light	5701581363786		332
Arn Single	45471003	Aluminium/Plastic	Black	Wall light	5701581363687		332
Artego Round	46941003	Aluminium/Plastic	Black	Wall light	5701581410183	F	341
Artego Square	46951003	Aluminium/Plastic	Black	Wall light	5701581410282	F	340
Asbol Kubi	2019071003	Aluminium/Glass	Black	Wall light	5704924000652	F	339
Asbol Round	84971003	Aluminium/Glass	Black	Wall light	5701581401389	F	339
Ask 36 Sensor	45386501	Metal/Plastic	White	Ceiling light	5701581367487	E	164
Ask 36	45376001	Metal/Plastic	White	Ceiling light	5701581367388	E	163
Ask 28	45356001	Metal/Plastic	White	Ceiling light	5701581367289	E	163
Ask 41	45396001	Metal/Plastic	White	Ceiling light	5701581367586	D	164
Aslak	45721003	Metal	Black	Wall light	5701581368989		111
Aslak 3-Spot	45740101	Metal	White	Spot light	5701581369283		112
Aslak	46553003	Metal	Black	Pendant	5701581406681		110
Aslak 3-Spot	45740103	Metal	Black	Spot light	5701581369382		112
Aslak 2-Spot	45730103	Metal	Black	Spot light	5701581369184		112
Aslak 2-Spot	45730101	Metal	White	Spot light	5701581369085		112
Aslak	46724003	Metal	Black	Floor lamp	5701581409781		111
Aslak	46685003	Metal	Black	Table lamp	5701581408982		110
Aslak	45721001	Metal	White	Wall light	5701581368880		111
Asti 50	2213143014	Wood/Metal	Nature	Pendant	5704924011832		50
Asti 30	2213133014	Wood/Metal	Nature	Pendant	5704924011825		49
Aud	45643003	Metal	Black	Pendant	5701581367982		125
Avasmart	2019016010	Aluminium/Plastic	Grey	Ceiling light	5704924000492	D	374
Avasmart	2019016003	Aluminium/Plastic	Black	Ceiling light	5704924000485	D	374
Avenue 3-Rondel	2113200132	Metal	Brushed steel	Spot light	5704924009433		56

Model	Number	Material	Color	Type	EAN	Energy class	Page
Avenue 2-Rail	2113180132	Metal	Brushed steel	Spot light	5704924009419		55
Avenue 6-Rail	2113210132	Metal	Brushed steel	Spot light	5704924009440		57
Avenue 3-Rail	2113190132	Metal	Brushed steel	Spot light	5704924009426		56
Avenue	2113171032	Metal	Brushed steel	Wall light	5704924009402		55
Avra	84800030	Metal	Copper	Pendant	5701581345881		130
Avra	84800003	Metal	Black	Pendant	5701581345683		130
Avra	84800025	Metal	Brass	Pendant	5701581345782		130
Avrae27 G125	1422070	Glass	Amber	Light Bulb	5701581344686	G	412
Avrae27 G125	1438070	Glass	Amber	Light Bulb	5701581439887	G	412
Avrae27 Diamond	1423070	Glass	Clear	Light Bulb	5701581344785	G	414
Avrae27 Nut	1430070	Glass	Amber	Light Bulb	5701581366282	G	414
Avrae27 G120	1426070	Glass	Smoked	Light Bulb	5701581365889	G	412
Avrae27 G125	1427070	Glass	Smoked	Light Bulb	5701581365988	G	412
Avrae27 G125	1441070	Glass	Clear	Light Bulb	5701581440180	F	413
Avrae27 Nut	1440070	Glass	Amber	Light Bulb	5701581440081	G	414
Avrae27 G125	1429070	Glass	Smoked	Light Bulb	5701581366183	G	413
Avrae27 G125	1439070	Glass	Amber	Light Bulb	5701581439986	F	413
Avrae27 G125	1421070	Glass	Clear	Light Bulb	5701581344587	G	413
Avrae27 G130	1428070	Glass	Amber	Light Bulb	5701581366084	G	414
B22 A60	5181021421	Glass	White	Light Bulb	6923933818334	E	429
B22 A60	5181021621	Glass	White	Light Bulb	6923933818365	E	429
B22 A60	5181010723	Glass	Clear	Light Bulb	6923933819904	E	429
B22 C35	5183000421	Glass	Clear	Light Bulb	6923933819836	E	433
B22 G45	5182000421	Glass	Clear	Light Bulb	6923933819812	E	432
B22 A60	5181000421	Glass	Clear	Light Bulb	6923933819874	E	429
B22 G45	5182001221	Glass	Clear	Light Bulb	6923933819829	E	432
B22 A60	5181010721	Glass	Clear	Light Bulb	6923933819898	E	430
B22 A60	5191002121	Glass	White	Light Bulb	6923933819959	E	430
B22 C35	5183001821	Glass	Clear	Light Bulb	6923933819843	E	433
B22 A60	5181000423	Glass	Clear	Light Bulb	6923933819881	E	430
B22 A60	5181001021	Glass	Clear	Light Bulb	6923933819867	E	430
B22 B22	5183016621	Glass	White	Light Bulb	6923933819850	E	433
B22	5211027423	Glass	Clear	Light Bulb	6923933820504	D	431
B22	5211027421	Glass	Clear	Light Bulb	6923933820498	D	431

Model	Number	Material	Color	Type	EAN	Energy class	Page
B22	5211029821	Glass	White	Light Bulb	6923933820542	D	431
B22	5211029723	Glass	Clear	Light Bulb	6923933820528	D	431
B22	5211027621	Glass	White	Light Bulb	6923933820535	D	432
B22	5211029721	Glass	Clear	Light Bulb	6923933820511	D	432
Balance	2010145003	Metal/Acrylic	Black	Table lamp	5704924001291	E	96
Balance	2010164003	Metal/Acrylic	Black	Floor lamp	5704924001307	E	96
Balance	2010103003	Metal/Acrylic	Black	Pendant	5704924001277	E	42
Balance	2010121003	Metal/Acrylic	Black	Wall light	5704924001284	E	97
Base	22039931	Galvanized steel	Galvanized	Accessories	5701581292048		378
Bastia 24	2118041003	Metal/Plastic	Black	Wall light	5704924004629		324
Bastia 35	2118051003	Metal/Plastic	Black	Wall light	5704924004643		324
Bastia 24	2118041031	Metal/Plastic	Galvanized	Wall light	5704924004636		324
Bastia 35	2118051031	Metal/Plastic	Galvanized	Wall light	5704924004650		324
Bell	76391003	Aluminium/Plastic	Black	Wall light	5701581244382		338
Bend Double	2112784003	Metal/Aluminium	Black	Floor lamp	5704924005992	F	73
Bend Single	2112774003	Metal/Aluminium	Black	Floor lamp	5704924006005	F	72
Bend	2112765003	Metal/Aluminium	Black	Table lamp	5704924006012	F	72
Bend	2112751003	Metal/Aluminium	Black	Wall light	5704924006029	F	73
Beroni 40	2213313003	Metal	Black	Pendant	5704924011955		52
Beroni 35	2213303003	Metal	Black	Pendant	5704924011948		52
Beroni 45	2213323003	Metal	Black	Pendant	5704924011962		53
Birk Single	45521003	Aluminium/Plastic	Black	Wall light	5701581383388		295
Birk Double	45501003	Aluminium/Plastic	Black	Wall light	5701581363885		295
Birk	45518003	Aluminium/Plastic	Black	Garden light	5701581363984		296
Birla	84950001	Plastic	White	Downlight	5701581373082	F	216
Bity 40 3000k	2110016101	Plastic/Plastic	White	Batten Light Fitting	5704924005022	F	197
Bity 55 4000k	2110026101	Plastic/Plastic	White	Batten Light Fitting	5704924005039	F	198
Blok Up Sensor	25031034	Stainless steel/Glass	Stainless steel	Wall light	5701581120044		297
Blok Up	25011031	Galvanized steel/Glass	Galvanized	Wall light	5701581116047		296
Blok	25078031	Galvanized steel/Glass	Galvanized	Garden light	5701581124042		298
Blok Up	25011034	Stainless steel/Glass	Stainless steel	Wall light	5701581117044		296
Blok Up	25011030	Copper/Glass	Copper	Wall light	5701581115040		296
Blok Down	25051031	Galvanized steel/Glass	Galvanized	Wall light	5701581122048		297
Blok Up Sensor	25031031	Galvanized steel/Glass	Galvanized	Wall light	5701581119048		297



Model	Number	Material	Color	Type	EAN	Energy class	Page
Blok	25078030	Copper/Glass	Copper	Garden light	5701581123045		298
Blok Up Sensor	25031030	Copper/Glass	Copper	Wall light	5701581118041		297
Blok Up	25011003	Metal/Glass	Black	Wall light	5701581204072		296
Blok	25078034	Stainless steel/Glass	Stainless steel	Garden light	5701581125049		298
Blok Up Sensor	25031003	Metal/Glass	Black	Wall light	5701581219274		297
Bob	2118085062	Bamboo/Plastic	Nature(brown)	Battery light	5704924004568	Exempt	355
Break	19861003	Metal/Plastic	Black	Wall light	5701581226180		58
Break	19874003	Metal/Plastic	Black	Floor lamp	5701581226289		57
Bretagne	39489901	Metal	White	Pendant	5701581330788		21
Bretagne 38	39489910	Metal/Metal	Grey	Pendant	5704924011450		21
Bretagne	2213471001	Metal/Metal	White	Wall light	5704924012174		23
Bretagne	2213485010	Metal/Metal	Grey	Table lamp	5704924012204		22
Bretagne	2213494001	Metal/Metal	White	Floor lamp	5704924012211		22
Bretagne	2213494010	Metal/Metal	Grey	Floor lamp	5704924012228		22
Bretagne 38	39489930	Metal/Metal	Copper	Pendant	5704924011467		21
Bretagne	2213471010	Metal/Metal	Grey	Wall light	5704924012181		23
Bretagne	2213485001	Metal/Metal	White	Table lamp	5704924012198		22
Bring 12	2218013001	Plastic	White	Battery light	5704924010545	Exempt	356
Cafe 25	39573001	Glass/Metal	Opal white	Pendant	5701581103016		124
Cafe 30	39583001	Glass/Metal	Opal white	Pendant	5701581104013		125
Cafe 20	39563001	Glass/Metal	Opal white	Pendant	5701581102019		124
Cafe 15	39553001	Glass/Metal	Opal white	Pendant	5701581101012		123
Cambio 3-Kit	79440029	Plastic/Metal	Aluminium	Surface down-light	5701581341784	F	192
Canto Maxi 2	49721003	Aluminium	Black	Wall light	5701581483583		336
Canto Kubi 2	49711010	Aluminium	Grey	Wall light	5701581483187	F	337
Canto Kubi 2	49711031	Galvanized steel	Galvanized	Wall light	5701581483286	F	337
Canto Maxi 2	49721010	Aluminium	Grey	Wall light	5701581483682		336
Canto Maxi 2	49721031	Galvanized steel	Galvanized	Wall light	5701581483781		336
Canto 2	49701035	Brass	Brass	Wall light	5701581482883	F	336
Canto 2	49701010	Aluminium	Grey	Wall light	5701581482586	F	336
Canto Maxi 2	49721001	Aluminium	White	Wall light	5701581483484		336
Canto Maxi Kubi 2	49731003	Aluminium	Black	Wall light	5701581484085		337
Canto Kubi 2	49711034	Stainless steel	Stainless steel	Wall light	5701581483385	F	337
Canto 2	49701001	Aluminium	White	Wall light	5701581482388	F	336

Model	Number	Material	Color	Type	EAN	Energy class	Page
Canto 2	49701031	Galvanized steel	Galvanized	Wall light	5701581482685	F	336
Canto Maxi Kubi 2	49731001	Aluminium	White	Wall light	5701581476080		337
Canto 2	49701034	Stainless steel	Stainless steel	Wall light	5701581482784	F	336
Canto Maxi 2	49721034	Stainless steel	Stainless steel	Wall light	5701581483880		336
Canto Kubi 2	49711001	Aluminium	White	Wall light	5701581482982	F	337
Canto Maxi Kubi 2	49731031	Galvanized steel	Galvanized	Wall light	5701581485785		337
Canto Maxi 2	49721035	Brass	Brass	Wall light	5701581483989		336
Canto Maxi Kubi 2	49731010	Aluminium	Grey	Wall light	5701581476189		337
Canto Kubi 2	49711003	Aluminium	Black	Wall light	5701581483088	F	337
Canto 2	49701003	Aluminium	Black	Wall light	5701581482487	F	336
Cardiff	74398003	Aluminium/Glass	Black	Garden light	5701581256972		299
Cardiff Up	74371003	Aluminium/Glass	Black	Wall light	5701581256774		298
Cardiff Down	74381003	Aluminium/Glass	Black	Wall light	5701581256873		299
Carmen 45	2213603003	Metal	Black	Pendant	5704924012310		8
Carmen	2213615003	Metal	Black	Table lamp	5704924012969		8
Cera	2010203035	Metal	Brass	Pendant	5704924001314		74
Cera	2010244035	Metal	Brass	Floor lamp	5704924001338		75
Cera	2010225035	Metal	Brass	Table lamp	5704924001321		74
Chicago 4-Spot	2113240132	Metal	Brushed steel	Spot light	5704924009471		59
Chicago 2-Spot	2113230132	Metal	Brushed steel	Spot light	5704924009464		59
Chicago	2113221032	Metal	Brushed steel	Wall light	5704924009457		58
Chino 40	84843014	Wood	Nature	Pendant	5701581346482		132
Chino 25	84823014	Wood	Nature	Pendant	5701581346284		131
Chino 30	84833014	Wood	Nature	Pendant	5701581346383		131
Christina 20	48905011	Concrete/Glass	Light grey	Table lamp	5701581463684		54
Christina 20	48905014	Wood/Glass	Clear	Table lamp	5704924011566		54
Christina 20	48905050	Concrete/Glass	Anthracite	Table lamp	5704924011573		54
Clyde	2010844003	Metal/Plastic	Black	Floor lamp	5704924001192	F	44
Clyde	2010835003	Metal/Plastic	Black	Table lamp	5704924001185	F	43
Clyde	2010803003	Metal/Plastic	Black	Pendant	5704924001154	F	42
Clyde 15 2700k	47510101	Plastic/Plastic	White	Downlight	5701581414785	F	218
Clyde	2010821003	Metal/Plastic	Black	Wall light	5704924001178	F	44
Clyde 8 2700k	47500101	Plastic/Plastic	White	Downlight	5701581414686	F	217
Clyde	2010813003	Metal/Plastic	Black	Pendant	5704924001161	F	42

Model	Number	Material	Color	Type	EAN	Energy class	Page
Clyde 15 4000k	47660101	Plastic/Plastic	White	Downlight	5701581421981	F	218
Clyde	2213543003	Metal/Plastic	Black	Pendant	5704924012266	F	43
Clyde 4-Spot	2213530103	Metal/Plastic	Black	Spot light	5704924012259	F	45
Clyde 8 4000k	47650101	Plastic/Plastic	White	Downlight	5701581422087		217
Clydelink	2213550103	Metal/Plastic	Black	Track Light	5704924012280	F	152
Clydelink	2213550101	Metal/Plastic	Matt white	Track Light	5704924012273	F	152
Cody	2112001001	Metal	White	Wall light	5704924005107		137
Cody	2112001023	Metal	Green	Wall light	5704924005121		137
Cody	2112001003	Metal	Black	Wall light	5704924005114		137
Cole	2112991003	Metal/Glass	Black	Wall light	5704924006098		60
Cole 5-Spot	2112950003	Metal/Glass	Black	Spot light	5704924006159		61
Cole 2-Spot	2112890003	Metal/Glass	Black	Wall light	5704924006111		60
Cole 3-Spot	2112910003	Metal/Glass	Black	Spot light	5704924006135		61
Colelink	2112859901	Metal/Glass	White	Track Light	5704924006074		152
Concor	49018050	Aluminium	Anthracite	Garden light	5701581464384		349
Contina 3-Spot	2010953035	Metal/Glass	Brass	Pendant	5704924001710		97
Contina 3-Spot	2010953003	Metal/Glass	Black	Pendant	5704924001703		97
Contina	2010971035	Metal/Glass	Brass	Wall light	5704924001734		99
Contina	2010985003	Metal/Glass	Black	Table lamp	5704924001741		98
Contina	2010994003	Metal/Glass	Black	Floor lamp	5704924001765		99
Contina	2113153035	Metal/Glass	Brass	Pendant	5704924006463		98
Contina	2010985035	Metal/Glass	Brass	Table lamp	5704924001758		98
Contina	2010971003	Metal/Glass	Black	Wall light	5704924001727		99
Contina	2113153003	Metal/Glass	Black	Pendant	5704924006456		98
Contina	2010994035	Metal/Glass	Brass	Floor lamp	5704924001772		99
Coupar	2218061003	Plastic/Aluminium	Black	Wall light	5704924010613		280
Coupar	2218061008	Plastic/Aluminium	Sanded	Wall light	5704924010620		280
Coupar	2218053001	Plastic/Aluminium	White	Pendant	5704924010569		279
Coupar	2218075001	Plastic/Aluminium	White	Table lamp	5704924010637		279
Coupar	2218088008	Aluminium/Plastic	Sanded	Garden light	5704924010682		280
Coupar	2218075003	Plastic/Aluminium	Black	Table lamp	5704924010644		279
Coupar	2218053008	Plastic/Aluminium	Sanded	Pendant	5704924010583		279
Coupar	2218075008	Plastic/Aluminium	Sanded	Table lamp	5704924010651		279
Coupar	2218088001	Aluminium/Plastic	White	Garden light	5704924010668		280

Model	Number	Material	Color	Type	EAN	Energy class	Page
Coupar	2218088003	Aluminium/Plastic	Black	Garden light	5704924010675		280
Coupar	2218061001	Plastic/Aluminium	White	Wall light	5704924010606		280
Coupar	2218053003	Plastic/Aluminium	Black	Pendant	5704924010576		279
Cross 20	2118121003	Aluminium/Plastic	Black	Wall light	5704924004513		284
Cross 25	2118131035	Brass/Plastic	Brass	Wall light	5704924004544		284
Cross 25	2118131003	Aluminium/Plastic	Black	Wall light	5704924004520		284
Cross 20	2118121035	Brass/Plastic	Brass	Wall light	5704924004537		284
Cross 25	2118131031	/PCA	Galvanized	Wall light	5704924012945		284
Cross 20	2118121031	/PCA	Galvanized	Wall light	5704924012938		284
Cuba_out Energy Oval	2019181001	Plastic	White	Wall light	5704924001901	E	323
Cuba_out Bright Round	2019171003	Plastic/Aluminium	Black	Wall light	5704924004735	E	322
Cuba_out Bright Oval	2019191001	Plastic/Aluminium	White	Wall light	5704924001918	E	323
Cuba_out Bright Oval	2019191003	Plastic/Aluminium	Black	Wall light	5704924004728	E	323
Cuba_out Bright Round	2019171001	Plastic/Aluminium	White	Wall light	5704924001895	E	322
Cuba_out Energy Round	2019161003	Plastic	Black	Wall light	5704924004711	F	322
Cuba_out Energy Oval	2019181003	Plastic	Black	Wall light	5704924004704	E	323
Cuba_out Energy Round	2019161001	Plastic	White	Wall light	5704924001888	F	322
Curtiz	2110551001	Aluminium/Metal	Matt white	Wall light	5704924007149	F	
Curtiz	2110551003	Aluminium/Metal	Black/Steel	Wall light	5704924007156	F	
Cyclone	73072003	Metal	Black	Clamp lamp	5701581220775		76
Cyclone	72991003	Metal	Black	Wall light	5701581259973		76
Cyclone	73065001	Metal	White	Table lamp	5701581220379		75
Cyclone	73065003	Metal	Black	Table lamp	5701581220478		75
Cyclone	72991001	Metal	White	Wall light	5701581259775		76
Cyclone	73072001	Metal	White	Clamp lamp	5701581220676		76
Dalton	46901003	Stainless steel/Glass	Black	Wall light	5701581410084		319
Dean	46605003	Metal	Black	Table lamp	5701581407282		136
Dean	46605025	Metal	Brass	Table lamp	5701581407381		136
Desi 22	77636003	Aluminium/Plastic	Black	Ceiling light	5701581250888		344
Desi 28	77646003	Aluminium/Plastic	Black	Ceiling light	5701581250987		344
Dial	2213385026	Metal	Yellow	Table lamp	5704924012075		24
Dial	2213371001	Metal	White	Wall light	5704924012037		25
Dial 25	2213333010	Metal	Grey	Pendant	5704924011986		23
Dial	2213371010	Metal	Grey	Wall light	5704924012044		25

Model	Number	Material	Color	Type	EAN	Energy class	Page
Dial 45	2213353010	Metal	Grey	Pendant	5704924012013		24
Dial 45	2213353001	Metal	White	Pendant	5704924012006		24
Dial	2213394001	Metal	White	Floor lamp	5704924012082		25
Dial	2213385001	Metal	White	Table lamp	5704924012051		24
Dial 25	2213333026	Metal	Yellow	Pendant	5704924011993		23
Dial	2213385010	Metal	Grey	Table lamp	5704924012068		24
Dial 25	2213333001	Metal	White	Pendant	5704924011979		23
Dial 45	2213353026	Metal	Yellow	Pendant	5704924012020		24
Dial	2213394003	Metal/Metal	Black	Floor lamp	5704924013768		25
Dial	2213371003	Metal	Black	Wall light	5704924013744		25
Dial 45	2213353003	Metal	Black	Pendant	5704924013737		24
Dial	2213385003	Metal	Black	Table lamp	5704924013751		24
Dial 25	2213333003	Metal	Black	Pendant	5704924013720		23
Dias	45823027	Glass	Amber	Pendant	5701581370586		127
Dias	45823000	Glass	Clear	Pendant	5701581370487		127
Dicte	2112391009	Textile/Metal	Beige	Wall light	5704924005565		102
Dicte	2112405001	Textile/Metal	White	Table lamp	5704924005572		101
Dicte 53	2112373009	Textile/Metal	Beige	Pendant	5704924005541		100
Dicte	2112414009	Textile/Metal	Beige	Floor lamp	5704924005602		101
Dicte 40	2112353009	Textile/Metal	Beige	Pendant	5704924005527		100
Dicte	2112414001	Textile/Metal	White	Floor lamp	5704924005596		101
Dicte	2112391001	Textile/Metal	White	Wall light	5704924005558		102
Dicte	2112405009	Textile/Metal	Beige	Table lamp	5704924005589		101
Dicte 53	2112373001	Textile/Metal	White	Pendant	5704924005534		100
Dicte 40	2112353001	Textile/Metal	White	Pendant	5704924005510		100
Dimmer 35-500w	531556	Plastic	White	Accessories	7057385315567		250
Diskielink	2110609901	Metal/Plastic	Matt white	Track Light	5704924007200	F	153
Diskielink	2110609903	Metal/Plastic	Matt black	Track Light	5704924007217	F	153
Djaysmart Color	2110886101	Plastic/Metal	White	Ceiling light	5704924007514	E	258
Donsmart Color	2110900101	Plastic/Metal	White	Downlight	5704924007521	G	259
Donsmart Color	2110900103	Plastic/Metal	Black	Downlight	5704924007538	G	259
Donsmart Color	2110900155	Plastic/Metal	Brushed Nickel	Downlight	5704924007545	G	259
Donsmart Color	2210500001	Plastic/Metal	White	Downlight	5704924013263	G	259
Donsmart Color	2210500003	Plastic/Metal	Black	Downlight	5704924013270	G	259

Model	Number	Material	Color	Type	EAN	Energy class	Page
Dorado 3-Kit Ip20 2700k	49400101	Plastic/Metal	White	Downlight	5701581470781	F	219
Dorado 3-Kit Ip65 2700k	49410155	Plastic/Metal	Nickel	Downlight	5701581471283	E	220
Dorado 3-Kit Ip20 2700k	49400155	Plastic/Metal	Nickel	Downlight	5701581470989	F	219
Dorado 1-Kit Ip65 2700k	49430101	Plastic/Metal	White	Downlight	5701581471580		219
Dorado 3-Kit Ip65 2700k	49410101	Plastic/Metal	White	Downlight	5701581471085		220
Dorado 1-Kit Ip65 2700k	49430155	Plastic/Metal	Nickel	Downlight	5701581471788		219
Doradosmar	2015650155	Plastic/Metal	Brushed Nickel	Downlight	5704924003066	F	260
Doradosmar	2015650101	Plastic/Metal	White	Downlight	5704924003004	F	260
Doradosmar	2015650103	Plastic/Metal	Black	Downlight	5704924003059	F	260
Dover	84593103	Plastic/Metal	Black	Table lamp	5701581343085	F	137
Drop	320130	Aluminium	Black	Wall light	7057383201305	G	140
Drop	320131	Aluminium	White	Wall light	7057383201312	G	140
E14 C35 Deco Dim	2080121458	Glass	Goldcolor	Light Bulb	5704924000164	G	422
E14 C35 Deco Dim	2080111458	Glass	Goldcolor	Light Bulb	5704924000157	F	422
E14 C35 Deco Dim	2080091458	Glass	Goldcolor	Light Bulb	5704924000133	F	423
E14 G45 Deco Dim	2080161458	Glass	Goldcolor	Light Bulb	5704924000201	F	416
E14 C35 Deco Dim	2080101458	Glass	Goldcolor	Light Bulb	5704924000140	G	423
E14 C35	5183001521	Glass	Clear	Light Bulb	6923933814077	E	423
E14 C35 Dim	5183017921	Glass	White	Light Bulb	6923933818518	E	423
E14 G45	5172013921	Plastic	Frosted	Light Bulb	6923933817917	F	417
E14 G45	5182000121	Glass	Clear	Light Bulb	6923933813568	E	417
E14 G45	5182014121	Glass	White	Light Bulb	6923933818686	E	417
E14 T25	5187000321	Glass	Clear	Light Bulb	6923933814008	E	421
E14 C35	5193003221	Glass	White	Light Bulb	6923933818525	E	424
E14 C35	5173018921	Plastic	Frosted	Light Bulb	6923933818112	F	424
E14 C35 3-Kit	5173018923	Plastic	Frosted	Light Bulb	6923933818129	F	424
E14 G45	5182000921	Glass	Clear	Light Bulb	6923933814039	E	417
E14 C35	5183005321	Glass	Clear	Light Bulb	6923933817115	E	424
E14 G45 3-Kit	5172014323	Plastic	Frosted	Light Bulb	6923933817948	F	418
E14 G45	5182014521	Glass	White	Light Bulb	6923933818709	E	418
E14 C35	5183015921	Glass	White	Light Bulb	6923933818495	E	425
E14 G45	5182001721	Glass	White	Light Bulb	6923933814237	E	418
E14 C35	5183000121	Glass	Clear	Light Bulb	6923933813124	E	425
E14 C35	5283018821	Glass	Clear	Light Bulb	6923933818471	D	425

Model	Number	Material	Color	Type	EAN	Energy class	Page
E14 C35 3-Kit	5173019323	Plastic	Frosted	Light Bulb	6923933818143	F	425
E14 C35	5183014021	Glass	Clear	Light Bulb	6923933815319	E	426
E14 C35	5183002921	Glass	White	Light Bulb	6923933814329	E	426
E14 G45	5182015721	Glass	Clear	Light Bulb	6923933815357	E	418
E14 G45	5182007821	Glass	Clear	Light Bulb	6923933817337	E	419
E14 G45	5182003321	Plastic	Yellow	Light Bulb	6923933813896	G	419
E14 C35	5173019321	Plastic	Frosted	Light Bulb	6923933817726	F	426
E14 C35	5193002421	Glass	White	Light Bulb	6923933818532	E	426
E14 C35	5193006021	Glass	White	Light Bulb	6923933818549	E	427
E14 G45	5192003321	Glass	White	Light Bulb	6923933818716	E	419
E14 C35	5183016321	Glass	White	Light Bulb	6923933818501	E	427
E14 G45 3-Kit	5172013923	Plastic	Frosted	Light Bulb	6923933817900	F	419
E14 C35 Dim	5183005421	Glass	Clear	Light Bulb	6923933813117	E	427
E14 C35	5183001523	Glass	Clear	Light Bulb	6923933820092	E	427
E14 G45	5182007823	Glass	Clear	Light Bulb	6923933820016	E	420
E14 C35	5193002821	Glass	White	Light Bulb	6923933820108	E	428
E14 G45	5192003323	Glass	White	Light Bulb	6923933820030	E	420
E14 C35	5183018821	Glass	Clear	Light Bulb	6923933820085	E	428
E14 G45	5192007221	Glass	White	Light Bulb	6923933820054	E	420
E14 G45	5182000123	Glass	Clear	Light Bulb	6923933820009	E	420
E14 G45	5182014523	Glass	White	Light Bulb	6923933820023	E	421
E14 G45	5192002121	Glass	White	Light Bulb	6923933820047	E	421
E14 C35	5183016323	Glass	White	Light Bulb	6923933820115	E	428
E14 T25	5187000121	Glass	Clear	Light Bulb	6923933813544	E	422
E14 C35	5283018721	Glass	Clear	Light Bulb	6923933818464	D	428
E14 G45	5172014321	Plastic	Frosted	Light Bulb	6923933817962	F	421
E14 T25	5167003521	Glass	Clear	Light Bulb	6923933812578	F	422
E27 A60 Deco Dim	2080032747	Glass	Smoked	Light Bulb	5704924000065	Exempt	382
E27 G125 Deco Dim	2080232747	Glass	Smoked	Light Bulb	5704924000270	Exempt	403
E27 G200 Deco	2080292758	Glass	Goldcolor	Light Bulb	5704924000331	F	404
E27 T45 Deco Dim	2080132758	Glass	Goldcolor	Light Bulb	5704924000171	G	408
E27 G95 Deco Dim	2080172758	Glass	Goldcolor	Light Bulb	5704924000218	F	401
E27 G95 Deco Dim	2080202758	Glass	Goldcolor	Light Bulb	5704924000249	Exempt	401
E27 A60 Deco Dim	2080012758	Glass	Goldcolor	Light Bulb	5704924000003	F	382

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 A60 Deco Dim	2080042758	Glass	Goldcolor	Light Bulb	5704924000072	Exempt	382
E27 G95 Deco Dim	2080192747	Glass	Smoked	Light Bulb	5704924000232	Exempt	401
E27 G125 Deco Dim	2080222758	Glass	Goldcolor	Light Bulb	5704924000263	G	404
E27 A165 Deco	2080282758	Glass	Goldcolor	Light Bulb	5704924000324	Exempt	395
E27 Ps160 Deco	2080272747	Glass	Smoked	Light Bulb	5704924000317	Exempt	410
E27 G95 Deco Dim	2080182758	Glass	Goldcolor	Light Bulb	5704924000225	G	402
E27 St64 Deco Dim	2080082758	Glass	Goldcolor	Light Bulb	5704924000119	Exempt	411
E27 G200 Deco	2080302747	Glass	Smoked	Light Bulb	5704924000348	Exempt	404
E27 T65 Deco Dim	2080252758	Glass	Goldcolor	Light Bulb	5704924000294	F	408
E27 St64 Deco Dim	2080062758	Glass	Goldcolor	Light Bulb	5704924000096	G	411
E27 Ps160 Deco	2080262758	Glass	Goldcolor	Light Bulb	5704924000300	F	410
E27 St64 Deco Dim	2080072747	Glass	Smoked	Light Bulb	5704924000102	Exempt	411
E27 G120 Deco Dim	2080212758	Glass	Goldcolor	Light Bulb	5704924000256	F	403
E27 A60 Deco Dim	2080022758	Glass	Goldcolor	Light Bulb	5704924000058	G	382
E27 T45 Deco Dim	2080142758	Glass	Goldcolor	Light Bulb	5704924000188	Exempt	408
E27 G125 Deco Dim	2080242758	Glass	Goldcolor	Light Bulb	5704924000287	Exempt	404
E27 A60 3-Kit	5197001023	Plastic	Frosted	Light Bulb	6923933817887	E	383
E27 A60	5171013521	Plastic	Frosted	Light Bulb	6923933817856	F	383
E27 G45 3-Kit	5172003923	Plastic	Frosted	Light Bulb	6923933817979	F	395
E27 A60	5197001021	Plastic	Frosted	Light Bulb	6923933817894	E	383
E27 G45	5182001921	Glass	White	Light Bulb	6923933814398	E	395
E27 A60 3-Kit	5171013323	Plastic	Frosted	Light Bulb	6923933817818	F	383
E27 G45	5192006521	Glass	Clear	Light Bulb	6923933818655	D	396
E27 A60	5181001321	Glass	Clear	Light Bulb	6923933814107	D	384
E27 G45	5182003421	Plastic	Yellow	Light Bulb	6923933814213	G	396
E27 G45	5182014321	Glass	White	Light Bulb	6923933818693	E	396
E27 G45	5192001921	Glass	Clear	Light Bulb	6923933818648	D	396
E27 A60 3-Kit	5171013523	Plastic	Frosted	Light Bulb	6923933817832	F	384
E27 G45	5182015821	Glass	Clear	Light Bulb	6923933815364	E	397
E27 G45 Dim	5182015521	Glass	White	Light Bulb	6923933818730	E	397
E27 A60	5181000321	Glass	Clear	Light Bulb	6923933818204	E	384
E27 A60	5191001821	Glass	White	Light Bulb	6923933817085	E	384
E27 A60	5191002021	Glass	White	Light Bulb	6923933817092	E	385
E27 A60	5181000921	Glass	Clear	Light Bulb	6923933818198	E	385



Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 G120	5196002021	Glass	Clear	Light Bulb	6923933817184	D	403
E27 G95 Dim	5196000721	Glass	White	Light Bulb	6923933816910	E	402
E27 A60 Dim	5181023121	Glass	White	Light Bulb	6923933818389	E	385
E27 G45	5182001121	Glass	Clear	Light Bulb	6923933814046	E	397
E27 A60 3-Kit	5181014923	Plastic	Frosted	Light Bulb	6923933817801	F	385
E27 A60 Dim	5181023321	Glass	White	Light Bulb	6923933818372	E	386
E27 A60 3-Kit	5171013723	Plastic	Frosted	Light Bulb	6923933817863	F	386
E27 A60	5181021521	Glass	White	Light Bulb	6923933818341	E	386
E27 G45	5192002321	Glass	White	Light Bulb	6923933818754	E	397
E27 G45 3-Kit	5172014023	Plastic	Frosted	Light Bulb	6923933817924	F	398
E27 A60	5181020921	Glass	White	Light Bulb	6923933818297	E	386
E27 G120	5196002821	Glass	White	Light Bulb	6923933817207	D	403
E27 A60	5161009021	Plastic	Frosted	Light Bulb	6923933809639	F	387
E27 G45	5182000321	Glass	Clear	Light Bulb	6923933813575	E	398
E27 G45	5172014421	Plastic	Frosted	Light Bulb	6923933813551	F	398
E27 G45	5182014721	Glass	White	Light Bulb	6923933818723	E	398
E27 A60	5181014521	Plastic	Yellow	Light Bulb	6923933817771	G	387
E27 A60	5181003321	Glass	Clear	Light Bulb	6923933818211	E	387
E27 A60 Dim	5181003621	Glass	Clear	Light Bulb	6923933818259	E	387
E27 A60	5171013321	Plastic	Frosted	Light Bulb	6923933817702	F	388
E27 G45 3-Kit	5172014423	Plastic	Frosted	Light Bulb	6923933817955	F	399
E27 G45	5172003921	Plastic	Frosted	Light Bulb	6923933814770	F	399
E27 G45	5172014021	Plastic	Frosted	Light Bulb	6923933817931	F	399
E27 A60	5171013721	Plastic	Frosted	Light Bulb	6923933817719	F	388
E27 A60	5181021121	Glass	White	Light Bulb	6923933818303	E	388
E27 A60	5181011021	Glass	Clear	Light Bulb	6923933816965	D	388
E27 G45	5192006821	Glass	White	Light Bulb	6923933818761	E	399
E27 A60	5181000121	Glass	Clear	Light Bulb	6923933813599	E	389
E27 G45	5182003721	Glass	Clear	Light Bulb	6923933817146	E	400
E27 A60 Dim	5181006521	Glass	Clear	Light Bulb	6923933814138	D	389
E27 G45	5192003521	Glass	White	Light Bulb	6923933818747	E	400
E27 A60	5181021321	Glass	White	Light Bulb	6923933818310	E	389
E27 Par20 Dim	5020160921OS	Glass	Clear	Light Bulb	6923933820221	G	408
E27 A60	5181001323	Glass	Clear	Light Bulb	6923933819720	D	389

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 A60	5181010321	Glass	Clear	Light Bulb	6923933819683	E	390
E27 C35	5183016521	Glass	White	Light Bulb	6923933819669	E	409
E27 R80	5194002621	Glass	Clear	Light Bulb	6923933820078	F	409
E27 G95 Dim	5216000121	Glass	Clear	Light Bulb	6923933820306	D	402
E27 G45	5182016521	Glass	Clear	Light Bulb	6923933819621	E	400
E27 A60 Dim	5211028021	Glass	White	Light Bulb	6923933820290	D	390
E27 C35	5183000321	Glass	Clear	Light Bulb	6923933819638	E	409
E27 A60 Dim	5211022721	Glass	White	Light Bulb	6923933820283	D	390
E27 A60	5181021323	Glass	White	Light Bulb	6923933819768	E	390
E27 A60	5181003323	Glass	Clear	Light Bulb	6923933819713	E	391
E27 A60 Dim	5181011221	Glass	Clear	Light Bulb	6923933819744	D	391
E27 A60 Dim	5211027921	Glass	Clear	Light Bulb	6923933820337	D	391
E27 C35	5183016121	Glass	White	Light Bulb	6923933819652	E	410
E27 G95 Dim	5216001121	Glass	White	Light Bulb	6923933820313	D	402
E27 C35	5183001721	Glass	Clear	Light Bulb	6923933819645	E	410
E27 R63	5194002021	Glass	Clear	Light Bulb	6923933820061	G	409
E27 A60	5191002023	Glass	White	Light Bulb	6923933819799	E	391
E27 A60 3-Kit	5181000323	Glass	Clear	Light Bulb	6923933819706	E	392
E27 A60	5181000923	Glass	Clear	Light Bulb	6923933819676	E	392
E27 A60	5191001823	Glass	White	Light Bulb	6923933819775	E	392
E27 A60	5181011023	Glass	Clear	Light Bulb	6923933819737	D	392
E27 A60	5191001721	Glass	White	Light Bulb	6923933819751	E	393
E27 A60	5181021523	Glass	White	Light Bulb	6923933819782	E	393
E27 A60 Dim	5181023721	Glass	White	Light Bulb	6923933819805	E	393
E27 A60	5181010323	Glass	Clear	Light Bulb	6923933819690	E	393
E27 G45 Dim	5182006321	Glass	Clear	Light Bulb	6923933813483	E	400
E27 A60 3-Kit	5181015523	Plastic	Frosted	Light Bulb	6923933817849	F	394
E27	5211033021	Glass	White	Light Bulb	6923933821068	D	394
E27	5211020921	Glass	Clear	Light Bulb	6923933820559	D	394
E27	2290102747	Glass	Smoked	Light Bulb	5704924013454	Exempt	405
E27	2290062758	Glass	Goldcolor	Light Bulb	5704924013355	Exempt	405
E27	2290092758	Glass	Goldcolor	Light Bulb	5704924013423	Exempt	405
E27	2290072747	Glass	Smoked	Light Bulb	5704924013386	Exempt	405
E27	2290072758	Glass	Goldcolor	Light Bulb	5704924013379	Exempt	406

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27	2290092747	Glass	Smoked	Light Bulb	5704924013430	Exempt	406
E27	2290062747	Glass	Smoked	Light Bulb	5704924013362	Exempt	406
E27	2290082747	Glass	Smoked	Light Bulb	5704924013416	Exempt	406
E27	2290102748	Glass	Goldcolor	Light Bulb	5704924013447	Exempt	407
E27	2290052747	Glass	Smoked	Light Bulb	5704924013348	Exempt	407
E27	2290082758	Glass	Goldcolor	Light Bulb	5704924013409	Exempt	407
E27	2290052758	Glass	Goldcolor	Light Bulb	5704924013324	Exempt	407
E27	5221030121	Glass	Clear	Light Bulb	6923933821129	A	394
E27	5221030321	Glass	Clear	Light Bulb	6923933821136	A	395
E27 St64 Deco Dim	2080052758	Glass	Goldcolor	Light Bulb	5704924000089	F	411
E27 G45	2080152758	Glass	Goldcolor	Light Bulb	5704924000195	F	401
Eik 2-Spot	45770110	Metal	Grey	Spot light	5701581369788		9
Eik	45761001	Metal	White	Wall light	5701581369481		9
Eik	45761010	Metal	Grey	Wall light	5701581369580		9
Eik 3-Spot	45780101	Metal	White	Spot light	5701581369887		10
Eik 2-Spot	45770101	Metal	White	Spot light	5701581369689		9
Eik 3-Spot	45780110	Metal	Grey	Spot light	5701581369986		10
Eik 2-Spot	45770103	Metal	Black	Spot light	5704924011481		9
Eik	45761003	Metal	Black	Wall light	5704924011474		9
Eik 3-Spot	45780103	Metal	Black	Spot light	5704924011498		10
Elkton 8	47520101	Plastic/Plastic	White	Downlight	5701581414884	F	220
Elkton 14	47530101	Plastic/Plastic	White	Downlight	5701581414983	F	221
Ellen 20	2112305035	Metal/Glass	Brass	Table lamp	5704924005503		27
Ellen 30	48563003	Metal	Black	Pendant	5701581458482		26
Ellen 40	48584001	Metal	White	Floor lamp	5701581458789		28
Ellen 20	48555023	Metal/Plastic	Green	Table lamp	5701581458284		27
Ellen 20	48555003	Metal/Plastic	Black	Table lamp	5701581458185		27
Ellen 40	48573001	Metal	White	Pendant	5701581458581		26
Ellen 30	48563001	Metal	White	Pendant	5701581463066		26
Ellen 20	48555001	Metal/Plastic	White	Table lamp	5701581458086		27
Ellen 20	2112305003	Metal/Glass	Black	Table lamp	5704924005480		27
Ellen 20	2112305032	Metal/Glass	Brushed steel	Table lamp	5704924005497		27
Ellen 40	48584003	Metal	Black	Floor lamp	5701581458888		28
Ellen 40	48573003	Metal	Black	Pendant	5701581458680		26

Model	Number	Material	Color	Type	EAN	Energy class	Page
Ellen 20	48555009	Metal/Plastic	Beige	Table lamp	5704924011559		27
Elm	45348003	Aluminium/Plastic	Black	Garden light	5701581382985		301
Elm Single	45321003	Aluminium/Plastic	Black	Wall light	5701581382589		300
Elm Double	45331003	Aluminium/Plastic	Black	Wall light	5701581382787		300
Embla	45703001	Glass	Opal white	Pendant	5701581368286		126
Embla	45703047	Glass	Grey	Pendant	5701581368385		126
Ethan 4-Spot	2110430101	Aluminium/Metal	Matt white	Surface down-light	5704924007071		189
Ethan 1-Spot	2110400101	Aluminium/Metal	Matt white	Surface down-light	5704924007033		188
Ethan 2-Spot	2110410101	Aluminium/Metal	Matt white	Surface down-light	5704924007057		188
Ethan 4-Spot	2110430103	Aluminium/Metal	Matt black	Surface down-light	5704924007088		189
Ethan 1-Spot	2110400103	Aluminium/Metal	Matt black	Surface down-light	5704924007040		188
Ethan 2-Spot	2110410103	Aluminium/Metal	Matt black	Surface down-light	5704924007064		188
Explore	2113251001	Metal	White	Wall light	5704924009488		29
Explore Flex	2113261001	Metal	White	Wall light	5704924009501		30
Explore 3-Spot	2113270101	Metal	White	Spot light	5704924009525		30
Explore Flex	2113261003	Metal	Black	Wall light	5704924009518		30
Explore 3-Spot	2113270103	Metal	Black	Spot light	5704924009532		30
Explore	2113251003	Metal	Black	Wall light	5704924009495		29
Explore	2213505003	Metal	Black	Table lamp	5704924012235		28
Explore	2213514003	Metal	Black	Floor lamp	5704924012242		29
Explore	2113251035	Metal/Metal	Brass	Wall light	5704924011610		29
Explore Flex	2113261035	Metal/Metal	Brass	Wall light	5704924011627		30
Explore 3-Spot	2113700135	Metal/Metal	Brass	Spot light	5704924011634		30
Explorlink	86189903	Metal/Plastic	Black	Track Light	5701581373686		153
Explorlink	86189901	Metal/Plastic	White	Track Light	5701581373587		153
Fallon	47540101	Metal/Plastic	White/White	Surface down-light	5701581415089	F	189
Fallon Long	47550103	Metal/Plastic	Black/Steel	Surface down-light	5701581445987	F	190
Fallon Long	47550101	Metal/Plastic	White/White	Surface down-light	5701581415287	F	190
Fallon Long	47550132	Metal/Plastic	White/Steel	Surface down-light	5701581415386	F	190
Fallon	47540132	Metal/Plastic	White/Steel	Surface down-light	5701581415188	F	189
Fallon	47540103	Metal/Plastic	Black/Steel	Surface down-light	5701581445888	F	189
Fixit	0130032	Metal/Plastic	Brushed steel	Accessories	5701581011076		271
Fleur 15	2112101001	Metal	Beige	Wall light	5704924005282		78
Fleur 15	2112115001	Metal	Beige	Table lamp	5704924005299		77

Model	Number	Material	Color	Type	EAN	Energy class	Page
Fleur 24	2112124001	Metal	Beige	Floor lamp	5704924005305		77
Focus	874863	Metal/Plastic	Anthracite	Garden light	7057388748638		303
Focus Mini	874523	Metal/Plastic	Black	Garden light	7057388745231		302
Focus	874823	Metal/Plastic	Black	Garden light	7057388748232		303
Focus Single	874193	Metal/Plastic	Aluminium	Wall light	7057388741936		302
Focus Single	874123	Metal/Plastic	Black	Wall light	7057388741233		302
Focus Single	874163	Metal/Plastic	Anthracite	Wall light	7057388741639		302
Focus Double	874023	Metal/Plastic	Black	Wall light	7057388740236		301
Focus Double	874063	Metal/Plastic	Anthracite	Wall light	7057388740632		301
Focus Single	874131	Metal/Plastic	White	Wall light	7057388741318		302
Focus Double	874093	Metal/Plastic	Aluminium	Wall light	7057388740939		301
Focus Double	874031	Metal/Plastic	White	Wall light	7057388740311		301
Focus Mini	874563	Metal/Plastic	Anthracite	Garden light	7057388745637		302
Fold 10	2019041030	Copper/Plastic	Copper	Wall light	5704924000546	F	318
Fold 15	2019051035	Brass/Plastic	Brass	Wall light	5704924000614	F	319
Fold 10	2019041038	Corten/Plastic	Corten	Wall light	5704924001970	F	318
Fold 15	2019051003	Aluminium/Plastic	Black	Wall light	5704924000584	E	319
Fold 10	2019041001	Aluminium/Plastic	White	Wall light	5704924000522	E	318
Fold 15	2019051038	Metal/Plastic	Corten	Wall light	5704924001987	F	319
Fold 10	2019041035	Brass/Plastic	Brass	Wall light	5704924000560	F	318
Fold 10	2019041031	Galvanized steel/Plastic	Galvanized	Wall light	5704924000553	F	318
Fold 15	2019051031	Galvanized steel/Plastic	Galvanized	Wall light	5704924000607	F	319
Fold 15	2019051030	Copper/Plastic	Copper	Wall light	5704924000591	F	319
Fold 15	2019051001	Aluminium/Plastic	White	Wall light	5704924000577	E	319
Fold 10	2019041003	Aluminium/Plastic	Black	Wall light	5704924000539	E	318
Fremont 3-Kit	47580132	Plastic/Metal	Brushed steel	Downlight	5701581415980	F	221
Fremont 3-Kit	47580103	Plastic/Metal	Black	Downlight	5701581415881	F	221
Fremont 3-Kit	47580101	Plastic/Metal	White	Downlight	5701581420489	F	221
Freya 35	2213083003	Metal	Black	Pendant	5704924011757		31
Freya	2213101003	Metal	Black	Wall light	5704924011771		32
Freya	2213115003	Metal	Black	Table lamp	5704924011788		31
Freya	2213115009	Metal	Beige	Table lamp	5704924011795		31
Freya	2213115023	Metal	Green	Table lamp	5704924011801		31
Freya 35	2213083009	Metal	Beige	Pendant	5704924011740		31

Model	Number	Material	Color	Type	EAN	Energy class	Page
Freya	2213124003	Metal	Black	Floor lamp	5704924011818		32
Freya 35	2213083023	Metal	Green	Pendant	5704924011764		31
Frida 4-Spot	49820101	Metal	White	Spot light	5701581477285		63
Frida 2-Spot	49810101	Metal	White	Spot light	5701581477186		62
Frida	49801001	Metal	White	Wall light	5701581477087		62
Front 36	84091003	Metal/Plastic	Black	Wall light	5701581341487	E	288
Front Single	46801001	Aluminium/Glass	White	Wall light	5701581398986		287
Front 26	84081001	Metal/Plastic	White	Wall light	5701581341180	F	288
Front 26	84081003	Metal/Plastic	Black	Wall light	5701581341289	F	288
Front 36	84091001	Metal/Plastic	White	Wall light	5701581341388	E	288
Front Single	46801003	Aluminium/Glass	Black	Wall light	5701581399082		287
Front Single	46801008	Aluminium/Glass	Sanded	Wall light	5704924012396		287
Frøyalink	86119901	Metal/Plastic	White	Track Light	5701581373389		156
Fuse	77509931	Galvanized steel	Galvanized	Accessories	5701581257689		303
Fuse	77518031	Galvanized steel/Glass	Galvanized	Garden light	5701581249288		304
G13f	4211000521	Glass	Clear	Light Bulb	6923933820412	E	440
G13f	4211000321	Glass	Clear	Light Bulb	6923933820399	D	440
G13f	4211000221	Glass	Clear	Light Bulb	6923933820382	E	441
G13f	4211000421	Glass	Clear	Light Bulb	6923933820405	D	441
G13f	4211000621	Glass	Clear	Light Bulb	6923933820429	E	441
G13f	4211000121	Glass	Clear	Light Bulb	6923933820375	E	441
G4	5195000621	Silicone	Clear	Light Bulb	6923933818150	F	438
G4 Stick	5155101523	Ceramic	Clear	Light Bulb	6923933820214	F	438
G4 Stick	5155101521	Ceramic	Clear	Light Bulb	6923933820207	F	438
G9 G9	5195000321	Ceramic	Frosted	Light Bulb	6923933818167	F	438
G9 G9	5195000221	Ceramic	Clear	Light Bulb	6923933817733	F	439
G9 Dim	5185000321	Ceramic	Clear	Light Bulb	6923933820320	F	439
Galloway	2011053003	Metal	Black/Brass	Pendant	5704924001826		63
Galloway	2011075003	Metal	Black/Brass	Table lamp	5704924001833		64
Gloom	2113053003	Metal	Black	Pendant	5704924006227		49
Gloom	2113053035	Metal	Brass	Pendant	5704924006234		49
Grant 3-Spot	2010583003	Glass/Metal	Black	Pendant	5704924001130		80
Grant	46635025	Glass/Metal	Brass	Table lamp	5701581407985		80
Grant 25	2010563035	Glass/Metal	Brass	Pendant	5704924001116		79

Model	Number	Material	Color	Type	EAN	Energy class	Page
Grant 35	2010573035	Glass/Metal	Brass	Pendant	5704924001123		79
Grant	46635003	Glass/Metal	Black	Table lamp	5701581407886		80
Grant 3-Spot	2010583035	Glass/Metal	Brass	Pendant	5704924001147		80
Grant	47091003	Glass/Metal	Black	Wall light	5701581411685		81
Grant 15	2010553035	Glass/Metal	Brass	Pendant	5704924001109		78
Grant	47091025	Glass/Metal	Brass	Wall light	5701581411784		81
Gripsmart	2118201003	Aluminium/Plastic	Black	Wall light	5704924004377	F	375
Gripsmart	2118201001	Aluminium/Plastic	White	Wall light	5704924004384	F	375
Groa	2213155014	Wood	Nature	Table lamp	5704924011856		53
Groa	2213155003	Wood	Black	Table lamp	5704924011849		53
Gu10 Dim	5184002821	Glass	Clear	Light Bulb	6923933817276	F	433
Gu10 Gu10	5184003621	Glass	Clear	Light Bulb	6923933818013	F	434
Gu10 3-Kit	5174008923	Plastic	Clear	Light Bulb	6923933818068	F	434
Gu10	5174008521	Glass	Clear	Light Bulb	6923933817993	F	434
Gu10	5174008621	Glass	Clear	Light Bulb	6923933818006	F	434
Gu10 3-Kit	5174008823	Plastic	Clear	Light Bulb	6923933818051	F	435
Gu10	5164005623	Glass	Clear	Light Bulb	6923933820191	F	435
Gu10	5174008623	Glass	Clear	Light Bulb	6923933820122	F	435
Gu10	5184003623	Glass	Clear	Light Bulb	6923933820139	F	435
Gu10	5164003223	Glass	Clear	Light Bulb	6923933820184	F	436
Gu10	5164003221	Glass	Clear	Light Bulb	6923933814749	F	436
Gu10 Dim	5164005421	Glass	Clear	Light Bulb	6923933817740	F	436
Gu10	5164005621	Glass	Clear	Light Bulb	6923933817269	F	436
Gu10 3-Kit Dim	5164003723	Glass	Clear	Light Bulb	6923933812691	F	437
Gu10 Dim	5164003721	Glass	Clear	Light Bulb	6923933812462	F	437
Gu10 3-Kit	5174008523	Glass	Clear	Light Bulb	6923933820436	F	437
Gu10	5214008423	Plastic	White	Light Bulb	6923933821112		437
Hang	2010013001	Porcelain	White	Pendant	5704924001222		118
Hang	2010013059	Porcelain	Terracotta	Pendant	5704924001246		118
Hang	2010013010	Porcelain	Grey	Pendant	5704924001239		118
Harlow 60x30 Step	2110496101	Plastic/Plastic	White	Ceiling light	5704924007118	F	165
Harlowsmar Rgb	2110806101	Plastic/Plastic	White	Ceiling light	5704924007422	F	257
Heka	2118211050	Aluminium/Glass	Grey	Wall light	5704924005046		285
Heka	2118211003	Aluminium/Glass	Black	Wall light	5704924004957		285

Model	Number	Material	Color	Type	EAN	Energy class	Page
Heka	2118211008	Aluminium/Glass	Sanded	Wall light	5704924010491		285
Helford	49031055	Brass/Glass	Nickel	Wall light	5701581464780		334
Helford	49031035	Brass/Glass	Brass	Wall light	5701581464681		334
Helix	77499931	Galvanized steel/Plastic	Galvanized	Garden light	5704924005961		305
Helix	77479938	Corten/Plastic	Corten	Wall light	5704924005893		304
Helix	77479931	Galvanized steel/Plastic	Galvanized	Wall light	5704924005954		304
Helix	77499938	Corten/Plastic	Corten	Garden light	5704924005909		305
Helva Night	2015301001	Plastic/Plastic	White	Wall light	5704924002557	F	230
Helva Double Basic	2015311001	Plastic/Plastic	White	Wall light	5704924002571	F	230
Helva Double	2015321055	Plastic/Plastic	Brushed Nickel	Wall light	5704924002601	F	231
Helva Double	2015321033	Plastic/Plastic	Chrome	Wall light	5704924002595	F	231
Helva Night	2015301033	Plastic/Plastic	Chrome	Wall light	5704924002564	F	230
Helva Double Basic	2015311003	Plastic/Plastic	Black	Wall light	5704924002588	F	230
Hester	2015391033	Plastic/Glass	Chrome	Wall light	5704924002663	F	231
Hester	2015391003	Plastic/Glass	Black	Wall light	5704924002656	F	231
Hester	2015391001	Plastic/Glass	White	Wall light	5704924002649	F	231
Hollywood	46645047	Glass/Plastic	Smoked	Table lamp	5701581408289		65
Hollywood	46645027	Glass/Plastic	Amber	Table lamp	5701581408180		65
Hollywood	46483047	Glass/Metal	Smoked	Pendant	5701581405585		64
Hollywood	46483000	Glass/Metal	Clear	Pendant	5701581405387		64
Hollywood	46483027	Glass/Metal	Amber	Pendant	5701581405486		64
Hollywood	46645000	Glass/Plastic	Clear	Table lamp	5701581408081		65
Ip S12	83051001	Metal/Plastic	White	Bathroom lighting	5701581300484		234
Ip S4	78511001	Metal/Plastic	White	Bathroom lighting	5701581268388		233
Ip S6	78531001	Metal/Plastic	White	Bathroom lighting	5701581274983		234
Ip S4	78511032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581268487		233
Ip S13 60	83071032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581300989	E	235
Ip S13 40	83061032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581300781	E	235
Ip S5	78521001	Metal/Plastic	White	Bathroom lighting	5701581268685		233
Ip S13 60	83071001	Metal/Plastic	White	Bathroom lighting	5701581300880	E	235
Ip S12	83051033	Metal/Plastic	Chrome	Bathroom lighting	5701581300583		234
Ip S13 40	83061001	Metal/Plastic	White	Bathroom lighting	5701581300682	E	235
Ip S6	78531032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581275089		234
Ivona 6-Spot	2112163035	Glass/Metal	Brass	Pendant	5704924005343		121



Model	Number	Material	Color	Type	EAN	Energy class	Page
Ivona 6-Spot	2112163003	Glass/Metal	Black	Pendant	5704924005336		121
Ivona 4-Spot	2112153003	Glass/Metal	Black	Pendant	5704924005312		120
Ivona 4-Spot	2112153035	Glass/Metal	Brass	Pendant	5704924005329		120
Jelly	2010783001	Glass/Metal	Clear	Pendant	5704924001628		120
Jim	2218105023	Metal/Plastic	Green	Battery light	5704924010736	Exempt	357
Jim	2218105027	Metal/Plastic	Orange	Battery light	5704924010743	Exempt	357
Jim	2218105003	Metal/Plastic	Black	Battery light	5704924010705	Exempt	357
Jim	2218105010	Metal/Plastic	Grey	Battery light	5704924010729	Exempt	357
Jim	2218105006	Metal/Plastic	Blue	Battery light	5704924010712	Exempt	357
Jim	2218105002	Metal/Plastic	Red	Battery light	5704924010699	Exempt	357
Josefine 7-Spot	2010303003	Metal	Black	Pendant	5704924001055		81
Josefine	48955003	Metal	Matt black	Table lamp	5701581464186		82
Josefine	48941003	Metal	Matt black	Wall light	5701581464087		83
Josefine	48933003	Metal	Matt black	Pendant	5701581463981		82
Kettle Tripod 110	2018044003	Metal	Black	Accessories	5701581496583		360
Kettle Tripod 110	2018044014	Wood/Metal	Nature(brown)	Accessories	5701581496682		360
Kettle Spike	2018028003	Metal/Aluminium	Black	Accessories	5701581496187		361
Kettle 22	2018003003	Plastic	White	Battery light	5701581495982	E	359
Kettle Tripod 31	2018035003	Metal	Black	Accessories	5701581496385		360
Kettle 36	2018013003	Plastic	White	Battery light	5701581496088	E	359
Kettle Tripod 31	2018035014	Wood/Metal	Nature(brown)	Accessories	5701581496484		360
Kinver 18	84181001	Metal/Glass	White	Wall light	5701581342781	E	338
Kinver 18	84181003	Metal/Glass	Black	Wall light	5701581342880	E	338
Kinver 26	2118181003	Aluminium/Glass	Black	Wall light	5704924004759	E	325
Kinver 26	2118181001	Aluminium/Glass	White	Wall light	5704924004766	E	325
Kitchenio 3-Kit	2015460103	Plastic/Plastic	Black	Surface down-light	5704924002823	G	191
Kitchenio 3-Kit	2015460155	Plastic/Plastic	Brushed Nickel	Surface down-light	5704924002830	G	191
Kitchenio 1-Kit	2015450101	Plastic/Plastic	White	Surface down-light	5704924002786	G	190
Kitchenio 1-Kit	2015450155	Plastic/Plastic	Brushed Nickel	Surface down-light	5704924002809	G	190
Kitchenio 3-Kit	2015460101	Plastic/Plastic	White	Surface down-light	5704924002816	G	191
Kitchenio 1-Kit	2015450103	Plastic/Plastic	Black	Surface down-light	5704924002793	G	190
Konieklink	2110629903	Metal/Plastic	Matt black	Track Light	5704924007255		157
Konieklink	2110629901	Metal/Plastic	Matt white	Track Light	5704924007248		157
Kurnos 35	2118071003	Metal/Plastic	Black	Wall light	5704924004605		283

Model	Number	Material	Color	Type	EAN	Energy class	Page
Kurnos 20	2118061031	Metal/Plastic	Galvanized	Wall light	5704924004599		283
Kurnos 20	2118061003	Metal/Plastic	Black	Wall light	5704924004582		283
Kurnos 35	2118071031	Metal/Plastic	Galvanized	Wall light	5704924004612		283
Kurnos 20	2118061008	Metal/Plastic	Sanded	Wall light	5704924010477		283
Kurnos 35	2118071008	Metal/Plastic	Sanded	Wall light	5704924010484		283
Landon 8	2110660101	Metal/Plastic	White	Bathroom lighting	5704924007309	F	236
Landon 14	2110670103	Metal/Plastic	Black	Bathroom lighting	5704924007330	F	236
Landon 14	2110670101	Metal/Plastic	White	Bathroom lighting	5704924007323	F	236
Landon 8	2110660103	Metal/Plastic	Black	Bathroom lighting	5704924007316	F	236
Landonsmar	2110840103	Metal/Plastic	Black	Ceiling light	5704924007460	F	255
Landonsmar Long	2110850101	Metal/Plastic	White	Ceiling light	5704924007477	F	255
Landonsmar	2110840101	Metal/Plastic	White	Ceiling light	5704924007453	F	255
Landonsmar Long	2110850103	Metal/Plastic	Black	Ceiling light	5704924007484	F	255
Largo	47051001	Metal	White	Wall light	5701581411081		141
Largo	47051003	Metal	Black	Wall light	5701581411180		141
Latona 12w	47436101	Plastic	White	Batten Light Fitting	5701581446489	E	199
Latona 9w	47426101	Plastic	White	Batten Light Fitting	5701581446380	E	199
Latona 5w	47416101	Plastic	White	Batten Light Fitting	5701581446281	E	198
Led Strip 3m	47970000	Silicone/Plastic		LED strip	5701581443587	Exempt	244
Led Strip 5m	47980000	Silicone/Plastic		LED strip	5701581443686	G	244
Led Strip 3m 2700-6000k	2210359901	Copper	White	LED strip	5704924012778	G	246
Led Strip 3m Rgb Music	2210399901	Copper	White	LED strip	5704924012808		248
Led Strip 5m 2700-6000k	2210369901	Copper	White	LED strip	5704924012785	G	247
Led Strip 10m 2700-6000k	2210379901	Copper	White	LED strip	5704924012792	G	247
Led Strip 5m Basic	2210319901	Copper	White	LED strip	5704924012754	G	245
Led Strip 5m Rgb Music	2210409901	Copper	White	LED strip	5704924012815		248
Led Strip 3m Basic	2210329901	Copper	White	LED strip	5704924012747	G	245
Led Strip 10m Basic	2210339901	Copper	White	LED strip	5704924012761	G	246
Leo	2118095062	Bamboo/Plastic	Nature(brown)	Battery light	5704924004575	Exempt	355
Leroy	47560101	Plastic	White	Ceiling light	5701581415485		165
Leroy 4000k	47680101	Plastic	White	Ceiling light	5701581422988		166
Lilly	48891003	Glass/Metal	Black	Wall light	5701581463486		34
Lilly	48613003	Metal/Glass	Black	Floor lamp	5701581459182		34
Lilly 3-Spot	48603003	Metal/Glass	Black	Pendant	5701581458987		33

Model	Number	Material	Color	Type	EAN	Energy class	Page
Lilly 3-Spot	48603035	Metal/Glass	Brass	Pendant	5701581459083		33
Lilly Marble	2213575010	Glass/Marble	Grey	Table lamp	5704924012297		33
Lilly Marble	2213575018	Glass/Marble	Brown	Table lamp	5704924012303		33
Lilt	2010603032	Metal/Plastic	Brushed steel	Pendant	5704924001512	E	48
Lilt	2010603003	Metal/Plastic	Black	Pendant	5704924001505	E	48
Lilt	2010603051	Metal/Plastic	Dark grey steel	Pendant	5704924011580	E	48
Link Pendant Adapter	79069903	Plastic	Black	Track Light	5701581356986		148
Link T-Connector Left	86069903	Plastic/Metal	Black	Track Light	5701581402386		150
Link Adapter Side	79039901	Plastic/Metal	White	Track Light	5701581357280		146
Link Pendant Adapter	79069901	Plastic	White	Track Light	5701581273283		148
Link 2m	79089903	Metal	Black	Track Light	5701581356580		149
Link X-Connector	86079903	Plastic/Metal	Black	Track Light	5701581402584		150
Link Connector Turnable	79029903	Plastic/Metal	Black	Track Light	5701581357181		146
Link 1m	79079901	Metal	White	Track Light	5701581273382		148
Link T-Connector Right	86059901	Plastic/Metal	White	Track Light	5701581402089		151
Link Connector	79059901	Plastic	White	Track Light	5701581273184		147
Link 1,8m	2110589901		Matt white	Track Light	5704924007187		149
Link T-Connector Right	86059903	Plastic/Metal	Black	Track Light	5701581402188		151
Link Adapter Center	79049901	Plastic	White	Track Light	5701581357488		147
Link 1m	79079903	Metal	Black	Track Light	5701581356382		148
Link X-Connector	86079901	Plastic/Metal	White	Track Light	5701581402485		150
Link T-Connector Left	86069901	Plastic/Metal	White	Track Light	5701581402287		150
Link Connector Turnable	79029901	Plastic/Metal	White	Track Light	5701581357082		146
Link Adapter Center	79049903	Plastic	Black	Track Light	5701581357587		147
Link Adapter Side	79039903	Plastic	Black	Track Light	5701581357389		146
Link Connector	79059903	Plastic	Black	Track Light	5701581356788		147
Link 2m	79089901	Metal	White	Track Light	5701581273481		149
Link 1,8m	2110589903	Metal/Plastic	Matt black	Track Light	5704924007194		149
Link Cover	2210309003		Black	Track Light	5704924012716		151
Link Cover	2210309001		White	Track Light	5704924012709		151
Linton	2218308031	Galvanized steel/Plastic	Galvanized	Garden light	5704924011078		282
Linton	2218295035	Brass/Plastic	Brass	Table lamp	5704924011061		281
Linton	2218295031	Galvanized steel/Plastic	Galvanized	Table lamp	5704924011054		281
Linton	2218281031	Galvanized steel/Plastic	Galvanized	Wall light	5704924011030		282

Model	Number	Material	Color	Type	EAN	Energy class	Page
Linton	2218273031	Galvanized steel/Plastic	Galvanized	Pendant	5704924011016		281
Linton	2218273035	Brass/Plastic	Brass	Pendant	5704924011023		281
Linton	2218308035	Brass/Plastic	Brass	Garden light	5704924011085		282
Linton	2218281035	Brass/Plastic	Brass	Wall light	5704924011047		282
Lismore 4-Kit	76730001	Plastic	Chrome	Surface down-light	5701581210684	F	191
Livasmart Color	2110826103	Plastic/Plastic	Black	Ceiling light	5704924007446	F	258
Livasmart Color	2110826101	Plastic/Plastic	White	Ceiling light	5704924007439	F	258
Lotus 2-Spot	50110103	Metal	Black/Brass	Spot light	5701581478282		66
Lotus	50101003	Metal	Black/Brass	Wall light	5701581478183		65
Lotus 4-Spot	50130103	Metal	Black/Brass	Spot light	5701581478480		67
Lotus 3-Spot	50120103	Metal	Black/Brass	Spot light	5701581478381		66
Luxe	22671031	Galvanized steel/Glass	Galvanized	Wall light	5701581035010		307
Luxe	72805009	Metal/Glass	Rusty	Pendant	5701581233270		306
Luxe	22671030	Copper/Glass	Copper	Wall light	5701581083011		307
Luxe	22671003	Metal/Glass	Black	Wall light	5701581004047		307
Luxe Sensor	22661031	Galvanized steel/Glass	Galvanized	Wall light	5701581020054		306
Luxe	22671009	Metal/Glass	Rusty	Wall light	5701581233171		307
Lyne	84813003	Metal	Black	Pendant	5701581346086		130
Lønstrup 22 Sensor	71432031	Galvanized steel/Glass	Galvanized	Wall light	5701581232280		309
Lønstrup 32	71411031	Galvanized steel/Glass	Galvanized	Wall light	5701581253773		307
Lønstrup 32	71428031	Galvanized steel/Glass	Galvanized	Garden light	5701581253674		309
Lønstrup 22	71431003	Metal/Glass	Black	Wall light	5701581232389		308
Lønstrup 32	71411003	Metal/Glass	Black	Wall light	5701581277977		307
Lønstrup 32 Sensor	71412031	Galvanized steel/Glass	Galvanized	Wall light	5701581278073		308
Lønstrup 22	71431031	Galvanized steel/Glass	Galvanized	Wall light	5701581232181		308
Lønstrup 32	71428003	Metal/Glass	Black	Garden light	5701581278271		309
Magia	2112044003	Glass/Metal	Black	Floor lamp	5704924005206		17
Magia	2112035001	Glass/Metal	White	Table lamp	5704924005176		16
Magia 18	2112013001	Glass/Metal	White	Pendant	5704924005138		15
Magia	2112044001	Glass/Metal	White	Floor lamp	5704924005190		17
Magia 26	2112023003	Glass/Metal	Black	Pendant	5704924005169		16
Magia 18	2112013003	Glass/Metal	Black	Pendant	5704924005145		15
Magia	2112035003	Glass/Metal	Black	Table lamp	5704924005183		16
Magia 26	2112023001	Glass/Metal	White	Pendant	5704924005152		16

Model	Number	Material	Color	Type	EAN	Energy class	Page
Magie27 G95	2020070201	Glass	Black	Light Bulb	5400848002351	Exempt	415
Magie27 G95	2020070203	Glass	Matt gold	Light Bulb	5400848002399	Exempt	415
Magie27 G200	2020070206	Glass	Black	Light Bulb	5400848002450	Exempt	416
Magie27 G95	2020070202	Glass	Black	Light Bulb	5400848002375	Exempt	415
Magie27 G95	2020070204	Glass	Matt gold	Light Bulb	5400848002412	Exempt	415
Magie27 G95	2020070205	Glass	Silver	Light Bulb	5400848002436	Exempt	416
Magie27 G200	2020070207	Glass	Black	Light Bulb	5400848002474	Exempt	416
Mahi	2015430103	Plastic/Metal	Black	Downlight	5704924002755	F	
Mahi	2015430101	Plastic/Metal	White	Downlight	5704924002748	F	
Mahi	2015430155	Plastic/Metal	Brushed Nickel	Downlight	5704924002779	F	
Malte	21861031	Galvanized steel/Plastic	Galvanized	Wall light	5701581100046		330
Malte	21841031	Galvanized steel/Plastic	Galvanized	Wall light	5701581099043		330
Marina	62329933	Metal/Glass	Chrome	Bathroom lighting	5701581331785		237
Marina	62329903	Metal/Glass	Black	Bathroom lighting	5701581365780		237
Marina Sensor	46831003	Aluminium/Plastic	Black	Wall light	5701581399488	E	333
Marina Flatline	46821003	Aluminium/Plastic	Black	Wall light	5701581399280	E	333
Marlee	2110701003	Metal/Plastic	Black	Bathroom lighting	5704924007378	F	237
Marlee	2110701001	Metal/Plastic	White	Bathroom lighting	5704924007361	F	237
Mason	47131003	Plastic	Black	Wall light	5701581412286	F	141
Mason	47131001	Plastic	White	Wall light	5701581412187	F	141
Mento	75582003	Metal	Black	Clamp lamp	5701581211889	G	68
Mento	75531003	Metal	Black	Wall light	5701581286078	G	67
Mento	75582001	Metal	White	Clamp lamp	5701581211780	G	68
Mento	75531001	Metal	White	Wall light	5701581285972	G	67
Mib6link	71669901	Metal/Plastic	White	Track Light	5701581332287		157
Mib6link	71669903	Metal/Plastic	Black	Track Light	5701581332386		157
Milford	48915001	Glass/Wood	Nature	Table lamp	5701581463783		20
Milford 30	46583001	Glass/Metal	Opal white	Pendant	5701581407084		19
Milford 20	46573001	Glass/Metal	Opal white	Pendant	5701581406988		18
Milford	48924001	Glass/Metal	White	Floor lamp	5701581463882		21
Milford	48965001	Glass/Metal	Black	Table lamp	5701581464285		20
Milford 30	2213213001	Glass/Metal	Opal white	Pendant	5704924011894		18
Milford	2213225001	Glass/Metal	Brass	Table lamp	5704924011900		19
Milford 20	2213203001	Glass/Metal	Opal white	Pendant	5704924011887		17

Model	Number	Material	Color	Type	EAN	Energy class	Page
Mixit Pro	71810132	Plastic/Metal	Brushed steel	Downlight	5701581279681		222
Mixit Pro	71810101	Plastic/Metal	White	Downlight	5701581295186		222
Mixit	71820132	Plastic/Metal	Brushed steel	Downlight	5701581264779		222
Molli Double	2112844003	Glass/Metal	Black	Floor lamp	5704924006050		104
Molli	2112834003	Glass/Metal	Black	Floor lamp	5704924006043		103
Molli	2112825003	Glass/Metal	Black	Table lamp	5704924006449		103
Molli	2112811003	Glass/Metal	Black	Wall light	5704924006036		104
Molli	2112803003	Glass/Metal	Black	Pendant	5704924006067		102
Mona	2110561001	Aluminium/Glass	White	Wall light	5704924007163	F	
Mona	2110561003	Aluminium/Glass	Black/White	Wall light	5704924007170	F	
Mono	83698003	Aluminium	Black	Spot light	5701581306585		371
Montone 18	2015156101	Metal/Plastic	White	Ceiling light	5704924002250	E	166
Montone 30	2015196101	Metal/Plastic	White	Ceiling light	5704924002274	E	167
Montone 25	2015176101	Metal/Plastic	White	Ceiling light	5704924002267	E	167
Muninlink	86129901	Metal/Plastic	White	Track Light	5701581373488		158
Muninlink	86129903	Metal/Plastic	Black	Track Light	5704924012723		158
Máni 25	45606001	Metal/Plastic		Ceiling light	5701581367784	F	168
Máni 32	45616001	Metal/Plastic		Ceiling light	5701581367883	E	168
Nama 90	2118278003	Aluminium/Plastic	Black	Garden light	5704924005015	Exempt	348
Nama 50	2118268003	Aluminium/Plastic	Black	Garden light	5704924005008	Exempt	348
Nene	872723	Metal/Glass	Black	Wall light	7057388727237	F	321
Nestor Sensor	49051503	Aluminium/Plastic	Black	Wall light	5701581464988	E	335
Nestor	49041003	Aluminium/Plastic	Black	Wall light	5701581464889	E	335
Nibe	24981030	Copper/Glass	Copper	Wall light	5701581121010		321
Nibe	24981031	Galvanized steel/Glass	Galvanized	Wall light	5701581122017		321
Nico Round 22	2218231009	Aluminium/Glass	Rusty	Wall light	5704924010972		286
Nico Round 22	2218231050	Aluminium/Glass	Anthracite	Wall light	5704924010989		286
Nico Square 22	2218221009	Aluminium/Glass	Rusty	Wall light	5704924010934		285
Nico Square 22	2218221050	Aluminium/Glass	Anthracite	Wall light	5704924010941		285
Nico Round 22	2218231003	Aluminium/Glass	Black	Wall light	5704924010958		286
Nico Square 22	2218221003	Aluminium/Glass	Black	Wall light	5704924012426		285
Notti	2010903003	Metal	Black	Pendant	5704924001666		10
Notti 20	2011003010	Glass/Metal	Grey	Pendant	5704924001796		11
Notti	2011035003	Metal/Glass	Black	Table lamp	5704924001802		12

Model	Number	Material	Color	Type	EAN	Energy class	Page
Notti	2011035010	Metal/Glass	Grey	Table lamp	5704924001819		12
Notti 20	2011003003	Glass/Metal	Black	Pendant	5704924001789		11
Notti	2010903010	Metal	Grey	Pendant	5704924001673		10
Notti 10	2213073010	Metal	Grey	Pendant	5704924011719		11
Notti	2011035023	Metal/Glass	Green	Table lamp	5704924011597		12
Notti 10	2213073023	Metal	Green	Pendant	5704924011726		11
Notti	2011035059	Metal/Glass	Terracotta	Table lamp	5704924011603		12
Notti 10	2213073059	Metal	Terracotta	Pendant	5704924011733		11
Notti 10	2213073003	Metal	Black	Pendant	5704924011702		11
Noxy	2015356101	Plastic/Aluminium	White	Ceiling light	5704924002618	F	169
Noxy	2015356103	Plastic/Aluminium	Black	Ceiling light	5704924002625	F	169
Oakland 60 Single	47716101	Plastic/Plastic	White	Batten Light Fitting	5701581417182	E	200
Oakland 150 Single	47756101	Plastic/Plastic	White	Batten Light Fitting	5701581417588	E	202
Oakland 120 Single	47736101	Plastic/Plastic	White	Batten Light Fitting	5701581417380	E	201
Oakland 120 Double	47746101	Plastic/Plastic	White	Batten Light Fitting	5701581417489	E	201
Oakland 150 Double	47766101	Plastic/Plastic	White	Batten Light Fitting	5701581417687	E	202
Oakland 60 Double	47726101	Plastic	White	Batten Light Fitting	5701581417281	E	200
Octans 3-Kit 4000k	49270101	Plastic	White	Downlight	5701581468382	F	223
Octans 3-Kit 4000k	49270155	Plastic	Nickel	Downlight	5701581468580	F	223
Oja 29 Square Ip20 3000/4000k	2015056101	Plastic/Plastic	White	Ceiling light	5704924002168	F	180
Oja 24 Ip20 2700k	47246001	Plastic	White	Ceiling light	5701581413283	E	171
Oja 29 Ip54 3000/4000k	2015026103	Plastic/Plastic	Black	Ceiling light	5704924002144	E	178
Oja 29 Ip54 3000/4000k	2015026133	Plastic/Plastic	Chrome	Ceiling light	5704924002151	E	178
Oja 29 Ip20 3000/4000k	2015016101	Plastic/Plastic	White	Ceiling light	5704924002120	E	178
Oja 29 Ip54 2700k	50036101	Plastic	White	Ceiling light	5701581485082	E	173
Oja 29 Ip54 2700k Dim	50046101	Plastic	White	Ceiling light	5701581485181	E	175
Oja 60 Ip20 2700k Step-Dim	50066101	Plastic/Metal	White	Ceiling light	5701581488380	E	177
Oja 42 Ip20 3000/4000k	2015106101	Plastic/Plastic	White	Ceiling light	5704924002205	E	179
Oja 29 Ip20 2700k Step-Dim	47276001	Plastic/Plastic	White	Ceiling light	5701581443181	E	169
Oja 42 Ip54 2700k Sensor	2110476101	Plastic/Plastic	White	Ceiling light	5704924007101	F	181
Oja 29 Square Ip54 3000/4000k	2015066133	Plastic/Plastic	Chrome	Ceiling light	5704924002199	E	180
Oja 29 Ip20 3000/4000k	2015016155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002137	E	178
Oja 42 Ip20 2700k Step-Dim	47286001	Plastic/Plastic	White	Ceiling light	5701581443280	E	170
Oja 60 Ip20 2700k Step-Dim	50066103	Plastic/Metal	Black	Ceiling light	5704924002243	E	177

Model	Number	Material	Color	Type	EAN	Energy class	Page
Oja 29 Ip54 2700k Sensor	2110456101	Plastic/Plastic	White	Ceiling light	5704924007095	F	181
Oja 42 Ip54 3000/4000k	2015116133	Plastic/Plastic	Chrome	Ceiling light	5704924002236	E	179
Oja 42 Ip54 2700k Dim	50056101	Plastic	White	Ceiling light	5701581485280	E	176
Oja 29 Square Ip54 3000/4000k	2015066103	Plastic/Plastic	Black	Ceiling light	5704924002182	F	180
Oja 29 Ip20 2700k	47256001	Plastic	White	Ceiling light	5701581413382	E	172
Oja 42 Ip20 2700k	47266001	Plastic	White	Ceiling light	5701581413481	E	174
Oja 42 Ip54 3000/4000k	2015116103	Plastic/Plastic	Black	Ceiling light	5704924002229	E	179
Oja 42 Ip20 3000/4000k	2015106155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002212	F	179
Oja 29 Square Ip20 3000/4000k	2015056155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002175	F	180
Oja 42 Ip54 4000k Dim	50226101	Plastic/Metal	White	Ceiling light	5701581488182	E	176
Oja 29 Ip20 4000k Step-Dim	47156001	Plastic/Plastic	White	Ceiling light	5701581442986	E	170
Oja 29 Ip20 2700k Step-Dim	47276003	Plastic/Plastic	Black	Ceiling light	5704924009761	E	169
Oja 29 Ip20 4000k Step-Dim	47156003	Plastic/Plastic	Black	Ceiling light	5704924009778	E	170
Oja 42 Ip20 2700k Step-Dim	47286003	Plastic/Plastic	Black	Ceiling light	5704924009785	E	170
Oja 42 Ip20 4000k Step-Dim	2210016103	Plastic/Plastic	Black	Ceiling light	5704924009792	E	171
Oja 42 Ip20 4000k Step-Dim	47166001	Plastic	White	Ceiling light	5701581443082		171
Oja 42 Ip20 4000k	47966001	Plastic	White	Ceiling light	5701581421486		174
Oja 29 Ip20 4000k	47956001	Plastic	White	Ceiling light	5701581421288		173
Oja 29 Ip54 4000k Dim	50216101	Plastic/Metal	White	Ceiling light	5701581488083		175
Oja 60 Ip20 4000k Step-Dim	50236101	Plastic/Metal	White	Ceiling light	5701581487987		177
Oja 24 Ip20 4000k	47946001	Plastic	White	Ceiling light	5701581421080		
Ojasmart 29	2015036101	Plastic/Metal	White	Ceiling light	5704924002977	F	256
Ojasmart 42	2015136101	Plastic/Metal	White	Ceiling light	5704924002984	E	256
Ojasmart 60	2015146101	Plastic/Metal	White	Ceiling light	5704924002991	E	257
Ojasmart 29	2015036103	Plastic/Metal	Black	Ceiling light	5704924013232	F	256
Ojasmart 42	2015136103	Plastic/Metal	Black	Ceiling light	5704924013249	E	256
Ojasmart 60	2015146103	Plastic/Metal	Black	Ceiling light	5704924013256	E	257
Oliver Round	2218261003	Plastic	Black	Wall light	5704924011009	E	287
Oliver Square	2218251003	Plastic	Black	Wall light	5704924010996	E	286
Omari	2112213001	Metal	White	Pendant	5704924005398	F	113
Omari	2112231003	Metal	Black	Wall light	5704924005435	F	114
Omari 5-Spot	2112203001	Metal	White	Spot light	5704924005374	F	115
Omari 3-Spot	2112193003	Metal	Black	Spot light	5704924005367	F	115
Omari 5-Spot	2112203003	Metal	Black	Spot light	5704924005381	F	115



Model	Number	Material	Color	Type	EAN	Energy class	Page
Omari	2112245001	Metal	White	Table lamp	5704924005442	F	113
Omari 3-Spot	2112193001	Metal	White	Spot light	5704924005350	F	115
Omari	2112254003	Metal	Black	Floor lamp	5704924005473	F	114
Omari	2112231001	Metal	White	Wall light	5704924005428	F	114
Omari	2112245003	Metal	Black	Table lamp	5704924005459	F	113
Omari	2112213003	Metal	Black	Pendant	5704924005404	F	113
Omari	2112254001	Metal	White	Floor lamp	5704924005466	F	114
Omarilink	2112229901	Metal/Plastic	Matt white	Track Light	5704924005411	F	154
Omarilink	2112229903	Metal/Plastic	Black	Track Light	5704924012730	F	154
Openlink	2110619903	Metal/Plastic	Matt black	Track Light	5704924007231		154
Openlink	2110619901	Metal/Plastic	Matt white	Track Light	5704924007224		154
Orbiform	2010715047	Glass/Metal	Brass	Table lamp	5704924001550		84
Orbiform 3-Spot	2010693047	Glass/Metal	Brass	Pendant	5704924001543		84
Orbiform	2010656047	Glass/Metal	Brass	Ceiling light	5704924001529		85
Orbiform	2010673047	Glass/Metal	Grey	Pendant	5704924001536		83
Otis 60	2015411033	Aluminium/Plastic	Chrome	Wall light	5704924002724	F	232
Otis 40	2015401055	Aluminium/Plastic	Brushed Nickel	Wall light	5704924002700	F	232
Otis 40	2015401033	Aluminium/Plastic	Chrome	Wall light	5704924002694	F	232
Otis 60	2015411055	Aluminium/Plastic	Brushed Nickel	Wall light	5704924002731	F	232
Otis 40	2015401001	Aluminium/Plastic	White	Wall light	5704924002687	F	
Otis 60	2015411001	Aluminium/Plastic	White	Wall light	5704924002717	F	232
Paco	2112071003	Metal	Black	Wall light	5704924005251		47
Paco	2112053035	Metal	Brass	Pendant	5704924005220		45
Paco 3-Spot	2112063003	Metal	Black	Pendant	5704924005237		46
Paco	2112094003	Metal	Black	Floor lamp	5704924005275		47
Paco	2112053003	Metal	Black	Pendant	5704924005213		45
Paco	2112085003	Metal	Black	Table lamp	5704924005268		46
Paco 3-Spot	2112063035	Metal	Brass	Pendant	5704924005244		46
Paco 5-Spot	2213273003	Metal	Black	Spot light	5704924011931		48
Pato Square	83840034	Metal/Glass	Stainless steel	Recessed light	5701581307889		365
Pato Round	83830034	Metal/Glass	Stainless steel	Recessed light	5701581307780		364
Pend	0100001	Plastic	White	Pendant sus- pension	5701581168886		54
Pend	2212003003	Plastic	Black	Pendant sus- pension	5704924014017		54
Phoe	24381030	Copper/Plastic	Copper	Wall light	5701581033030		331

Model	Number	Material	Color	Type	EAN	Energy class	Page
Phoe	24381031	Galvanized steel/Plastic	Galvanized	Wall light	5701581034037		331
Photo	59372029	Metal	Silver	Clamp lamp	5701581123014		142
Pine	2010405003	Metal	Black	Table lamp	5704924001406		86
Pine	2010381003	Metal	Black	Wall light	5704924001383		86
Pine	2010353003	Metal	Black	Pendant	5704924001345		85
Piso	2010763001	Metal/Plastic	White	Pendant	5704924001604	E	68
Piso	2010756001	Metal/Plastic	White	Ceiling light	5704924001581	E	69
Piso	2010763010	Metal/Plastic	Grey	Pendant	5704924001611	E	68
Piso	2010756010	Metal/Plastic	Grey	Ceiling light	5704924001598	E	69
Polperro	49021035	Brass/Glass	Brass	Wall light	5701581464483		334
Polperro	49021055	Brass/Glass	Nickel	Wall light	5701581464582		334
Pontio	2218208003	Aluminium	Black	Garden light	5704924010910		275
Pontio 27	2218191008	Aluminium	Sanded	Wall light	5704924010897		274
Pontio 15	2218171003	Aluminium	Black	Wall light	5704924010842		274
Pontio	2218208008	Aluminium	Sanded	Garden light	5704924010927		275
Pontio 15	2218171001	Aluminium	White	Wall light	5704924010835		274
Pontio 27	2218191001	Aluminium	White	Wall light	5704924010873		274
Pontio	2218208001	Aluminium	White	Garden light	5704924010903		275
Pontio 15	2218171008	Aluminium	Sanded	Wall light	5704924010866		274
Pontio 27	2218191003	Aluminium	Black	Wall light	5704924010880		274
Pop Rough	48754001	Metal	White	Floor lamp	5701581461383		37
Pop	45833050	Metal	Anthracite	Pendant	5701581371088		36
Pop Rough	48754011	Metal	Grey	Floor lamp	5701581461482		37
Pop	45841003	Metal	Black	Wall light	5701581371385		38
Pop Rough	48733001	Metal	White	Pendant	5701581460980		36
Pop	45833001	Metal	White	Pendant	5701581370685		36
Pop	45833023	Metal	Green	Pendant	5701581370982		36
Pop Rough	48733011	Metal	Grey	Pendant	5701581461086		36
Pop	45841023	Metal	Green	Wall light	5701581371583		38
Pop Rough	48745001	Metal	White	Table lamp	5701581461185		37
Pop	45841050	Metal	Anthracite	Wall light	5701581371682		38
Pop Rough	48745011	Metal	Grey	Table lamp	5701581461284		37
Pop	45833003	Metal	Black	Pendant	5701581370784		36
Pop	45841001	Metal	White	Wall light	5701581371286		38

Model	Number	Material	Color	Type	EAN	Energy class	Page
Pop 3-Spot	2213633003	Metal	Matt black	Pendant	5704924012334		35
Pop	45833009	Metal	Beige	Pendant	5704924011504		36
Pop	45841009	Metal	Beige	Wall light	5704924011528		38
Pop	2213623003	Metal	Matt black	Pendant	5704924012327		35
Pop	2213641003	Metal	Matt black	Wall light	5704924012952		38
Porter	2213062031	Metal	Galvanized	Clamp lamp	5704924011696		41
Porter	2213051031	Metal	Galvanized	Wall light	5704924011689		40
Porter 40	2213043031	Metal/Plastic	Galvanized	Pendant	5704924011672		40
Porter 9	2213023031	Metal	Galvanized	Pendant	5704924011658		39
Porter 21	2213033031	Metal/Plastic	Galvanized	Pendant	5704924011665		39
Porter 3-Spot	2213010131	Metal	Galvanized	Spot light	5704924011641		41
R50 Dim	5194001821	Glass	Clear	Light Bulb	6923933818082	F	439
R63 Dim	5194002421	Glass	Clear	Light Bulb	6923933818099	F	439
Ray	63191033	Metal/Glass	Chrome	Wall light	5701581253483		107
Ray Single	63214033	Metal/Glass	Chrome	Floor lamp	5701581239289		106
Ray 2-Spot	72224033	Metal/Glass	Chrome	Floor lamp	5701581249479		107
Ray 2-Kit	63233033	Glass/Metal	Chrome	Pendant	5701581239487		105
Ray	63191003	Metal	Black	Wall light	5701581344884		107
Ray Single	63214003	Metal	Black	Floor lamp	5701581345089		106
Ray Double	63224033	Metal/Glass	Chrome	Floor lamp	5701581239388		106
Ray	63201003	Metal	Black	Table lamp	5701581344983		105
Ray 2-Kit	63233001	Glass/Metal	White	Pendant	5701581372887		105
Ray	63201033	Metal/Glass	Chrome	Table lamp	5701581253582		105
Ray 2-Kit	63233003	Metal	Black	Pendant	5701581345287		105
Ray 2-Spot	72224003	Metal	Black	Floor lamp	5701581345386		107
Ray Double	63224003	Metal	Black	Floor lamp	5701581345188		106
Read 20	73163010	Glass/Metal	Opal white	Pendant	5701581265578		129
Read 14	73153010	Glass/Metal	Opal white	Pendant	5701581265479		128
Rece 3-Kit	84650032	Metal	Brushed steel	Downlight	5701581343986	E	223
Rece 3-Kit	84650001	Metal	White	Downlight	5701581343887	E	223
Renton 55 2700k	47786101	Plastic	White	Batten Light Fitting	5701581417885	F	203
Renton 90 2700k	47796101	Plastic	White	Batten Light Fitting	5701581417984	F	204
Renton 110 2700k	47806101	Plastic	White	Batten Light Fitting	5701581418080	E	204
Renton 150 2700k	47816101	Plastic	White	Batten Light Fitting	5701581418189	E	205

Model	Number	Material	Color	Type	EAN	Energy class	Page
Renton 30 2700k	47776101	Plastic	White	Batten Light Fitting	5701581417786	F	203
Renton 90 4000k	2111036101	Plastic	White	Batten Light Fitting	5704924008474		206
Renton 150 4000k	2111056101	Plastic	White	Batten Light Fitting	5704924008498		207
Renton 110 4000k	2111046101	Plastic	White	Batten Light Fitting	5704924008481		207
Renton 55 4000k	2111026101	Plastic	White	Batten Light Fitting	5704924008467		206
Renton 30 4000k	2111016101	Plastic	White	Batten Light Fitting	5704924008450		205
Rica Square	2118161003	Plastic	Black	Wall light	5704924004797	Exempt	310
Rica Square	2118178003	Stainless steel/Plastic	Black	Garden light	5704924004803	Exempt	311
Rica Round	2118158003	Stainless steel/Plastic	Black	Garden light	5704924004780	Exempt	311
Rica Round	2118141003	Plastic	Black	Wall light	5704924004773	Exempt	310
Risp 48	14094801	Paper	White	Pendant	5708839002442		133
Risp 40	14094001	Paper	White	Pendant	5708715740000		133
Risp 35	14093501	Paper	White	Pendant	5708715730001		133
Roar	84960001	Plastic	White	Downlight	5701581373181	F	224
Roar	84960003	Plastic/Plastic	Black	Downlight	5704924013997	F	224
Rold Round	84141003	Metal/Glass	Black	Wall light	5701581342385	E	289
Rold Flat	84151003	Metal/Glass	Black	Wall light	5701581342484	E	289
Rold Round	84141008	Metal/Glass	Sanded	Wall light	5704924012402	E	289
Rold Flat	84151008	Metal/Glass	Sanded	Wall light	5704924012419	E	289
Rondielink Pendant	2110649901	Metal/Plastic	White	Track Light	5704924007286		155
Rondielink Spot	2110639903	Metal/Plastic	Black	Track Light	5704924007279		155
Rondielink Spot	2110639901	Metal/Plastic	White	Track Light	5704924007262		155
Rondielink Pendant	2110649903	Metal/Plastic	Black	Track Light	5704924007293		155
Roomi	2112551003	Metal	Black	Wall light	5704924005664		140
Roomi	2112551001	Metal	White	Wall light	5704924005657		140
Scor	21651031	Metal/Plastic	Galvanized	Wall light	5701581917958		276
Scor Maxi	21769931	Galvanized steel/Plastic	Galvanized	Garden light	5701581228375		275
Scor Maxi	21751001	Metal/Plastic	White	Wall light	5701581303973		276
Scor	21651030	Copper/Plastic	Copper	Wall light	5701581916951		276
Scor Maxi	21751031	Metal/Plastic	Galvanized	Wall light	5701581241961		276
Scor Maxi	21751030	Copper/Plastic	Copper	Wall light	5701581240964		276
Scor	21651001	Metal/Plastic	White	Wall light	5701581301979		276
Scor	21651003	Copper/Plastic	Copper	Wall light	5701581011021		276
Scor Maxi	21751003	Metal/Plastic	Black	Wall light	5701581012028		276

Model	Number	Material	Color	Type	EAN	Energy class	Page
Scor Maxi	21751008	Metal/Plastic	Sanded	Wall light	5704924010538		276
Scor	21651008	Metal/Plastic	Sanded	Wall light	5704924010521		276
Siege	2110370101	Plastic/Metal	White	Downlight	5704924006999	F	224
Siege	2110370155	Plastic/Metal	Nickel	Downlight	5704924007002	F	224
Singlelink	86109901	Metal/Plastic	White	Track Light	5701581357686		156
Singlelink	86109903	Metal/Plastic	Black	Track Light	5701581373280		156
Siv	45883001	Marble	White	Pendant	5701581372184		12
Siv	45875003	Marble	Black	Table lamp	5701581371989		13
Siv	45883003	Marble	Black	Pendant	5701581372283		12
Siv	45875001	Marble	White	Table lamp	5701581371880		13
Siv	45883018	Marble	Brown	Pendant	5704924011542		12
Siv	45875018	Marble	Brown	Table lamp	5704924011535		13
Sjaver	2110711001	Plastic/Aluminium	White	Bathroom lighting	5704924007385	F	238
Skot	17051003	Plastic/Glass	Black	Wall light	4017506013331		318
Skot	17051001	Plastic/Glass	White	Wall light	4017506013324		318
Skylar	2113003029	Aluminium/Plastic	Aluminium	Pendant	5704924006203	F	123
Skylar	2113003003	Aluminium/Plastic	Black	Pendant	5704924006197	F	123
Smart	2015700001	Plastic	White	Remote control	5704924003011		267
Smart Dual-Wifi	2170220001	Plastic	White	Bridge	5704924008399		266
Smart	49091001	Plastic	White	Sensor	5701581465589		375
Smart Wifi	1507070	Plastic	White	Bridge	5701581495784		266
Smart Eu	2170010001	Plastic/Plastic	White	Plug	5704924006319		267
Smart	49091003	Plastic	Black	Sensor	5701581465688		375
Smart Color	2210439901	Copper	White	Track Light	5704924012822	G	254
Smart Color	2210449901	Copper	White	Track Light	5704924012839	G	254
Smart Color	2270042201	Plastic	Frosted	Light Bulb	5704924013119		262
Smarte14	2170171401	Plastic	White	Light Bulb	5704924006890	G	265
Smarte27 A60	2070092701		Opal white	Light Bulb	5704924002533	E	263
Smarte27 G45	2170062701		Opal white	Light Bulb	5704924006364	E	265
Smarte27 A60	2070082700		Clear	Light Bulb	5704924002526	E	263
Smarte27	2170142701	Plastic	White	Light Bulb	5704924006869	F	263
Smarte27	2270012700	Glass	Clear	Light Bulb	5704924013089		262
Smarte27	2270002700	Plastic	Frosted	Light Bulb	5704924013072		262
Smarte27	2270022701	Plastic	Frosted	Light Bulb	5704924013096		263

Model	Number	Material	Color	Type	EAN	Energy class	Page
Smarte27 Color	2270052701	Plastic	Frosted	Light Bulb	5704924013126		262
Smartgu10 Outdoor	2170031000		Clear	Light Bulb	5704924006333	F	264
Smartgu10	2070031000		Clear	Light Bulb	5704924001956	F	264
Smartgu10 2-Kit	2070041000		Opal white	Light Bulb	5704924001963	F	265
Smartgu10	2170151001	Plastic	White	Light Bulb	5704924006876	F	264
Smartgu10 Color	2270061000	Plastic	White	Light Bulb	5704924013133		265
Smartgu10	2270031000	Plastic	Clear	Light Bulb	5704924013102		264
Spin	25416001	Metal/Glass	White	Ceiling light	5701581972957		182
Spin	25416032	Metal/Glass	Brushed steel	Ceiling light	5701581251472		182
Spir	0140001	Plastic	White	Pendant sus- pension	5701581197886		270
Sponge 34	2018165003	Plastic/Metal	White	Battery light	5701581497788	D	354
Sponge Spike	2018128003	Plastic/Metal	White	Battery light	5701581496880	F	352
Sponge 20	2018135003	Plastic/Metal	White	Battery light	5701581496989	F	353
Sponge 34	2018154003	Plastic/Metal	White	Battery light	5701581497184	E	354
Sponge Pendant	2018103003	Plastic/Metal	White	Battery light	5701581496781	F	352
Sponge To Go	2018145003	Plastic/Metal	White	Battery light	5701581497085	F	353
Spotbox	76859999	Plastic	Grey	Miscellaneous	5701581229884		249
Spotlight Gu10	20789903	Aluminium/Glass	Black	Spot light	5701581326781		370
Stake	2110360103	Plastic/Metal	Black	Downlight	5704924006982	F	225
Stake	2110360101	Plastic/Metal	White	Downlight	5704924006975	F	225
Staldglas	2440999	Glass	Clear	Accessories	5701581347960		378
Staldglas	2444999	Plastic	Black	Accessories	5701581200388		379
Staldglas	2440888	Glass	Sandblasted	Accessories	5701581289475		378
Standard	25326001	Glass/Metal	White	Ceiling light	5701581027039		182
Stof	73059901	Textile	White	Accessories	5701581204270		270
Stof	73059903	Textile	Black	Accessories	5701581204478		270
Söller 22	2110746101	Plastic/Plastic	White	Bathroom lighting	5704924007415	F	239
Söller 17	2110736101	Plastic/Plastic	White	Bathroom lighting	5704924007392	F	239
Söller 12	2110726101	Plastic/Plastic	White	Bathroom lighting	5704924007408	F	238
T8	1270070	Glass	White	Light Bulb	5701581208773	G	440
T8	1271070	Glass	White	Light Bulb	5701581208872	F	440
Tang Single	17131032	Glass/Metal	Brushed steel	Bathroom lighting	5701581119055		240
Tang Double	17141029	Glass/Metal	Chrome	Bathroom lighting	5701581006072		240
Tang Double	17141032	Glass/Metal	Brushed steel	Bathroom lighting	5701581120051		240

Model	Number	Material	Color	Type	EAN	Energy class	Page
Taurus	77029934	Stainless steel	Stainless steel	Spot light	5701581324183		370
Tees	84863003	Metal	Black	Pendant	5701581346581		132
Temple 30	2218325031	Galvanized steel/Plastic	Galvanized	Battery light	5704924011092		358
Temple 35	2218335031	Galvanized steel/Plastic	Galvanized	Battery light	5704924011115		358
Temple 30	2218325035	Brass/Plastic	Brass	Battery light	5704924011108		358
Temple 35	2218335035	Brass/Plastic	Brass	Battery light	5704924011122		358
Teton	84136003	Metal/Plastic	Black	Ceiling light	5701581342286	D	345
Texas	47141001	Metal	White	Wall light	5701581412385		142
Texas	47141003	Metal	Black	Wall light	5701581412484		142
Theo	2112654003	Metal/Wood	Black	Floor lamp	5704924005701		109
Theo	2112645003	Metal/Wood	Black	Table lamp	5704924005695		108
Theo	2112631003	Metal/Wood	Black	Wall light	5704924005688		109
Theo	2112603003	Metal/Wood	Black	Pendant	5704924005671		108
Theros	2015376101	Plastic/Aluminium	Chrome	Ceiling light	5704924002632	F	183
Tiaki	49570155	Plastic/Metal	Nickel	Downlight	5701581474888	F	225
Tiaki	49570101	Plastic/Metal	White	Downlight	5701581474789	F	225
Tilo 5-Spot	2010483003	Metal/Wood	Black	Pendant	5704924001482		119
Tilo	2010453003	Metal/Wood	Black	Pendant	5704924001444		118
Tilo 3-Spot	2010473003	Metal/Wood	Black	Pendant	5704924001468		119
Tilos 3-Kit	96439934	Stainless steel/Glass	Stainless steel	Recessed light	5704924005985		366
Tilos 1-Kit	96409934	Stainless steel/Plastic	Stainless steel	Recessed light	5704924005978		365
Time	2010925010	Metal/Glass	Grey	Table lamp	5704924001697		136
Time	2010925003	Metal/Glass	Black	Table lamp	5704924001680		136
Tin Single	21269903	Metal/Glass	Black	Wall light	5701581322684		326
Tin Single	21269930	Copper/Glass	Copper	Wall light	5701581327481		326
Tin Maxi Double Sensor	21519129	Aluminium/Glass	Aluminium	Wall light	5701581329386		329
Tin Maxi Sensor	21509129	Metal/Glass	Aluminium	Wall light	5701581328785		328
Tin Maxi Double	21519934	Stainless steel/Glass	Stainless steel	Wall light	5701581329188		329
Tin Maxi Double	21519929	Metal/Glass	Aluminium	Wall light	5701581329089		329
Tin Double	21279903	Metal/Glass	Black	Wall light	5701581327788		327
Tin Double	21279134	Stainless steel/Glass	Stainless steel	Wall light	5701581327986		327
Tin Maxi Double	21519901	Metal/Glass	White	Wall light	5701581328884		329
Tin Maxi Sensor	21509103	Metal/Glass	Black	Wall light	5701581328686		328
Tin Maxi Double	21519903	Metal/Glass	Black	Wall light	5701581323186		329

Model	Number	Material	Color	Type	EAN	Energy class	Page
Tin Maxi Double Sensor	21519103	Aluminium/Glass	Black	Wall light	5701581329287		329
Tin Maxi	21509901	Metal/Glass	White	Wall light	5701581322882		328
Tin Maxi	21509929	Metal/Glass	Aluminium	Wall light	5701581323087		328
Tin Maxi	21509903	Metal/Glass	Black	Wall light	5701581322981		328
Tin Double Sensor	21279934	Stainless steel/Glass	Stainless steel	Wall light	5701581322783		327
Tin Double	21279930	Copper/Glass	Copper	Wall light	5701581327887		327
Tip	20299931	Metal	Galvanized	Downlight	5701581326682		226
Torina 20	2213173000	Glass/Metal	Clear	Pendant	5704924011863		50
Torina 25	2213183000	Glass/Metal	Clear	Pendant	5704924011870		51
Trafo	12351101	Plastic	White	Accessories	5701581004993		249
Trenton	47856101	Plastic/Metal	White	Batten Light Fitting	5701581418585	E	208
Tribeca 24	46423003	Wood	Black	Pendant	5701581404687		127
Tribeca 38	46433003	Wood	Black	Pendant	5701581404885		128
Trio	3001601	Plastic/Metal	White	Wall light	5701581149885		143
Triton 3-Kit	54540101	Metal	White	Downlight	5701581319486		226
Triton 3-Kit	54540132	Metal	Brushed steel	Downlight	5701581319684		226
Trude	45713003	Metal	Black	Pendant	5701581368781		126
Turn	2019061001	Aluminium	White	Wall light	5704924000621	F	320
Turn	2019061010	Aluminium	Grey	Wall light	5704924000645	F	320
Turn	2019061003	Aluminium	Black	Wall light	5704924000638	F	320
Ufo	25576000	Glass/Metal	White	Ceiling light	5701581047037		183
Ufo Maxi	25626001	Glass/Metal	White	Ceiling light	5701581064041		184
Uma 23	2112723047	Glass/Metal	Grey	Pendant	5704924005749		122
Uma 30	2112733027	Glass/Metal	Amber	Pendant	5704924005756		122
Uma 23	2112723001	Glass/Metal	Opal white	Pendant	5704924006166		122
Uma 30	2112733001	Glass/Metal	Opal white	Pendant	5704924006173		122
Uma 18	2112703001	Glass/Metal	Opal white	Pendant	5704924006180		121
Uma 23	2112723027	Glass/Metal	Amber	Pendant	5704924005732		122
Uma 30	2112733047	Glass/Metal	Grey	Pendant	5704924005763		122
Uma 18	2112703047	Glass/Metal	Grey	Pendant	5704924005725		121
Uma 18	2112703027	Glass/Metal	Amber	Pendant	5704924005718		121
Une 6-Kit	45420034	Plastic/StainlessSteel	Stainless steel	Recessed light	5701581374683	Exempt	364
Vanila	72711003	Metal	Black	Wall light	5701581268470		88
Vanila	72695003	Metal	Black	Table lamp	5701581243170		87



Model	Number	Material	Color	Type	EAN	Energy class	Page
Vanila	72711001	Metal	White	Wall light	5701581268371		88
Vanila	72704001	Metal	White	Floor lamp	5701581268173		87
Vanila	72695001	Metal	White	Table lamp	5701581271579		87
Vanila	72704003	Metal	Black	Floor lamp	5701581268272		87
Veje Up	25091001	Metal/Glass	White	Wall light	5701581029071		312
Veje Up Sensor	25101031	Galvanized steel/Glass	Galvanized	Wall light	5701581174078		312
Veje Up	25091003	Metal/Glass	Black	Wall light	5701581030077		312
Veje Down	74461031	Galvanized steel/Glass	Galvanized	Wall light	5701581210578		313
Veje Up	25091034	Stainless steel/Glass	Stainless steel	Wall light	5701581053076		312
Veje Down	74471003	Metal/Glass	Black	Wall light	5701581210677		313
Veje	25168031	Galvanized steel/Glass	Galvanized	Garden light	5701581228573		314
Veje	25118003	Metal/Glass	Black	Garden light	5701581032071		314
Veje	25118034	Stainless steel/Glass	Stainless steel	Garden light	5701581052079		314
Veje Up	25091031	Galvanized steel/Glass	Galvanized	Wall light	5701581092068		312
Veje Up Sensor	25101003	Metal/Glass	Black	Wall light	5701581176072		312
Veje	25118031	Galvanized steel/Glass	Galvanized	Garden light	5701581093065		314
Venø	10600719	Galvanized steel/Plastic	Galvanized	Garden light	5702376007199		290
Venø	10600625	Copper/Plastic	Copper	Wall light	5702376006253		290
Venø	10600725	Copper/Plastic	Copper	Garden light	5702376007250		290
Venø	10600619	Galvanized steel/Plastic	Galvanized	Wall light	5702376006192		290
Verona	2010875001	Glass/Metal	Black	Table lamp	5704924001642		89
Verona	2010863001	Glass/Metal	Black	Pendant	5704924001635		88
Verona	2010884001	Glass/Metal	Black	Floor lamp	5704924001659		89
Vic 22 4000k	2210246001	Plastic	White	Ceiling light	5704924012655	E	185
Vic 35 3000k	2210236001	Plastic	White	Ceiling light	5704924012686	E	186
Vic 35 4000k	2210266001	Plastic	White	Ceiling light	5704924012693	E	187
Vic 29 4000k	2210256001	Plastic	White	Ceiling light	5704924012679	E	186
Vic 29 3000k	2210226001	Plastic	White	Ceiling light	5704924012662	E	185
Vic 22 3000k	2210216001	Plastic	White	Ceiling light	5704924012648	E	184
Villo 60	2213253201	Paper	White	Pendant	5704924011917		51
Villo 60	2213253250	Paper	Grey	Pendant	5704924011924		51
Virum	24111031	Galvanized steel/Glass	Galvanized	Wall light	5701581027046		331
Westport 120 Singel	49666110	Plastic	Grey	Batten Light Fitting	5701581481985	E	209
Westport 60 Single	49646110	Plastic	Grey	Batten Light Fitting	5701581481787	E	208

Model	Number	Material	Color	Type	EAN	Energy class	Page
Westport 60 Double	49656110	Plastic	Grey	Batten Light Fitting	5701581481886	E	209
Westport 120 Double	49676110	Plastic	Grey	Batten Light Fitting	5701581482081		210
Workspip65 2x9w Led	27586101	Plastic	Grey	Batten Light Fitting	5701581339989	F	211
Workspip65 1x18w Led	27396101	Plastic/Metal	Grey	Batten Light Fitting	5701581322585	F	211
Workspip65 1x9w Led	27386101	Plastic/Metal	Grey	Batten Light Fitting	5701581322486	F	210
Workspip65 2x18w Led	27596101	Plastic	Grey	Batten Light Fitting	5701581340084	F	212
Workspip65 1x24	2111076101			Batten Light Fitting	5704924008504		212
Workspip65 2x24	2111086101			Batten Light Fitting	5704924008511		213

### **Showroom & Headquarters**

Østre Havnegade 34  
DK 9000 Aalborg  
T + 45 98 18 16 11  
nordlux@nordlux.com  
nordlux.com

### **Benelux & Portugal**

T +32 (0)15 25 76 40  
info@nordlux.com

### **France**

T +33 320 479 346  
france@nordlux.com

### **Germany**

T +49 (0) 21 52 89 87 37  
F +49 (0) 21 52 14 85 54  
germany@nordlux.com

### **Norway**

T +47 51 88 63 18  
norway@nordlux.com

### **Sweden**

T +46 (0) 20 14 00 054  
sweden@nordlux.com

### **UK & Eire**

T +44 (0) 12 00 42 27 77  
salesuk@nordlux.com

